

Cambridge University Press

978-0-521-49336-9 - Recommender Systems: An Introduction

Dietmar Jannach, Markus Zanker, Alexander Felfernig and Gerhard Friedrich

Index

[More information](#)

Index

- attacks, 211
 - countermeasures, 221
 - dimensions of, 213
 - effectiveness, 219
 - types of, 214
- attack profile, 215
- association rule mining, 31, 108
 - confidence, 33
 - support, 32
- attributes, augmentation of filtering by, 284
- Bayes, 36
 - Bayesian belief networks, 38
 - clustering, 37
 - naive Bayes, 138
- case amplification, 17
- case study, 44, 189
- classification, 35
 - Bayes classification, 35
- clickstream attacks, 218
- collaborative filtering, 13, 81, 124, 127
 - attacks on, 211
 - distributed, 227
 - item-based, 18
 - memory-based, 26
 - model-based, 21
 - user-based, 13
- cold start, 23, 124, 293
 - new user cold-start problem, 26
- conjunctive queries, 85
- constraints, 83
 - constraint satisfaction problem, 83, 135
 - constraint-based recommender, 84
- constraint types, 84
 - compatibility constraints, 85
 - filtering conditions, 85
 - product constraints, 85
- content-based recommendation, 51, 124, 127
 - comparison, 74
 - limitations, 75
- context-aware recommendation, 140, 291, 301
 - contextual parameters, 127, 140, 292
- cosine similarity, 19
 - adjusted cosine similarity, 19
- coverage, 18
- critiquing-based recommendation, 101, 296
 - compound critiquing, 104
 - critique diversity, 111
 - critique patterns, 107
 - dynamic critiquing, 105
- customer requirements, 91
 - conflict sets, 93
 - diagnoses for unsatisfiable requirements, 93
 - MinRelax, 95
 - QuickXPlain, 94
 - repairing inconsistent requirements, 96
- data preprocessing, 20
 - offline preprocessing, 21
- dataset, historical, 176, 177
 - BX 170, 176
 - Eachmovie, 170, 176, 184
 - Entrée, 170
 - Jester, 170
 - MovieLens, 170, 176, 184
 - Netflix, 170, 184
 - Ta-Feng, 170
- decision trees, 70

- decoy effects, 236
 - asymmetric dominance, 237
 - attraction effect, 238
 - compromise effect, 237
- defaults, 88
 - dependent defaults, 88
 - derived defaults, 99
 - static defaults, 88
- default voting, 25
- demographic recommender systems, 125
 - demographic data, 23, 31, 127
- Dice coefficient, 54
- dimensionality reduction, 30
- document classification, 63
 - linear classifiers, 68
 - machine learning, 68
 - probabilistic document classification, 63
- evaluation design, 167, 175
 - experimental, 172, 185
 - field studies, 175
 - lab studies, 175
 - non-experimental, 186
 - quasi-experimental, 173, 186
 - subjects of, 169
- evaluation methodology, 177
 - a/b testing, 186
 - all but n, 178
 - given n, 178
 - leave one out, 178
 - n-fold cross-validation, 177
 - testing set, 178
 - training set, learning set, 178
 - user study, 184
- explanations, 143
 - abductive, 151
 - in case-based recommenders, 157
 - in collaborative filtering recommenders, 161
 - in constraint-based recommender, 147
 - goals, 144
 - well-founded, 153
- feature selection, 39, 72
- folksonomies, 262
 - and collaborative filtering, 269
 - and content-based methods, 263
- graph-based recommendation, 24
 - spreading-activation, 25
- hybrid recommender systems, 124
 - cascade hybrids, 138
 - feature augmentation hybrid, 132
 - feature combination hybrid, 130
 - hybridization designs, 128
 - meta-level hybrids, 139
 - mixed hybrid, 134
 - monolithic hybridization design, 128, 129
 - parallelized hybridization design, 129, 134
 - pipelined hybridization design, 129, 138
 - switching hybrids, 137
 - weighted hybrid, 135
- inverse user frequency, 17
- knowledge-based recommendation, 81, 124, 127
 - case-based recommendation, 101
 - constraint-based recommendation, 83
 - knowledge model, 124
- long-term user model, 59
- matrix factorization, 26
 - latent semantic analysis, 27
 - singular value decomposition, 27
- metrics, 179
 - catalog coverage, 183
 - F1, 181
 - hitrate, 181
 - lift index, 182
 - mean absolute error (MAE), 49, 136, 176, 179
 - precision, 180
 - Rankscore, 182
 - recall, 180
 - root mean square error (RMSE), 176, 180, 300
 - user coverage, 183
- nearest neighbors, 13, 58
- Netflix prize, 26, 125, 300
- news recommendation, 44, 58
- obfuscation, 225
- ontological filtering, 279
- outlook, 300
- participatory media, recommending content, 276
- Pearson correlation coefficient, 14

Cambridge University Press

978-0-521-49336-9 - Recommender Systems: An Introduction

Dietmar Jannach, Markus Zanker, Alexander Felfernig and Gerhard Friedrich

Index

[More information](#)*Index*

335

- personality and social psychology, 245
 - conformity, 247
 - emotions, 248
 - persuasion, 249
 - trust, 247
- principal component analysis, 29
- privacy, 225
- probabilistic latent semantic analysis, 31
- probabilistic recommender systems, 35
- profile injection, 212
- psychological theories, 235
 - context effects, 236
 - decoy effects, 236
 - defaults, 88, 244
 - effort accuracy framework, 235
 - framing, 243
 - preference construction, 235
 - primacy/recency, 236, 240
 - priming, 243
- query-based retrieval, 60, 101
- question selection, 90
- rating matrix, 14
- rating prediction, 16
- ratings, 22
 - explicit, 22
 - implicit, 23
 - rating scale, 22, 174, 179
- relevance feedback, 60
- result presentation, 96
 - conjoint analysis, 100
 - ranking results, 97, 126
- Rocchio's method, 60
- rule induction, 70
- Semantic Web, 253
- semantics, extracting, 285
- short-term user model, 58
- significance weighting, 17
- similarity-based retrieval, 58
- similarity metrics, 86
- similarity threshold, 18
- Slope One, 41
- social networks, 253
- sparsity, 23, 170, 293
- stemming, 56
- stop words, 56
- summary, 299
- tag-based recommendation, linguistic
 - methods, 266
- tag clouds, 263
- tag clustering, 268
- tag recommendation, 273
- taxonomies, augmentation of filtering by, 279
- text classification, 67
- TF-IDF term frequency, in verse user frequency, 54
- top-n, 13
- trust metrics, 257
- trust networks, 255
- trust-awareness, 254
- user model, 127, 291
 - user profile, 125, 291
- ubiquitous environments,
 - recommendations in, 289
- utility-based recommendation, 87, 97, 126
 - multi-attribute utility scheme, 127
 - multi-attribute utility theory, 97
- variance weighting, 17
- Web 2.0, 253
- web mining, 285
- weighted majority voter, 89