

## Index

- Adaptive optimization, 402, 428–430
- Adjoint trajectories, 352
- Adjoint variable, 165
  - boundary conditions, 167
- Aeration (gas flow) rate, 408
- Agitator (shaft) speed, 408
- Animal cell cultures, 377
- Auxotrophic mutant, 54
  
- Back-mix reactor, 23
- Back-propagation (BP), 123
- Balances, 63, 64
  - cell mass, 63
  - key intermediates, 63
  - overall, 64
  - product, 63
  - substrate, 63
- Bang (maximum or minimum) feed rate, 352
- Bang-bang feed rate, 375
- Batch culture, 1, 2, 159
- Batch process, 3
- Batch reactor, 21
- Biological reactors, *see* bioreactors, 25
- Biomass concentration, 409, 412
- Bioreactors, 2, 3, 21–29, 145
  - batch cultures, *see* batch reactors, 1
  - batch reactors, 21, 26
  - continuous cultures, 2, 145
  - continuous-stirred bioreactors (CSBR), 23
  - fed-batch cultures, *see also* fed-batch reactors, 2–6, 29
  - fed-batch reactors (FBR), 29
  - fixed-bed tubular reactors, 28
  - semi-batch reactors, *see* fed-batch reactors, 29
- Boundary condition iteration, 187
- Broth viscosity, 55, 408
  
- Carbon dioxide evolution rate (CER), 409, 425
- Catabolite repression, 53
- Cell
  - balance equation, 63, 90
  - mass as product, 443
  - mass maximization, 443
  - mass production, 441
  - optimization of specific rate and yield, 444
  - yield coefficient optimization, 444
- Component balance equation, 87
- Conductivity and ionic probes, 411
- Continuous, 2, 23–26, 142
  - culture, 2, 142
  - flow stirred-tank reactor, 23, 24
  - stirred-tank reactor (CSTR), 23
  - stirred-tank biological reactor, 25
- Contois equation, 94, 292
- Control, 172, 189, 304, 420–432
  - adaptive control, 428–430
  - boundary control, 304
  - cascade control, 427
  - control vector iteration, 318
  - controller type selection, 425
  - controller tuning methods, 425–427
  - feedback control, 420–433
    - closed loop (feedback), 432–433
  - indirect feedback control, 430
    - carbon dioxide evolution rate (CER), 409, 430
    - specific growth rate, 431
  - multiple loop control, 427
    - cascade control, 427
    - feedforward-feedback control, 427
  - open loop, 432
  - optimal control, 431–433
    - closed-loop control, 432
    - open-loop control, 432
  - single-loop control, 423
    - dissolved oxygen control, 424
    - flow rate control, 423
    - gas pressure control, 423
    - pH control, 423
    - temperature control, 423
  - singular control, 170, 289
- Crabtree effect, 53
- Cycle-to-cycle, 394

- Dilution rate, 24  
 Dissolved oxygen, 409, 424, 428  
 Distributed model, 86
- Empirical feed rates, 82  
 Error criteria, 107  
 Estimation methods, 108, 413–416  
   extended Kalman filter, 417–420  
   macroscopic balances, 414–416  
   mathematical estimation techniques, 416–417  
 Estimation of specific rates, 431, 438  
   batch culture, 438  
   continuous culture, 439  
   fed-batch culture, 439  
   shake-flask culture, 438  
 Ethanol from glucose by *S. cerevisiae*, 432  
 Excreted protein, 115  
 Extended Kalman filter, 106, 109–111, 394
- Feasible optimal/suboptimal feed rates, 443–451  
 Fed-batch cultures, 2–5, 30, 62, 68, 70–75, 80–83, 240  
   constant feed rate, 64  
     early growth phase/small specific growth rate, 69  
     quasi steady state, 70  
   empirical feed rate, 82  
   exponential feed rate, 75  
     constant dilution rate, 76  
     constant cell and substrate concentration, 77  
   extended culture, 66, 79  
   fermentation, 121  
     intermittent feed rate, 81  
     linearly varying feed rate, 73, 120  
     multiple cycle, 83  
     single cycle, 82  
   limiting substrate balance, 151  
   mass balance, 43  
   operation, 94–99, 130, 131, 163  
   reasons for fed-batch operation  
     auxotrophic mutant utilization, 54  
     catabolite repression, 53  
     glucose effect, 53  
     high broth viscosity alleviation, 55  
     operational period extensions, 55  
     rate data acquisition, 56  
     substrate inhibition, 53  
     water loss make-up, 55  
 Fed-batch reactor (FBR), 29  
 Feed rates  
   constant feed rate, 64–73  
     early growth phase, 69  
     quasi steady state, 70  
     very small specific growth rate, 69  
     rate data acquisition, 72  
   empirical, 82  
   exponential feed rate, 66, 75–81  
     constant dilution rate, 76  
     holding cell concentration constant, 77  
     holding substrate concentration constant, 79  
     extended fed-batch cultures, 79–81  
   intermittent, 81  
   linearly varying, 73–75  
   maximizing growth rate, 223  
   maximizing yield coefficient, 277  
   optimal feed rate profiles, 82, 231, 234, 237, 239, 240, 242–244, 248–253, 255–258, 263, 274, 276, 279, 282, 286, 288, 292, 295, 304, 312, 314, 321, 330, 337, 339, 362, 365–366, 377  
 Fermentation processes, 99  
   alcohol fermentation, 113  
   alpha( $\alpha$ )-amylase fermentation, 116  
   lysine fermentation, 113  
   penicillin fermentation, 103, 113  
     differential state model, 114  
     model of Bajpai and Reuss, 113  
     model of Cagney, 105  
     model of Chittur, 105  
 Fixed-bed reactor (FBR), 29  
 Flow cytometry, 412  
 Fractional yields, 97
- Gas–liquid oxygen transfer, 412  
 Generalized Legendre–Clebsch (GLC), 294, 351, 550  
 Genetic algorithm, 202  
 Glucose effect, 53  
 Growth-associated product formation, 99
- Hamiltonian function, 166, 168, 169
- Inhibition, 94  
   cell, 94  
   inhibitor, 97  
   product, 96–97  
   substrate, 95–96  
     competitive, 95  
     noncompetitive, 95  
 Intuitive suboptimal feed rates, 450
- Manipulated variables, 162–163  
 Mass balance, 86  
   cell balance, 88  
   component, 87–88  
   intermediates, 86  
   maintenance, 88, 102  
   material balances, 19  
   product, 63, 89  
   substrate, 63, 88  
   total (overall), 64, 87  
 Maximization  
   cell mass, 228–271  
     constant yield, 232, 246  
     variable yield coefficient, 250–253, 261, 265, 269  
   free final time, 233, 253–258, 269  
   fixed final time, 236, 258–261, 269  
   optimal feed rate profiles, 239–242

- constant substrate concentration, 242–244
  - operating parameter effects, 244–246
- cellular productivity, 271–292
  - constant yield, 272–276, 276–277, 294–296
  - variable-yield coefficient, 277–279, 279–282
  - minimum time, 282–292; constant yield coefficient, 283–286, 286–289; variable cell yield coefficient, 289–292
- singular region, 267–269
- time optimal, *see* minimum time, 282–292
- Maximum likelihood, 106–108
- Maximum principle, 82, 164
- Measurements of process variables, 411–413
  - chemical properties, 409–411
    - carbon dioxide evolution rate, 409
    - conductivity and ionic probes, 411
    - off-gas analyses, 409
    - pH probes, 411
    - redox potential, 411
  - culture conditions, 412–413
    - biomass measurement, 412
    - enzyme microbial electrodes, 412
    - gas-liquid oxygen transfer, 412
  - physical properties, 408–409
    - aeration, 408
    - agitator speed, 408
    - biomass concentration, 409
    - broth viscosity, 408
    - dissolved oxygen, 409
    - liquid flow rate, 408
    - pressure, 408
    - temperature, 408
- Metabolite/product formation, 298–300
  - amount of product, 447?
  - constant yield and no maintenance, 306
  - fixed final time, 310, 331
  - free final time, 307–308, 327
  - invertase production, 399–402, 404
  - lysine production, 314
  - manipulated variables, 299
  - minimum time, 319, 322, 335
  - penicillin production, 63, 381–385, 395–399
  - productivity, 327, 377
  - substrate feed rate as manipulated variable, 299
  - variable yield, 325, 361
- Method of maximum likelihood (MML), 106, 107
- Michaelis–Menten, 34
- Monoclonal antibodies by hybridoma cells, 186, 377
- Models, 85–117, 396–400
  - alcohol fermentation, 113, 114, 397, 400
  - $\alpha$ -amylase fermentation, 116
  - cell mass, 113
  - equation based, 85, 106
  - excreted protein fermentation, 115
  - invertase fermentation, 114
  - lysine fermentation, 113
  - mechanistic model, 85
  - monoclonal antibody, 116
  - methylotrophs, 454
  - non-equation-based, 201–212, 121
  - penicillin fermentation, 113
    - Cagney's model, 114
    - Chittur's model, 114
  - phenomenological model, 85
  - poly- $\beta$ -hydroxybutyric acid, 116
  - segregated model, 86
  - structured model, 89, 103–194
  - unstructured model, 89–103
- Monod equation, 4, 91
- Moser equation, 92
- Multiple reactions, 44
  - constant yield, 45
  - nonmonotonic, 43, 45
  - rate, 44
- Neural network, 121
  - basic architecture, 122
  - back-propagation training algorithm, 123
  - back-propagation (BP), 123–126
  - hybrid, 128
  - multiple neural networks, 126
  - yeast fed-batch, 127
- Nonsingular problem, 178–180, 180–183
- Off-gas analyses, 411
- Off-line cycle-cycle optimization, 394–395
  - invertase production, 399–402
  - penicillin production, 395–399
- On-line adaptive optimization, 402
  - invertase production, 404–405
  - penicillin production, 403–404
- Operational parameters, 244
- Optimal control, 431
  - closed loop, 432
  - open loop, 432
  - operational sequence, 42
- Optimal operational sequence, 42
- Optimization, 258
  - adaptive, 393
  - cycle-to-cycle on-line optimization, 395
  - criteria, 159
  - maximization of specific growth rate, 443
  - maximization of a combination of specific rate and yield, 444–447
  - yield coefficient optimization, 444
- performance index, 160
  - constraints, 162
  - free and fixed final times, 161
  - free and fixed initial and final states, 161
- cell mass production, 227–296
  - constant cell yield coefficient, 272–274
  - maximum amount at final time, 228
    - constant-yield coefficient, 232
    - fixed final time, 236–244
    - free final time, 233–234
  - maximum cellular productivity, 271
  - specific rate and yield coefficient optimization, 444–447
    - variable cell yield coefficient, 272–282

- Optimization (*cont.*)  
 specific rate optimization, 443–444  
 specific rates as functions of cell and substrate concentration, 292–296  
 time-optimal formulation, 282  
 constant cell yield coefficient, 283–289  
 variable cell yield coefficient, 289–292  
 variable-yield coefficient, 250  
 fixed final time, 258–263  
 free final time, 253–258  
 yield coefficient optimization, 444
- Optimization of metabolite production, 298–387  
 choice of manipulated variables, 299–300  
 constant-yield coefficient, 306–325, 447–448  
 maximum amount at final time, 317  
 maximum productivity, 322  
 minimum time, 39–322  
 maximum amount at final time, 307  
 maximum productivity, 322  
 minimum time, 319–322  
 variable-yield coefficient, 325–340, 449–450  
 necessary conditions for optimality, 302–305  
 substrate feed rate manipulation, 300  
 substrate-dependent specific rates, 305  
 substrate and product concentration,  
 dependent specific rates, 340–345  
 specific growth rate, 452
- Optimization of multiple reactions, 45–46, 222  
 constant yields, 223  
 variable yields, 224
- Optimization method,  
 conjugate gradient, 108  
 constrained optimization, 195  
 augmented Lagrange multiplier, 195  
 generalized reduced gradient, 195  
 Kuhn–Tucker conditions, 195  
 Lagrange multiplier vector, 195  
 multiple shooting method, 189  
 nonlinear programming (NLP), 195  
 penalty function, 3, 193  
 Pontryagin's maximum principle (PMP), 164,  
 168, 348  
 quadratic programming, 194  
 sequential linear programming, 195  
 sequential gradient restoration, 195  
 square quadratic programming (SQP), 195  
 static optimization, 194  
 steepest ascent, 108, 175  
 unconstrained, 193–194
- Optimum  
 feed rate sequence, 50  
 one-reactor operation, 35  
 two-reactor operation, 39–41
- Overall yield, 98
- Oxygen uptake rate (OUR), 410
- Packed-bed catalyst, 28
- Packed-bed reactor (PBR), 28
- Parameter estimation, 106–108, 395, 400  
 all state variables are measurable, 106–108  
 invertase production, 400
- Performance indices, 159–161, 172
- Phenomena favoring fed-batch, 52–56  
 auxotrophic mutants, 54  
 catabolite repression, 53  
 chemical, 53–54  
 glucose effect, 53  
 physical, 54–55  
 high cell density/product concentration, 54  
 high viscosity, 55  
 makeup of lost water, 55  
 operational time extension, 55  
 specific rate determination, 52  
 substrate inhibition, 53
- Plasmids, 345–346  
 copy number, 345, 368, 379  
 plasmid-bearing cells (PBC), 345, 379,  
 368  
 plasmid-free cells, 345, 368  
 productivity, 345  
 stability, 346, 367, 372, 381  
 yield, 544
- Plug-flow reactor (PFR), 26
- Polynomial fit, 137–138  
 feedback control system, 420  
 controller selection, 671  
 multiple loop, 427  
 single loop, 423  
 feedback law, 393  
 feedforward-feedback control, 427  
 purpose, 407, 413
- Process variables, 408  
 chemical properties, 409  
 culture conditions, 412  
 physical properties, 408
- Product  
 balance, 89  
 complex models, 299  
 formation model, 298  
 formation rate, 89–90, 97  
 inhibitions, 95  
 simple models, 298
- Pseudo steady state, 83
- Quadratic programming, 194
- Quasi steady state, 67, 71, 155
- Reactors  
 batch, 21  
 batch reactor (BR) operation, 21  
 continuous, 23  
 plug-flow reactor, 26  
 stirred-tank biological reactor, 25  
 stirred-tank reactor (CSTR), 23  
 fed-batch, 3–4, 29–30  
 semi-batch, 29  
 semi-batch reactor (SBR), 29  
 sequencing batch reactor (SBR), 2  
 tubular, 26  
 packed bed (PBR), 28  
 plug-flow biological (PFBR), 28  
 plug-flow reactor (PFR), 26

- Recombinant cell, 451
  - constant yields and growth-associated product formation, 349–355
  - with plasmid instability, 345–347
  - with plasmid instability and cell death, 365–367
- product, 451
  - fixed final time, 449
  - free final time, 449
  - singular regions, 349, 356
  - variable-yield coefficients, 361–365
- Redox potential, 411
- Respiratory quotient (RQ), 407
- Semi-batch operation, 30, 41–44
  - optimal operational sequence, 42
- Shake-flask culture, 36
- Simusolv, 107
- Single reaction, 33, 207, 356–358
  - rate, 33
    - both feed and withdrawal rates, 221
    - isothermal operation, 221
    - a single feed rate, 207
- Singular
  - control theory, 82
  - feed rate, 231, 241, 355
  - hyperspace, 350, 369
  - interval, 170, 231, 303, 341, 381
  - region, 351
- Solution via Pontryagin's maximum principle, 212
- Space time, 24, 26
- Specific growth rates, 90–98, 136
  - determination by,
    - differential method, 139
    - integral method, 142
  - monotonic, 268, 358, 364
  - nonmonotonic, 446
  - substrate and/or cell concentration dependent, 94
  - substrate concentration dependent, 91
- Specific rates
  - determination using
    - batch culture, 139–142
    - continuous culture, 142–143
    - fed-batch culture, 144–157
  - effect of pH, 102
  - effect of temperature, 101
  - net specific rates, 100
  - quasi steady state, 70–71
- Specific product formation rate, 97, 138
  - constant-yield coefficient, 98–99
  - variable-yield coefficient, 99–100
    - growth associated, 99–100
    - non-growth associated, 99–100
- Substrate consumption rate, 100, 137
- Sum of the squared error (SSE), 106, 108
- Switching function, 169, 170–171
- Switching space analyses, 213
  - feasible modes, 215
  - modal analyses, 215
  - optimal policies, 217
    - maximum–minimum operation, 218
    - singular operation, 220
    - stationary operation, 218
- Time profile optimization, 158–159
- Topiwala, 101, 103
- Transformation into nonsingular problems, 175–178, 381–385, 385–387
- Transversality conditions, 167–168, 281, 283–284, 302, 349
- Trophophase, 55
- Tubular reactor, 26
  - operation, 37
  - packed reactor (TPR), 23
  - packed-bed reactor (PBR), 28
  - plug-flow bioreactor, 28
  - plug-flow reactor (PFR), 26
- Turbidimetry, 412
- Unstructured model, 89
- Variable yield, 46
- Variable-yield coefficients, 99
- Volterra equation, 183
- Yields (coefficients), 90, 97
  - cell mass yield (coefficient), 90
    - constant, 64, 223
    - variable, 46, 98, 224
  - product yield (coefficient), 97
    - constant, 98
    - variable, 98
- Zero-order reaction, 34
  - fixed final time, 253–258
  - variable-yield coefficient, 250–262
- Ziegler–Nichols, 425