

Index

- absolute deviation, 15, 29
- absolute deviation robust schedule, 27
- Absolute Deviation Robust Scheduling Problem, 13, 17, 27
- absolute robust single-machine sequence, 16
- activity duration, 145, 151
- activity network, 143, 146, 154
- activity-on-arc network, 143, 149–151
- activity-on-node network, 144, 148
- agile, 8
- agility*, 1
- almost surely smallest sequence*, 8
- analytical expression, 94
- approximation algorithm, 149
- approximation procedure, 147
- approximations of expectation and variance, 114, 143
- arbitrary probability distribution, 43
- assembly system, 68
- assignment problem structure, 15
- assignment problem with a single side constraint, 14
- asymptotic property, 96

- Bernoulli distribution, 59
- beta distribution, 146, 151
- bi-criteria, 5, 39
- bicriteria assignment problem*, 34, 35
- bicriteria parallel-machine scheduling, 39
- bicriteria scheduling problem, 39
- bicriteria single machine scheduling, 36
- binary tree structure, 147
- bounding process, 29
- branch-and-bound, 24, 26, 28, 31
- branch-and-bound algorithm, 16
- branch-and-bound solution procedure, 15

- candidate schedule, 154
- central limit theorem, 23, 146

- Clark's equations, 58, 62, 65, 67, 68, 74, 77, 86, 88, 89, 111, 154
- Clark's formulae, 136, 146, 150
- Clark's method, 94
- closed-form expression, 7, 11, 65, 93, 153
- close-to-accurate approximation, 53
- combined nondominated schedule, 38
- common variance, 96
- complete sequence, 24
- completion time, 2, 6, 44, 46, 68, 74, 75, 78, 129
- completion-time-based, 10, 43, 44, 65, 154
- component parameters, 102
- component variances, 104
- conditional expectation, 99
- continuous distribution, 94
- continuous processing time interval, 13, 14, 28–30
- continuous uniform distribution, 106, 111
- Controllable parameter, 95
- convergence of the EM algorithm, 101
- CONWIP, 6
- correlated, 53
- correlation, 68, 77, 78, 80, 135, 146, 154
- correlation coefficient, 78, 79, 88
- correlation structure, 75, 154
- covariance, 53, 118, 131, 139, 150
- covariance matrix, 96, 130, 150
- covariance of the mixture model, 137
- covariance terms, 118, 120, 124
- cumulative distribution function of a standard normal distribution, 37
- customer satisfaction, 2
- cycle-time, 6, 7
- cycling, 26

- decomposition heuristic, 26
- degenerate multivariate normal, 132
- deterministic, 3, 8, 130
- deterministic activity network, 145
- deterministic optimal-path problem, 146

- deterministic problem, 145
- deterministic scheduling, 2
- directed arc, 149
- discounted weighted completion time, 65
- discrete processing time scenario, 13, 14, 24, 27, 28, 30
- discretization scheme, 146
- dissimilarity measure, 142
- distance measure, 139
- diverse scheduling environments, 153
- dominance property, 24, 26
- dominance relation, 35
- due date, 44, 153
- due-date-based*, 43, 52, 65, 116, 154
- dynamic programming approach, 35
- dynamic programming-based, 34

- earliest start time, 144
- earliness, 4
- efficient sequence, 32, 36
- EM algorithm, 97, 99, 101–104, 108, 146
- EM iteration, 101, 104
- endpoint product*, 17
- endpoint sum*, 17
- endpoint sum heuristic, 17
- equivalent problem, 16
- E-step, 99, 101, 107, 108
- exact methodology, 31
- expectation, 2–4, 7, 9–11, 32, 44, 52, 127, 150, 155
- expectation and variance, 54, 59, 62, 65, 72, 80, 82, 88–90, 92–94, 111, 113, 114, 116, 118, 120–123, 126, 131
- expectation and variance of a performance measure, 103, 109, 137, 141, 153, 154
- expectation and variance of job tardiness, 111–113
- expectation and variance of makespan, 67, 74, 86, 133–136, 150
- expectation and variance of the maximum for a multivariate normal distribution, 146
- expectation and variance of the total weighted number of tardy jobs, 125
- expectation of the mixture model, 104, 137
- Expectation of the Total Weighted Completion Time*, 46
- expectation vector, 130, 150
- Expectation(E)-step, 97
- Expectation-Maximization algorithm, 97
- expectation-variance, 11, 66
- expectation-variance analysis, 92
- expectation-variance considerations in stochastic scheduling, 155
- expectation-variance efficient, 34, 45, 155
- expectation-variance efficient schedule, 92, 154

- expectation-variance efficient sequence, 11, 33–35, 42, 52, 60
- expected completion time, 2
- expected total weighted flowtime, 5
- expected total weighted tardiness, 5
- expected value, 3, 9, 37
- expected value of makespan, 145
- expected value of the processing time, 43
- expected weighted discounted completion time, 50
- exponential, 49
- exponential processing time distribution, 7
- exponentially distributed job processing time, 50, 65
- extreme expectation-variance efficient, 36
- extreme point scenario, 15

- feasible candidate schedule, 40
- financial investment, 4
- finite buffer capacities, 69
- finite mixture model, 11, 94
- first come first served, 66
- first moment, 80, 88, 89
- first two moments, 141
- flow shop, 10, 11, 26, 111, 134, 154
- Flow-shop Models, 66
- flow shop with unlimited buffer capacity, 72
- flow shop with unlimited intermediate storage, 154
- flow time, 6, 7
- flow time variance, 24
- fluctuation smoothing policies*, 6
- four-step procedure, 69

- Gantt chart, 75, 92
- Gaussian mixture reduction, 139
- general parallel-machine case, 41
- general processing time distribution, 11, 94, 111
- generation of nondominated schedules, 153
- given schedule, 135, 137
- good sequence, 45
- gradient-descent method, 139
- greedy algorithm, 139

- heuristic approach, 17, 24, 26, 29
- heuristic method, 40
- heuristic methodology, 31
- heuristic procedure, 8, 37
- hierarchical structure, 79
- holding cost per unit time, 46

- identical machines in parallel, 9, 154
- incumbent, 30
- independent random variables, 55
- individual evaluation*, 39

Index

189

- infinite buffer capacities, 69
- initial operations, 75, 78
- in-process inventory, 44
- interactive stochastic multiobjective scheduling system*, 37
- iterative procedure, 70
- iterative updating scheme, 102

- job completion time, 126
- job processing time, 32, 90, 153
- job shop, 9–11, 73, 75, 86, 111, 128, 131, 136, 149, 154
- job-shop makespan, 131
- job shop with unlimited buffer and without circulation, 82
- job shop with unlimited intermediate storage, 74, 84, 154
- Johnson's algorithm, 26, 28, 29
- Johnson's order, 29, 30
- Johnson's sequence, 30

- known distribution, 103

- lateness, 44
- latest finish times, 145
- latest nodes, 149, 150
- latest operations, 132, 149
- law of total expectation, 130
- law of total variance, 130
- lean manufacturing, 8
- likelihood value, 103
- linear assignment problem, 34, 35, 36
- linear correlation, 54
- log likelihood, 99, 100, 104
- log likelihood function, 101
- log likelihood value, 97, 101, 102
- lower bound, 24, 25, 28

- machine configuration, 94
- makespan, 2, 10, 26, 28, 29, 66, 67, 71, 72, 74, 80, 87, 90, 130, 135, 145, 146, 150, 151, 154
- Markov chain, 7
- Markov chain model, 7
- Markov decision model, 5
- Markov process, 7
- maximization(M)-step, 97
- maximum function, 68
- maximum lateness, 10, 43, 62, 65, 126, 127
- maximum likelihood estimator, 97
- maximum likelihood method, 97
- maximum operator, 53, 67, 74, 154
- mean, 6, 32, 37, 53, 68, 75, 78, 139
- mean and variance of completion time, 70, 79, 80, 84
- mean and variance of makespan, 84
- mean lateness, 10, 43, 61
- media planning, 4
- method of moments, 97, 103
- methodology, 153
- mixing proportions, 95, 104
- mixture, 141
- mixture components, 118, 137
- mixture distribution, 135
- mixture model, 95, 104, 108, 109, 112–114, 116, 124, 126, 128, 134–136, 151, 152, 154
- mixture normal distribution, 130
- mixture of normal components, 117
- mixture proportions, 102
- mixture reduction, 137
- mixture reduction algorithm, 143
- m-machine flow shop*, 5
- Modeling Uncertainty in Scheduling, 2
- moment-generating function, 48–50
- moments of performance measures of a schedule, 109
- Monte Carlo simulation, 136, 146
- M-step, 100, 101, 108
- multi-criteria, 6
- multicriteria scheduling problem, 33
- multidimensional normal components, 128
- multimachine environment, 66, 154
- multimachine scheduling, 9
- multiobjective, 6
- multiobjective Multicriteria Stochastic Scheduling, 5
- multiobjective scheduling problem, 33
- multiple criteria, 32
- multiple machine, 1
- multiple objective, 34
- multivariate case, 96
- multivariate distribution, 149
- multivariate normal, 130, 146
- multivariate normal distribution, 67, 74, 80

- no preemption, 10, 34, 87, 90, 93
- no recirculation, 74
- nondecreasing order, 24
- nondominated schedule, 11, 33, 36–41, 154
- nondominated set, 33
- nonincreasing order, 24
- nonlinear optimization, 139
- nonlinear optimization problem, 141
- nonlinear programming, 6
- nonparametric, 103
- normal, 49
- normal approximation, 122, 124
- normal components, 101, 103, 118, 124, 135, 143
- normal density function, 107, 141

- normal distribution, 3, 23, 37, 53, 94, 109, 114, 117, 118, 121, 126, 133–136, 143, 146, 150–152
- normal mixture, 102, 112, 126, 128
- normal mixture model, 121
- normal processing time distribution, 116
- normally distributed, 62, 88, 146
- normally distributed job processing time, 51, 65, 93
- normally distributed random variable, 111, 154
- notation, 43
- NP-hard, 27
- number of components in a mixture, 103
- numerical integration, 58, 60
- optimal, 45
- optimal total variance, 35
- optimality indices, 8
- optimization, 2
- optimization problem, 139
- optimization process, 141
- optimize, 2
- original distribution, 139
- original mixture, 142
- overall evaluation*, 39
- overall expectation and variance of makespan, 130
- pairwise correlations, 69, 75
- pairwise interchange, 30
- parallel machine, 11, 41, 87, 90, 92, 93, 154
- parallel-machine model, 10
- parallel-machine problem, 111, 134
- parallel-machine scheduling problem, 39
- parallel machine with preemptions, 92, 136
- parallel machines without preemption, 135
- parallel M -machine scheduling problem, 40
- parameters of the normal mixture, 102
- pareto-optimal*, 33
- pareto-optimal solution, 5, 6
- partial schedule, 28, 29, 129
- partial sequence, 24, 34
- performance criterion, 16
- performance measure, 1, 2, 11, 32, 65, 94, 111, 116, 129
- permutation flow shop, 9, 67
- permutation sequence, 26
- PERT, 143, 144, 146
- posterior probability, 98, 102, 107
- preemption, 10, 87, 90, 92, 154
- preferred schedule, 39
- preferred schedule selection, 38, 41
- primary criterion, 5
- probability density function, 49, 55, 94, 108, 117, 126, 142
- processing time, 43, 128
- processing time distribution, 94
- processing time uncertainty, 12, 25
- processing time variability, 153
- processing time variance, 25, 26
- processing time variance in Scheduling, 8
- production environment, 153
- production lines, 7
- progression of the EM algorithm, 109
- project evaluation and review technique, 143
- project network, 143
- pseudo activity, 148
- pseudodeterministic sequence, 8
- pull-based, 6
- random components, 111
- random matrix, 32
- random processing time, 2, 7, 34
- random variable, 2, 43, 48, 49, 59, 90, 94, 146, 149, 153
- randomness, 1, 32
- reasonably optimal sequence, 45
- recirculation, 73, 84, 86
- reduced distribution, 139
- reduced mixture, 142
- relative Deviation Robust Scheduling Problem*, 14
- reproductive property, 88
- reproductive property of normal random variables, 53, 54
- resource-allocation, 25
- robust schedule, 15, 27, 30, 153
- robust scheduling, 12, 13, 26, 153
- robust scheduling model formulation, 153
- robust scheduling problem, 16
- schedule, 11, 32, 116, 154, 155
- scheduling, 1, 3–6, 8–10, 31
- scheduling theory, 8
- second moment, 54, 81, 88, 89
- secondary criterion, 5
- semicontinuous distribution, 113
- semiconductor manufacturing, 6, 73
- service level, 2
- shortest expected processing time, 3, 45
- shortest processing time, 13
- shortest processing time variance, 45
- simulation, 8
- simulation results, 152
- single machine, 1, 2, 9, 11, 31, 39, 41, 66, 87, 154
- single-machine environment, 111, 116
- single-machine model, 10, 43
- single-machine problem, 116, 124
- single-machine robust scheduling problem, 16
- single-machine scheduling, 5
- single-machine scheduling problem, 23

- single-machine system, 13, 22
- software, 155
- software package, 11
- solution methodology, 12
- stability of the production system, 155
- stable schedule, 3
- standard normal distribution, 37
- starting values, 103
- statistical distribution, 2
- stepwise interactive algorithm, 38
- stochastic, 5, 6, 8, 146
- stochastic activity network, 143, 145
- stochastic bicriteria scheduling, 41
- stochastic multiobjective scheduling, 32
- stochastic multiobjective scheduling problem, 33, 37
- stochastic scheduling, 2, 10, 42
- stochastically optimal sequence, 32
- stochastically smallest sequence*, 8
- stochasticity, 145
- stopping criteria, 103
- surrogate bounding approach, 16
- surrogate relaxation approach, 16

- tardiness, 2, 4, 6, 44, 111
- tardiness random variable, 53
- tardiness value, 113
- tardiness variable, 113
- tardiness-based, 10, 154
- telecommunication networks, 4
- throughput, 6
- throughput rate, 7
- throughput time variance, 8
- total completion time, 3, 10, 44, 65, 90, 92, 93
- total discounted weighted completion time, 65
- total expectation, 126
- total expected value, 35
- total flow time, 23, 34, 37
- total number of tardy jobs, 10, 43, 58, 123
- total tardiness, 10, 43, 52, 117, 118
- total variation, 126
- total weighted completion time, 10, 46, 65
- total weighted discounted completion time, 10, 47
- total weighted number of tardy jobs, 10, 43, 60, 124
- total weighted tardiness, 10, 43, 58, 122
- turnaround time*, 44

- two-dimensional normal components, 128
- two-dimensional normal distribution, 128
- two-machine flow shop, 26–28, 31

- uncertainty, 2, 10, 12
- uncertainty in manufacturing, 1
- uncertainty in processing times, 155
- uniform distribution, 108, 112, 121
- uniform probability density function, 109
- unit penalty, 44
- unit penalty function, 58, 114
- unit penalty measure, 111
- univariate distribution, 101
- unlimited intermediate storage, 9, 67
- upper bound, 24, 101
- utility function, 32

- variability, 1, 10, 153
- variable processing times, 9
- variance, 2–4, 6, 7, 9–11, 32, 37, 44, 52, 53, 68, 75, 78, 127, 131, 150, 155
- variance of the mixture model, 105
- variance of the processing time, 44
- variance of the Performance Measure: Other Production Systems, 6
- variance of the Total Weighted Completion Time*, 46
- variance reduction, 25

- weight, 44, 46, 95
- weighted completion time, 46
- weighted discounted completion time, 51, 52
- weights, 139
- worst-case absolute deviation, 15
- worst-case absolute deviation scenario, 15, 28
- worst-case deviation, 28, 30
- worst-case percentage deviation, 14
- worst-case scenario, 28

- XVA-Sched*, 155

- β -heuristic, 26
- β -robust schedule, 23
- β -robust scheduling, 22
- β -Robust Scheduling Problem with Variance Reduction, 25