

Index

- ABC
 - alternate formulations for FDTD, 125
 - complementary operator, 125
 - FDTD, 82
 - FDTD 1D, 83
 - FEM time domain, 480
 - impact on 3D FDTD, 110
 - Mur first- and second-order, 84
 - PML, *see* PML
 - radiation vs absorbing BC, 82
- absorbing boundary condition(s), *see* ABC
- accuracy of CEM techniques, 4
 - effect of finite discretization, 18
 - effect of finite machine precision, 19
 - effect of finite problem size, 19
 - effect of numerical approximation, 19
- active impedance, 303, 309
- adaptive integral method, 24
- advective equation, 83
- analytical solutions
 - on “exactness” thereof, 224
- asymptotics, 4
 - importance of methods, 25
- barycentric coordinates, *see* simplex
 - coordinates
- basis functions (MoM)
 - entire domain, 291
 - for EQS thin-wire problem, 133
 - NEC, *see* NEC, basis functions
 - piecewise linear, 147
 - piecewise sinusoidal, 140
 - various types, 134
- boundary element method, 8
 - relationship to MoM, 130, 152
- branch points and cuts, 280
- Calderon preconditioners, 218
- capacitive iris, 436
- CFIE, 203
- coding hints
 - higher-order vector elements, 2D, 393
- collocation, 134, 150, 151
- combined field integral equation, *see* CFIE
- commercial codes
 - Ansys, 15
 - Ensemble, 9
 - FDTD, 12, 117
 - Feko, *see* FEKO
 - FEM, 15
 - FEMLAB, 15
 - GEMACS, 9
 - general points about using, 118
 - HFSS, *see* HFSS
 - IE3D, 9
 - increasing use of, 27
 - MoM, 9
 - MWS, *see* MWS
 - SuperNEC, 9, 167
 - websites, 493–495
 - XFDTD, 12, 117
- complex plane
 - integration on, 278
- computational complexity, *see* operation count
- computational cost, *see* operation count
- computers
 - performance, 26
- convergence, estimating rate of, 23
- Courant limit, 11, 36
 - 2D, 79
 - for FDTD BOR formulation, 125
 - in 1D, 49, 69
 - in 2D, 70
 - in 3D, 70
 - limitations of, 50
 - physical interpretation of, 49
 - running close to, 68
 - von Neumann derivation of, 69–70
 - von Neumann’s method, 49
- debugging
 - coping with complexity, 295–296
 - FDTD ABCs, 89
 - FDTD plane-wave source, 87
 - FDTD update equations, 86

- deterministic problems
 - FEM, 14, 429
- DFT, 60, 61
- differential forms, 373
- differentiating matrices and vectors, 348
- dipole
 - general modelling hints, 171
- discrete Fourier transform, *see* DFT
- dispersion, 5
 - accurate FDTD modelling of material properties, 124
 - dispersive materials, 12
 - dispersive systems, 12
 - effect on cumulative phase error, 97
 - example of numerical, 89
 - in 2D and 3D FDTD simulations, 115
 - in FDTD simulations, 64–68
 - in FEM meshes, 480
 - magic time step, 67
- dispersion equation
 - derivation of, 66
- Dyadic Green function, *see* Green function, dyadic
- edge elements, *see* FEM, vector elements
- edge-based elements, *see* FEM, vector elements
- EFIE, 202, 258
 - derivation for MPIE, 206–207
 - Fredholm equation of first kind, 202
 - interior resonance, 158, 258
- eigenanalysis
 - FEM, 14
 - MoM, 14
- eigenproblem
 - solution using LAPACK, 384
 - solution using MATLAB, 384
- electric field integral equation, *see* EFIE
- electromagnetics
 - history of, 2
- expansion functions, *see* basis functions
- extrapolation, 23, 354
- fast Fourier transform, *see* FFT
- fast methods
 - adaptive integral method, 249
 - general, 201, 259
 - k-space, 259
 - misconceptions about iterative methods, 259
- fast multipole method, 24, 201, 259
 - multilevel fast multipole algorithm, 255
 - three-dimensional formulation, 254–258
 - two-dimensional prototype, 251–253
- FDTD
 - accuracy, 46
 - alternating direction implicit algorithm, 125
 - application to human exposure assessment, 456
 - application to resonant cavities, 114
 - avoiding half-steps, 44
 - body of revolution formulation, 124
 - commercial codes, *see* commercial codes, FDTD
 - comparison with FEM and MoM, 5
 - computational molecule, 41
 - consistency of method, 47
 - Courant limit, *see* Courant limit
 - FDTD as special case of time domain FEM, 464
 - half-space step, 40
 - half-time step, 40
 - history, 36
 - in one dimension, 32–71
 - in three dimensions, 109–117
 - in two and three dimensions, 74–126
 - in two dimensions, 74–97
 - late time instabilities, 50
 - linearly growing modes, 70
 - near field to far field transformation, 124
 - overview, 10–13
 - semi-implicit approximation, 43, 103
 - spurious modes, absence of, 370
 - stencil, 41
 - strong and weak points, 12–13
 - sub-cell models, *see* sub-cell models (FDTD)
 - wideband sources, *see* wideband sources (FDTD)
- Yee algorithm, 36
 - Yee algorithm, 2D, 77
 - Yee algorithm, 3D, 109
- FEKO, 9
 - adaptive frequency sampling, 185, 187
 - application to antenna above reflector, 234
 - application to dipole, 169
 - application to helix antenna, 186
 - application to log-p, 178
 - application to microstrip patch, 301
 - application to patch coupling, 303
 - application to printed dipole, 294
 - application to RCS of PEC sphere, 220
 - application to Wu–King loaded dipole, 193
 - application to Yagi–Uda, 173
 - CADFEKO, 167
 - conditional execution, 179
 - convergence, 169
 - different source models, 171
 - FEKO Lite, 168
 - ground plane, 166
 - history, 168
 - input file (.fek), 167
 - iteration loops, 179
 - label, 193
 - loading, 193
 - MLFMM implementation, 256
 - modelling spherical surface, 221
 - planar substrate, 303
 - PREFEKO file (.pre), 167
 - radius vs. diameter, 177

- Feko (*cont.*)
 - scaling, 177
 - scripting language, 167
 - source models, 171
 - transmission line modelling, 182
 - use of MoM/PO hybrid, 236
 - use of RWG element, 204
 - use of symmetry, 220, 235, 305
 - use of volumetric currents, 226
 - user-defined variables, 177
 - wire to plate connection, 186
- FEM
 - (dis)similarity with MoM, 359
 - application of extrapolation, 354
 - application to capacitive iris, 436–441
 - application to Magic-T hybrid, 432–436
 - application to microstrip, 352–355
 - application to waveguide discontinuities, 429–441
 - assembly-by-elements, *see* FEM, matrix assembly
 - bandwidth of matrix, 335
 - book-keeping, 383–384
 - boundary conditions, 337–339
 - boundary conditions, at material interfaces, 357
 - boundary conditions, Cauchy, 338
 - boundary conditions, Dirichlet, 320, 338, 357
 - boundary conditions, flux continuity, 358
 - boundary conditions, Neumann, 320, 338, 357
 - boundary conditions, practical handling, 339, 350
 - boundary conditions, specification of, 343, 367
 - boundary conditions, summary of, 357
 - capacitance, computation of, 354
 - commercial codes, *see* commercial codes, FEM
 - comparison with FDTD and MoM, 5, 340
 - connection matrix, 325, 347, 383
 - convergence of solution, 1st order, 329
 - convergence of solution, 2nd order, 335
 - Courant’s contribution, 317
 - curl matrix, 323
 - curvilinear elements, 480
 - data structures, 349
 - data structures, 2D, 382
 - data structures, 3D, 411
 - degenerate modes, 389
 - degrees of freedom, definition of, 322
 - Delaunay triangulation, 383
 - Dirichlet matrix, 323
 - edge numbering, 411
 - edge numbering, 2D, 382
 - element connection, 346–349, 350
 - element shape, 344
 - elements, 317
 - error estimation and adaptive meshing, 473–478, 480
 - face numbering, 411
 - FDTD as special case of time domain FEM, 464
 - first-order elements, one-dimensional, 321
 - formulation in one dimension, 318–331
 - formulation in three dimensions, 407–414
 - formulation in two dimensions, dynamic, 367–394
 - formulation in two dimensions, static (Laplace), 343–359
 - free nodes, 327, 335
 - free potentials, 348
 - functional for eigenvalue problem, 367
 - Galerkin (method of weighted residuals) formulation, 359–364
 - global quantities, 321
 - high-frequency variational functional, 367
 - higher-order elements, one-dimensional, 331–335
 - higher-order vector elements, 2D, 391
 - history, 317–318
 - indefinite coefficient matrix, 327
 - Lagrange multipliers, 401
 - local coordinates, 323
 - local quantities, 321
 - mass lumping, 465
 - mass matrix, 323, 358
 - matrix assembly, 325, 333, 349
 - matrix entries, explicit formula for, 323–325, 332–333
 - matrix entries, explicit formula for tetrahedra, 408–410
 - matrix entries, explicit formula for triangles, 379–381
 - meshing, 2D, 383
 - method of weighted residuals formulation, 318
 - metric (matrix), 323
 - minimum of functional, 348–349
 - natural boundary condition, 328
 - Newmark- β method, 460–461
 - Newmark- β method, derivation of, 486–488
 - Newmark- β method, stability of, 461
 - Newmark- β method, unconditional stability of, 462, 479
 - node numbering, 2D, 382
 - null space of curl operator, 367–370
 - overview, 13–16
 - post-processing, 385–386
 - practical implementation in 3D, 402
 - prescribed nodes, 335
 - prescribed potentials, 348
 - quadrature, 392
 - rationale for complete elements, 436
 - reordering, 335
 - rectangular elements, 344
 - results of eigenanalysis, 386
 - scalar 1D wave equation, FEM results for, 329, 335
 - scalar 1D wave equation, Galerkin solution of, 360
 - scalar 1D wave equation, solution of, 321

- second-order elements, one-dimensional, 331
- shape function, 344
- simplicial elements, 317, 365
- slow rate of convergence, 354
- sparse solvers, *see* sparse solvers
- sparsity, 335
- spurious modes, 367–370, 385, 401
- spurious modes, predicting number of, 385
- stiffness matrix, 323
- strong and weak points, 15–16
- strong form, 428
- time domain, 457–468, 479
- time domain ABC, 480
- time domain formulation, 458–460
- triangular elements, 344
- variational boundary value problem viewpoint, 427–429
- variational functional for Poisson equation, 355–357
- variational functional formulation, 320, 338, 344, 355–357
- variational functional, rendering stationary, 327
- vector elements, *see* vector elements
- vector wave equation, kernel, 369
- vector wave equation, null-space, 369
- vector wave equation, solution of, 367
- waveguide formulation, 430–432
- waveguide formulation using Huygens’ principle, 445
- waveguide formulation, extracting S-parameters, 432
- waveguide, dispersion analysis, 394–400
- waveguide, inhomogenously loaded, 398
- weak form, 318, 321, 428
- Whitney element, 374–378, 407–414, 484–485
- FEM/ABC, 441–444
- FEM/MoM hybrid
 - application to human exposure assessment, 455–457
 - applications, general, 454–455
 - inward-looking, 479
 - outward-looking, 456, 479
 - theory, 451–454
- FFT, 61
 - description of algorithm, 250
 - fast methods, 201, 248–251
 - MATLAB implementation, 60
- finite difference time domain, *see* FDTD
- finite differences, 34–36
 - backward differencing, 34
 - central differencing, 34
 - explicit methods, 36
 - forward differencing, 34
 - implicit methods, 36
 - overview, 32
- finite element method, *see* FEM
- finite integration technique, 12, 117
 - equivalence with FDTD, 118
- Fourier transform, 39
 - and spectral domain analysis, 266
 - estimating, 60
- Fredholm integral equation, *see* EFIE and MFIE
- frequency scaling, *see* operation count
- frequency selective surface, 20, 125
- full-wave, 3–6
 - extending limits, 24
- functional analysis
 - positive definite operators, 364
 - self-adjoint operators, 364
 - and FEM, 481
 - function, 203
 - functional, 203
 - Hilbert and Sobolev spaces, 152
 - inner product, 151
 - linear operator notation, 150, 203
 - operator, 203
 - symmetric product, 152
- gain
 - dB vs. actual value, 185
- Galerkin
 - and FEM, 318, 359
 - and MoM, 151
- generalised network parameters, 135
- generalized multipole technique, 17
- geometrical optics, 4
- Green function, 8, 132, 264
 - dyadic, 264–266
 - free-space, 202
 - static spectral domain, for microstrip, 266–269
- Group Special Mobile, *see* GSM
- GSM
 - base station, 455
- Hankel function
 - evaluation in FORTRAN, 223
 - evaluation in MATLAB, 223
- helix antenna
 - axial mode, 185
 - normal mode, 186
- Helmholtz decomposition, 218
- Helmholtz splitting, 218
- HFSS, 15, 378
 - application to Magic-T hybrid, 434
 - using, 434
- high-performance computing
 - Amdahl’s law, 244
 - efficiency (parallel processing), 242
 - parallel processing, 201, 238–247, 259
 - speed-up (parallel processing), 241
 - transputer, 243

- homogeneous coordinates, *see* simplex coordinates
- hybrid
 - approximate, 230
 - exact, 230
 - Feko implementation of MoM/PO, 234
 - general definition, 230
 - MoM/PO, 201, 232, 258
 - MoM/PO, mechanics of, 232–234
 - Sommerfeld formulation, 230
- hybrid FEM/MoM, *see* FEM/MoM hybrid

- in place operation, 45
- incident field
 - for thin-wire MoM, 142
- inner product, *see* functional analysis, inner product
- integral equation, 132
 - forcing function, 132
 - kernel, 132
- interior resonance, *see* EFIE, interior resonance and MFIE, interior resonance

- junction treatments
 - NEC, 147
- junction treatments
 - piecewise linear basis functions, 147
 - piecewise sinusoidal basis functions, 149

- LAPACK, 296
- Laplace equation
 - FEM solution of, 343
- Lax equivalency theorem, 47
- linear operator, *see* functional analysis, linear operator
- log-periodic antenna, 178

- Magic-T hybrid, 432
- magnetic field integral equation, *see* MFIE
- MATLAB
 - efficient FDTD programming, 85
 - frequently made errors, 86
 - problems with indices, 77
- matrix equation solution, *see* solution of linear equations
- matrix inversion, *see* solution of linear equations
- Maxwell, 3
- Maxwell's equations, 1
 - predictive power, 17
- memory requirements
 - 2D FDTD, 96
 - 3D FDTD, 109
 - surface MoM, 229
 - thin-wire MoM, 228
 - volumetric MoM, 229
 - impact of sparse storage schemes for FEM, 473
 - MoM Sommerfeld, 314
- mesh refinement, 26

- meshing
 - FDTD stairstep approximation, 82, 94
- method of lines, 17
- method of moments, *see* MoM
- method of weighted residuals, 8n7, 150
 - equivalence with MoM, 130
 - for FEM, 318, 359
- MFIE, 202, 258
 - Fredholm equation of second kind, 202
 - interior resonance, 258
- microstrip, 264
 - transmission line, 264
- microstrip patch
 - Feko simulation of, 301
 - history, 300
 - materials, 300
 - mutual coupling, 303
 - MWS simulation of, 122
 - overview, 300
- microwave dielectric heating, 14, 481
- Microwave Studio, *see* MWS
- Mie scattering, *see* scattering from PEC sphere
- mixed potential integral equation, *see* MPIE
- modelling process
 - accuracy, 17
 - formulation simplifications, 18
 - manufacturing deviations, 18
 - mathematical model limitations, 18
 - tolerances, 18
- MoM
 - commercial codes, *see* commercial codes, MoM
 - comparison of source models, 171
 - comparison with FEM and FDTD, 5
 - convergence, 489–490
 - delta-gap source model, 142
 - electrodynamical example, 137
 - electrostatic example, 131
 - formulation using RWG element, 206–218
 - history, 130
 - history of name, 152
 - hybrid with FEM, *see* FEM/MoM hybrid
 - in one dimension, 130–162
 - loop star basis functions, 218
 - low-frequency stability, 218
 - magnetic frill source models, 142
 - overview, 8–10
 - stratified media, *see* MPIE, for stratified media
 - strong and weak points, 9–10
 - surface modelling, *see* surface modelling (MoM)
 - thin-wire codes, *see* thin-wire codes
 - volume modelling, *see* volume modelling (MoM)
- Moore's law, 4, 37
- MPIE, 202, 266, 277
 - for stratified media, 276–277
 - MoM formulation for printed dipole, 291–295
 - results for printed dipole, 294

- multi-physics, 16
- mutual coupling, *see* microstrip patch, mutual coupling 303
- MWS, 12, 117
 - advanced modelling features, 125
 - application to microstrip patch antenna, 121
 - application to rat race hybrid, 128
 - application to waveguide filter, 120
 - application to waveguide “through”, 119
 - improving results using adaptive meshing, 120
 - open boundary simulation, 123
 - parametric modelling, 124
 - perfect boundary approximation, 122
- NEC, 9
 - PL and PT cards, 182
 - application to dipole, 169
 - application to log-p, 178
 - application to Yagi-Uda, 173
 - basis functions, 145
 - column spacing in input file, 167
 - comma demarcated input file, 167
 - control cards, 172
 - geometry file (.nec), 166
 - overview, 144
 - radius vs. diameter, 177
 - structural cards, 172
 - tag, 193
 - transmission line modelling, 182
 - Wiregrid for Windows, 167
 - wiremesh ground plane, 192
 - wires penetrating real ground, 297
- NEC2, *see* NEC
- NEC4, *see* NEC
- non-linear problems
 - application of FDTD, 124
- Numerical Electromagnetics Code, *see* NEC
- Nyquist, 11
 - effect on time step, 59
- Occam, 167
- open-source software, 27
- operation count
 - 2D FDTD, 96
 - 3D FDTD, 109
 - FDTD, 13
 - FEM, 15
 - MoM, 9
 - MoM Sommerfeld, 314
 - prohibitive cost of large MoM problems, 237
 - reducing FDTD, 45
 - surface MoM, 228
 - thin-wire MoM, 228
 - volumetric MoM, 229
- parallel processing, *see* high-performance computing, parallel processing
- parametric modelling, 124
- partially filled cells, *see* sub-cell models (FDTD)
- PDE
 - classification of, 33
 - elliptic, 33
 - hyperbolic, 33
 - parabolic, 33
- perfectly matched layer, *see* PML
- periodic boundary conditions, 314
- periodic structures
 - FDTD modelling of, 125
- phased arrays
 - feeding of, 313
 - overview, 308
 - scan blindness, 308–314
- physical optics, 4
- PML, 10, 37, 83
 - corner regions, 102
 - drawbacks, 106
 - evaluation of, 105
 - implementation issues, 104
 - implementation of 2D split field, 102
 - polynomial grading, 105
 - results, 106
 - split field, 98, 101–102
 - split field (in 2D), 99
 - split field (in 3D), 99
 - stretched coordinates, 98, 108
 - summary of properties, 102
 - uniaxial, 98, 107
- Pocklington
 - historical background, 161
 - integral equation, 130, 139, 201
 - integral equation and NEC, 145
- point-matching, *see* collocation
- Poisson equation
 - FEM solution of, 355
- potentials
 - basics, 269–270
 - Hertz, 270
 - Lorenz gauge, 270
- principal value, 202
- printed antennas, *see* microstrip antenna
- printed dipole
 - equivalence to wire dipole, 313
 - MPIE solution of, 291
- quadrature
 - Gauss–Legendre, 465
 - Gauss–Lobatto, 465
- quadrature tables
 - 11 point tetrahedron rule, 422
 - 6 point triangle rule, 392
 - use of, 422

- quantum mechanics
 - bracket notation, 151
- quasi-static, 4
 - magnetoquasistatics, 12
- radiation condition, 9, 318
 - absence of in FEM and FDTD, 14
- Rao–Wilton–Glisson element, *see* RWG element
- rat-race hybrid, 128
- RCS, 219
 - bistatic, 222
 - monostatic, 222
 - of PEC sphere, 219
- rectangular waveguide, FEM solution of, 378
- residual, 150
- residue
 - evaluation of, 285
- Riemann sheets, 280
- RWG element, 203–206
 - connection with edge-based finite element, 204, 452
- RWG element, MoM formulation using, *see* MoM, formulation using RWG element
- SAR, 458*f*, 459*f*
 - ICNIRP guidelines for, 456
- scan blindness, *see* phased arrays, scan blindness
- scattering
 - incident/scattered field decomposition, 75, 79, 137
 - overview of process, 75
 - source inclusion, 79
 - total field, 75
- scattering from a dielectric sphere, 226
- scattering from PEC sphere, 218–224
 - analytical (Mie) solution, 222
 - blue sky explanation of Lord Rayleigh, 218
 - history of Mie solution, 222
- simplex coordinates
 - one dimension, 323, 365
 - overview, 364
 - properties of, 366
 - three dimensions, 366
 - two dimensions, 365
 - useful formulae, 491–492
- singularities
 - cancellation schemes, 217
 - subtraction schemes, 217
 - in EFIE and MFIE, 202
 - in MPIE, 293
- slow wave, 308
- solution of linear equations, 135
 - conjugate gradient algorithm, 237
 - direct solvers, 237
 - iterative solvers, 237, 471
- Sommerfeld potentials
 - alternate treatments, 297
 - computational efficiency of, 315
 - definition of, 270–273
 - derivation of single-layer microstrip, 273–276
 - evaluation of, 278–289
 - evaluation of tail, 297
 - extension to aperture coupling, 297
 - half-space problems, 297, 315
 - history of, 265
 - illustrative results, 289
 - limitations of implementations, 315
 - locating the pole, 287–288
 - MoM solution using, 289–295
 - multiple layers, 297
 - numerical integration in spectral domain, 279–287
 - transmission matrix, 297
 - wires penetrating interfaces, 297
- sparse matrices, 402
- sparse solvers, 468–473
 - compressed column storage, 471
 - compressed row storage, 470
 - direct, 469
 - iterative, 469
 - profile-in skyline storage, 470
 - results, 471–473
- specific absorption rate, *see* SAR
- spectral domain, 264, 271–287
 - transform, 266, 271
- spurious modes, *see* FEM, spurious modes
- stability
 - effect of load on FDTD, 50
 - of FDTD method, 47
- stratified medium
 - definition, 264
- sub-cell models (FDTD)
 - curved boundaries, 118
 - MWS implementation, 122
 - overview, 118
 - thin cracks, 118
 - thin sheets, 118
 - thin wires, 118, 124
- surface equivalence principle, 258
- surface equivalence theorem, 225
 - Love’s form, 225
- surface modelling (MoM)
 - conducting structures, 201
 - homogeneous material regions, 201, 224
- surface waves, 275, 277–278, 308
 - condition for dominant TM only, 277
 - position of poles, 277
- symmetric product, *see* functional analysis, symmetric product
- symmetry, use of, 229

- TE
 - FDTD formulation for scattering, 75
 - guided wave mode, 37, 378
 - scattering, 75
 - scattering from PEC cylinder, 91
 - telegraphist's equations, 38, 319
- TEM
 - guided wave modes, 37
- testing functions, *see* weighting functions
- testing points, 135
- thin-wire approximation
 - electrodynamics, 140
 - electroquasistatics, 132
 - impact of, 137
 - limitations on accuracy, 144, 169
- thin-wire codes
 - MININEC, 168
 - Wire (WIRE89), 168
- thin-wire modelling (MoM)
 - source models, *see* source models
 - arbitrarily orientated wires, 161, 162
- TM
 - guided wave mode, 37, 378
 - scattering, 75
- transmission line, 37, 319
- transmission line matrix method, 16
- transverse electric, *see* TE
- transverse magnetic, *see* TM
- triangle area
 - signed, 345
- uniform theory of diffraction, 4
- validation and verification, 19
 - analytical solutions, 20
 - approximate solutions, 20
 - code comparisons, 20
 - frequency selective surface example, 20
 - measurements, 20
 - of 1D FDTD problem, 47
 - summary of for FEKO and NEC2, 199
- vector elements, 344, 371–378
 - complete, 416
 - contributions to, 371
 - criticism of, 401
 - CT/LN, 373, 415
 - hierarchal higher-order, definition of, 416–419
 - hierarchal higher-order, impact on code, 421–427
 - hierarchal higher-order, properties of, 419–421
 - higher-order, 15, 415
 - higher-order elements, alternate methods for constructing, 444
 - interpolatory higher-order, 416, 445
 - LT/LN, 417
 - LT/QN, 416, 418, 436
 - matching hierarchal elements to a field, 427
 - mixed-order, 416
 - QT/QN, 417
- volume modelling (MoM), 201
 - application to human exposure assessment, 456
- wave equation
 - in one dimension, 320
- waveguide discontinuities
 - FEM solution of, 429
- weighting functions, 150
- wide-band antennas
 - compared to non-dispersive, 198
 - definition of, 185
- wideband sources (FDTD), 52
 - DC content of and FDTD simulations, 53
 - Gaussian derivative pulse, 54, 88
 - Gaussian pulse, 52
 - polynomial pulse, 54
- Wiregrid for Windows, *see* NEC, Wiregrid for Windows
- Wu–King condition, 146
- Wu–King loaded dipole, 193
- Yagi–Uda antenna, 172
- Yee algorithm, *see* FDTD, Yee algorithm