

Index

Note: The following abbreviations are used: ADHD for attention deficit hyperactivity disorder; ASD for Autism Spectrum Disorders; ASD-LI for autistic spectrum disorders with language impairment; CNVs for copy number variations; EEG for Electro-encephalography; fMRI for functional magnetic resonance imaging; HFA for high-functioning autism; MEG for magnetoencephalography; MRI for magnetic resonance imaging.

15q11–13 duplications, 88	brain structure differences, 139	research procedures, 34–37
16p11.2 locus, CNVs at, 88–91	diagnostic criteria, 22	diagnostic terminology, 20–24
absence epilepsy, 181	language oddities, 286–287	epidemiology, 24
acquired epileptic aphasia, 183	assessment and diagnosis, 19–20	general population findings, 38–39
MEG study of epileptiform activity, 162	age of onset and diagnosis, 25–26	atonic seizures, 180
adaptive functioning and executive skills, 235	assessment process, 26–27	attitudes of others, identifying with, 272–274
measurement of, 29, 354	behaviour and mental health, 31–32	auditory processing deficits in speech perception, 303
ADHD, 38, 140–141, 360–361	cognitive assessment, 31	MEG studies, 163–165
amygdala and autism, 18	communication, 31	Autism Diagnostic Interview-Revised (ADI-R), 27–28
and memory, 334–338	developmental history, 27–29	combined with ADOS, 34–37
MRI findings, 129–131	family assessment, 32	Autism Diagnostic Observational Schedule (ADOS), 30
animal models	individual profiling, 30–31	combined with ADI-R, 34–37
oxytocin studies, 203–204	medical investigations, 32–33	
reelin studies, 201	observations, 29–30	
serotonin dysfunction, 192	best estimate clinical diagnosis (BECD), 33–34	
anxiety, educational setting, 377, 382–383		
Asperger syndrome (AS)		
as separate diagnostic entity, 3		

394 Index

- Autism Spectrum Disorders (ASD), 1
 - definitional issues, 20–24
 - as an evolving concept, 2–3
 - heterogeneity of, 3–4, 114, 138–139, 190–191
 - and intellectual disability, 115–116
 - prevalence, 1, 24
 - research issues, 4–7
 - terminology issues, 1–2
 - timing of brain development, 116–117
- Autism Susceptibility Locus 1 (AUTS1), 59
- autistic regression
 - and early onset epilepsy syndromes, 182–184
 - pathogenesis of, 186
 - role of epilepsy, 179–180
- Autistic Spectrum Disorder with Language Impairment (ASD-LI), 291–299
 - memory function in, 306
- autobiographical episodic memory, 326–327
- basal ganglia, MRI findings, 135
- Behaviour Rating Inventory of Executive Function (BRIEF), 352–354
- behavioural assessment, 31–32, 352–354
- Behavioural Assessment of Dysexecutive Syndrome in Children (BADS-C), 352
- best estimate clinical diagnosis (BECD), 33–34
 - research procedures, 34
- studies using a combination of measures, 34–37
- biochemistry of autism, 11, 190–191, 207–208
 - oxytocin, 203–207
 - reelin, 200–203
 - serotonin, 191–192
- bottom-up processing style, 377–378
- brain imaging, *see* neuroimaging
- brain structure
 - amygdala and hippocampus, 129–133, 334–338
 - basal ganglia, 135
 - brainstem, 136–137
 - cerebellum, 135–136
 - cerebral cortical folding, 129
 - cerebral hemisphere abnormalities, 125–129
 - cingulate cortex, 127
 - corpus callosum, 133
 - enlarged brain volume, 124–125
 - females with ASD, 138
 - frontal lobe regions, 126–127
 - heterogeneity issues, 114
 - lateral temporal lobe sub-regions, 128
 - Medial temporal lobe (MTL), 139, 334–338
 - and memory, 334–338
 - parietal and occipital regions, 128–129
 - thalamus, 133–135
 - timing of development, 116–117
 - white/grey matter and lobar volumes, 125–126
- brainstem, MRI findings, 136–137
- broader autism phenotype, 3, 38–39, 222
- broadly-defined HFA, language impairments, 289–291
- Broca's area, reversal of asymmetry, 127
- causal precedence criterion, 222
 - central coherence theory, 241–242
 - executive dysfunction hypothesis, 232–234
 - theory of mind hypothesis, 226–227
- central coherence theory, 236–238
 - causal precedence criterion, 241–242
 - explanatory power criterion, 240–241
 - research, 238
 - uniqueness criterion, 239
 - universality criterion, 238–239
- cerebellum, structural abnormalities, 135–136
 - and memory, 334
 - reelin levels, 201
- cerebral hemisphere abnormalities, 125–129
- childbirth, oxytocin induced, 206–207
- cholesterol, 192–193, 203
- cingulate cortex, structural abnormalities, 127
- classification systems, 2, 21–22
- CNTNAP2 gene and autism, 71–72
- cognitive deficits, 20

- executive dysfunction
 - hypothesis, 228–236
- explanations of language
 - impairments, 301–306
- role of neuropathology, 268–269
- search for primary, 219–222
- and theory of mind
 - hypothesis, 222–228
- weak central coherence, 236–242
- cognitive flexibility, 266–268
 - and congenital blindness, 277
 - and executive dysfunction, 278–280
- frameworks of
 - understanding, 268
 - person anchored view, 269–271
 - role of neuropathology, 268–269
- in attitudes and stance, 273–276
- social developmental
 - account, 271–273
- symbolic thinking, 276–277
- communication
 - assessment of, 30, 31
 - case example, 267
 - identification process, 274–276
 - trials for evaluating, 35–36
 - see also* language
- co-morbid conditions, 21, 140–141, 176–184
- complex partial seizures, 181–182
- computers, educational
 - benefits, 378, 383–384
- concept formation, 278, 370–372
- congenital blindness, features
 - of autism in, 277
- connectivity of brain regions
 - in ASD, 7, 123, 137–138
- continuum concept, 3, 19
- copy number variations
 - (CNVs), 81
 - 15q11–13 duplication, 88
 - 16p11.2 deletion, 88–91
 - detection methods, 81–83
 - in schizophrenia, 91
 - in the general population, 83–84
 - whole genome studies in ASD, 84–88
- corpus callosum, MRI
 - findings, 133
- cortical folding, increased in ASD, 129
- creativity
 - imaginative deficit, 278–279
 - and symbolic play, 276–277
- cued recall, 317, 321, 330
- curriculum subjects, 378–381
- declarative memory, 306, 318–319
- Deese, Roediger, McDermott DRM paradigm, 321
- Developmental Diagnostic and Dimensional Interview (3di), 29
- developmental history,
 - assessment of, 27–29
- developmental regression
 - in early onset epilepsy syndromes, 182–184
 - see also* autistic regression
- developmental trajectory of autism, 6–7
- Diagnostic Interview for Social and Communication Disorders (DISCO), 28–29
- diagnostic issues, 2
 - defining the spectrum, 20–24
 - epilepsy–autism link, 179
- diffusion tensor imaging (DTI)
 - studies, 123, 137–138
- DNA methylation, 78–79
- Dravet syndrome, 183–184
- DSM-IV, proposed change to
 - diagnostic sub-groups, 2
- Dysexecutive Questionnaire for Children (DEX-C), 352
- education, 12–13, 364
 - anxiety and stress, 382–383
 - curriculum subjects, 378–381
 - ICT, value of, 383–384
- learning issues, 366
 - conceptual understanding, 370–372
 - language, 373–375
 - memory, 373
 - motivation, 372–373
 - perceptual understanding, 369–370
 - sensory difficulties, 366–369
 - social aspects, 375–376
- learning styles, 376–378
- parental support &
 - homework issues, 381–382
- placement types, 384–386
- problems for the ASD child, 365–366
- problems for the teacher, 366

396 Index

- education (*cont.*)
 relationships with peers, 383
 therapeutic role of, 364–365
- EEG for epilepsy and autism, 179, 185
- Electric Status Epilepticus in Slow Sleep (ESES), 183
- emotionally charged stimuli, recall of, 321–323
- empathy, 273–274, 379
- English curriculum, 378–379
- environmental risk factors, 4–5, 24
- epidemiological studies, 24, 178
- epigenetic mechanisms, 78–81
- epilepsy and autism, 5, 10–11, 176–177
 autistic regression, 179–180
 pathogenesis of, 186
 diagnostic aspects, 179
 early onset epilepsy syndromes, 182–184
 EEG, 178–179, 185
 gender issues, 178–179
 investigation and treatment, 185
 phenotype of ASD with epilepsy, 184–185
 prevalence, 177–178
 seizure types, 180–181
- epileptic encephalopathy, 177
- epileptiform activity in children, 162–163
- episodic memory, 323–324
 autobiographical, 326–327
 spatio-temporal context, 325–326
- epistatic action of genes, 56
 ITGB3 and SLC6A4, 197–198
- event related fields (ERFs), MEG analysis, 159–160
- executive dysfunction case study, 348–350
 behavioural assessments, 352–354
 neuropsychological assessment, 351–352
- executive dysfunction
 hypothesis, 228–229, 268–269
 alternative perspective, 278–280
 causal precedence criterion, 232–234
 explanatory power criterion, 234–236
 uniqueness criterion, 230–232
 universality criterion, 230
- executive function, 12, 348–349
 link to adaptive functioning, 235
 real life demands, 359–360
see also executive dysfunction
- explanatory power criterion
 central coherence theory, 240–241
- executive dysfunction
 hypothesis, 234–236
 theory of mind hypothesis, 227–228
- extreme male brain, 242
- eye contact impairment, link to amygdala, 131
- face processing
 evidence of dysconnectivity, 138
 MEG studies, 166–169
- false belief tasks, *see* theory of mind (ToM) hypothesis
- familial inheritance, genetic studies, 54–55, 56–57
- Families and Communication Training and Support (FACTS trial), 35
- family assessment, 32
- females with ASD
 epilepsy risk, 178–179
 neuroanatomical findings, 138
- foreign language learning, benefits of, 380–381
- fractional anisotropy (FA), reduction of, 137–138
- free recall, 317, 319–320, 321
 of emotionally charged words, 321–322
- frontal lobe
 involvement in memory, 334–335
 structural abnormalities, 126–127
- functional MRI (fMRI), 138, 157
- fusiform face area (FFA), 128, 167–168
- GABRB3 gene and autism, 70–71
- gamma oscillations, synchronisation of, 161
- gender issues, 116
 brain structure, 138
 epilepsy risk in girls, 178–179
 in genetic/epigenetic aetiology, 55–56
 reporting bias, 360–361
 sex-specific linkage analysis, 61
- general population
 epilepsy–autism link, 179
 presence of CNVs (copy number variations) in, 83–84

- traits of ASD in, 19, 23, 38–39
- generalized tonic-clonic seizures, 182
- genetics, 9–10
- aetiological models, 56–57
- association studies, 61–63
- CNTNAP2 gene, 71–72
- GABRB3 gene, 70–71
- genome-wide, 72–74
- RELN gene, 63–69
- SLC6A4 gene, 69–70
- copy number variations (CNVs), 81
- 15q11–13 duplication, 88
- 16p11.2 deletion, 88–91
- in the general population, 83–84
- methods of detecting, 81–83
- in schizophrenia, 91
- whole genome studies in ASD, 84–88
- epigenetics, 78–81
- family studies, 54–55
- future research goals, 91–93
- IMGSAC study, 34
- linkage studies, 57–61
- oxytocin studies, 205–206
- rare single gene mutations, 74–78
- reelin studies, 203
- serotonin, 195–198
- transmission mode, 55–56
- twin studies, 55
- genome-wide association studies, 72–74
- grammatical impairments
- children with ASD-LI, 295–297, 299
- in narrowly-defined HFA, 288–289
- grand mal seizures, 182
- grey/white matter and lobar volumes, 125–126
- heterogeneity of ASD, 3–4, 114, 138–139, 190–191, 316–317
- high-functioning autism (HFA), 20–21
- brain structure differences, 139
- language impairment
- in broadly-defined HFA, 289–291
- in narrowly-defined HFA, 287–289
- see also* executive dysfunction case study
- hippocampus
- role in memory, 335–338
- structural abnormalities, 131–133
- histone modification, 79–81
- history teaching, 379
- homework issues, 381–382
- hyperserotonaemia, 193–195
- role of ITGB3 gene, 197
- identification with others, 272–273, 274, 275–276
- imaginative deficits, 278–279
- imitation, 25
- and identification with others, 275–276
- neural basis of, 169–170
- incidence rates, 191
- inclusive practice, educational provision, 384–385
- individual profiling, 30–31
- infantile spasms (West syndrome), 182–183
- information and
- communication technology (ICT), 383–384
- intellectual disability
- and memory, 317
- issues for brain imaging, 115–116
- see also* cognitive deficits
- International Molecular Genetic Study of Autism Consortium (IMGSAC), 34
- interventions, 8
- educational, 365
- for epilepsy, 185
- oxytocin replacement therapy, 206
- serotonergic, 198–200
- item-specific processing, 330–331
- ITGB3 gene, 197–198
- Landau-Kleffner syndrome (LKS), 183
- MEG study of epileptiform activity, 162
- language, 12, 284–285
- abilities/impairments across the spectrum, 285
- ASD-LI, 291–299
- Asperger syndrome, 286–287
- broadly-defined HFA, 289–291
- narrowly-defined HFA, 287–289
- causes of impairments, 299–300
- cognitive deficit explanations, 301–306
- social deficit explanations, 300–301
- and education, 373–375

398 Index

- lateral temporal lobe
 - abnormalities, 128
- learning styles of ASD
 - children, 376–378
- lexical-semantic
 - abnormalities in ASD-LI, 292–293, 297
- linkage studies, genetics, 57–61
- logarithm of the odds (LOD)
 - scores, linkage studies, 58
- low-functioning autism (LFA),
 - brain structure differences, 139
- magnetic resonance imaging (MRI)
 - see* structural MRI
 - functional MRI (fMRI), 157
- magnetoencephalography (MEG), 10, 156
 - analytical approaches, 159–161
 - ASD studies, 161–162
 - auditory processing, 163–165
 - epileptiform activity, 162–163
 - face processing, 166–169
 - mirror neuron system, 169–170
 - semantic processing, 165–166
 - discussion, 170–171
 - instrumentation and measurement, 156–159
- mathematics teaching, 379–380
- MeCP2 gene, 78–79
- medial temporal lobe (MTL)
 - amygdala abnormalities, 129–131
 - and atypical memory in ASD, 334, 335
 - hippocampus
 - abnormalities, 131–133
 - medical assessment, 32–33
 - Medical Research Council
 - Autism Imaging Multi-Centre Study (MRC-AIMS), 140
 - memory, 12, 316–317
 - and the brain, 334–338
 - and the self, 326–327
 - declarative in ASD-LI, 306
 - educational context, 373
 - episodic, 323–324
 - spatio-temporal context, 325–326
 - standard experimental procedures, 319–323
 - types and theories of, 317–319
 - wider concepts of, 327–328
 - relational processing, 329–333
 - task support, 328–329
- mental health assessment, 31–32
- meta-analyses, genetic linkage studies, 60
- metarepresentational ability, 223, 323, 332
- methodological issues, 4
- methylation of DNA, 78–79
- mirror neuron system, MEG studies, 169–170
- motivational issues,
 - education, 372–373
- MRI, *see* structural MRI
- multiagency assessment (MAA), 27
- multiple deficits view of autism, 243–245
- applying criteria to, 245–246
- links between cognitive domains, 246–248
- need for longitudinal studies, 248–249
- myoclonic seizures, 180–181, 183–184
- narrowly-defined HFA,
 - language impairments, 287–289
- National Autism Plan for Children, 26, 348
- NEPSY (A Developmental Neuropsychological Assessment), 351–352
- neurexin genes, single mutations in, 75–77
- neuro-cognitive assessment, 31
- neuroimaging, 10, 112
 - background, 112–113
 - future directions, 140–142
 - methodological issues
 - distinguishing between different groups, 138–139
 - gender disparity, 116
 - heterogeneity of ASD, 114
 - intellectual disability, 115–116
 - timing of brain development, 116–117
- neuroimaging techniques
 - diffusion tensor imaging (DTI) studies, 123
 - other shape-based approaches, 123
 - region of interest (ROI) approaches, 119–121
 - voxel-based morphometry (VBM), 121–122

- see also* structural MRI,
 functional MRI
 neuroligin genes, single
 mutations in, 74–75
 neuropsychological
 assessment tools,
 351–352
 neurotransmitters, 7–8, 191
 oxytocin, 203–207
 serotonin, 191–192
 non-specific pervasive
 developmental
 disorders, 23
 novelty, perception of, 370

 observational assessment,
 29–30
 occipital brain regions,
 abnormalities in, 129
 ordering of items and events,
 326
 organisational difficulties,
 348
 oscillation of brain waves,
 MEG analysis, 161
 OXTR gene, 205–206
 oxytocin neurochemistry,
 203
 and childbirth, 206–207
 animal studies, 203–204
 autism studies, 204–205
 genetic studies, 205–206
 in humans, 204
 interventions, 206

 pain sensitivity, 366–367
 parental support with
 schooling, 381–382
 parietal brain regions,
 abnormalities, 128–129
 PDD-NOS (pervasive
 developmental
 disorders not otherwise
 specified), 23

 peer relationships, 383
 perceptual abilities/problems,
 5–6, 241–242, 368–369
 perceptual understanding,
 369–370
 pervasive developmental
 disorders (PDD)
 brain structure differences,
 139
 diagnostic criteria, 21–22
 petit mal epilepsy, 181
 phonological impairments,
 294, 296, 297
 placements, educational,
 384–386
 play, symbolic, 276–277
 in congenitally blind
 children, 277
 positron emission
 tomography (PET),
 serotonin synthesis,
 193
 Pre-School Children
 Communication Trial
 (PACT), 35–36
 prevalence rates, 54
 epilepsy and autism,
 177–178
 increase in, 24
 intellectual disability in
 ASD, 115
 procedural memory, deficits
 in ASD-LI, 302–303
 psychological models, 8,
 219
 central coherence theory,
 236–242
 executive dysfunction
 hypothesis, 228–236
 multiple deficits view,
 243–249
 single deficit theories
 criteria for, 222
 pursuit of, 219–221

 theory of mind hypothesis,
 222–228
 psychomotor epilepsy,
 181–182

 qualitative MRI findings,
 117–119
 quantitative MRI, *see*
 structural MRI

 rat hyperserotonemia model,
 192
 recollection and recognition,
 317–318
 reelin (RELN)
 animal models, 201
 genetic studies, 63–69, 203
 reduced levels in autism,
 201–203
 region of interest (ROI)
 approaches, brain
 analysis, 119–121
 regression, *see* autistic
 regression
 relational binding capacity,
 325–326
 relational processing
 difficulties, 329–333
 relationships with peers, 383
 Remember-Know (R/K)
 procedure, episodic
 memory, 324
 repetitive behaviours
 brain areas linked to, 127,
 135, 137, 141
 failure to link to ToM
 hypothesis, 227–228
 SSRIs reducing, 198–199
 studies in children, 37, 38
 synthetic oxytocin (pitocin)
 reducing, 206
 reporting bias, 360
 risperidone interventions,
 200

400 Index

- savant abilities, 6, 236, 242
- schizophrenia
 - copy number variations (CNVs) in, 91
 - oxytocin levels, 204
- school curriculum subjects, 378–381
- science education, 380
- seizures, types of, 180–181
- selective serotonin reuptake inhibitors (SSRIs), 198–199
- self-concept
 - and memory, 326–327
 - normal development of, 271–272
- self-referential memory, 327
- semantic processing
 - in ASD-LI individuals, 298
 - and declarative memory impairment, 306
 - during recall, 321
 - MEG studies, 165–166
 - in narrowly defined HFA, 288
 - need for task support, 329–330
- sensory difficulties, 5–6, 366–369
- serotonin and noradrenaline reuptake inhibitors (SNRIs), 199
- serotonin neurochemistry, 191–192
 - dysfunction of serotonin system, 192–193
 - elevated blood serotonin levels, 193–195
 - genetic factors, 195–198
 - positron emission tomography (PET) synthesis, 193
 - serotonergic interventions, 198–200
- SHANK3 gene mutations and ASD susceptibility, 77–78
- single gene mutations, 74–78
- SLC6A4 gene, 69–70, 195–196, 197–198
- SNRIs (serotonin and noradrenaline reuptake inhibitors), 199
- social behaviour
 - measures of, 38
 - mindreading deficit and language impairments, 300–301
- rat hyperserotonemia model, 192
- role of oxytocin, 203–207
- social interaction and task setting, 375
- teaching approaches, 376
- social referencing, 272–273
- social signals used by educators, 375
- source estimation techniques, MEG analysis, 160–161
- source memory, 328, 329
- Special Needs and Autism Project (SNAP), 36
- special skills, 6, 236
- specific developmental disorders, 21
- specific language impairment (SLI)
 - ASD-LI as subtype of, 301
 - and auditory (speech) perception deficits, 303
 - and deficits in procedural memory, 302–303
 - compared to ASD-LI, 292–293
- and language impairments
 - in ASD-LI, 302
 - link to ASD-LI, various theories, 303–306
- splinter skills, 20–21
- spontaneous language use, 294–295
- SSRIs (selective serotonin reuptake inhibitors), 198–199
- standardised instruments, 26
 - executive function measures, 351–354
 - measuring developmental history, 27–29
- storage and retrieval systems, memory, 318
- stories, problems
 - understanding, 379
- stress
 - and amygdala enlargement, 131
 - at home, 381–382
 - at school, 382–383
- structural MRI findings
 - brainstem, 136–137
 - cerebellum, 135–136
 - cerebral hemispheres, 125–129
 - subcortical regions, 129–135
 - whole brain, 124–125
 - see also* neuroimaging
- subclinical epilepsy in children with ASD, 162–163
- superior temporal sulcus (STS) brain region, 128
- symbolic functioning, development of, 271
- symbolic play
 - and symbolic thinking in ASD, 276–277

reduced in congenitally blind children, 277	universality criterion, 223–225	executive dysfunction hypothesis, 230
systemising-empathising theory, 242	time-frequency analysis, MEG, 161	theory of mind (ToM) hypothesis, 223–225
task support, memory, 328–329	treatments, <i>see</i> interventions	Vineland Adaptive Behaviour Scale (VABS), 29, 354
temporal lobe abnormalities, 128, 129–133, 186	triad of impairments, multiple deficits view, 243–244	visual learning style, 376–377
terminology issues, 1–2, 20–24	tryptophan interventions, 199	voxel-based morphometry (VBM), 121–122
thalamus, MRI findings, 133–135	twin studies, 38, 55, 244	weak central coherence (WCC) theory, 236–242
theory of mind (ToM) hypothesis, 222–223	UBE3A gene, 79	<i>see also</i> central coherence theory
causal precedence criterion, 226–227	uniqueness criterion central coherence theory, 239	theory
and executive function, 229, 247	executive dysfunction hypothesis, 230–232	West syndrome (infantile spasms), 182–183
explanatory power criterion, 227–228	theory of mind hypothesis, 225–226	white/grey matter and lobar volumes, 125–126
false belief tasks, 223	universality criterion central coherence theory, 238–239	Williams syndrome, local processing bias, 239
uniqueness criterion, 225–226		