

Index

A “d” after a page number denotes a diagram on that page.

- A**
- ACSJ 99, 153–55
 - Active Scripting 169
 - agent 103, 375
 - Aglet Workbench 103
 - Anakia 180
 - Anteater 201–2
 - API (Application Program Interface)
 - INDI 113
 - JavaMail 28, 32–33
 - JMX 113
 - standard 113
 - vs. component 28
 - vs. framework 18, 28–29, 106
 - see also* JDBC; JMS
 - application framework
 - advantages of 55–58
 - characteristics of 13–16
 - complete (*see* complete application framework)
 - developer need for 16–18
 - difficulty in creating 279
 - documentation for 14
 - EJB advantage/disadvantage
 - in 21–25
 - J2EE standard and 19–21
 - nonopen-source 107
 - open source 106, 107, 111
 - proprietary 106–7
 - purpose/benefit of 12
 - slow adoption of 25–27
 - vs. component library 105–6
 - what it is not 18–19, 28–29
 - see also* application framework, choosing; application-specific framework; complete application framework
 - application framework, choosing
 - build/buy decision 129
 - complexity considerations 107
 - component/service 108–15
 - cost-benefit analysis to
 - aid in 126–29
 - design patterns 108
 - licensing considerations 106–7
 - “none” as choice 125–26

- specific job considerations 125
 - see also*
 - application-specific framework, choosing
- application logic 58d–60, 59d
 - comparing among framework 216–18
 - event driven 67–68
 - scalability of 60
 - tags and 117–18
- application server vs. framework 18
- application-specific framework
 - Anteater 201–02
 - Batik 209–10
 - Castor 207–8
 - horizontal vs. vertical 189
 - JADE 197–98
 - Jetspeed 202–4
 - jRelational 208–9
 - JUnit 199–201
 - Object/Relational Bridge 206–7
 - Openadaptor 198–99
 - OpenPortal 204
 - Roaming Wireless 196–97
 - Simper 206
 - Slide 195–96
 - SOAP 29, 36, 51, 70, 101, 193, 194–95, 368–70
 - UPortal 204–5
 - Xalan 191–93
 - Xerces 189, 190–91
 - see also* application framework; presentation framework
- application-specific framework, choosing
 - database access 125
 - presentation 116–25
 - vertical market 115–16
 - see also* application framework, choosing
- Arch4J 151–53
- ASP 103–4
- Aspect Oriented Programming 297
- atomic transaction 63
- authentication/authorization 83–85, 88
- Avalon 57
 - application subproject 138
 - Cornerstone subproject 137
 - Excalibur subproject 134–36, 139
 - Framework subproject 133–34
 - LogKit subproject 136
 - overview of 132–33
 - Phoenix subproject 136–37d, 138, 139
 - Sandbox subproject 138–39
- Axis 194–95
- B**
- back up, off-system 88
- Barracuda 92, 97, 169, 182–84
- Batik 209–10
- B2B (Business to Business) 53
- B2C (Business-to-Consumer) 53
- Bean API 10–11
- BeanInfo object 11
- BEA WebLogic 3
- BeBop 99, 154
- best practices
 - deployment environments 356–57
 - first project 348–53
 - future-proofing 360–63
 - initial adoption 346–48
 - problems/pitfalls 354–56

Index**465**

- reading vs. writing code 358
- refactoring 358–59
- starting small 357–58
- team development 357
- bindings 31
- Brazil 163
- BSD/MIT license 247–48, 250
- C**
- caching 62, 63, 68, 149, 225–26
- Cactus project 73
- case study, framework
 - analysis/comparison
 - Cocoon case study 407–27
 - conclusions of study 455–56
 - design comparisons among cases 453
 - design of study 378–80
 - development comparisons among cases 454–55
 - Expresso case study 427–36
 - initial design of sample specification 380–84
 - installation comparisons among 452–53
 - sourcecode zip file for 377
 - Struts case study 384–407
 - Turbine case study 436–51
- Castor 207–8
- CBD (component-based development)
 - and B2B application 52–53
 - cost of 49–50
 - JavaBeans 10–12, 120, 176, 177–78
 - overview of 7–9
 - quality in 43–49
 - server-side component 10
 - vs. once-off development 8d
 - visual component 10
- closed network 75
- Cocoon 97, 113, 140–44, 141d, 169
- Cocoon case study
 - design process 408
 - development process 409–11
 - finished application 411–26
 - installation 408
 - summary 426–27
- code
 - advantage/disadvantage of 56–57
 - quality and 44
 - reading vs. writing 358
 - reusability of 27
- code generation
 - in IDE 339–40
 - in Turbine 56
- community support 111
- complete application framework
 - ACSJ 99, 153–55
 - Arch4J 151–53
 - Brazil 163
 - choosing 114–15
 - Niggle 159–61
 - OpenSymphony 164–65
 - realMethods Framework 162–63
 - Wakesoft Architecture
 - Server 158–59
 - WASP 161–62
 - see also* Avalon; Cocoon; Expresso; Turbine
- component
 - adaptability of 50–51
 - black box approach to 40
 - choosing support for 114
 - client-side 9–10

- evolution of 40–42d
- forms of 54
- as integrative 51–52
- reusability of 4, 13, 14–15, 44, 50, 62–63, 213, 295, 362
- scalability of 51
- server-side component 10
- standardization of 6
- time saving value of 42–43
- vs. API 28
- vs. framework 19
- vs. object 6–7
- visual component 10
 - see also*
 - framework/component, emerging
- component container 6, 11–12, 20
- component interface 139
- component library,
 - vs. application framework 105–6
- ComponentManager 133
- Composable object 133
- construction library 98, 116, 168–69
- ControllerResponse 99–100
- copyright 245, 246, 247, 248, 249, 260, 263, 267, 276
- CORBA (Common Object Request Broker Architecture) 23, 31, 101
- CORBA IIOP (Internet Inter-ORB Protocol) 33
- COS (Common Object Services) 31
- cost–benefit analysis, in
 - choosing framework 127–29
- CRM (customer relationship management) 40
- CRUD (Create, Read, Update, Delete) 65
- cut-and-paste development 41
- CVS (concurrent versioning system) 285–88, 292, 294, 301, 338, 344
- D**
- database
 - access to 60–65, 61d, 125, 218–23, 236
 - generation utility for 102
 - Hypersonic SQL database 77
 - maintaining 65, 148, 223–24
 - managing 223–24
 - relational 63, 64, 65
 - testing 65
 - see also* JDBC
- database event 68
- data entry problem 72
- data storage 86–87, 92–93
- debugging 65, 66
- design, reusability of 15–16
- design pattern
 - choosing 108
 - command 329
 - composition/extension 318
 - delegate/proxy 318–19d, 320d
- developmental phase
 - application of 330–32, 331d
- factory 321–22d, 323–24
- interface 319–21d
- inversion of control 5–6
- pooling 323d
- quality in 46

Index**467**

- separation of concerns 327–28
- service pattern 328–29
- singleton 323d–325d
- thread-safe 326–27
- utility for 325
- development methodology
 - Extreme Programming 297, 305–9
 - incremental/iterative 300–301d
 - MVC architecture and 315–17, 316d
 - open-source 300–303d, 305
 - RAD 304
 - Rational Unified Process 304–5
 - Selective Perspective 305
 - UML 304, 305, 310–15, 311d, 313d, 317
- distributed event handling 67
- DNS (Domain Naming Service) 31
- DocBookLet 109
- documentation
 - application framework 14
 - catalog/feature list 109
 - cook book 109
 - design 109
 - to enhance quality 48
 - road-map/direction 109
 - for self-support 111–12
 - simplicity in 55–56
 - source code 110
 - status 109
- domain-specific framework 115–16
- DOM (Document Object Model) 169–70, 175, 182, 190
- DTD (document type definition) 117
- DVSL (Declarative Velocity Style Language) 180
- E**
 - e-business/commerce 52–53
 - Echo 98
 - ECS (Element Construction Set) library 98, 116, 168–69
 - EJB (Enterprise JavaBeans)
 - advantage/disadvantage of 21–25
 - code generation in 57
 - execution environment for 6
 - scalability and 22, 77
 - Session EJB object 57
 - Web-application execution and 31
 - email 70
 - encryption 80, 83, 86–87, 149
 - Entity beans 23, 31
 - EOB (Enterprise Object Broker) 139
 - error handling 71–73, 180, 226–27
 - error reporting, using template engine 121
 - ESC (Element Construction Set) library 98
 - escrow service 107
 - ESP (eXtensible Server Pages) 122d–125
 - event handling 67–68, 225
 - event notification 67
 - Expresso
 - AutoDBObject in 145
 - commercial support for 151
 - Controllers in 146–48
 - DBObject in 48, 145–46
 - internationalization in 102
 - Job object 148–51
 - overview of 144–45

- transformation in 169
- user interface in 147–48
- website 141, 144, 151
- Espresso case study
 - design process 428
 - development process 428
 - finished application 428–36
 - installation 427–28
 - summary 436
- external security audit 82–83
- F**
- file roll-over 67
- firewall 81
- flow of control mechanism 59
- 4GL (fourth-generation language) 19
- framework
 - application-specific 115–16
 - combining services in 234–37
 - data access 125
 - definition of 15
 - designing with 332–33
(*see also* design pattern)
 - development methodology
 - impact on 297–99
 - development of 277–79
 - domain-specific 115–16
 - enhancing development in 46–49
 - evolution of 39–42d
 - horizontal 189
 - meta 210–13, 237, 375–76
 - service-oriented 56
 - using (*see* best practices)
 - vertical 189
 - vertical market 115–16
 - what it is not 18–19
see also application framework;
- open-source framework; presentation framework; *individual framework*
- framework, comparing
 - services of
 - application logic 216–18
 - caching 225–26
 - database access 218–23
 - database management 223–24
 - error handling 226–27
 - event handling 225
 - JSP 234
 - legacy application integration 232
 - logging 224–25
 - matrix for 237–43
 - monitoring/testing 227
 - MVC separation 232–33
 - presentation user interface 228–31
 - push/pull presentations 233–34
 - scheduling 231
 - security 227–28
 - SQL insulation 219–22
 - templating 234
 - utilities 232–33
 - Web services 231
 - XML 234
- framework/component,
 - emerging 364
 - agents/machine intelligence 375
 - framework interoperability 375
 - interface paradigms 365–66
 - JavaSpaces 374
 - Jini 373–74
 - meta-framework 375–76
 - Web services 366–73

Index**469**

- Freemarker 121, 160, 169, 186–87
- free software 245
- “free” support 111
- G**
- generalization 13, 41
- generators 141d–142
- getName 11
- get/set pattern 12, 178
- GPL (General Public License) 251–63, 275, 276
- graphical menu 89–90
- GUI (graphical user interface) 69, 166–67, 188
- H**
- hardware security 78
- HMVC (hierarchical model-view-controller) 176, 317
- HTML (Hyper Text Markup Language) 77–78, 94, 117
- HTTP 29, 77–78
- HTTPS 85
- HyperQbs 184–85
- Hypersonic SQL database 77
- I**
- IDE (integrated development environment)
- avoiding tanglement 340
 - browsing/navigating code with 340
 - build manager tool 338
 - class browser tool 336–37
 - code generation tool 339–40
 - compiler tool 337–38
 - debugger tool 339
 - Eclipse 340–42
 - editor tool 336
 - GUI builder tool 338–39
 - internationalization tool 339
 - JDEE 343
 - keeping separate from framework 340
 - NetBeans 342
 - project browser tool 337
 - project manager tool 335–36
 - relationship to framework 181, 334–35
 - using nonintegrated IDE 343–45
 - version control tool 338
 - vs. framework 19
- IDL (Interface Definition Language) 33
- INDI 113
- interface
- component 139
 - configuration 4
 - design pattern 319–21d
 - functional 4
 - GUI 69, 166–67, 188
 - JNDI 20, 31–32
 - UDDI 161, 372–73
 - see also* API; presentation/user interface; Web user interface
- interface event 68
- internationalization
- in Expresso 150–51
 - of interface 89–93
 - utility for 102
- Internet 31, 75, 281
- Intranet 93–94

- inversion of control design
 - pattern 5–6
- iPlanet 3
- IT (information technology) 39, 45–46
- J**
- JAAS standard 84–85
- JabaServer 139
- Jabber 139
- JADE (Java Agent
 - DEvelopment) 103, 197–98
- JAF (JavaBeans Activation
 - Framework) 33
- James 139
- JATLite 103
- JavaBeans 10–12, 120, 176, 177–78
- JavaDoc 29, 109
- JavaMail 28, 32–33
- Java Micro Edition 100, 104
- Java Plug-In 93
- JavaScript 103–4
- Java security policy 80
- JavaSpaces 24, 374
- Java Standard Tag Library 94
- Java Toolkit 101
- JCE (Java Cryptography
 - Extensions) 85
- JCP (Java Community
 - Process) 34, 94, 112, 166
- JDBC (Java DataBase
 - Connectivity) 33–34, 62, 81, 101, 102, 113
- JDK (Java Development Kit) 29, 33, 80, 85
- JDO (Java Data Objects) 64
- J2EE (Java 2, Enterprise
 - Edition) 3, 8, 20–21, 112, 113
- Jesktop 139
- Jetspeed 202–4
- Jetty 3
- Jini 24, 373–74
- J2ME (Java 2 Micro Edition) 196
- JMS (Java Messaging Service) 20, 24, 32, 67, 70, 112
- JMS Queue 162–63
- JMX 113
- JNDI (Java Naming and
 - Directory Interface) 20, 31–32
- Jo! 139
- jRelational 208–9
- JSF (Java Server Faces) 166–70
- JSP (JavaServer Pages) 3, 29
 - application developer role in 167–68
 - choosing 120–21
 - compared with XSP 122d–125
 - comparing among
 - framework 234
 - component developer
 - role in 167
 - as de facto standard 167, 168, 169
 - interaction via HTTP by 29
 - international templates
 - using 92
 - misuse of 30–31, 120–21
 - overview of 166–68
 - page designer in 167
 - page generation and 119
 - using tags in 94–95, 117, 118

Index**471**

- JSR (Java Specification Request) 68
- JTA (Java Transaction API) 33
- JTS (Java Transaction Service) 33
- JUnit 150, 199–200, 297, 308
- K**
- Keel 211–13, 376
- Kerberos 83
- Kettle 185
- L**
- LDAP (Lightweight Directory Access Protocol) 32, 83
- legacy application integration 101d, 232
- LGPL (Library Public License) 263
- library 13
- construction 98, 116, 168–69
- custom tag 94, 121
- ECS 98, 116, 168–69
- function 41
- Java Standard Tag Library 94
- tag 94–95, 171
- license
- application framework 106–7
- see also* OSS, license for
- Linux 280, 281
- logging 65–67, 71, 74, 133, 149–50, 224–25
- log in/log out 68
- Login (tag example) 95–96
- Log4j 149–50
- M**
- macro 117, 118
- MacroMedia Flash 97–98
- markup construction kit 168–69
- markup tag 116–17, 118
- Maverick 175–76
- message bundle file 91, 102
- messaging 32, 70–71
- see also* JMS
- meta-framework 210–13, 237, 375–76
- meta-server 163
- method signature 11
- mobile wireless device 104, 115
- monitoring/testing
- comparing among framework 227
- database 65
- in Expresso 150
- utility for 103
- Web-application development 73–78
- Mozilla license 153, 264–76
- MQ messaging system 32
- MVC (Model, View, Controller) Architecture 30, 59, 233
- N**
- naming service 31–32
- nested exception 72–73
- .NET 23, 51
- .NET Studio 168
- Niggle 159–61
- NIS (Network Information System) 32
- O**
- obfuscation 80
- Object-Oriented Analysis 297
- Object-Oriented Design 297
- object-oriented development 37, 41
- Object/Relational Bridge 206–7

- object/relational mapping
 - 60–61d, 63, 102, 144
- Object Transaction Service 33
- Odyssey 103
- OMG (Object Management Group) 23, 33
- once-off development 8d, 44, 50
- one-way encryption 86
- OODBMS (object-oriented database management system) 63
- Openadaptor 198–99
- OpenPortal 204
- open-source framework
 - advantages of 280–82
 - component reuse between organization in 295
 - corporate world use of 282–83
 - evaluating 283–84
 - getting help for 289–90
 - learning curve for 288–89
 - personal involvement in project 290–94
 - release/scheduling in 285–88
 - support for 288
- OpenSymphony 164–65
- Oracle 77
- ORDBMS (Object/Relational Database Systems) 63
- Oreo 160
- Orion 31
- OSS (open-source software) 244–45
 - advantages of 276–77
 - free software 245
 - licensing 245–47
 - slow adoption of 26
- OSS (open-source software), license for
 - Apache 248–50, 256, 263–64, 272
 - BSD/MIT 247–48, 250, 264
 - dual/multiple 260, 276
 - GNU 251–64, 268, 275, 276
 - Mozilla 264–76
- P**
- PageFactory 160
- parallel development 56
- parameterization 41
- passive structure 5
- password capture 88
- PDF 96, 124
- PDL (Persistence Definition Language) 155
- Peer 156
- performance, measuring 75–78
- Perl 103–4
- PHP 103–4
- placeholder 124
- point-to-point message 32
- presentation framework
 - Barracuda 92, 97, 169, 182–84
 - combining 235–36
 - commonalties among 233–34
 - content generation approaches in 168–70
 - Echo 187–88
 - Freemarker 121, 160, 169, 186–87
 - HyperQbs 184–85
 - JSF 166–70
 - Maverick 175–76
 - overview of 165–66
 - Scope 176
 - Tapestry 180–81
 - Tea 121, 169, 185–86
 - Velocity 116, 117, 121, 169, 178–80

Index**473**

- WebMacro 117, 121, 160,
169, 177–78
see also Struts
- presentation/user interface 100–101,
228–31
- presentation/user interface,
internationalization of
- data format 91
 - different display order 90
 - error message 90
 - menu 89–90
 - message file 91
 - multibyte support for
presentation 90
 - multibyte support for
storage 90
 - multiple data storage 92–93
 - multiple templates 92
 - numeric format/currency
handling 90
 - page/form 89
- PrintStackTrace 73
- public domain 246
- publish-subscribe message 32
- push vs. pull presentation 233–34
- R**
- Rational Rose design tool 158
 - realMethods Framework 162–63
 - rich text format (RTF) 96
 - RMI (Remote Method
Invokation) 33, 134–35
 - Roaming Media Framework 104
 - Roaming Wireless Framework
196–97
 - RTF (rich text format) 96
- S**
- SanFrancisco 18–19
 - SAX (Simple API for XML) 190
 - scalability, system 76–77
 - scheduling 69–70, 231
 - Scope 176
 - scripting language support 103–4
 - security
 - authentication/
authorization 83–85, 161
 - comparing among
framework 227–28
 - in Expresso 148–49
 - of persistence object 61–62
 - using inversion of control 5–6
see also security, data;
security, system
 - security, data
 - acquisition 85
 - auditing to track breach 89
 - communications 86
 - expiration 87
 - methods of attack 87–88
 - retrieval 87
 - storage 86–87
 - security, system
 - application-level 79
 - browser 79
 - at database connection point 81
 - default password change 82, 88
 - external security audit 82–83
 - for files 79–81
 - hardware 78
 - intrusion monitoring 82
 - operating system 78
 - tips for 80
 - unnecessary services
removal 81–82
 - using firewalls 81
 - using secure JDBC drivers 81
 - security code 30
 - self-correction 72

- self-support 111–12
- serialization 11, 142–44
- Servlet
 - Action 172
 - Freemarker 187
 - Java 3
 - simplicity in using 168
 - Struts 30, 172
 - Tea 185
 - Turbine 157
 - WebMacro 177
- Servlet API 29, 31, 83, 94, 113
- Servlet container, vs.
 - framework 18
- Session beans 31, 114
- setName 11
- setup file 69
- Simper 206
- Slide 195–96
- SOAP (Simple Object Access Protocol) 29, 36, 51, 70, 101, 193, 194–95, 368–70
- Software Crisis 37
- software industry 35–37
- software methodology 296
- software project failure,
 - reasons for 38–40
- source escrow 107
- Spindle 181
- SQL (Structured Query Language) 62, 63, 65, 102, 219–22
- SSL (secure socket layer) 78, 83, 85, 88
- standards compliance 112–13
- Struts
 - actions in 170–71, 172
 - component model in 57
 - configuration file in 172
 - controller access via 147
 - controllers in 170
 - Digester utility in 173
 - documentation for 171
 - incorporation by other
 - framework 175
 - mapping via 150
 - presentation support via 158
 - tag library (example) 173–72
 - tags in 171
 - terminology for application
 - logic in 59
 - third-party
 - addition/extension in 173
 - transformation in 169
 - use of JavaServer Pages in 94
 - website 170
- Struts case study
 - design process 387–88
 - development process 388
 - finished application 388–406
 - installation 384–87
 - summary 406–7
- support service, choosing 110–12
- SVG (Scalable vector Graphics) 124, 209–10
- Swing 99, 182
- T**
 - tag library 94–95, 171
 - Tapestry 180–81
 - Tea 121, 169, 185–86
 - template
 - choosing 116–19
 - generation utility for 102
 - in Velocity 179–80
 - template engine 121–22, 169

Index**475**

- | | | | |
|--|-------------|--------------------------|--------------------|
| templating, comparing among
framework | 234 | UI (user interface) | 70 |
| testing. <i>see</i> monitoring/testing | | <i>see also</i> | |
| Texen | 180 | internationalization; | |
| TogetherJ | 158 | presentation/user | |
| Tomcat | 3, 29, 31 | interface; Web user | |
| tool box. <i>see</i> Web-application | | interface (UI) options | |
| development, tool box | | UML | 317 |
| element | | package/component/ | |
| Torque | 56 | deployment | 314–15 |
| transformation, choosing | 119–20 | sequence/collaboration | 313d–314 |
| Trove subproject | 186 | use-case | 310–12, 311d, 313 |
| Turbine | | Unicode standard | 91 |
| actions in | 157 | universal client | 3 |
| code generation in | 56 | Unix | 101 |
| Fulcrum services | | uPortal | 204–5 |
| framework in | 156 | URL mapping | 150 |
| license for | 249–50 | URL (Uniform Resource | |
| Maven project in | 157 | Locator) | 150 |
| navigation in | 157–58 | utility | |
| overview of | 155 | bean box | 11 |
| Stratum subproject in | 156–57 | code generation | 102 |
| terminology for application | | comparing among | |
| logic in | 59 | framework | 232–33 |
| Torque persistence layer in | 156 | database generation | 102 |
| transformation in | 169 | design pattern | 325 |
| website | 155 | in Expresso | 150 |
| Turbine case study | | installation bundle | 103 |
| design process | 437 | for internationalization | 102 |
| development process | 437–38 | for monitoring | 102–3 |
| finished application | 439–50 | in Struts | 173 |
| installation | 437 | template generation | 102 |
| summary | 451 | testing | 103 |
| U | | Web-application | |
| UDDI (Universal Discovery | | development | 102–3 |
| and Directory | | V | |
| Interface) | 161, 372–73 | Velocity | 116, 117, 121, 169 |
| UI/presentation-related event | 67 | error handling in | 180 |
| | | template (sample) | 179 |

- templates in 179–80
- use of by other service 180
- website 178
- Veltag 180
- vertical market framework 115–16
- View Handler 147–48
- VisualBasic 168
- visual component 10
- VM (Virtual machine) 23
- Voyager 103
- W**
- Wakesoft Architecture Server 158–59
- .war (Web application archive) 103
- WASP 161–62
- waterfall 299–300d
- W3C Document Object Model 182
- Web application
 - definition of 2–3
 - execution environment 29–34
 - security for 79
- Web-application development
 - application-oriented approach to 16, 17d
 - hierarchy of typical framework 16d
 - page-oriented approach to 16–17d
- Web-application development, tool box element
 - agent 103
 - application logic 58d–60, 59d
 - caching 62, 63, 68
 - configuration 69
 - database access 60–65, 61d
 - database maintenance 65
 - error handling 71–73
- event handling 67–68
- legacy application integration 101
- logging 65–67
- messaging 70–71
- monitoring/testing 73–78
- platform-specific services 104
- presentation/user interface 89–101
- scheduling 69–70
- scripting support 103–4
- security 78–89
- utilities 102–3
- webAppWriter project 56
- WebDAV 195–96
- Weblogic 29
- WebMacro 117, 121, 160, 169, 177–78
- Web service
 - comparing 231
 - emerging 366–74
- Websphere 3, 29
- Web user interface
 - applets 93–94
 - EML/XSL 96–97
 - flexible 98–100, 99d
 - JavaServer Pages 94–96
 - Macromedia Flash 97–98
 - toolkit 99
- Web user interface (IU). *see* presentation/user interface
- wireless device 100, 115
- WML (wireless markup language) 124
- wrapping, legacy application 57, 101d
- WSDL (Web services definition language) 370–72

Index**477****X**

- Xalan 191–93
- Xerces 189, 190–91
- XHTML 117
- XML (Extensible Markup Language) 29, 31, 69, 96–97, 117, 169, 234, 367–68
- XML Path Language (XPath) 96
- XNI (Xerces Native Interface) 190–91
- XSL (eXtensible Style-sheet Language) 30, 96–97, 113, 169, 191–93, 192d
- XSL-FO (XSL Formatting Objects) 96, 119–20, 191–92
- XSLT (XSL Transformations) 96, 191–93
- XSP (eXtensible Server Pages) 122–25