

Cambridge University Press

978-0-521-53025-5 - Essential Values-Based Practice: Clinical Stories linking Science with People

K. W. M. (Bill) Fulford, Ed Peile and Heidi Carroll

Index

[More information](#)

Index

Entries in **blue** correspond to terms defined in the Summary, and the page references are included in the Index Spreadsheet available on the website. **Bold** terms correspond to key terms and corresponding rows in the spreadsheet, while bold numbers indicate a main treatment of a given topic.

- abdominal pain case study, 143–8
 - clinical context, 143
 - game playing, 145
 - gender issue, 147
 - language barrier, 147
 - resources trap, 144–5
 - acne case study, 55–7
 - casuistry, 58, 59
 - clinical context, 55
 - consultation, 56–7, 59–60
 - values mapping, 57–8, 60–1
 - acute situation case study. *See* mental health
 - adaptive work, 94
 - advance care planning (ACP), 177–9
 - dissensual care plan, 178
 - Allard, Simon, 30
 - Allott, Piers, 28, 50–1
 - antibiotic prescribing, 9
 - Appleby, Louis, 28
 - Approved Mental Health Professionals (AMHPs), 41
 - assessment
 - multidisciplinary, 48
 - person-centered, 47–8
 - three keys approach, 48
 - awareness of values**, 40, 39–53, *See also*
 - diversity of individual values,
 - clinician's own values, positive values (StAR values)
 - back pain case study, 190
 - failure of in consultation, 134–5, 137–8
 - palliative care case study, 174–5
 - person-centered medicine and, 105–7
 - smoking cessation case study, 68
 - training in, 193–8
 - translators and, 147–8
- back pain case study
 - clinical context, 3, 186
 - outcome, 199
 - short-term management, 187–92
 - values-based practice in, 188–92
 - values in the clinical encounter, 3–7
 - back pain, psycho-social yellow flags, 8, 19
 - background values, 6
 - acute situation, 40–2
 - balanced decision-making. *See* point of values-based practice
 - Beauchamp, Tom, 13
 - best practice, 202
 - BMA (British Medical Association), 122–3, 130
 - Bolam principle, 108–9
 - person-centered practice and, 108–9
 - reverse Bolam maneuver, 109–10
 - bowel cancer case study. *See* palliative care case study
 - breast cancer case study, 100–4
 - awareness, 105–7
 - conflict resolution, 110–11
 - knowledge of values, 107–8
 - mutual respect, 111
 - mutual understanding, 107
 - reasoning, 55
 - reverse Bolam maneuver, 109–10
 - values, 102–4
 - cancer MDT meetings, 167, *See also* palliative care case study
 - care
 - cost of, 202–3
 - value of, 34
 - case-based reasoning, 55, 69, 174
 - Bolam principle and, 109
 - casuistry, 58, 62–3
 - in clinical practice, 62
 - self-awareness and, 59
 - use with care, 62–3
 - chemotherapy. *See* palliative care case study
 - child protection case study, 115
 - BMA toolkit, 122
 - clinical context, 116
 - consultation, 116–19
 - values in, 118–19
 - decisions, 123–7
 - PCT (Primary Care Trust) protocol, 120–2
 - Childress, James, 13
 - choices, science and, 160
 - chronic obstructive pulmonary disease (COPD), 66, *See also* smoking cessation
 - depression relationship, 73–4
 - clinical decision-making, 8–9, *See also* balanced decision-making
 - evidence role, 8
 - values role, 8–9
 - clinical encounter, interaction of values, 5–6, *See case studies*
 - clinical expertise**. *See* **clinical judgment**
 - clinical judgment**, 15–23, 123–7, 185, 189, *See also* evidence-based practice
 - clinical expertise and**, 20–1, 58, 174
 - clinical decision-making and**, 21–3
 - evidence and**, 19–20
 - values and**, 15
 - squaring down**, 21–3
 - clinical leadership, 94
 - clinical skills for values-based practice**, 31–4, 37–96, *See also*
 - awareness of values, reasoning about values, knowledge of values, communication skills
 - clinician's own values**, 3, 5–6, 13
 - casuistry and self-understanding, 59
 - clinician's ICE,
 - patients' values and, 84–6
 - eliciting values and, 86–7
 - eliciting ICE-StAR, 88–90
 - hypertension case study, 135–8
 - morale and, 141
 - conduct of consultation and, 56–7
 - crisis situations, 43
 - infertility case study, 156–7
 - mutual learning, 61
 - off work certification and, 186
 - palliative care case study, 177–8
 - self-awareness of values,
 - consultation skills and, 141
 - role of others in developing, 45
 - safe guarding case study, 119–20

Cambridge University Press

978-0-521-53025-5 - Essential Values-Based Practice: Clinical Stories linking Science with People

K. W. M. (Bill) Fulford, Ed Peile and Heidi Carroll

Index

[More information](#)

Index

- clinician's own values (cont.)**
 smoking cessation and, 68
 spiritual direction, 157–9
 risk perception, 144–5
 team values and, 110–12, 124–7
 time and, 187–9
- code inflation, 15
- codes of practice, 11–13
 code inflation, 15
- Colombo, Anthony, 43, 50, 65, 75, 112, 125
- communication skills**, 31, 83–96. *See also* eliciting skills, ICE-StAR (strengths), conflict resolution
 back pain case study, 190
 diabetic control case study, 82, 88
 in management literature, 93
 in person-centered practice, 105
 mental health example, 105
 in safeguarding, 116–19
 palliative care case study, 175
 self-disclosure, 88–9
 values-based practice relationships, 82, 93–4
- complex values**, 3–6. *See also* conflicting values, values
 antibiotic case study, 9
 back pain case study, 3–7
 crisis management case study, 40–3
 involuntary treatment case study, 24
 clinical risk and, 134–5
- complexity, xv
 acute situation, 41–2
- compulsory treatment, 25, 40–1
 Guiding Principles, 25, 69
 shared values and, 25
- conflict resolution**, 93–5
 adaptive work, 94–5
 clinical leadership and, 93
 holistic skills, 92–3
 diabetic control case study, 92–3
 palliative care case study, 176–7
 spiritual direction, 157–9
 team values and, 110–12, 124–7
 time and, 187–9
- conflicting values**, 11–8, 24–5. *See also* complex values; values
 acute situation, 41
 back pain case study, 12–13
 breast cancer case study, 100–1
 codes of practice and, 11–13, 15
 crisis management case study, 40–2
 decision analysis and, 16–18
 involuntary treatment case study, 25
 own values conflicting, 13
 person-centered consultation and, 108
 principles reasoning and, 13–14
 respect for differences, 27–8
 role play used to draw out, 197–8
- consensus**, 166, 163, 179–80
- good enough death and, 180–2
 crisis management case study. *See* mental health
- Crisp, Roger, 18
- Dalai Lama, 27
- decision analysis, 16–18
 limitations of, 17–18
 strengths of, 17
- decision-making. *See also* balanced decision-making; clinical decision-making
 consensual, 163
 dissensual, 163
 partnership in, 165, 182
- democracy, 27
- DENs (doctor's educational needs), 69
- deontology, 16
- depression, chronic obstructive pulmonary disease relationship, 73–4
- diabetic control case study, 84
 agendas, 89
 communication skills, 89
 ICE (ideas, concerns and expectations), 85, 87
 eliciting, 85–6
 negative ICE, 87–8
 ICE StAR, 88, 92
 eliciting, 88
 management plan, 90–3
 values, 89–90
- discernment, 158–9
- discrimination, 30, 202
- dissensus**, 33, 163, 179–80, 191
 conflicts of values and, 111–12
 good enough death and, 180–2
 off work certification and, 191
 palliative care plan, 166, 179
 partnership in decision-making, 166, 182
- person-centred medicine and, 111–12
- diversity of individual values**, 31, 83–96
 clinicians and managers, 143–6
 culture and gender based, 146–7
 delusion of sameness, 41, 169–70
 infertility case study, 151–7
 perspectives and, 40–7
 in smoking cessation, 68
 vital to understanding, 49
- diversity of team values**, 124–7. *See also* extended multidisciplinary team work
 breast cancer and, 103
 cancer MDT meeting, 166–70
 conflicts of values and, 111–12
 mental health and, 42–4
- Dowie, Jack, 16–17
- Edwards, Robert, 151, 160
- eliciting skills**, 85–6
 clinician's values and, 84–6
 ICE-StAR, 88–92
 palliative care consultation, 174
 team values and, 124–7
 time and, 187
 translation, use of in, 146–7
- ethics, 13–14, 16
 principles reasoning, 13–14
 regulatory ethics, 15–16
- Eve, Richard, 69
- evidence
 clinical decision-making and, 8
 values and, 19
- evidence-based medicine, 18–21, 152
 complexity and, xv
 definition, 20
- evidence-based practice**, 19, 20, 171, 191
 complementary relationship with values-based practice, 127–8, 201
 palliative care case study, 171, 181
 schizophrenia, 43
- explicit knowledge, 67
- explicit values, 172
- extended multidisciplinary team work**, 31, 97, 111–12, 115–30, 166–70. *See also* diversity of team values
 assessment in mental health, 47–8
 carers and, 147–8
 cultural resources for, 147–8
 palliative care, 171–2
 priests and, 157–9
- faith, 170
- family resemblances, 172
- frameworks of shared values. *See* point of values-based practice
- game playing, 145
- gender issue, 147
- General Medical Council (GMC)
Duties of a Doctor, 11–12
- Glasziou, Paul, 17
- good enough death, 181. *See also* palliative care case study
- good practice, 202
- good process**. *See* premise of values-based practice
- Google, 70–1
- Google Scholar, 70–1
- Guiding Principles for compulsory treatment, 25, 163
 balanced decision-making and, 25–6
 Purpose Principle, 41
- Hare, R. M., 7
- Healthtalkonline. *See* knowledge of values

Cambridge University Press

978-0-521-53025-5 - Essential Values-Based Practice: Clinical Stories linking Science with People

K. W. M. (Bill) Fulford, Ed Peile and Heidi Carroll

Index

[More information](#)

Index

- Heifetz, Ronald, 94
 high tech medicine. *See also* infertility treatment case study
 high-tech medicine, 151–2
 challenges, 151
 Hippocratic Oath, xv
 Human Fertilisation and Embryology Authority (HFEA), 151
 human rights, 26–7
 Hunink, Myriam, 17
 hypertensive case study, 133–41
 agendas, 134–5
 clinical context, 133
 consultation, 135–9
 management, 140
 risk profiles, 140–1
 shared understanding, 139
 values blinded by evidence, 136
- ICE (ideas, concerns and expectations), 83, 87
 eliciting, 85–6
 eliciting skills, 86
 negative ICE, 87–8
 self-awareness and, 85
- ICE-STAR (strengths), 83–92**
 Care plan, 89–92
 implicit values, 172
 individual cases, 14–16
 individual narratives, 159–60
 infertility treatment case study, 152–60
 clinical context, 152
 counseling and support issues, 157–60
 discernment, 158–9
 spiritual direction, 158
 dilemmas, 154
 single embryo transfer issues, 154, 155–6
 termination issues, 156–7
- Internet, 70
 Google, 70–1
 Google Scholar, 70–1
 involuntary treatment. *See* compulsory treatment
 IVF, 154, *See also* infertility treatment case study
- Jonsen, A. R., 62
 judgment, 15–16
 clinical expertise and, 20–1
 squaring down, 21–3
- Kass, Leon, 151
- knowledge of values, 32, 64–80, 175**
 limitations of, 65, 76–8, 107–8
 explicit and tacit, 67
 retrieval of, 69–78
 discipline-specific databases, 72
 Google, 70–1
 Healthtalkonline, 76
- VaST search manual, 75–8**
 search problems, 71–2
- language barrier, 147
- learning, 192–9**
 PUNS and DENS, 69
 Reflective practice, 32
 Slotnick's cycle of, 69
 Stuck points, 66–7
 Values PUNS and DENS, 71
- low back pain, psycho-social yellow flags, 8, 19
- mental health. *See also* National Institute for Mental Health for England (NIMHE)
 acute situation, 39–44
 assessment, 44–9
 care plan, 49–51
 complex values, 41–2
 conflicting values, 40–1
 shared values, 40
 diversity of needs, 28
 Mental Health Act 2007, 26, 40–1
 Miller, William, 67
 motivational interviewing, 67
 values and, 68
 multidisciplinary assessment, 48
multidisciplinary team. See extended multidisciplinary team work
 mutual respect, 111, 191–2
 mutual understanding, 100, 107
- narrative based medicine, 20–1, *See also* values tool box
- National Institute for Mental Health for England (NIMHE), 28
 values framework, 28–31, 163
 anti-discrimination, 30
 consultation process, 28
 no top value, 29
 policy implications, 29
 raising awareness, 28–9
 recognition, 28
 respect, 29
 service user centrality, 29–30
 shared values, 30
 values excluded by definition, 30
- Neighbour, Roger, 83
- NICE (National Institute for Health and Clinical Excellence), 8, 10, 43, 45, 49, 51, 90, 102, 108–9, 134, 153, 157, 160–1
- Okasha, Ahmed, 27
- ordinary language philosophy, 7
- palliative care case study, 165
 clinical context, 166
- clinical stages, 166
 dissensual care plan, 166
 first cancer MDT meeting, 166–71
 evidence in, 167, 171
 values in, 167–70
 palliative care referral, 171–6
 conflicts, 176
 second cancer MDT meeting, 176–81
 advance care planning (ACP), 177–9
 outcomes, 176–7
- partnership in decision-making, 32, 165–182. See also** consensus; dissensus
- Pendleton, David, 83
- person-centered practice. See** person-values-centered practice
- person-values-centered practice, 31, 97, 99–113, 190–1**
 assessment, 48–9
 balanced decision-making, 111
 Bolam principle and, 108–9
 conflict resolution, 110–11
 consultation, 101–4
 hypertension and, 141
 mental health example, 105
 mutual understanding, 107
 NIMHE Values Framework, 29–30
 person-centered audit, 110
 person-centered guidelines, 109
 problems of conflicting values, 100–1, 110–12
 problems of mutual understanding, 51–2, 100, 101–10
 service user centrality, 30–1
 values and, 99
 values-based skills, 104–11
 communication, 105
- PLT (protected learning time) sessions, 192–3
- point of values-based practice, 24–5**
 balanced decision making as, 24–7
 back pain case study, 189
 person-centred medicine and, 111–2
 Mental Health Act and, 24–7
 Safeguarding case study, 124–7
frameworks of shared values and, 24–7
 crisis situation and, 39–40
 GP practice case study, 193–6
 Guiding Principles as, 27
 Human Rights Act as, 27
 mental health assessment, three Keys and, 47–8
 NIMHE Values Framework as, 28–31
- political democracy, 27
- positive values (StAR values), 51**
 back pain case study, 188
 carers as StAR values, 147–8
 case-based reasoning and, 57

Cambridge University Press

978-0-521-53025-5 - Essential Values-Based Practice: Clinical Stories linking Science with People

K. W. M. (Bill) Fulford, Ed Peile and Heidi Carroll

Index

[More information](#)

Index

- positive values (StAR values) (cont.)**
 communication skills (ICE-StAR)
 and, 83
 management, importance of StAR
 values in, 174
 mental health assessment, 48
 promoting care and, 202–3
 recovery and, 51
 religious and spiritual values, 157–60
- premise of values-based practice, 25–31**
 back pain case study, 191–2
 conflict resolution and, 111
 discernment and, 158
excluded values
 racism example, 32
 other tools for preventing bad
 practice, 202
good process, parallel with
 democracy, 28
 mutual respect as, 27–8
 prima facie principles, 13–14
 principles reasoning, 13–14, 69
 limitations of, 14
 strengths of, 14
- problems of conflicting values. See**
 person-values-centered practice
- problems of mutual understanding.**
See person-values-centered
 practice
- professional relationships in values-
 based practice, 97–130. See also**
 person-values-centered
 practice, assessment, extended
 multidisciplinary team work
- process of values-based practice,**
 31–4, 37–182, *See also* clinical
 skills for values-based practice,
 professional relationships in
 values-based practice, science
 and values-based practice,
 partnership in decision-making
- professional codes, 11–13
 code inflation, 15
 PsycINFO, 72–3
 PubMed, 72
 PUNs (patient's unmet needs), 69
- quality-adjusted life years (QALYs), 16, 18
- racism, 30, 202
- reasoning about values, 32, 55–63,**
 108–10
 expanding values horizons, 55, 68
 principles reasoning, 13–14, 62, 68
 individuals and, 14–15
 limitations of, 14
 strengths of, 14
 case-based reasoning (casuistry),
 55–62, 68–9, 175
 utilitarianism, 16, 17, 62
- deontology, 16, 62
 virtue ethics, 16, 62
 reflective practice, 34
 regulation, 202
 regulatory ethics, 15–16
 relationships, 31, 181–2
 resources trap, 144–5
 Rollnick, Stephen, 67
 Royal College of General Practitioners
 (RCGP), 12
- Sackett, David, xv, 7, 19, 20, 152
 schizophrenia, 43, *See also* mental
 health
- Schwartz, Barry, 27
- science and values-based practice,**
 31–2, 131–60, 201, *See also*
 Science-driven Principle,
 Squeaky-wheel Principle,
 Two-feet Principle
- cancer MDT, 166–7, 170–1
 care plan, 48–50
 child protection, 127–9
 clinical decision-making, 8, 9
 complexity and, xv
 definition of evidence-based
 medicine, 20
 science, choices and values, 159–60
 linking science with people, 201
- Science-driven Principle, 33, 151–61**
- self-awareness
 acute situation case study, 45–6
 casuistry and, 59
 diabetic control case study, 85
 smoking cessation case study, 68
- self-disclosure, 89–90
- service user centrality, 29–30
- shared framework of values, 185–6, 202
 development, 193–8
- shared values, 25, 30
 acute situation, 40
 balanced decision-making and, 25–6
 single embryo transfer, 154, 155–6
- Slotnick, Hank, 69
- Slotnick's cycle of learning, 69
 learning about values, 69–70
- smoking cessation case study
 clinical context, 66
 depression relationship, 74
 evidence availability, 77–8
- social science databases, 72
 spiritual direction, 158
- squaring down. See clinical judgment**
- Squeaky-wheel Principle, 31–2, 143–9**
- SSRN (Social Science Research
 Network), 72
- Stanghellini, Giovanni, v, xi, 21
- StAR (strengths, aspirations and
 resources) values, 51, 174, *See*
also ICE StAR
- Steptoe, Patrick, 151, 160
- stuck points, 66–7
- Support Time and Recovery (STR)
 workers, 44
- tacit knowledge, 67
- teaching. *See* learning
- team working, 97
 differences of values, 42
 multidisciplinary teams, 111–12, 115
- Think evidence, think values too! 31,**
 140–1, 191, *See also* Two-Feet
 Principle
- Think high-tech, think both evidence
 and values! 32, 159–60. See also**
 Science-driven Principle
- Think values, think evidence too!**
 31–2, 143–6, 191, *See also*
 Squeaky-wheel Principle
- time issues, 32–4
 reflective practice, 34
 saving time and making time, 32–4
 value of care, 34
 working smarter not harder, 32
- Toulmin, Stephen, 62
- Two-feet Principle, 8, 31, 133–41, 148**
- unique individual, 28
- utilitarianism, 16
- values, 3–10, see also complex values;**
 conflicting values; StAR values;
 shared frameworks of values
 action guiding nature of, 7–8, 168
 assisted reproduction case study, 151
 clinical decision-making and, 8–9
 antibiotic prescribing, 9
 faith and, 157–9, 70–1
 features of, 3–6, 166–7
 definitions of, 7
 evidence-based guidelines and, 18–19
 foreground and background, example
 of, 39–42, 89–91, 100–4
 implicit and explicit, 173
 motivational interviewing and, 67–8
 palliative care case study, 172
 resources and targets, 143–6
 values mapping, 57–8, 60–1
- Values tool box, xv, 11–23,**
 108–10, 202
 codes of practice, medical ethics and
 law, 11–5, *See also* principles
 reasoning, case-based reasoning
 (casuistry), utilitarianism,
 deontology, virtue ethics
- Mental Health Act, 26–8
- Bolam Principle, 108–10
- Safeguarding case study, 119–23
- assisted reproduction case study, 152
- GMC Code and training, 194–6

Index

- [decision analysis](#), 16–8
- [health economics](#), xv, 16, 62
- [narrative-based medicine](#), xvii, 20–1, 37, 74, 151–3
- [other tools, wide range of](#), 17
- [Values-based practice](#), 24–35, *See also*
 - evidence-based practice; point of values-based practice;
 - premise of values-based practice; process of values-based practice
- [care and](#), 203
- [complexity and](#), xv, 3, 9
- [complementary to ethics](#), 22–3
- [clinical judgment and](#), 22–3
- [clinical outcomes and](#), 49–50, 140–1, 143–6, 177–8, 185–200
- [definition of](#), 24
- [linking science with people](#), xv–xvi, 201
- [skills-based approach](#), xvi
- [unique individuals and](#), 3, 201
- [values-based practice website](#), 75
- [VaST \(Values Search Tool\)](#), 75, *See also* [knowledge of values learning from](#), 76
- [virtue ethics](#), 16
- [Woodbridge, Kim](#), 105–6, 198
- [von Wright, Georg Henrik](#), 4
- [Warnock, Baroness](#), 151
- [WRAP \(Wellness Recovery Action Plan\)](#), 51
- [yuk factor](#), 151