

Cambridge University Press

0521532000 - Phylogeny and Conservation

Edited by Andy Purvis, John L. Gittleman and Thomas Brooks

Index

[More information](#)

## Index

Numbers in italics refer to *tables* and *figures*.

- Acanthisittidae 124  
 acclimation potential and thermal limits 239  
*Acrocephalus sechellensis* 269  
 'Adam and Eve' strategy 69, 70–1, 394  
 adaptive variation, importance of preservation 167  
 Africa  
   climate history and species distribution 203, 205–7  
   complexity of the picture 211  
   last glacial maximum 209–10  
   late Quaternary period 206, 207–8  
   continent formation 205–6  
   forest–savanna ecotones *see* ecotones  
   oceanic systems and other climate influences 203–5  
   patterns of species diversity  
     present-day climatic factors 203  
     regions of climate stability 200  
     spatial constraints 202–3  
   southern African Mediterranean-climate flora 230  
   late Tertiary climatic effects 233–5, 238  
   phylogeographic analyses 231–2, 239–40, 410, 412  
   Pleistocene climatic effects 231, 235–8  
   *see also* Fynbos biome; Succulent Karoo biome  
   *see also* Eastern Arc mountains (Africa); Tanzania  
*Agauria salicifolia* 217  
 age and area model of geographic range 142, 143–5, 151  
 age and area relations in mammals 6  
 conservation implications of study results 162–3  
 data acquisition  
   geographic data 149  
   phylogenetic age 148, 149–51  
 geographic range size changes 151–3  
 phylogenetic correlation of range sizes 153  
 evidence from previous studies 154–5  
 outliers and conservation 161–2  
 pattern differences from birds 159–61  
 statistical methods 155–6  
 study results 156–61  
 age estimation, phylogenetic 148, 149–51, 402–3  
 Aizoaceae of the Succulent Karoo  
   ecophysiology 233–5  
   phylogenetic study 239–40  
   pollen studies 236, 237  
 allopatry, drift and selection in 167–8  
 Amaranthaceae 370, 372  
 Amazonia 10  
   areas of endemism 339  
   areas identified 341–2  
   identification methods 339–41  
   importance 339  
   protected status coverage 351–3, 354, 355  
   conservation  
     pioneering work 353  
     proposals 353–6

- Amazonia (*cont.*)  
 deforestation  
   current extent of 350–1, 352  
   road construction as predictor of 351, 352, 353  
 general biodiversity 337  
 primate diversity 339  
   correlation between measures 343–6  
   list of genera 343, 344, 345  
   regional variation 347, 349, 350  
 regional variation in biodiversity  
   biogeographic processes 347–9  
   general pattern 347  
   geomorphological complexity and 349–50  
 amino acid sequence alignment 26  
 Anabatidae (climbing gouramies) 376–7  
 Anatidae (ducks and geese) 374, 375  
*Andropadus virens* *see* little greenbul  
 Angola, carnivore heritage 132  
*Anodorhynchus* spp. 325–6  
*Anolis* lizards, speciation rate and island area 408–9  
 Aphelinidae 377, 377, 378  
 Apicomplexa 391–2  
 approximately unbiased (AU) test 39  
 Apteryges 114  
 aquatic beetles, habitat type and species turnover 411  
 Archaea, effects of macroscopic life mass extinction 391  
*Arctictis binturong*, range 127  
 arthropod reclassification with PSC 61, 62  
 artificial rarity 146, 147, 162  
*Astacopsis gouldi* (Tasmanian freshwater crayfish) 45–7  
 Atlantic Ocean and African climate 203, 204  
 Australia  
   ecological specialisation and bird extinction risk 332  
   rainforests *see* rainforests, eastern Australia  
*Avança Brasil* programme 351, 352, 353  
 bacteria, human impact on diversity 392–3  
 BAMBE 33  
 Bangladesh, primate heritage at risk 133  
 bats 160, 311  
 Bayesian inference approach to phylogeny 31–2, 35  
   computer programs 33  
   confidence assessment 36–7  
   evolutionary model checking 31  
   issues about performance 32–3  
   use in hypothesis testing 38  
 bears  
   brown bear mtDNA phylogeography 88, 92  
   polar bear 92, 94  
   conservation rankings 83  
 Benguela current 233  
 Bhutan, carnivore heritage at risk 132  
 biodiversity  
   aesthetic value 122  
   hotspots *see* hotspots; *see also* centres of biodiversity  
   measures 69, 343  
 biogeography 297  
 biological species concept (BSC) 58  
 BirdLife International threat assessments 319  
 birds  
   distribution of extinct and threatened genera across hotspots 281–2  
   endemism analysis 275  
   endemism–threat relations across hotspots 278, 280  
   evolutionary history  
     held by hotspots 280–1  
     loss and species loss 394–5  
   extinction  
     historical 294, 318  
     non-random risks 271–4  
     *see also* extinction risk analysis: bird studies  
   geographic range size changes 151  
   phylogenetic correlation 154–5, 159–61  
 Gough Island 116  
 Indonesian 126, 127, 311  
 life-history diversification 323  
 phylogenetic future 394–5  
 preservation of endemic areas 69  
 reclassification by using PSC 61, 62  
 Red Data Books 271  
 Red List of threatened genera 290–3  
 song characteristics and habitat 176  
 species at risk vs. history at risk 125  
 sunbird phylogeny and habitat 179–80

- taxonomic arrangements 269
- taxonomic patterns among non-natives 374–6
- threats to 318, 319, 319
  - see also *individual bird species*
- black-footed cat 305–7
- blue macaws 324–6
- Bolivia, primate rankings 133
- bootstrap procedure 36, 37
- Bovidae 376
- branch and bound searches 34
- Brassicaceae 370, 372, 373
- Brazil
  - carnivore species at risk 132
  - primate rankings 133
  - see also *Amazonia*
- Bremer support 37
- brown bear mtDNA phylogeography 88, 92
- Brownian motion 301
- BSC (biological species concept) 58
- Californian quail, fecundity and survival 324
- Callicebus* spp. (titi monkeys) 338–9
- Cameroon, primate rankings 133
- CAM photosynthesis 233–5
- capuchin monkeys 338
- carbon dioxide (CO<sub>2</sub>) concentration and vegetation changes 199
  - African forest–savanna ecotones 182–3
  - late Tertiary 232, 233
  - Pleistocene 235
- carnivores
  - artificially rare 162
  - evolutionary heritage study 127–9
  - extinction risk
    - and human footprint index 306, 308–9
    - see also *extinction risk analysis: primate and carnivore studies*
  - extinction within protected areas study 302
  - geographic range size evolution 151–3
  - species at risk vs. history at risk 125
  - see also *individual carnivore species*
- cats
  - black-footed cat extinction risk 305–7
  - conservation rankings 83
  - leopard mtDNA phylogeography 88, 89, 91
- Cebus* spp. (capuchin monkeys) 338
- Cecidomyiidae (gall midges) 377, 377, 378
- centres of biodiversity 200, 201, 202, 207
- Centrarchidae (sunfish) 376–7
- Cervidae (deer) 376
- character sampling 22–5
- charisma as conservation ranking criterion 80
- Chenopodiaceae (goosefoot) 370, 372
- China
  - carnivore rankings 132, 133
  - primate species at risk 133
- chloroplast (cp) DNA 86–7
- Cichlidae
  - non-native 376–7
  - speciation study 405–6
- clade evolutionary history (CEH) 343–6
- climate
  - change 200
    - and African species see *Africa*
    - conservation implications for Eastern Arc 218–19
    - future effects 407–8
    - and speciation 411–12
  - interannual variability and plant distribution 200
  - stability and species richness 200
  - terrestrial influences of oceans 200–1, 203–4
- Clustal 25, 27, 29
- codons 21
- cohesion species concept (CSC) testing 43–4
- Colombia, primate rankings 133
- Columbidae (pigeons and doves) 374, 375
- complementarity principle 103, 104, 243, 244, 276
- computer software
  - Bayesian phylogenetic inference 33
  - evolutionary heritage calculation 128
  - nested clade analysis 42, 43
  - population structure analysis 172, 173–6
  - recombination detection 24
  - sequence alignment 25–6, 27, 29
  - topology tests 39
- confidence assessment 36–7
- CONSEL program 39
- conservation
  - economics 65, 284
  - fatigue 64
  - geopolitical scale 135–6

- conservation (*cont.*)  
 PD as metric for 120, 121–2, 130–4  
 spatially based strategies 102–3  
 types of action 78
- conservation biology  
 conservation genetics as sub-discipline 94  
 fundamental challenge 76–7  
 growth of the discipline 1  
 macroscopic focus 388–9, 397  
 place of phylogenetics in 19–20, 47–8, 94–5, 267
- conservation planning  
 contribution of phylogenetic analyses 244  
 irreplaceability  
 (uniqueness)/vulnerability (threat) framework 267  
 debate regarding application 283–4  
 relationships between variables 268  
 prioritisation between areas 189–91, 284  
 threat measurement 276–7  
 uniqueness measurement 274–6  
 uniqueness–threat relation 277–80  
 prioritisation between species  
 threat measurement 270–1  
 uniqueness measurement 269–70  
 uniqueness–threat relation 271–4  
*see also* conservation priority-ranking of species
- worth assessment  
 species-based 67–8, 120  
 species-free 68, 69, 120, 121–2  
 supra-specific group-based 69
- conservation priority-ranking of species 4  
 application 81  
 correlations between ranking criteria 80  
 criteria  
 charisma 80  
 ecological importance 79–80  
 economics and feasibility 80  
 evolutionary distinctiveness 80, 81–2, 84–5  
 rarity 78–9  
 restricted distribution 79  
 need for 78  
*see also* phylogenetic criteria for conservation
- Continuous program 155, 156, 297  
 convergence 21  
*Cophylaxus* frogs, Australian rainforests 250, 256–8  
 Costa Rica, carnivore heritage 133  
 costs of conservation 65, 284  
 Croll–Milankovitch cycles 199  
*Cyanopsitta spixii* (Spix's macaw) 325  
 cyclical model of geographic range 142, 145–6, 151  
 Cyclyophora 387  
 Cyprinidae (minnows) 377
- DADA 35  
 databases, quality concerns 134  
*Diomedea exulans* (wandering albatross) 324  
 diplomonads 392  
 dodo 395  
*Dromaius novaehollandiae* (emu) 115
- Eastern Arc mountains (Africa)  
 conservation implications of future climate change 205, 218–19, 220–1  
 ecological equilibration 215–16  
 ecological resilience and forest management 219  
 endemic species  
 elevational distribution 213–15, 219  
 evolution *in situ* 212  
 relicts 212–13, 219  
 location 212, 213  
 topographic diversity  
 individualistic responses of plants 217  
 survival options in changing climate 215, 217, 220  
 tests of stability vs. resilience hypotheses 217–18
- echinoderms, reclassification by using PSC 61, 62
- ecological importance as conservation ranking criterion 79–80
- ecologically stable areas  
 ecological equilibration in the Eastern Arc 215–16  
 long-term 202, 220
- ecology and speciation 167, 169
- ecotones  
 African forest–savanna 168, 181  
 classification of zones 182–3

Cambridge University Press

0521532000 - Phylogeny and Conservation

Edited by Andy Purvis, John L. Gittleman and Thomas Brooks

Index

[More information](#)

Index

423

- forest-savanna boundary studies 181-2, 183-8
  - human impact 182, 183-7
- evaluation of importance in speciation
  - conceptual model 169-71
  - future research 188-9
  - little greenbul study 172, 173-6, 177-9, 188-9
  - sunbird phylogeny and habitat 179-80
- Ecuador
  - carnivore rankings 132
  - primate heritage 133
- elevational gradients 188-9
- emu 115
- Encyrtidae (encyrtid wasps) 377, 377, 378
- endemism
  - African plants 203, 204
  - see also* Eastern Arc mountains (Africa): endemic species
  - Amazonia *see* Amazonia: areas of endemism
  - assessment methods 275-6
  - correlation with species richness 203, 204, 346-7
  - relation with threat across hotspots 278, 280
  - see also* rainforests, eastern Australia: herpetofaunal diversity and endemism
- environmental change
  - predictions 405-6
  - climate change 407-8
  - habitat conversion and fragmentation 406
  - species manipulation 406-7
  - and speciation 411-12
  - see also* climate: change; habitat loss
- Ericaceae of the Fynbos biome 236, 237
- Eukarya (microscopic), effects of macroscopic life mass extinction 391-2
- evolution
  - divergent mutation theory 143
  - future 400
  - preservation of process 130-2
- evolutionarily significant units (ESUs) 59, 68, 69, 86, 343
- evolutionary distinctiveness in conservation ranking 80, 81-2, 84-5
- evolutionary heritage
  - concept 121, 122
  - examples
    - carnivores and primates 127-9
    - Indonesian birds 126, 127
    - proposed league tables 134-5
    - stewardship by nations 5, 127, 129, 135-6
- evolutionary history
  - disproportionate amounts held by hotspots 280-1
  - Hubbell's neutral theory 395-6
  - loss and species loss 101
    - birds 394-5
    - mammals 395
    - theoretical work 393-4
  - see also* extinction: and loss of evolutionary history; *also specific phylogenetics entries*
- evolutionary models, use in phylogenetic analysis 30-1
- exons 23
- extinction
  - birds
    - historical 294, 318
    - non-random risk 271-4
    - see also* extinction risk analysis, bird studies
  - data sources 318
  - debt 390
  - and loss of evolutionary history 123, 393-4
  - modern-day risks 124-5
  - non-random 124, 395
  - random 123-4
  - mass *see* mass extinctions
  - probability assessment 270-1
  - extinction risk analysis
    - IUCN status as response variable
      - category assignment 303
      - circularity problem 304
      - equivalence among criteria 304-5
      - translation to interval scale 303-4
    - local- and global-scale effects 310-13
  - model
    - intrinsic attributes and phylogeny 296-7
    - simple scheme 296
  - phylogenetics in hypothesis testing
    - justification for use 298-9
    - local and global scale studies 302

- extinction risk analysis (*cont.*)  
 matched pairs comparisons 299–302  
 variance distribution evaluation tool 381
- extinction risk analysis, bird studies 9, 317–18  
 characteristics hypothesised to increase risk 320  
 comparative method 320, 322–3  
 ecological factor – extinction threat interactions 326–9  
 ecological specialisation  
 Australian birds 332  
 small-bodied birds 332  
 evolutionary predisposition 323  
 blue macaw example 324–6  
 body size and fecundity 323–4  
 quail/albatross example 324  
 focus of studies 320  
 future research 330–1, 333  
 risk distribution across taxa 320–2
- extinction risk analysis, primate and carnivore studies 305  
 multiple regression models 305  
 single-/two-predictor models 305  
 threat intensity, addition to the models 305–10, 313
- Fabaceae (pea family) 370, 373  
*Felis nigripes* (black-footed cat) 305–7  
 fish (freshwater), taxonomic patterns among non-natives 376–7  
 fungi, reclassification by using PSC 61, 61  
 Fynbos biome 7  
 characteristics 230  
 climatic impact  
 anthropogenic change 238  
 late Tertiary 231, 233  
 Pleistocene 231, 235–6, 238  
 development of flammability 233  
 explanations for species-richness 230–1  
*Phyllica* phylogenetic study 239  
 phylogeographic analyses, conservation importance 231–2, 240
- Gabon, primate species at risk 133  
 GENBANK 1  
 genealogical concordance 87  
 genealogical networks 43  
 gene selection 22–5  
 genetic modification (GM) technology 407
- genetic transmission 76, 78  
 GeoDis 42, 43  
 geographic range size  
 as conservation ranking criterion 79  
 as extinction risk correlate 297, 312  
 geographic range size evolution 141–2  
 influential factors 149  
 methodological problems of previous studies 146–8  
 models 142, 142  
 age and area 143–5, 151  
 conservation implications of 146  
 cyclical 145–6, 151  
 random 146, 151  
 stasis 145, 151  
 studies of taxa 144  
*see also* age and area relations in mammals
- geographic sampling strategies 20–2  
 Geraniaceae (geranium family) 370, 371  
 glaciation  
 last glacial maximum in Africa 209–10  
 Pleistocene 235  
 glaucous macaw 325–6  
 golden crayfish 44–5  
 Gondwana 205  
 Gough Island birds 116  
 grasslands, Tertiary period 233  
 Guinea  
 carnivore heritage at risk 132  
 primate rankings 133  
*see also* little greenbul: Upper and Lower Guinea refugia  
 Gulf Stream 200
- habitat loss  
 and bird extinction 326–7  
 Australian birds 332  
 small-bodied birds 332  
 and future speciation  
 area reductions 408–10  
 increased fragmentation 410–11  
 as metric of threat 277  
 predictions 408–9  
 heritage 126  
*see also* evolutionary heritage  
 heuristic tree searches 34  
 hoatzin 114  
 homogenisation of phylogenetic diversity 382, 406  
 horizontal genetic transfer 78

- horseshoe crab  
 conservation rankings 83  
 mtDNA phylogeography 88, 90, 93
- hotspots  
 documentation and analysis 275  
 endemism–threat relations across 278, 280  
 evolutionary history captured by 280–1  
 extinct/threatened endemic bird distribution 281–2  
 human population densities 278  
*see also* centres of biodiversity; Fynbos biome; Succulent Karoo biome; Tropical Andes hotspot
- Hubbell's neutral theory, application to rainforests 395–6
- human impact  
 African forest–savanna ecotones 182, 183–7  
 bacterial diversity 392–3  
 human footprint index 277, 308  
 and carnivore extinction risk 306, 308–9  
 persecution and bird extinction 326–7  
 population densities  
 in biodiversity hotspots 278  
 and primate extinction risk 306, 309–10  
 and species richness 278, 279  
 species manipulation 406–7  
*see also* environmental change:  
 predictions
- hybridisation  
 biological species concept and 58  
 invasive and natural species 406
- Hydrocharitaceae (frog's bit family) 370, 373
- hypothesis testing in phylogenetics  
 application to species delimitation 42, 43–4  
 approaches 39  
*see also* extinction risk analysis:  
 phylogenetics in hypothesis testing
- independent evolutionary histories (IEH) 82
- India  
 carnivore rankings 132, 133  
 primate rankings 133
- Indian Ocean and African climate 201, 203, 204
- Indonesia  
 birds 126, 127, 311  
 carnivore rankings 132, 133  
 primate rankings 133
- insects, taxonomic patterns among  
 non-natives 377–8
- introduced species 368
- introns 23
- invasive species 10  
 homogenisation of phylogenetic diversity 382, 406  
 prediction of invasion potential 408  
 ecosystem properties 365–6  
 need for 365  
 species-specific traits 366  
 taxonomic selectivity patterns 379–82  
 stages of invasion 368  
 probability of transition between 368  
 taxonomic selectivity patterns across 368–9  
 taxonomic selectivity patterns 366–7, 369  
 birds 374–6  
 freshwater fish 376–7  
 insects 377–8  
 mammals 376  
 plants 370–4  
 predictive power 379–82
- irreplaceability analysis, *Cophylaxius* frogs 258
- irreplaceability (uniqueness)  
 concept 267  
 measurement  
 areas 274–6  
 species 269–70  
 relationship with vulnerability (threat) 268  
 areas 277–80  
 species 271–4  
 species and sites 280–3
- island species distributions 115–16
- IUCN Red List of Threatened Species 270–1  
 birds 290–3  
 category assignment 303  
*see also* extinction risk analysis: IUCN status as response variable
- kagu 269, 395  
 kakapo 395  
 keystone species 79–80

- kinetoplastids 392
- Kishino and Hasegawa (KH) test 38
- lambda ( $\lambda$ ) parameter 156, 297
- Laos, carnivore rankings 132
- last glacial maximum (LGM) in Africa  
 climate changes 209  
 evidence for forest cover 209–10
- lateral genetic transfer 78
- leaf-tail geckos 250, 252–5
- Leguminosae 370, 373
- leopard mtDNA phylogeography 88, 89, 91
- lichens, reclassification by using PSC 61, 61
- LINDO 109
- little greenbul 6  
 characteristics 171  
 Upper and Lower Guinea refugia  
 fitness trait divergence 172, 173–6, 188  
 phylogenetic divergence 171  
 population structure 172–3  
 song divergence between ecotone and forest 176–9, 188–9  
 study sites 169, 171
- Lophortyx californica* (Californian quail), fecundity and survival 324
- macaws 324–6
- MacClade 27
- macroscopic life  
 diversity represented by 387  
 effects of mass extinction on  
 Archaea 391  
 Bacteria 393  
 microscopic Eukarya 391–2  
 as focus of biodiversity and conservation  
 biology 388–9, 397  
 phylogenetic future 393–6
- Madagascar  
 carnivore rankings 133  
 primate rankings 133
- Maesopsis eminii* 219
- Malaysia, carnivore rankings 132
- MALIGN 25
- mammals  
 non-random extinction 395  
 reclassification by using PSC 61, 62  
 taxonomic patterns among non-natives 376  
*see also* age and area relations in mammals; *individual mammal species and clades*
- management units (MUs) 86
- marine turtles  
 conservation rankings 83, 82–4  
 mtDNA phylogeography 88, 89, 89, 90, 91–2
- Markov Chain Monte Carlo (MCMC)  
 method 13, 21, 32, 33
- marsupials 125
- mass extinctions 348  
 anthropogenic  
 historical phase 389–90  
 ongoing 390  
 of macroscopic life, effects on  
 Archaea 391  
 Bacteria 393  
 microscopic Eukarya 391–2  
 prehistoric 390
- matched-pairs comparisons 299–302
- maximal covering location problems (MCLPs), in reserve selection 104–6
- maximum likelihood 29, 31  
 genetic algorithm 35  
 non-parametric tests 38–9  
 parametric tests 39
- maximum parsimony  
 Bremer support 37  
 non-parametric test 38, 39  
 principle 29
- metapopulations 21
- Mexico, endemic species  
 birds 65, 65  
 carnivores 133
- microsporidia 391
- minimum evolution method 29–30
- Miocene 232  
*see also* Tertiary climate and atmospheric change
- mitochondrial DNA (mtDNA)  
 in identification of management units 87–8  
 nuclear integration 23  
 in phylogeography studies 86–92  
 recombination 22, 23, 25
- ModelTest 31
- molluscs, reclassification by using PSC 61, 62
- Mongolia, carnivore heritage at risk 132



- Moran's *I* statistic 155–6  
 morpho-species concept 58  
 MrBayes 33  
 multiple regression 300, 302  
 Muscicapidae (thrushes) 374, 375  
 Mustelidae (weasels and skunks) 376  
 Myanmar  
     carnivore rankings 132  
     primate species at risk 133  
 Myrtaceae (myrtle) 370, 373  
  
 Namib desert 115, 233  
 national stewardship of evolutionary heritage 5, 127, 129, 135–6  
 natural selection and divergence 167  
 Nectariniidae (sunbirds) 179–80  
 neighbour-joining (NJ) method 30  
 Nepal, carnivore rankings 132  
 nested clade analysis (NCA) 19–20, 41, 40–3  
 New Caledonia, species endemism 115  
 New Zealand, species endemism 115  
 Nicobar pigeon 395  
 Nigeria, primate rankings 133  
 NONA 36  
 Normalised Difference Vegetation Index (NDVI) 182, 183–8  
 nuclear DNA  
     in conservation genetics 23  
     *see also* recombination  
  
 oceanic island hotspots 281, 282  
 oceans, influences on terrestrial climate 200–1, 203–4  
 Odontophoridae (New World quails) 374, 375  
 Oestridae (bot flies) 377, 377, 378  
*Omphalocarpum strombocarpum* 217  
*Opisthocomus hoazin* (hoatzin) 114  
 optimality criteria, phylogenetic trees 28, 29–30  
 orang-utan 305–7  
*Orconectes luteus* (golden crayfish) 44–5  
 ostrich 114  
  
 palynological studies *see* pollen analysis of past vegetation  
 Panama, carnivore heritage 133  
 Papaveraceae (poppy family) 370, 372  
  
 parrots  
     Australian, correlates of extinction risk 330–1, 333  
     blue macaws 324–6  
     non-native 374, 375  
     parsimony analysis of endemism 275  
     parsimony ratchet 35–6  
     Passeridae (Old World sparrows) 374, 375  
 PAUP\* 34, 36  
 PAUPRat 36  
 PD *see* phylogenetic diversity (PD)  
 Peru  
     carnivore rankings 132  
     primate rankings 133  
 Phasianidae (pheasants and quail) 374, 375  
 phenotypic plasticity 296–8  
 Philippines, primate heritage 133  
 philopatry 23  
*Phylica*, phylogenetic study 239  
 PhyloCommunity program 128  
 phylogenetics  
     fundamental challenge 76  
     growth of the discipline 1  
     hypothesis testing *see* hypothesis testing in phylogenetics  
 phylogenetic correlation of geographic range sizes 153  
     birds 154–5, 159–61  
     mammals *see* age and area relations in mammals: phylogenetic correlation of range sizes  
 phylogenetic criteria for conservation, intraspecific phylogeography application 88–92  
     prospects 93–4  
     theory  
         adaptive significance of genetic variation 85–6  
         chloroplast (cp) DNA studies 86–7  
         evolutionary significant units 86  
         genealogical concordance 87  
         management units 86  
         mitochondrial (mt) DNA studies 86–8  
 phylogenetic criteria for conservation, species clades/higher taxa application  
     across evolutionary groups 84  
     within taxonomic groups 82–4

- phylogenetic criteria (*cont.*)  
 prospects 84–5  
 theory 81–2
- phylogenetic diversity (PD) 101–16,  
 122  
 conservation perspectives and 121–2  
 importance for future evolution 101  
 information content concept of 121  
 maximisation in reserve selection 106,  
 103–7  
 measurement 104, 104, 343  
 as a metric for conservation 120, 121–2,  
 130–4  
 spatially based conservation of 102–3  
 surrogacy value of species diversity 102,  
 103, 116  
 measurement 106, 105–7  
 real-life situations 114–16  
 scenarios explored 108–13  
 summary of results 114  
 surrogacy value of taxonomic diversity  
 345–6  
*see also* evolutionary heritage
- phylogenetic methods 19–21  
 age estimation 148, 149–51,  
 402–3  
 application to conservation biology  
 19–20, 28, 29–30, 47–8  
*Astacopsis gouldi* example 45–7  
*Orconectes luteus* example 44–5
- genealogical networks 43
- hypothesis testing 39
- phylogenetic distinctness measurement  
 101–2
- phylogeny reconstruction 27, 29  
 Bayesian inference 31–3  
 confidence assessment 36–7  
 models of evolution 30–1  
 optimality criteria 28, 29–30  
 search strategies 33–6  
 value in conservation 77–8
- sampling strategies  
 gene 22–5  
 geographic 20–2  
 sensitivity analyses 12  
 sequence alignment 29  
 species delimitation 42, 43–4
- phylogenetic redundancy and species  
 richness 123, 123–5
- phylogenetic species concept (PSC) 3, 59  
 species redefinition using 60  
 conservation implications 65, 65  
 economic implications 65  
 threat implications 63
- phylogenetic studies of speciation 11–12,  
 401  
 causes of speciation 404–5  
 in future speciation management  
 ideas 413  
 impracticality 413  
 inefficiency 413
- key issues  
 date estimation 402–3  
 influence of other processes on  
 phylogeny 401  
 knowledge of evolutionary  
 relationships 402
- prediction of responses to  
 environmental changes 411–12  
 natural habitat area reduction  
 408–10  
 natural habitat fragmentation  
 410–11
- speciation rates 403–4
- phylogenetic tree structure  
 ancient branches 114–15  
 bush (balanced) 109, 109  
 comb (unbalanced) 109, 111  
 and surrogacy value of species diversity  
 for PD 108–13  
 summary of results 114
- phylogeny and climate 220
- phylogeographic analyses  
 Australian rainforest snails 250  
 little greenbul populations 171  
 mitochondrial DNA in 86–92  
 southern African flora 231–2, 239–40,  
 410, 412
- picoeukaryotes 392
- Pleistocene  
 climate and atmospheric change  
 effects on southern African vegetation  
 231, 235–8  
 global picture 235  
 forest fragmentation and speciation  
 410
- Pliocene 232  
*see also* Tertiary climate and atmospheric  
 change
- Poaceae (grass family) 370, 372, 373
- Poecilidae (livebearers) 376–7
- polar bear 92, 94

Cambridge University Press

0521532000 - Phylogeny and Conservation

Edited by Andy Purvis, John L. Gittleman and Thomas Brooks

Index

[More information](#)

Index

429

- political policy on biodiversity 126
- pollen analysis of past vegetation 208,  
217–18  
Australian rainforests 246  
Fynbos and Succulent Karoo biomes  
236, 237
- Polygonaceae (buckwheat family) 370, 371,  
372
- Pongo pygmaeus* (orang-utan) 305–7
- positional homology 21
- posterior probabilities 31–2, 36–7  
*see also* Bayesian inference of phylogeny
- POY 25–6, 36
- primates  
artificially rare 162  
evolutionary heritage study 128–9  
extinction risk  
and human population density 306,  
309–10  
*see also* extinction risk analysis:  
primate and carnivore studies  
geographic range size evolution  
151–3  
New World genera 344  
*see also* Amazonia: primate diversity  
phylogenetic signal strength ( $\lambda$ ) of traits  
297  
species at risk vs. history at risk 125  
susceptibility to logging study 300
- priority-ranking *see* conservation  
priority-ranking of species
- Proteaceae, Fynbos 238
- PSC *see* phylogenetic species concept  
(PSC)
- Psittacidae *see* parrots
- Quicke search strategy 35–6
- rainforests  
phylogenetic future 395–6  
rate of loss 166
- rainforests, Africa  
adaptation to stability vs. resilience to  
change 198  
importance for conservation  
management 198–9, 219  
ecological dynamics 211  
persistence during the last glacial  
maximum 209–10, 211  
*see also* Eastern Arc mountains (Africa);  
ecotones: African forest–savanna
- rainforests, eastern Australia 7–8  
distribution  
current 245, 246  
historical, insights from snail  
phylogeography 250  
herpetofaunal diversity and endemism  
251  
conservation implications  
258–60  
evolutionary processes, recurrent  
themes 259  
major rainforest isolates 251–5  
sub-regions within northeast  
Queensland 255–8  
palaeoecology 246–7
- random model of geographic range 142,  
146, 151
- range size asymmetry 154
- range size rarity 275
- rarity, as conservation ranking criterion  
78–9
- recombination  
detection methods 24–5  
effects on phylogenetics 23–4  
mtDNA 22, 23, 25
- Red Data Books 271
- Red List *see* IUCN Red List of Threatened  
Species
- redundancy and species richness 123,  
123–5
- refugia  
evaluation of importance in speciation  
conceptual model 169–71  
*see also* little greenbul: Upper and  
Lower Guinea refugia  
shortcomings of conservation focus on  
166–7  
Succulent Karoo 236–7
- relictual species, Eastern Arc 212–13
- reptiles  
reclassification by using PSC 61  
*see also* rainforests, eastern Australia:  
herpetofaunal diversity and  
endemism
- reserve network selection, maximisation of  
PD 106, 103–7
- Restionaceae of the Fynbos biome 236,  
237
- Rheidae (rheas) 375
- Rhynchotus jubatus* (kagu) 269
- Rio Tinto, eukaryotic diversity 392

- road construction and deforestation 351, 352, 353
- Rubisco (ribulose biphosphate carboxylase–oxygenase) 233–5
- Russia, carnivore rankings 132
- Saguinus* spp. (tamarins) 338
- Salmonidae (salmon and trout) 376–7
- Saprosyncincus* skinks, east Australian rainforests 250, 252–5
- ‘Saving Private Ryan’ strategy 69, 394
- Science Citation Index searches 1
- seagrass declines 79
- Se-Al program 27
- search strategies in phylogeny reconstruction 33–6
- sequence alignment 25, 26
  - amino acids and nucleotides 26
  - computer software 25–6, 27, 29
  - regions of ambiguity 25, 26, 27–9
  - sequence selection 26–7
- sequence relationship estimation 29
- sexual dimorphism 66
- Shimodaira and Hasegawa (SH) test 38–9
- snail phylogeography, Australian rainforests 250
- South America *see* Amazonia; Brazil
- SOWH (Swofford–Olsen–Waddell–Hillis) test 39
- speciation
  - future management 413–15
  - mechanisms, Fynbos and Succulent Karoo biomes 230–1, 233–5, 236–8
  - prediction 400–1
    - see also* phylogenetic studies of speciation
  - rate and area relation 408–9
  - rate and biomass/abundance relation 410, 412
  - time scale 414, 414
- species
  - cataloguing efforts 68
  - central role in conservation 57
  - concepts 58, 67
    - biological (BSC) 58
    - congruence of 59–60
    - flexible approach to use 69, 70–1
    - morpho-species 58
    - phylogenetic *see* phylogenetic species concept (PSC)
  - conservation status list compilation 135
  - delimitation 19, 42, 43–4, 68
  - diversity *see* species diversity
  - extinction *see* extinction
  - hybridisation 406
  - introduced 368
  - invasive *see* invasive species
  - manipulation by humans 406–7
  - supra-specific conservation 69, 70
  - threat categories 63
    - as units and currency 2–3
    - vulnerability *see* vulnerability to threat
  - species accumulation index (SAI) 107
  - species diversity
    - correlation with endemism 203, 204, 346–7
  - disturbed ecosystems 215, 217
  - Eastern Arc 215–16
    - as PD surrogate 102, 103, 116
    - measurement 106, 105–7
    - real-life situations 114–16
    - scenarios explored 108–13
    - summary of results 114
      - and phylogenetic redundancy 123, 123–5
  - Sphaerospira* phylogeography, Australian rainforests 250
  - Sphenodon* spp. *see* tuataras
  - Spix’s macaw 325
  - Staphylinidae (rove beetles) 377, 377, 378
  - stasis model of geographical range 142, 145, 151
  - statistical methods, phylogenetic
    - correlation of range sizes 155–6
  - stromatolites 390
  - STRUCTURE program 172, 173–6
  - Struthio camelus* (ostrich) 114
  - Sturnidae (starlings and mynah) 374, 375
  - Succulent Karoo biome 7
    - Aizoaceae
      - ecophysiology 233–5
      - phylogeny 239–40
      - pollen studies 236, 237
    - characteristics 230
    - climatic impact
      - late Tertiary 231, 233–5
      - Pleistocene 231, 235–8
    - explanations for species richness 230–1
    - phylogeographic analyses, conservation importance 231–2, 240
  - sunbirds 179–80

- supertrees 12  
 Swofford–Olsen–Waddell–Hillis (SOWH) test 39
- Tamaricaceae (tamarisk family) 370, 372, 373  
 tamarins 338  
 Tanzania  
   areas of ecological stability 211–12  
   map showing forest divisions 213  
   *see also* Eastern Arc mountains (Africa)
- Tasmanian freshwater crayfish 45–7  
 taxon evolutionary history (TEH) 343, 345  
 taxonomic distinctiveness indices 270  
 taxonomic diversity and phylogenetic diversity 345–6  
 taxon sampling 22–5  
 TCS program 42, 43–4  
 Templeton's test 38  
 Tertiary climate and atmospheric change  
   CO<sub>2</sub> reduction and vegetation change 232, 233  
   effects on southern African vegetation 231, 233–5, 238
- Thailand, carnivore rankings 132  
 thermal limits and acclimation capacity 239
- threat  
   categories 63  
   *see also* extinction risk analysis;  
   vulnerability to threat
- time, as common currency 126, 127, 134  
 titi monkeys 338–9  
 tokogenetics 21  
 topographic diversity  
   Fynbos biome 238  
   *see also* Eastern Arc mountains (Africa);  
   topographic diversity
- tracheids, wide-band 235  
 transitions 21  
 transversions 21  
 tree bisection reconnections (TBRs) 21  
 tree of life  
   example 388  
   possible new branch 393  
   website 270  
 tree ring analysis 218  
 trichomonads 392  
 Tropical Andes hotspot 278, 279, 279  
 tuataras 101, 102, 103, 114, 124  
 Type I and Type II errors 300
- ultrameric trees 108, 134  
 uniqueness *see* irreplaceability (uniqueness)  
 USA, carnivore rankings 132, 133
- variation in genes 22–3  
 Viet Nam  
   carnivore rankings 132  
   primate species at risk 133  
 vulnerability to threat  
   concept 267  
   measurement  
     areas 276–7  
     species 270–1  
   relations with irreplaceability 268  
     areas 277–80  
     species 271–4  
     species and sites 280–3  
*Vulpes velox* (swift fox) 128
- wandering albatross 324  
*Welwitschia mirabilis* 101, 115  
 wide-band tracheids 235  
 Winclada 35