

Index

Note: page numbers in *italics* refer to figures and tables.

- abortion
 - adolescents 45
 - early adulthood 64
 - rates 45
- abstract thinking in adolescents 42–43, 117–118
- abuse history
 - sexual response cycle interruptions 18
 - see also* domestic violence; sexual abuse
- acupuncture 169
- adolescents
 - abstract thinking 42–43, 117–118
 - age at first sexual intercourse 44
 - body changes 41
 - body image 41
 - clinician relationships 49–53, 55
 - cognitive development 42–43
 - contraception 48, 49
 - gender identity 44
 - homelessness 46
 - identity 41
 - independence development 49, 50, 117
 - individuality 42
 - masturbation 43
 - needs 52
 - older adult relationships 117–118
 - parent resources 53–54
 - parental influence 48, 49
 - parenthood impact 45
 - pregnancy
 - risk 48–49
 - termination 45
 - unintended 45
 - relationship issues 40, 42
 - resources for 55–57
 - responsibilities 52
 - rights 52
 - self-image 41
 - sexual abuse 45–46
 - sexual activity 40–41, 43–46
 - early initiation 48
 - factors affecting 48
 - sexual behavior 45, 47–49
 - sexual development 40–44
 - sexual health inquiry 28
 - sexual identity 46–47, 51
 - sexual urges 43
 - sexuality 40–41
 - sexually transmitted infections 45
 - social skills 41
- adoption by gay, lesbian, and bisexual persons 148–149
- adulthood, early 61–63
 - abortion 64
 - autonomy 62
 - challenges 63
 - first child 71
 - generativity phase 63
 - identity 62–63
 - industry 62
 - infertility 65–67
 - initiative 62
 - integrity 63
 - intimacy 63
 - life choices 61–62
 - pregnancy 67–70
 - unplanned 64
 - sexual activity 63–64
 - sexual behavior 61–62
 - sexual difficulties 73–77
 - trust 62
- adulthood, middle 92–93
 - decreased sexual interest 96–97, 98
 - relationship changes 93
 - sensuality enhancement 97
 - touch reintroduction 95–96, 97
- adulthood, older 114–117
 - adolescent children 117–118
 - body image 121
 - cancer 129–131
 - children leaving home 118–120
 - gender differences 115
 - health issues 121
 - illness 122
 - arthritis 126–129
 - back pain 126–129
 - cardiovascular 123–126
 - respiratory 123–126

191 **Index**

- resources 121
- same-sex couples 149
- self-concept 121
- sexual dysfunction 120–121
- sexuality 121, 133
- adulthood, senior
 - assisted living facilities 137
 - cognitive disability 135–138
 - continence 135
 - growing population 133
 - physical activity 135
 - retirement 132
 - sexual dysfunction 134, 138
 - sexuality 132–134, 135
 - quality of life 138
 - touch 138–139
 - use it or lose it phenomenon 135
- aging
 - access to sexual partners 158
 - sexual minorities 149
 - sexual response cycle changes
 - 17–18
 - sexuality 132–135
- AIDS
 - mortality 20
 - see also* HIV infection
- alcohol consumption 185
- erectile dysfunction 83
- orgasm 83
- risk-taking behavior 164–165
- sexual response cycle effects 19
- alpha-blockers
 - tadalafil contraindication 126
 - yohimbine contraindication 177
- alternative medicines 170
 - creams 177–178
 - harmful 185–187
 - herbal 169–177
 - lotions 177–178
 - oils 177–178
 - resources
 - sexual disorders 169
- amfetamines 185
- anal condylomata 73
- anal intercourse 71–73
 - sexual abuse history 161
 - unprotected 164
- anal intraepithelial neoplasia 72–73
- anal stage of psychosexual development 31–32, 33
- androgens
 - aging effects 17
 - deficiency and sexual expression alteration
 - 74
 - supplementation 77, 77, 100
 - use in women 99
- andropause 116
- androstenediol 186
- anorgasmia, psychotropic-induced 76–77
- antidepressants
 - antidotes for sexual dysfunction 76
 - sexual dysfunction 97
 - sexual interest alteration 76–77
- antiretroviral therapy 164
- resistance 165
- anxiety
 - empty nest syndrome 119–120
 - infertility 65
 - premature ejaculation 79
- apomorphine 103, 109
- appliances 169–177
 - sex toys 72
- L-arginine 175
 - cream 178
- arousal 12–14
 - aging effects 17–18
 - difficulties 97–101
 - older adults 120
 - physical changes 14
- arthritis 127, 126–129, 141
 - resources 128–129
- assertiveness skills 37
- assisted living facilities 137
- autonomy
 - early adulthood 62
 - versus* shame and doubt stage of psychosexual development 31–32
- Avena sativa* 171
 - Climatique 178
- back pain 127, 126–129, 141
 - resources 128–129
- Bandura's strategies for self-efficacy 28–29
- Basson's sexual response cycle 12, 13
- ben-wa balls 182
- bisexuality *see* gay, lesbian, and bisexual persons (GLB)
- body functions
 - curiosity 31–32
 - exploration 32
 - teaching children 36–37
- body image
 - adolescents 41
 - older adults 121
 - pregnancy 67
- body parts
 - curiosity 31–32
 - exploration 32
 - terminology 31, 36–37
- boredom, sexual 11, 92–93
- boundary dilemmas 6–7, 8
- brahmi 171
- breast cancer
 - management 129
 - survivors 130
 - treatment 129
- breast surgery 151
- breast-feeding 70
- burnout, sexual 92–93
- butanediol (BD) 187

192 Index

- caffeine 171
- cancer 130, 129–131
 - fertility issues 129
 - sexuality 129–131
- cardiovascular illness in older adults 125, 123–126
- care, sexual health
 - barrier removal 21–22
 - deficit 20–21
 - public health 20
- catuaba 171
- chasteberry 171–172
- child, first 71
- children 36
 - leaving home 118–120
 - preadolescent resources 55–57
 - psychosexual development
 - age 3–5 years 33–37
 - age 6–12 years 37–39
 - birth to 2 years of age 31–33
- Cialis 20
- Climatique 178
- clinicians *see* physicians
- clitoral hood piercing 182, 183
- clitoral rings 85
- Clitoral Stimulation Device 85, 88, 182, 183
- clitoral stimulation devices 182
- clitoris 84
 - stimulation 14
 - stimulation device 183
- clomipramine 79
- cocaine 185
- cognitive development in adolescents 42–43
- cognitive disability in seniors 135–138
- communication
 - infertility 66
 - sexual 2–4
 - sexual activity initiation 63–64
 - sexual history-taking 22
 - treatment for relationship problems 94
- condoms
 - female 72
 - HIV testing 72
 - lubricated 70, 71
 - premature ejaculation 83
 - usage negotiation 158
- confidentiality in clinician-adolescent relationship 50–51
- continence
 - loss 142
 - seniors 135
- contraception/contraceptives
 - adolescents 48, 49
 - after pregnancy 69–70
 - androgenicity 75
 - intellectual disability 146
 - sexual expression alteration 73–74
- coping response 12
- cordyceps 172
- counseling 8–9
 - infertility 66–67
 - transgendered people 151
- cranberry 172
- creams 177–178
 - harmful 185–187
- cricothyroid approximation 152
- cycle of abuse 160
- damiana 172
- date rape 187
- death, fear of 115
- deer antler, velvet 173
- dehydroepiandrosterone (DHEA) 173
 - aging effects 17, 134
 - desire 11
 - supplementation 77
- delinquency 46
- dental dams
 - HIV testing 72
 - premature ejaculation 83
- depression
 - arousal difficulties 99
 - empty nest syndrome 119–120
 - erectile dysfunction 101
 - infertility 65
 - losses 66
 - midlife 92
 - sexual abuse 159
 - sexual dysfunction 97
 - sexual interest alteration 76–77
 - sexual minorities 46, 147–148, 149
- desire 11–12
 - aging effects 17
 - decrease in young adulthood 73–77
- despair 114–115, 132
- dildos 135, 182–185
 - anal use 184
 - vaginal use 184
- disabilities 145
 - intellectual 144–146
 - physical 141–144
- doctors *see* physicians
- domestic violence 161–163
 - pregnancy 69
- don quai 173
- Dream Cream 178
- drugs, illicit 185
 - risk-taking behavior 164–165
 - sexual minorities 165
 - sexual response cycle effects 19, 19
- dyspareunia 99, 101, 97–101
 - abusive relationships 162
 - postpartum 69–70
 - sexual violence 162
- education, adolescent sexual behavior 47–48
- ego identity 40
- ego integrity 115
 - versus despair stage 114–115, 132
- ejaculation
 - anterograde promotion 87
 - delayed 84–89
 - retrograde 86

193 Index

- ejaculation, premature 80, 78–83
 - anxiety 79
 - condoms 83
 - dental dam 83
 - management 79–80, 83
 - older adults 120
 - resources 84
- ejaculatory inevitability 79
- emotional abuse 159–160
- empty nest syndrome 92, 118, 119–120
- Epimedium 175
- Erectaid 105, 106
- erectile dysfunction 101–102
 - acupuncture 169
 - alcohol use 83
 - causes 102, 102, 104
 - depression 101
 - evaluation 103–110
 - laboratory testing 103
 - management 107, 108, 109, 103–110, 111
 - older adults 120–121
 - penile implants 107–109
 - premature ejaculation 79
 - prevalence 102
 - psychotropic-induced 76–77
 - Schizandra 176–177
- erection rings 181, 182, 179–182
- erections, nighttime 104
- erogenous zones 143
- eroticism 115
- erotosexual condition 155
- estrogen cream 135
- estrogen-impregnated rings 135
- ethics, boundary dilemmas 7
- ethinylestradiol 152
- European Sex-exercise video 128
- exercise tolerance 126
- experience sharing 6
- extramarital sex 94, 93–94

- family planning 148
 - HIV-discordant couples 163
- Femaid 182
- female-to-male individuals 149, 152
- feminization 152
- fetishes 154, 153–155
- finasteride 186
- forced sex 162

- gamma butyrolactone (GBL) 187
- gamma-hydroxybutyrate (GHB) 187
- gay, lesbian, and bisexual persons (GLB) 46–47, 146–155
 - aging 149
 - care 150
 - depression 147–148, 149
 - discrimination 147–148
 - HIV risk 164
 - mental health 46, 149
 - older couples 149
 - parenting 148–149
 - stress 165
 - substance use 165
 - violence against 47
 - see also* men who have sex with men (MSM); transgendered persons
- gender
 - assignment 153
 - dissonance in identity 151
 - permanence 36
- gender differences
 - desire 11–12
 - understanding 36
- gender identity
 - adolescents 44
 - development 31
 - infants 33
 - older children 38
- generativity phase 92
 - early adulthood 63
 - older adults 114
- genital pain 99
- genital stage of psychosexual development 40
- genital surgery 151–152
- genitalia
 - ambiguous 153
 - awareness 35
 - peripheral nerve supply 142
 - protection 32–33
- ginkgo 174
- ginseng 174–175
- guarana 186–187
- guilt 36

- hepatitis A and B vaccinations 162, 165
- hepatitis C 164
- herbal therapies 169–177
- herpes simplex virus (HSV) 72, 162
- HIV-discordant couples 163
 - sexual concerns 163–164
- HIV infection
 - age groups 157
 - continual exposure to virus 165
 - heterosexual transmission prediction 163
 - lesbians 164
 - oral-anal-genital sexual activity 72
 - risk 161
 - gay, lesbian, and bisexual persons 164
 - sexually transmitted infection co-infection 157, 162
- HIV-positive status 163–165
- HIV viral load 163, 165
- homelessness in adolescents 46
- homophobia 146–147
- homosexuality *see* men who have sex with men (MSM)
- hormonal treatment for transgendered people 151, 152
- hormone replacement therapy 73–74, 99
- hormones, sexual expression alteration 73–74
- horny goat weed 175

194 Index

- human growth hormone (hGH) 175
- human papillomavirus 72
- identity
 - adolescents 41, 46–47, 51
 - early adulthood 62–63
- illnesses 125
 - cardiovascular in older adults 123–126
 - older adults 121
 - respiratory 123–126
 - sexual response cycle effects 18
- industry phase in early adulthood 62
- infertility
 - cancer 129
 - communication 66
 - counseling 66–67
 - early adulthood 65–67
 - mental health 65
 - relationship issues 65
 - sexual crises 67
- information, limited 26
- initiative phase in early adulthood 62
- initiative versus guilt stage of psychosexual development 35
- insurance coverage for referral 39
- integrity phase of early adulthood 63
- intellectual disability 144–146
- intensive therapy, patient referral 7–9
- intersexuality 152–153
- intimacy 138–139
 - adolescents 43
 - early adulthood 63
- intracavernosal injections 105–106, 108
 - self-injection 108
- khat 187
- Lavitra 20
- lesbians
 - HIV prevalence 164
 - see also* gay, lesbian, and bisexual persons (GLB)
- licorice 185–186
- life choices in early adulthood 61–62
- life expectancy 133
- life stressors 18
- literature, erotic 96
- longevity, intercourse frequency 1–2
- losartan 104
- lotions 177–178
- Loulan's sexual response cycle 12
- Love's Pleasure Balls 182
- loving, mature 61
- lubricants 70, 71, 100, 136, 137, 182–185
 - dyspareunia 99
- lubrication 97–101
- Lupron 152
- ma-huang 185
- maca root 176
- male-to-female individuals 149, 152
- marijuana 185
- massage in older adults 115
- Masters and Johnson model of sexual response cycle 12
- masturbation
 - adolescents 43
 - children 36–37
 - infants 32–33
 - intellectual disability 144–146
 - mutual 124
 - older adults 115
- medications 169–177
 - causing sexual dysfunction 85
 - sexual response cycle effects 19, 18–19
 - side-effects 126
- men
 - desire 11–12
 - orgasm 16, 79
 - resolution 16–17
 - sexual health inquiry 23
- men who have sex with men (MSM) 46–47, 146–149
 - domestic violence 162–163
 - HIV-positive 72–73
 - sexual abuse in childhood 161
 - unprotected anal intercourse 164
- menopause 93, 116
- mental health
 - gay, lesbian, and bisexual persons 46, 147–148, 149
 - infertility 65
 - sexual abuse 159
- midlife crises 114
- mints 178
- morbidity/mortality risk of sexual activity 3
 - cardiovascular disease 123
- MUSE (medicated urethral system for erections) 105, 107
- negligence, potential 3
- neurotransmitters 12, 142
- Nexcite 176
- Niagara 176
- nipple stimulants 185
- nitroglycerine 126
- No Time to Lose* (Institute of Medicine report) 4
- Nocturnal Penile Tumescence Testing 104
- Oedipus complex 35
- oils 177–178
- oral stage of psychosexual development 31, 32
- oral-genital sex 71–73, 144
- orgasm 12, 15–16
 - aging effects 18
 - alcohol use 83
 - delayed 85–89
 - dry 86
 - men 79
 - pelvic response 16
 - protective health effects 123

195 Index

- return to 16
- spontaneous 68
- women 16, 88
- papaverine, intracavernosal injections 105–106
- paraphilias 153–155
- parasympathetic nervous system
 - arousal 12
 - plateau 14
- parents 36
 - children leaving home 118–120
 - gay, lesbian, and bisexual persons 148–149
 - information for 34, 38
 - resources for adolescent sexuality 53–54, 55–57
 - same-sex couples 148
 - sexual attitudes of adolescents 48, 49
 - single 119
- patient information 28
- peer groups 40
- pelvic exam with vaginismus 89
- penile erection 14
 - plateau stage 15
- penile fibrosis 131, 135
- penile implants 107–109
- penile prostheses
 - semirigid 110
 - vaginal *see* dildos
- peppermint essential oil 178
- perineal stretching, prenatal 70
- peripheral nervous system, genital supply 142
- permission 25–26
- pets 138
- Peyronie's syndrome 110–111, 120
- phallic stage of psychosexual development 35
- phentolamine 103, 109
- phosphodiesterase (PDE₅) inhibitors 103–104
 - cardiovascular risk 124–126
 - contraindication with nitroglycerine 126
 - costs 104
 - older adults 120
 - prostate surgery 131
 - safety 104
- physical activity, seniors 135
- physical damage, sexual response cycle
 - interruptions 18
- physical disability 141–144
- physicians
 - anticipatory guidance for adolescents 51
 - discussion of sexual health with women seniors 134–135
 - information for 27
 - professional empathy/support in sexually transmitted infections 158
 - relationship with patient 7, 7
 - adolescents 49–53, 55
 - boundary dilemmas 6–7
 - screening for sexual concerns 3
 - sexual health care deficit 20–21
- pictophilia 86
- pillows, positional 185
- plateau 12, 15, 14–15
 - aging effects 18
 - difficulties with 78–89
 - physical changes 14–15
 - prolonged 84–85
- pleasure 12
- PLISSIT model 26, 25–27
 - relationships 95
- pneumovax 165
- potions, harmful 185–187
- preorgasm 84, 85
 - women 84–85
- pregnancy
 - adolescent risk 48–49
 - body image 67
 - contraception following 69–70
 - domestic violence 69
 - early adulthood 67–70
 - physical appearance changes 68–69
 - sexual activity 68, 69, 67–69
 - following birth 69–70
 - unintended 20, 45, 64
 - intellectual disability 146
 - see also* abortion
- premenstrual syndrome
 - chasteberry 171–172
 - schizandra 176–177
- preventive medicine, sexual health inquiry 25, 28–29
- primary care
 - adolescent relationships 50
 - sexual health care deficit 20–21
- Prochaska's stages of change theory 28–29
- Prosensual 178
- prostaglandin E₁ intracavernosal injections 105–106
- prostaglandins, preterm labor 68
- prostate surgery 130–131
- psychosexual development
 - adolescents 40–44
 - age 3–5 years 33–37
 - age 6–12 years 37–39
 - birth to 2 years of age 31–33
- psychosocial issues 3
 - sexual response cycle interruptions 18
- puberty
 - adolescence 40
 - body changes 38–39
- public health
 - sexual behavior risks 2–3
 - sexual health care 20
- pubococcygeal muscles
 - exercises 81, 87
 - postpartum 70
 - strengthening 182
- quality of life 3

196 Index

- referral 9
 - insurance coverage 8
 - intensive therapy 7–9
 - sexual dysfunction 27
- relationship therapy 7
- relationships
 - adolescence 40, 42
 - changes in middle adulthood 93
 - communication as treatment for problems 94
 - enhancement 95
 - extrarelationship affairs 94, 93–94
 - infertility 65
 - long-term 93
 - older children 39
 - PLISSIT model 95
 - sexual response cycle interruptions 18
 - stages 62, 62–63
- religion and sexual expression 64
- resolution 16–17
 - physical changes 16–17
- respiratory illness 125
- retirement 132
 - ego integrity *versus* despair 114–115
- role confusion avoidance 40
- role models 40
- roseroot 176
- royal jelly 176

- safe sex understanding 157, 158
- same-sex behavior 147–148
- same-sex couples 148
- sarsaparilla root 176
- saw palmetto 186
 - Climatique 178
- schizandra 176–177
- school attendance, adolescent sexual behavior 47–48
- screening
 - for sexual concerns 3
 - sexual health 24–25
- selective serotonin reuptake inhibitors (SSRIs)
 - premature ejaculation 79
 - sexual interest alteration 76
- self-concept in older adults 121
- self-disclosure 6
- self-efficacy promotion 28–29
- self-esteem development 31
- self-identity
 - adolescence 42
 - older adulthood 115
- self-image of adolescents 41
- self-stimulation 34, 84–85, 135
 - vaginal elasticity 136, 137
 - see also* masturbation
- sensuality
 - decreased desire 73
 - enhancement 97
- sex play by children 36–37
- sex toys *see* appliances
- sexual abuse 158–161
 - adolescents 45–46
 - cycle 160
 - difficulties with sexual activity 85
 - history and unprotected anal intercourse 161
 - impact 160–161
 - mental health 159
 - prevention 32–33, 37, 39
 - protocols 159
 - repression 160–161
 - sexual health impact 160
 - somatic disease 159–161
 - web resources for survivors 161
- sexual activity
 - adolescents 40–41, 43–46
 - early initiation 48
 - factors affecting 48
 - cardiovascular risk 123, 124–126
 - communication 63–64
 - decreased in middle adulthood 96–97, 98
 - early adulthood 63–64
 - following pregnancy 69–70
 - initiation 64, 63–64
 - morbidity/mortality risk 3
 - cardiovascular disease 123
 - physical demands 123
 - pregnancy 67–69
 - protective health effects 123
 - stopping 79
- sexual behavior
 - adolescents 45, 47–49
 - early adulthood 61–62
 - infants 32–33
 - older children 38–39
 - promotion of responsible 3–4
 - red flags for children 39
 - risk-taking 28, 164–165
 - risks 2–3
- sexual crises with infertility 67
- sexual development
 - adolescents 40–44
 - daughters idolizing fathers 35
 - disability 144
- sexual dysfunction 3
 - alternative medicines 169
 - antidotes for psychotropic-induced 76
 - depression 97
 - follow-up 27
 - iatrogenic 97
 - older adults 120–121
 - partners 134
 - plateau identification 15
 - psychogenic 92
 - referral 27
 - seniors 134, 138
- sexual functioning
 - age-related changes 115–116
 - illnesses affecting 122
 - older adults 120–121
 - problems 3
 - reflexive 142
- sexual health, definition 2
- sexual health inquiry 20

197 **Index**

- frequency 21–22
- preventive medicine 25, 28–29
- responding to issues 25–27
- safe sex understanding 157
- transition to 23
- sexual history-taking 6–7, 21, 22
 - abbreviated 24
 - communication 22
 - in-depth 25, 24–25
 - physician reluctance 21
 - screening 24
 - terminology 22
- sexual intercourse
 - age at first 44
 - frequency and longevity 1–2
 - timed 65–66
- sexual interest
 - decreased in abusive relationships 162
 - mismatch 136–137
 - seniors 137–138
- sexual minorities *see* gay, lesbian, and bisexual persons (GLB)
- sexual orientation 22, 23, 146
 - adolescents 51
 - reluctance to disclose 147–148
- sexual reassignment surgery 151–152
- sexual rediscovery 93
- sexual response cycle 17
 - causes of alteration 18
 - changes with aging 17–18
 - female 13
 - Basson's alternative 12, 13
 - illnesses affecting 18
 - interruptions 18
 - male 12
 - medication effects 18–19
 - phases 11–17
- sexual stimulation
 - older adults 115
 - PDE₅ inhibitors 103–104
- sexual tension 14
 - release 16
- sexual urges in adolescents 43
- sexuality 1–2
 - adolescent 40–41
 - aging 132–135
 - cancer 129–131
 - HIV-positive status 163–165
 - mental aspects 4
 - older adulthood 121
 - personality component 4
 - risks 2–3
 - self-exploration 5, 4–6
 - seniors 133–134
 - quality of life 138
 - significance 4
 - spiritual aspects 4
 - studies 3
- sexually transmitted infections 157–158
 - abusive relationships 162
 - adolescents 45
 - anal sex 72
 - co-infections 157, 162
 - diagnosis 157, 162
 - partner treatment 158
 - professional empathy/support 158
 - sexual abuse 159
- shutdown 12
- sildenafil 20, 103
- Snap Gauge Band 104
- social skills of adolescents 41
- somatic disease and sexual abuse 159–161
- spasticity 142
- spermicide ingestion 72
- sphincter control loss 142
- spina bifida 143–144
- spinal cord injury 141–143, 144
- spinal reflexes 142
- spironolactone 152
- spooning position 27
- squamous intraepithelial lesions, high-grade 72
- squeeze technique 82, 83
- SS Cream 178
- stagnation phase 92
 - older adults 114
 - seniors 132
- stress
 - response 12
 - sexual minorities 165
 - sexual response cycle interruptions 18
- substance use
 - sexual minorities 149
 - see also* alcohol consumption; drugs, illicit
- suckling 32
- suicide risk
 - sexual abuse 159
 - sexual minorities 46, 147–148, 149
- sympathetic nervous system
 - orgasm 15
 - resolution 16
- tadalafil 103
 - contraindication with alpha-blockers 126
- talk therapy 7
- talking about sex 2–4
- tamoxifen 129
- testes at plateau stage 15
- testosterone
 - administration in transsexuals 152
 - aging effects 17, 134
 - deficiency 105
 - desire 11
 - supplementation 106–107
- therapy 8–9
- toilet training 31, 33
- touch
 - decreased desire 73
 - non-demand affective 11
 - older adults 115
 - reintroduction 95–96, 97
 - seniors 138–139
 - therapy 74

Cambridge University Press

0521534216 - Sexual Health across the Lifecycle: A Practical Guide for Clinicians

Margaret Nusbaum and Jo Ann Rosenfeld

Index

[More information](#)**198** **Index**

- transgendered persons 46, 151, 149–152
 - care resources 152
- Transtheoretical Model of Prochaska
 - 28–29
- treatment, intensive 27
- trust
 - early adulthood 62
 - versus mistrust stage of psychosexual development 31
- uira puama 178
- unloading techniques 8–9
- use it or lose it phenomenon 135
- vacuum erection device 105, 106
- vaginal atrophy 135
- vaginal barbells 182
- vaginal dilator kits 89, 87–89
- vaginal lubrication 14
 - decreased in abusive relationships 162
 - hormone replacement therapy 99
 - menopause 116
 - problems 101
 - seniors 135, 136, 137
 - tamoxifen treatment 129
- vaginismus 87–89
- ildenafil 103
- velvet deer antler 173
- venous ligation 109
- Viagra *see* sildenafil
- vibrators 85, 179, 180
 - lifelike 180
 - standard 181
- violence
 - antigay 47, 149
 - sexual 162
 - see also* domestic violence
- virilization 152
- vitamin O 186
- wisdom 115
- women
 - androgen use 99
 - desire 11–12
 - discussion of sexual health with physician
 - 134–135
 - orgasm 16
 - preorgasm 84–85
 - resolution 16
 - sexual expression alteration 73–74
 - sexual health inquiry 23
 - sexual rediscovery 93
 - see also* dyspareunia
- World Health Organization (WHO) definition of
 - sexual health 2
- ylang ylang 177
- yohimbine 107, 177