

Cambridge University Press

0521536871 - Large Herbivore Ecology, Ecosystem Dynamics and Conservation

Edited by Kjell Danell, Patrick Duncan, Roger Bergstrom and John Pastor

Index

[More information](#)

## Index

Page numbers in *italics* refer to figures and tables.

- abiotic environment 358
- abiotic factors 142
  - plant distribution 120
  - plant diversity 117–18
  - spatial heterogeneity 121
- abundance 87, 88
  - arthropods 401
  - plants with grazing pressure 158, 161–2
  - prediction from resource types 86
  - rainfall relationship 82–3
  - ungulates 19–20
- Acacia* 9
  - biogeography control 246–7
  - coevolution with herbivores/frugivores 242–3
  - genetic groups 246–7
  - germination 245–6, 246
  - juvenile tree size 246
  - mortality in savannas 243
  - population decline 243
  - recruitment 154, 243–4, 245–6
  - seedling survival 155
  - seeds
    - accumulation 244
    - bruchid infestation 244
    - dispersal in Negev desert 242–7
    - removal 245
    - viability 245–6
  - ungulate foraging 244
- Acacia karroo* 277
- Acacia mellifera* 154, 155
  - encroaching 153
- Acacia nilotica* 277
- Acacia raddiana*, population genetics 247
- Acacia savanna* 242–3
- Acacia tortilis*
  - regeneration 190
  - seed pod accumulation 245
- acorns
  - collection by jays 211–12
  - distribution 211–12
  - masting 179
  - seedling nutrition 206–7
- afforestation, commercial 458
- aggregation 35–7
- Alaskan salt marsh 269
- Alces alces* (moose) 297–301
- allelochemicals 5
- allometric scaling 469–70
- Amazonian ungulates
  - carrying capacity 254–5
  - frugivory 248–53
- ammonium excretion 296
- angiosperms, frugivore coevolution 233
- animal community composition 383
  - changes 403–4
- antelope, pronghorn 328–9
- anthrax bacteria 434–5
- anthropogenic influences 416
  - see also* humans
- antifungal compounds 177–8
- Antilocapra americana* (pronghorn antelope) 328–9
- antlers, tree damage 171–2
- ants 398
- apparency, low 104
- Arctic area 3
  - breeding strategies 52–5
  - capital breeding strategy 52–5
  - energy use 52–5
  - global climate change 63–5
  - ice crust formation 56, 61

Cambridge University Press

0521536871 - Large Herbivore Ecology, Ecosystem Dynamics and Conservation

Edited by Kjell Danell, Patrick Duncan, Roger Bergstrom and John Pastor

Index

[More information](#)

480 | Index

- Arctic area (*cont.*)
  - income breeding strategy 52–5
  - plant response to climate change 64
  - vegetation 387–9
- arid ecosystems
  - abiotic factors 142
  - Australia 162–3
  - plants
    - biomass 156
    - diversity 6
    - rainfall 156
    - trampling 265–6, 267
    - vegetation 145–9
      - changes 145–6
    - water 120
  - arthropods
    - abundance 401
    - soil 267
  - Artiodactyls 25
    - non-ruminant 248
  - ass, Asiatic wild 146–7
  - assimilates, plants 103
  - aurochs 203, 204
    - primaeval vegetation 205
    - wood-pasture grazing 214–15, 217–18
  - Australia
    - arid/semi-arid ecosystems 162–3
    - Northern 455–7
  - avoidance, associational 112–13
  - bark
    - eating 176–7
    - fraying 98–9
  - bark stripping 98–9, 171–2
    - age classes of trees 177
    - damage 176–9
      - extent 177–8
    - grassland formation 213–14
    - growth of trees 178
    - mortality of trees 178–9
    - plant tolerance 109
    - ring-barking 178–9
    - seasonality 177
    - species 177
    - survival of trees 178
    - tropical trees 178
    - ungulates 213–14
  - bear, grizzly 436
  - Bedouin people 242–7
  - beef production 455
  - beetles
    - chrysomelid 311
    - fossil 219–20
    - grazing impact 402
    - mortality 385
      - see also* bruchid beetles
  - behavioural adaptations 292
  - behavioural categories 21–2
  - behavioural traits 20–1
  - Betula* (birch) 183–4
    - browsing effects 300
  - biodiversity 1
    - Acacia* population decline 243
    - benefits 461–3
    - impact of large herbivores 452
  - biogeographical categories 21–2
  - biomass
    - allocation 353–4
    - forage 351–2
    - herbaceous reduction 368
    - herbivores 239
      - density 303–4, 308–9
      - nutrient concentrations 292
    - vegetation 387–9
  - biotic interactions
    - plant-herbivore 147–8
    - spatial heterogeneity 261–2
  - birch
    - browsing effects 300
    - germination in grassland 183–4
  - birds 390–2
    - deer impact 437
    - forest undergrowth 390
    - grazing impact
    - ground-nesting 390
    - habitat requirements 453–4
    - moose population eruption 436
    - neotropical migrants 436
    - vegetation structure 390
  - birdsong 437
  - birth
    - muskox 51–2
    - reindeer 51–2
    - timing 53–4
  - birth weight 40
  - Bison bison* (bison) 221–2
    - migration 328–9
    - nitrogen transport 330
    - rodent population effect 387
    - wallows 270
    - wolf predation on moose 424–5
  - bite
    - density 75, 76
    - mass 75, 76, 81

Cambridge University Press

0521536871 - Large Herbivore Ecology, Ecosystem Dynamics and Conservation

Edited by Kjell Danell, Patrick Duncan, Roger Bergstrom and John Pastor

Index

[More information](#)

Index | 481

- size 371
- time to crop 371
- biting rate 72–3, 76–7
- blackthorn 209–10
  - spreading 212–13
  - tree establishment pattern 214
- blitzkrieg hypothesis 433
- boar, wild
  - acorn yield influences 179
  - predation 385
- body mass
  - allometric scaling 470
  - correlation with seed germination 246
  - group size 36
  - nitrogen excretion 272–3
  - nutrient input/output balances 470
  - stoichiometric needs of herbivores 471–2
  - trampling rate 266
- body reserves, breeding strategy 53
- body size 17, 19, 469–70
  - distribution 20–1, 28–33
  - diversity 20–1
  - feeding
    - selectivity 35–7
    - types 33–5
  - frugivores 238
  - herbivores 121
  - marsupials 28
  - polygyny 39
  - sexual dimorphism 35–7
  - small 238
  - ungulates 28, 29, 30, 241–2
- body weight 19
  - distribution in ungulates 27
  - feeding categories 238, 239
  - female 40
  - reindeer 53
  - seasonal variability 53, 54–5
  - sexual dimorphism 39
- Bos primigenius* (auroch) 203
- bottlenecks, resource scarcity 242
- bottom-up processes 413–14, 415
  - heterogeneity 415–16
  - human domination 440
  - population dynamics 475–6
- bramble 214
- breeding strategy
  - Arctic area 52–5
  - body reserves 53
  - capital 52–5
  - muskox 54–5
  - reindeer 54–5
  - stored resources 54–5
- browsers/browsing
  - body size 34
  - canopy height 190
  - conifer resistance 174
  - damage
    - repetition 175–6
    - severity 101, 175–6
  - deer 183
    - exclusion 189
    - pine regeneration 459
    - rate 187–8
    - tree species recruitment failure 185–6
  - defence increases 174
  - defoliation 107–8
  - deterrence with plant secondary metabolites 278
  - diet 172–3
    - choice prediction 77
  - elk 308–9
  - fire impact 276
  - flowering reduction 185–6
  - food intake rate 73–4
  - forest
    - gap models 352–3
    - open patches 401
    - under-storey 180
  - genera 235–8
  - grassland maintenance 277
  - group size 37
  - height 173
  - intensity 299, 352
  - intolerance 299–300
  - landscape changes 370
  - leaves 171–2, 173, 175–6
  - litter weight 43
  - litter-dwelling invertebrate effects 402–3
  - moose 173
  - nematode impact 403
  - nitrogen
    - concentrations 292, 308
    - cycling impact 300–1
    - twig concentration 306
  - nutrients
    - cycles 302–3
    - cycling decrease 297–301
    - effects 453
    - patch-use 81–2, 301
    - plant response 17, 290–1, 296, 298–9, 370

Cambridge University Press

0521536871 - Large Herbivore Ecology, Ecosystem Dynamics and Conservation

Edited by Kjell Danell, Patrick Duncan, Roger Bergstrom and John Pastor

Index

[More information](#)

482 | Index

- browsers/browsing (*cont.*)
  - height growth 299
  - sexual reproduction 300
- pressure in boreal forests 299–300
- productivity changes 474
- rate 187–8
- regimes 352–3
- regrowth 99–100
- sapling response 102
- seasonality 355–8
- seedling survival 180
- selective 7, 313
- shoots 171–2, 173, 175–6
  - growth 175
- social structures 313–14
- spiny shrubs 210
- thorny plants 173–4
- trees
  - growth 175–9
  - impact 173, 188
  - pollination failure 185–6
  - regeneration 179–80
  - species diversity 186
  - species relative abundance 188
  - survival 175–6
- tropical savannas 235–8
- ungulates 277
- bruchid beetles 9
  - Acacia* seed infestation/predation 244, 245–6
- bush encroachment 6, 151–4
  - mitigation protocol 154
  - rainfall frequency 153–4
- bush meat species 232–3, 253–4
- C<sub>3</sub>/C<sub>4</sub> plants 26
- cache exploitation 242
- calcium 471–2
- calcium oxalate crystals 147–8
- Caledonian forest (Scotland) 17
  - deer 460
  - managing for restoration 460
  - restoration 458–9
  - saplings 460
- canopy
  - browsing 277
  - impact 277
  - changes 474
  - closed 204–5, 219
    - competition for light 206–8
    - large herbivore absence 221–2
  - height 190
  - intermediate 390
  - openings 180
  - woodland 7
- capital breeding strategy 52–5
- carbohydrates
  - forage 292
  - ruminant digestion 296
- carbon
  - allocation traits 355–8
  - reallocation in browsed/grazed plants 290–1, 296
- carbon-nutrient balance 5
  - hypothesis 105, 473–4
- carcasses
  - nitrogen
    - addition 270–5
    - movement 12
    - soil content 275
  - soil
    - addition to 270–5
    - nutrient enhancement 291
- caribou *see* reindeer
- carnivores, large 14–16
  - anthropogenic influences 416
  - control programmes 426–31
  - ecosystem role 454–5
  - eradication 437–8
  - human activity sensitivity 438
  - human persecution 438–9
  - large herbivore
    - local extinctions 424–5
    - numbers/stability 413–14, 439–40
  - large herbivore interactions 415–16
    - equilibria 429
    - processes 419–20
  - prey
    - non-large herbivore exploitation 416–18
    - relationship 429
    - species 424–5
  - recovery 416
  - reintroductions 433, 435, 454–5
  - removal from ecosystem 434, 440
  - Russian Far East 416–18
  - top-down keystone species 413–14
  - see also* predator–prey interactions
- carrying capacity 477
  - Amazonian ungulates 254–5
  - herbivore actual density 426–7
  - potential plant productivity 310

Cambridge University Press

0521536871 - Large Herbivore Ecology, Ecosystem Dynamics and Conservation

Edited by Kjell Danell, Patrick Duncan, Roger Bergstrom and John Pastor

Index

[More information](#)

Index | 483

- Carson, Rachel 437
- cattle
- feeding 173–4
  - efficiency 329
  - forage quality 360
  - primalveal vegetation 205
  - tree establishment in grassland 214
  - wood-pasture grazing 208, 214–15, 217–18
- cellulose 292
- fermentation 293–4
- Centrocercus urophasianus* (sage grouse) 392
- CENTURY model 367
- chamise 278
- chaparral 278
- charcoal 221
- chemical defences
- constitutive 105–7
  - induced 107–8
- chewing
- rate 72–3
  - searching during 78
- classical forest theory 8, 203
- pollen 216–17
  - retrogressive succession 213
- cliffs 118
- climate change, global
- Arctic plants 64
  - herbivore-plant interactions 63–5
  - man-induced 144–5
- climate variability 3
- fluctuations 57–9
  - population dynamics 55–7
  - synchronization 61
  - seasonal grazing systems 56–7
  - vegetation density 144–5
- climate zone, litter weight 43
- closed-habitat dwellers 21
- colonization
- plant species 114–15
  - trade-offs 114
- communities
- composition alteration 17
  - disturbance 263
  - diversity 2
  - evolutionary history 14, 404–5
  - structure determinants 263
- compensation, plant 5, 110–11
- competition
- actual 113
  - apparent 112–13
  - forage 361
  - herbivory 362
  - influences 360–1
  - interspecific 361–2
  - plant functional types 362–3
  - reduction 7
  - soil moisture 351–2
  - trade-offs 114
  - two-layer hypothesis 154
- confinement 316
- conifers, palatability 174
- Connochaetes taurinus* (wildebeest) 293
- conservation 232–3, 253–5, 314
- area of land 449–50
  - degraded areas 449–50
  - introductions 317
  - management tools 463, 477
    - grazing 405–6  - modelling 374–5
  - reserve size 315–16
- consumer-resource systems 4
- consumption
- production relationship 334
  - rate and food abundance 71
  - seasonal segregation 333
- cooperative management groups 459, 460
- coppice shoots 176, 190
- coprophagy 398–401
- Corylus avellana* (hazel) 205
- cougars 425
- culling 454
- deer 459, 460
  - muskox population dynamics 60
- cultural features, modelling 364–5
- cyclic turnover of vegetation 214
- decision support systems 375
- decreaser plants 157
- deer
- browsing 183, 188
  - pine regeneration 459
  - secondary plant metabolites 174
  - tree species recruitment failure 185–6
- Caledonian Forest 460
- cryptic neonates 432
- culling 459, 460
- impact on woodland birds 437
  - population fluctuations 55
  - seasonal congregations 190–1
  - temperate forests 170

Cambridge University Press

0521536871 - Large Herbivore Ecology, Ecosystem Dynamics and Conservation

Edited by Kjell Danell, Patrick Duncan, Roger Bergstrom and John Pastor

Index

[More information](#)

484 | Index

- deer (*cont.*)
  - thorny plant consumption 184
  - tree growth delay 175
  - tree species
    - diversity 186, 187–8
    - recruitment failure 185–6
    - richness 185–8
  - wolf predation 426–7
- deer, brocket 248
  - diet 249
  - forest floor feeding 252
  - palm fruit consumption 249
  - seed predation 249
- deer, red
  - culling 460
  - density-dependence 54
  - emigration from natal areas 460
  - female density 460
  - heavy grazing 458
  - home ranges 460
  - linked management units 461
  - pine seedling browsing 458
  - predation 385
  - Scots pine regeneration 17, 190
  - shooting 460
  - stag movements 460
- deer, roe 76–7, 458
  - heavy grazing 458
- deer, white-tailed 183, 390
  - Glacier National Park 436–7
  - land-use changes 364–5
- Deer Management Groups 459
- defecation *see* faeces
- defence, costs of allocation to 106
- defoliation
  - browsing 107–8
  - differential 159
  - intermediate levels 453–4
  - interval 101–2
- demographic strategies 40–2
- density of herbivores
  - forest impact 188–91
  - increase of large herbivores/large carnivores 422
  - threshold 14, 406
  - variation 190
- density-dependence 54
  - carnivore–large herbivore interactions 418–19
  - dynamic equilibria 418–19
  - forage availability 56
  - foraging 85–6
- dental adaptations for seed predation 233, 235–8
  - peccaries 251
- desertification 144–5
- detection reduction 432
- diet 171–3
  - breadth 79
  - browsers 172–3
  - choice 78, 174
    - alteration 116–17
    - heterogeneous resources 87–9
    - prediction 77
  - composition 172, 172–3
  - facultative selection 431
  - frugivore/browser/grazer
    - continuum 234
  - habitat relationship 239
  - moose 298
  - optimization
    - digestive constraints 81–2
    - functional response models 77–82
    - quality 81–2
  - quality with migration 328–9
  - selection 84–9
    - models 361
  - tapirs 252–3
  - see also* feeding; food
- digestive system
  - adaptations
    - herbivory 292
    - seed predation 235
  - complexity 233, 234–5, 235–8, 236
    - intermediate 235
  - non-ruminant 252
  - physiology 293–4
  - pre-gastric fermentation 248, 251–2
  - simple 235
  - see also* hindgut fermentation; ruminants
- dingo-red kangaroo study 434
- discovery, susceptibility 104
- dispersal corridors 191
- distribution of herbivores 120, 353–4
- disturbance 9–11
  - community structure changes 263
  - concentrations of large herbivores 190–1
  - definition 262–3
  - direct measurement 262
  - fire 220, 275–7
  - interactions 365–6
  - magnitude of effect 270–4
  - physical 264–70

Cambridge University Press

0521536871 - Large Herbivore Ecology, Ecosystem Dynamics and Conservation

Edited by Kjell Danell, Patrick Duncan, Roger Bergstrom and John Pastor

Index

[More information](#)

Index | 485

- spatial heterogeneity 261–2
  - see also* carcasses; faeces; trampling; urine; wallows
- diversity
  - body size 20–1
  - communities 2
  - habitat 24
  - mating systems 37–8
  - natural selection 20–1
  - nutritional model 33
  - plant communities 111–27
    - urine addition 274–5
  - plants 5, 115–16
    - arid ecosystems 6
  - reporting for different taxa 384
  - taxonomic 22–5
  - wood-pastures 217
- drinking water
  - access 84–5
  - water points
    - trampling 265–6
    - vegetation 148
- dung *see* faeces
- dynamic equilibria, density dependence 418–19
- EASE model 361, 368
  - nutrient redistribution 367
  - patch foraging 373
- ecosystems
  - biophysical measures of health 451–61
  - carnivore role 454–5
  - cascade effects 475
  - changes in properties 474–6
  - conservation 315–17
  - degraded 449–50
    - grazed 451–2
  - dynamics 475
  - ecology 310–11
  - engineers 386
  - function
    - large herbivore impact 452–5
    - maintenance 449–50
    - restoration 455–9
  - healthy 451
  - indicators of health 451–61
  - management 449–50
  - nutrient cycles 315–17
  - overexploitation 452
  - restoration 449–50
  - simulation model 374–5
- ectoparasites 385
- edaphic conditions 1
- eland migration 329
- elephants
  - ring-barking 178–9
  - trees
    - damage 171–2
    - species composition 178
- elk
  - browsing 308–9
  - Canadian Rocky Mountains 329
  - Glacier National Park 436–7
  - grazing 308
  - land-use changes 364–5
  - migration 328–9
  - nitrogen
    - import/export 309
    - transport 330
  - winter consumption 360
- elk-wolf-aspen interaction 435–6
- endoparasites 385
- endozoochory 183–4, 190
- energetic state 349
- energy
  - balance 92
  - flow in population dynamics 475–6
  - intake 349
  - use in Arctic area 52–5
- environment
  - abiotic 358
  - physical alteration 368
  - stochastic variation 430
- environmental variance 87–9
  - population stability 54
- Equus burchelli* (zebra) 293
- Equus hemionus onager* (Asiatic wild ass) 146–7
- Equus przewalski gmelini* (tarpan) 203
- erosion, degraded rangeland 455
- Etosha National Park (Southern Africa) 434–5
- evapotranspiration 474
- evolutionary ecology 310–14
- evolutionary stable strategy (ESS) 312–13
- exclosure studies 384, 406
  - deer 189
  - grazing 459
    - long-term 121
- exploitation ecosystems hypothesis (EEH) 426–7

Cambridge University Press

0521536871 - Large Herbivore Ecology, Ecosystem Dynamics and Conservation

Edited by Kjell Danell, Patrick Duncan, Roger Bergstrom and John Pastor

Index

[More information](#)

486 | Index

- extinctions
  - local 405–6, 424–5
  - plants 114–15
  - Pleistocene 26–7
- faeces
  - addition to soils 270–5, 296
  - avoidance of recently defecated
    - land 120
  - decay 301
  - deposition 301
    - spatial pattern 335
  - nitrogen 11
    - content 296
    - excretion 271, 304–5, 307–8
    - movement 12
  - nutrients
    - effects 453
    - excretion 471
  - patches 10
  - plant effects 98–9
  - resources for other animals 385
  - soil nutrient enhancement 291
- fat stores
  - breeding strategy 54–5
  - growing season 86–7
- feeding
  - amount eaten 173
  - behaviour effects on trees 171–2
  - categories and body weight
    - 238, 239
  - cattle 173–4
  - efficiency 329
  - loops 101–2
  - selectivity and body size 35–7
  - strategies 216, 238–9
    - habitat relationship 238–9
  - style 22
  - supplemental 57, 89
  - types 33
    - body size 33–5
    - group size 33–8
  - see also* browsers/browsing; diet; food; forage; grazers/grazing
- financial analysis, stocking density
  - reduction 457
- fir, balsam 428–9
- fire 10–11
  - browsing impact 276
  - charcoal evidence 221
  - disturbance agency 220, 275–7
- forests
  - burning by Native Americans 220–1, 222
  - regimes 277–8
  - frequency reduction 7, 183–4, 276
  - fuel supplies 275–6
    - vertical continuity 277
  - grasslands 275–7
  - grazing impact 276
  - ground zones 277
  - intensity
    - increase 278
    - reduction 276, 277
  - modelling 365
  - nitrogen loss 296–7
  - oak regeneration 220, 221, 222
  - regimes 365
  - savannas 275–7
  - shrubland regimes 277–8
  - spread 365–6
  - suppression 425
  - trees
    - crowns 277–8
    - vulnerability 178
- fire and oak hypothesis 220
- fire breaks 276
- fitness
  - components 40
  - plants 106
- flowering 102–3
  - reduction with browsing 185–6
- food
  - abundance 71, 79
  - availability 389
    - invertebrates 393–8
  - chewing rate 72–3
  - encounter rate 72–3
  - encounter-limited processes 76–7
  - handling 72, 80–1
  - handling-limited processes 76–7
  - intake rate 73–4, 76–7
  - model 419–20
  - preference variations 62–3
  - resources 3–4, 71
  - scarcity 79
  - searching 72, 80–1
  - spatial heterogeneity of distribution 12
  - stoichiometric imbalance 470–1, 471–2
  - supply 82–3
  - swallowing rate 72–3
  - systematic search 80–1
  - see also* diet; feeding



Cambridge University Press

0521536871 - Large Herbivore Ecology, Ecosystem Dynamics and Conservation

Edited by Kjell Danell, Patrick Duncan, Roger Bergstrom and John Pastor

Index

[More information](#)

Index | 487

- forage
  - availability 56
    - spatial variation 142
  - biomass 351–2
  - coevolution with herbivores 311
  - competition 361
  - concentration 329
  - conservation 333
    - high fibre 235–8
    - high protein 296
  - intake 349, 371, 372
    - patch-level 373–4
    - rate 371, 373
    - scaling 370–4
  - intensive grazing 335
  - low quality 252
  - model inputs 350–1
  - nitrogen concentration 304–5, 306–7, 328–9, 330–2, 331
    - low 307–8
  - nutrient concentration 328–9
    - seasonal ranges 330–2
  - patches 352–3
  - phosphorus concentration 330–2, 331
  - population spread 291–2
  - production 311, 313–14
    - boreal forests 297
    - increase 312–13
  - quality 90–1, 295, 311
    - boreal forests 297
    - for cattle 360
  - secondary compounds 292
  - selection 352–3
  - trampling damage 265–6
  - ungrazed species 306–7
  - Yellowstone National Park 335–6
- foraging
  - behaviour 3–4, 81–2
    - diet choice prediction 77
    - population dynamics 71
  - burned areas 276–7
  - consumption of above-ground
    - production 295
  - decisions 4–5, 97–8
  - density-dependence 85–6
  - efficiency on winter shoots 173–4
  - encounter-limited processes 74–5, 76–7
  - functional response models 77–82
  - handling-limited processes 74–5, 76–7
  - modelling 368
  - moose 298
  - nitrogen addition 274–5
  - plant deterrence 278
  - positive feedbacks 315
  - predation risk 432
  - processes 74–5, 76–7
  - selective 295, 311, 470–1
  - strategies 293–4, 298
    - Serengeti herbivores 295
- forest reserves
  - former wood-pastures 219
  - hazel 205–6
  - oak 205–6
- forests
  - absence of young trees 170
  - arthropod abundance 401
  - birds in undergrowth 390
  - boreal 297–301
  - browsing effect on nematodes 403
  - burning by Native Americans
    - 220–1, 222
  - closed-canopy 204–5, 219
    - competition for light 206–8
    - large herbivore absence 221–2
  - composition changes 171
  - elephant damage 178
  - density of herbivores 188–91
  - disturbance 190–1
  - dynamics 6–8, 352
    - long-term 440
  - fire regimes 277–8
  - gap models 352–3
  - grasses 183
  - ground-dwelling invertebrates 398
  - herbivore damage 170
  - litter-dwelling invertebrates 402–3
  - livestock grazing 170–1
  - open patches 401
  - regeneration 171, 203
  - reserves 204–5
    - grazer absence 214–15
    - light-demanding species absence 217–18
  - species composition changes 185–8
  - structure changes 171
  - succession modelling 371
  - temperate 8, 387
  - thinning 180
  - tropical 235–8
    - frugivory 248–53, 250
    - fruit production 241
    - seed predation 237, 240, 248

Cambridge University Press

0521536871 - Large Herbivore Ecology, Ecosystem Dynamics and Conservation

Edited by Kjell Danell, Patrick Duncan, Roger Bergstrom and John Pastor

Index

[More information](#)

488 | Index

- forests (*cont.*)
  - undergrowth 390
  - under-storey 180
  - ungulate body size 31
  - see also* canopy; classical forest theory; tree(s); woodland
- FORSPACE model 355–8
  - differential patch selection 361
  - fire spread 365–6
  - landscape patterns 374
  - nutrient redistribution 367
  - real-world data 374
  - seed dispersal 367–8
- fossil record 215
  - beetles 219–20
  - very large herbivores 170
- frugivore/browser/grazer continuum 234
  - shift 238–9
- frugivore-browsers 239
- frugivores/frugivory 8–9, 232–3
  - angiosperm coevolution 233
  - arboreal 241–2
  - body size 238
  - coevolution with *Acacia* 242–3
  - digestive system complexity 235
  - extreme habitats 242–53
  - forest floor feeding 252
  - grassland habitat 239
  - herbivory evolution 233–4
  - nutrient cycling 310
  - savanna 239
  - seed dispersal 241
  - tropical forests 248–53
  - tropical large herbivores 234–9
  - ungulates 248–53
- fruits
  - abundance 387–9
  - consumption 250, 474–5
  - dispersal 248, 474–5
  - production in tropical forests 241
  - reduced production 392
  - resources 233
    - exploitation 234–5
  - seeds as dry weight proportion 248–9
- functional response 419–20
  - depletion modes 76
  - mechanisms 75
- functional response models 71–7, 74, 92–3
  - component process predictions 83
  - diet optimization 77–82
- foraging 77–82
  - linear 81–2, 90
  - mechanistic approaches 82–3
- fungi
  - ingestion by large herbivores 385
  - mycorrhizal 103–4
  - tree infections 178
- gain curve linearity 81–2
- gap models 352–3
- Garrulus glandarius* (jay) 211–12
- Gazella dorcas* (dorcas gazelle) 147–8
- Gazella thomsonii* (Thomson's gazelle) 293
- gazelle
  - digestive physiology 293–4
  - forage quality 295
  - foraging strategy 293–4, 295
  - Thomson's 293
- geese, snow 269
- genetic diversity 118–19
- genets 125
- genotype-environment interactions 119
- geologic refuges 118
- geological substrates 142–4
- geophytes 160
  - palatability 162
- germination gaps 99
- gestation length 40
- ghost effect 433
- Glacier National Park predation 436–7
- grasses
  - biomass 156
  - competition reduction 190
  - rangeland systems 456–7
  - tree seedling competition 183
  - wood-pastures 213
- grasslands
  - area influenced by urine 339
  - classical theory of response to grazing 6
  - conversion to forest 277
  - energetic requirements of herbivores 326
  - fire 275–7
  - foraging on burned areas 276–7
  - formation 213–14
  - frugivores 239
  - heterogeneity 328
  - maintenance by browsing 277
  - nitrogen-limited 334
  - North Australia 456

Cambridge University Press

0521536871 - Large Herbivore Ecology, Ecosystem Dynamics and Conservation

Edited by Kjell Danell, Patrick Duncan, Roger Bergstrom and John Pastor

Index

[More information](#)

Index | 489

- nutrient deficiencies 335–6, 336–8
- nutritional requirements of
  - herbivores 326
- phosphorus deficiency 335–6
- production 335
- productivity model 366
- rain infiltration 456
- rodent population 387
- species diversity 277
- steppe 218
- trampling 268–9
- tree seedling establishment 183–4
- tropical 235–8
- ungulates
  - adaptations 326
  - body size 31
  - in formation 213–14
  - woody plant invasion inhibition 268–9
  - Yellowstone National Park 333, 334, 336
  - zinc deficiency 335–6
- gravel pit excavation 434–5
- grazed ecosystems
  - avoidance of recently grazed 120
  - function restoration 16–17
  - seasonal 56–7
  - trampling 268–9
- grazers/grazing
  - bird impact 436, 437
  - body size 34
  - consumption amount 334
  - cyclic 101–2
  - elk 308
  - exclosures 459
  - fire
    - impact 275–7, 276
    - regimes in grasslands and savannas 275–7
  - food intake rate 73–4
  - forest open patches 401
  - fuel supplies for fire 275–6
  - genera 235–8
  - ground-dwelling invertebrates 402
  - group size 37
  - heavily grazed systems 126
  - heavy 144–5, 148
    - negative density-dependent effects 149–50
  - homogeneous 124
  - impact on heterogeneity 121–2
  - improvement 457
  - increaser plants 158–9
  - individual plant effects 98–9
  - intensity
    - horizontal gradient 160
    - invertebrate fauna response 401–3
    - plant responses 157–8
    - shoot production 341
    - urine patches 338
    - vertical gradient 160–1
  - intermediate hypothesis 17
  - landscape changes 370
  - litter weight 43
  - livestock 170–1, 449–50
    - Acacia* mortality 243
    - scrub expansion 183–4
    - woodland 184
  - management 456
    - strategies 457
    - tool 405–6
  - migratory systems 144
  - modelling 365
  - moderate increasers 157–8
  - nitrogen
    - critical level concentrations 308
    - cycling 366
    - mineralization 303, 339
  - nutrient-poor sites 118
  - nutrients
    - cycling 313–14
    - effects 453
  - overgrazing 14, 405–6
  - palatability response 162
  - patch 124
  - plant community
    - competitive balance 277–8
    - composition 277
  - plants
    - abundance 158, 161–2
    - density impact 145–6
    - growth forms 159
    - growth increase 335
    - growth rate increase 335
    - intensity responses 157–8
    - part differential removal 156–8
    - population reproductive rate 102–3
    - response 17, 290–1, 296, 370
    - species diversity 114–19
    - species richness 146–7
    - toleration 113
  - preferences 334–5
  - pressures
    - plant abundance 161–2
    - reduction 456–7

Cambridge University Press

0521536871 - Large Herbivore Ecology, Ecosystem Dynamics and Conservation

Edited by Kjell Danell, Patrick Duncan, Roger Bergstrom and John Pastor

Index

[More information](#)

490 | Index

- grazers/grazing (*cont.*)
  - temporal variation 454
  - variation 459
- productivity
  - changes 474
  - improvement 297
- refuges 118
- regimes 365
- regrazing 269–70
- rhizosphere changes 340
- savanna 16
  - tropical 235–8
- seasonal 56–7
- seasonality impact 61–3
- selective 124
- semi-arid systems 84–5
- settlement-based 144
- social structures 313–14
- spatial scales 14
- temporal scales 14
- toleration by plants 113
- tree seedlings
  - growth/survival 183–4, 209
  - protection 184
- tree species diversity 186
- tussock size 163
- vegetation
  - composition 145–6
  - impact 456
  - response models 161
- wetlands 392
- winter 63
- woodland 188–9
- grazing ecosystem
  - nutrient cycles 293–7, 302–3
  - restoration protocols 449–50
- grazing response theory, modified 159
- Great Barrier Reef Lagoon (Australia) 455, 457
- group size 22
  - feeding types 33–8
  - habitat openness 35–7
- grouse, sage 392
- groves 212–13
  - formation 212–13
  - progression to grassland 213
- growth plasticity 108–9
- growth rate
  - muskox 51–2
  - plant tolerance 108–9
- population stability 54
- reindeer 51–2
- habitats
  - availability 350–1
  - diet relationship 239
  - diversity 24
  - evolutionary history 404–5
  - feeding strategies 238–9
  - female distribution patterns 38
  - female social grouping 38
  - food availability 238–9
  - fragmentation 425
  - herbivory relationship 239
  - heterogeneity 327–8, 341–2
  - litter weight 43
  - loss 425
  - male mating system 38
  - model inputs of availability 350–1
  - mosaic pattern model inputs 350–1
  - nutrient transfer 385
  - openness 35–7
  - physical properties 386
  - preference 364–5
  - response to heterogeneous 327
  - spatial separation 341
  - ungulates 36
    - body size 32
  - use
    - choice variations 62
    - climate change 64–5
    - muskox 52
    - reindeer 52
- hawthorn 210
  - park-like landscape 222
  - tree establishment pattern 214
- hazel
  - disappearance from forest reserves 217–18
  - distribution 212
  - forest reserves 205–6
  - moose forage 300
  - nutrient reallocation 208
  - regeneration in wood-pastures 208–11
  - seedling establishment 209
  - wood pastures 204
- herbivore-plant interactions
  - climate change, global 63–5
  - coevolution with *Acacia* 242–3
  - general theories 473
  - large herbivore size and *Acacia* germination 245–6

Cambridge University Press

0521536871 - Large Herbivore Ecology, Ecosystem Dynamics and Conservation

Edited by Kjell Danell, Patrick Duncan, Roger Bergstrom and John Pastor

Index

[More information](#)

Index | 491

- herbivore-plant-soil systems 316–17
- herbivores, small 14, 238
- herbivory
  - above-ground 386
  - additive effects 116–17
  - compensatory effects 116–17
  - competition 362
  - evolution 233–4
  - gradients 115–16
  - habitat relationship 239
  - long-term impact 5
  - modelling 353–4
  - plant phenological state 452–3
  - response diversity 472
  - selective 6
- hindgut fermentation 292, 294, 295
  - boreal forests 297–301
- Hippopotamus amphibius*
  - (hippopotamus) 385
- holly 214
- horns, tree damage 171–2
- horses
  - primaeval vegetation 205
  - tree establishment in grassland 214
  - wood-pasture grazing 208, 214–15, 217–18
- humans
  - Amazonian ungulate carrying capacity
    - reduction 254–5
  - disturbance and *Acacia*
    - mortality 243
  - domination of top-down/bottom-up
    - processes 440
  - impact 437–9
  - large carnivores
    - persecution 438–9
    - sensitivity 438
  - native societies 316
  - palm tree exploitation 254, 254–5
  - Pleistocene extinctions 26–7
- hunting by humans 454–5, 477
  - cessation 440
- hydrological function
  - degraded rangelands 455–8
  - restoration 449–50
  - see also* soil, hydrology
- hypsodonty 33–5
- ice-crust formation 56, 59, 61
  - climate change 64–5
- Ilex aquifolium* (holly) 214
- income breeding strategy 52–5
- increaser plants 157
  - grazing 158–9
  - protection 158–9
- increaser-decreaser plants 157–8
- insect-herbivore resistance 119
- insectivores 233–4
- insects
  - microhabitat choice 393
  - oak as host 217
  - phytophagous 393–8
  - stress to reindeer 64–5
- interference, predator-prey
  - interactions 430
- intermediate disturbance hypothesis 14, 453–4
- intermediate disturbance model 115
- intermediate grazing hypothesis 453–4
- inter-patch travel 81–2
- introductions 14
  - conservation problems 317
  - reintroductions 146–7
    - large carnivores 433, 435, 454–5
    - ungulate effects on trees 174
- invasibility 263
  - limit 312–13
- invertebrates
  - abundance 387–9, 392
  - food availability 393–8
  - forest open patches 401
  - ground-dwelling 398, 402
  - large herbivore impacts 392–403
  - litter-dwelling 402–3
  - soil 457
- Isle Royale (USA) 428–9
- jays 211–12
- juniper 214
- kangaroo, red 434
- key resource areas 85
- keystone species 1
  - humans 437–8
  - modifiers 386
  - regeneration 17
  - removal 121
  - Scots pine 458
  - top-down 413–14
- Kruger National Park (South Africa) 454
- laddering 277–8
- landscapes
  - denudation 144–5
  - energy flows among patches 326–7

Cambridge University Press

0521536871 - Large Herbivore Ecology, Ecosystem Dynamics and Conservation

Edited by Kjell Danell, Patrick Duncan, Roger Bergstrom and John Pastor

Index

[More information](#)

492 | Index

- landscapes (*cont.*)
  - fertile soils 214
  - heterogeneity 333–5
    - large herbivore effects 334–5
    - large herbivore response 333–4
  - integrated herbivore-vegetation models 359–68
  - management 449–50
  - multi-use 15–16, 440
  - natural 8
  - park-like 212–14, 222
  - patterns 348–9
  - spatial patterns 326–7
  - temperate zone of western Europe 203–4
  - template 358
- land-use
  - change 364–5
  - multi-use 15–16, 440
- Large Herbivore Initiative for Europe and Central Asia, Action Plan 1–2
- large herbivores 235–8
  - definition 2
  - indigenous to Europe 216
  - interspecific relationships 360–2
  - processes 369
  - vertebrate impacts 386–92
- large herbivore-vegetation interactions 348–9
  - models 359
- lawns, grazing 277, 295
  - maintenance 313–14
- leaves
  - browsing 171–2, 173, 175–6
  - litter decay rate 300–1
  - nitrogen concentrations 300–1
- lemmings 387–9
- lichens 302
  - removal by reindeer 302
- life history traits 20–1
- lignin 292, 474
  - fermentation 293–4
- lily, desert 147–8
  - election to minimize herbivory effects 147–8
- LINKAGES model 368
- litter size 41–2
- litter weight 41–2, 43
- livestock
  - catchment areas 455
  - density in wood-pastures 215
  - dependence on key resource areas 85
  - domestic 170–1
  - grazing 170–1, 449–50
    - Acacia* mortality 243
    - scrub expansion 183–4
    - woodland 184
  - production 451–2
  - stocking rates 268, 351–2
- Lotka-Volterra coupled differential equations 82
- lynx, Eurasian 424–5
- mammals, early, metabolic rate 233–4
- mammals, small 14, 386–9
  - abundance 388, 389
  - litter-dwelling 387–9
  - species richness 388
- management
  - Caledonian Forest restoration 460
  - community-based approach 461–3
  - conservation tools 463, 477
  - deer 460
  - future for large herbivores 461–3
  - grazing 457
  - policies 454
  - protectionist 461–3
  - resources 461–3
- management models 374–5
  - activity 374–5
  - decision support systems 375
- marsupials, herbivorous
  - body size 28
  - offspring 40
- masting 241
  - oak 179
- maternal expenditure 41–2
- maternal hypersensitivity 433
- maternal trade-offs 432
- mating systems
  - diversity 37–8
  - female distribution patterns 38
  - male and habitats/female social grouping 38
- Mauritia flexuosa* (palm) 252–3
- mechanistic models 161–2
- mesopredators 437
  - release effects 437
- mesquite, honey 151–2
- metabolic rate in early mammals 233–4

Cambridge University Press

0521536871 - Large Herbivore Ecology, Ecosystem Dynamics and Conservation

Edited by Kjell Danell, Patrick Duncan, Roger Bergstrom and John Pastor

Index

[More information](#)

Index | 493

- mice, acorn distribution 212
- migration
  - conservation reserve size 315–16
  - diet quality 328–9
  - elk 328–9
  - long-distance 341
  - nitrogen imports/exports 309
  - nutrient transport 341
  - pastoralists 149–50
  - patterns and climate change 64–5
  - population oscillation 315
  - prey 431–2
  - reindeer 64–5, 302, 431–2
  - Serengeti herbivores 293, 315, 329, 431–2
  - ungulates 328–9
  - Yellowstone National Park 328–9
- mobility of large herbivores 291–2, 358–9
- modelling
  - anthropogenic features 364–5, 376
  - conservation 374–5
  - cultural features 364–5
  - environmental physical alteration 368
  - fire 365
  - forest gap 352
  - grazing 365
  - integrated 353–63
    - landscape context 359–68
    - land use change 365
    - scaling pathway 373–4
  - interactions 350
    - interspecific 359
  - land use change 364–5, 376
  - landscape-level 359–68
    - difficulties 375–6
    - improvements 376
    - land use change 364
    - limitations 362
  - management 374–5
  - multiple scales 368–70
  - scale mismatches 368–70
  - scaling
    - extrapolation 376
    - implicit 373
  - seed dispersal 367–8
  - simulation 16, 348–9
    - approaches 349–59
    - ecosystem 374–5
    - integrated approaches 353–9, 359–68
  - large herbivore dynamics 349–51
    - vegetation dynamics 351–3
  - spatial patterns 477
  - spatially explicit 353–4
  - vegetation interaction 13–14
    - long-term 13
  - within-patch scales 367
- moderate grazing hypothesis 404
- modules 125
- monogamy 37–8
- monoterpenes 174
- moose
  - boreal forest 297–301
  - browsing 173
  - density 422
  - diet 298
  - forage species 300
  - foraging strategy 298
  - Glacier National Park 436–7
  - population density 428
  - population eruption 436
  - predation 107, 428–9
  - succession effects 386
  - vegetation impact 428
  - wolves
    - interactions 427, 428
    - predation 422, 423, 424–5
- moose-wolf-balsam fir study (Isle Royale) 428–9
- mortality, juvenile 41
- mosaics
  - model inputs 350–1
  - shifting 125–7, 214
  - spatial 211
- mosses, trampling by reindeer 302
- mouse, deer 387
- movement of herbivores
  - patterns 122
  - selectivity 358–9
- multi-prey systems
  - large carnivores 423–4
  - sigmoidal functional response 423–4
- muskox 51
  - birth 51–2
    - timing 53–4
  - breeding strategy 54–5
  - climatic variability effects 59
  - culling 60
  - food preference variations 62–3
  - growth rate 51–2
  - habitat use 52

Cambridge University Press

0521536871 - Large Herbivore Ecology, Ecosystem Dynamics and Conservation

Edited by Kjell Danell, Patrick Duncan, Roger Bergstrom and John Pastor

Index

[More information](#)

494 | Index

- muskox (*cont.*)  
   migration patterns 64–5  
   population dynamics 57–61, 59, 60  
   weather impact 60  
 mycorrhizal fungi 103–4
- national parks, management  
   policies 454
- Native Americans, forest burning  
   220–1, 222
- Negev desert, *Acacia* seed dispersal  
   243–4
- nematodes 403
- nitrogen  
   additions to ecosystems 272, 273  
   availability in soils 296–7  
   browse concentrations 292  
   carcasses 12, 270–5  
   competitive relationships in vegetation  
     274–5  
   critical plant concentration 11  
   cycling 11  
     browsing impact 300–1  
     grazing 366  
     plant community composition shift  
       300, 301  
     rate 296–7, 306, 307  
     Serengeti grazing ecosystem 297  
     trampled soils 269  
   deposition 10  
   excretion 271, 272–3, 279, 296  
     faeces 307–8  
     forage nitrogen concentration  
       304–5  
   exports in migration 302, 309  
   faecal 11, 270–5  
   fixation 296–7  
   forage concentration 304–5, 306–7,  
     328–9, 330–2, 331  
   imports 309  
   limitation on grassland 334  
   loss through fire 296–7  
   magnitude of additions 273–4  
   mineralization 11  
     grazing 303, 339  
     rates 302, 308–9  
     spatial variability of processes outside  
       urine patches 339  
   movement by ungulates 12  
   nutrient cycles 274–5  
   plant content 272–3, 306, 474  
     critical value 304–5, 306,  
       307–8  
     selective foraging 311  
   rate of addition to ecosystem 271  
   shoot concentration 295–6  
   shrub encroachment 153  
   soil  
     availability 296, 311  
     biota composition 275  
     density 309  
     mineralization rate 291  
     spatial heterogeneity 121  
     transport during migration 330  
   urinary 11, 270–5, 471  
     excretion 304–5  
   urine patches 338
- Normalized Difference Vegetation Indices  
   (NDVI) 144–5
- North Atlantic Oscillation (NAO) 51,  
   55–6, 61
- numerical response 419–20
- nuthatch 212
- nutrient accelerating/decelerating  
   scenarios 303–4
- nutrient cycles 11–12, 289–92  
   biomass density of herbivores 308–9  
   browsing 313  
     ecosystem 302–3  
   changes 311  
   decrease in browsing system  
     297–301  
   ecosystem 315–17  
   frugivores 310  
   grazing 313–14  
     ecosystem 293–7, 302–3  
   internal 303–4  
   invading species 312–13  
   landscape scale 367  
   mechanisms, affecting 290–1  
   moose in boreal forest 297–301  
   negative feedbacks 290  
   patch level 366  
   population dynamics 475–6  
   positive feedbacks 290, 304–5  
   rates 291–2, 311–12, 312–13, 474  
   reindeer in tundra 301–2  
   Serengeti grazing ecosystem 293–7
- nutrients  
   allocation traits 355–8  
   concentrations of mammalian  
     biomass 292



Cambridge University Press

0521536871 - Large Herbivore Ecology, Ecosystem Dynamics and Conservation

Edited by Kjell Danell, Patrick Duncan, Roger Bergstrom and John Pastor

Index

[More information](#)

Index | 495

- content of plants 470
- deficiencies 471
  - grassland 335–6, 336–8, 337
- excess to herbivore requirements 471
- excretion at grazing area 330
- flows 7
- forage concentration 328–9
- herbivore feedback 316–17
- input/output balances 470
- large herbivore behaviour
  - effects 453
- palm seeds 249
- plants
  - storage 109
  - uptake rates 474
- reallocation in browsed/grazed plants
  - 290–1, 296
- redistribution 367, 453
- run-off 456
  - degraded rangeland 455
  - reduction 457
- seed content 248–9
- sinks 303–4
- soils
  - enhancement 291
  - status 109–10
- transfer between habitats 385
- transport across seasonal ranges 341
- nutritional model of diversity 33
- oak
  - fire disturbance 220
  - forest reserves 205–6
    - disappearance from 205, 217–18
    - distribution in 206
  - germination in grassland 183–4
  - insect host 217
  - jay relationship 211–12
  - out-competing by shade-tolerant
    - species 208
  - pedunculate 205
  - regeneration 184
    - failure 184
    - fire 220, 221, 222
    - wood-pastures 208–11
  - seed production 179
  - seedlings
    - establishment 209
    - nutrition 206–7
    - protection by spiny shrubs 209–10
    - survival 184, 209
  - sessile 205
  - successional replacement 220
  - white 221
  - wood-pastures 204
- oak and fire hypothesis 220
- omnivory 385
  - incidental 385
- optimal foraging model 147–8
- overabundance 405–6, 413–14, 438
- overexploitation of ecosystems 452
- overgrazing 14, 405–6
- Ovibos moschatus* (muskox) 51
- Ovis aries* (sheep) 385
- Paine effect 415, 435
- palaeontology 25–7
- palatability 116–17, 158–9
  - changes following tree damage 174
- conifers 174
- distinctions 363
- foliage 363
- grazing response 162
- palm fruits 249, 251
  - brocket deer consumption 249
  - carrying capacity of Amazonian
    - ungulates 254
  - consumption by Amazonian
    - ungulates 254
- hardness 252
- peccaries consumption 251
- seed strength 251
- tapirs consuming 252–3
- weight 249
- palm trees, exploitation by Amazonian
  - people 254, 254–5
- Pancratium sickenbergeri* (desert lily)
  - 147–8
- park-like landscape 212–14, 222
- pastoralists 149–50
- patch depression 78–9, 80–1
- patch grazing 124
  - fire breaks 276
- patch residence 81–2
- patch-use
  - browsing 81–2, 301
  - trampling 269–70
- patches
  - differential selection 361
  - exploitation 78–82
  - forage 352–3
- patchiness of ecosystem processes 342

Cambridge University Press

0521536871 - Large Herbivore Ecology, Ecosystem Dynamics and Conservation

Edited by Kjell Danell, Patrick Duncan, Roger Bergstrom and John Pastor

Index

[More information](#)

496 | Index

- peccaries 248
  - diet 249
  - digestive system adaptations 248, 251–2
  - forest floor feeding 252
  - palm fruit consumption 251
  - pre-gastric fermentation 248, 251–2
  - seed cracking adaptations 251
  - seed predation 249
- perennials 148–9
- Peromyscus maniculatus* (deer mouse) 387
- phloem translocation 177–8
- phosphorus 471–2
  - deficiency in grass 335–6
  - forage concentration 330–2, 331
- Picea* (spruce) 299–300
- Pinus sylvestris* (Scots pine) 458
  - deer browsing on seedlings 458
  - generation gap 458
  - keystone species 458
  - regeneration 17, 190, 459
  - sapling establishment 459
- plant(s) 107
  - abundance
    - with grazing pressure 158, 161–2
    - relative 146–7
  - annual species 148–9
    - nurse plants 155
  - Arctic 64
  - assemblages 111–12
  - assimilates 103
  - avoidance of large herbivore impacts 104–11
  - below-ground processes 103–4
  - biomass 393–8
    - per bite 329
  - C<sub>3</sub>/C<sub>4</sub> 26
  - canopy changes 474
  - chemical avoidance 105–8
  - chemical change induction 393
  - chemical defences
    - constitutive 105–7
    - induced 107–8
  - coexistence 115–16
  - colonization 114–15
  - compensation 110–11
  - compensatory regrowth 296
  - competitive abilities 63
  - competitive interactions 112–14
  - consumption by herbivores 474
  - damage 315
  - death 98
  - decreasers 157
  - defences 5, 106
    - chemical 105–7, 109
    - costs 106
    - grazed wood-pastures 209–10, 218
    - trees 173–4
  - defoliation interval 101–2
  - density 145–6
  - dormancy 100–1
  - evapotranspiration 474
  - extinction 114–15
  - fitness 101, 106
  - flowering 102–3
  - functional types 150–63
  - genetic diversity 118–19
  - growth
    - herbivore impact 99–102
      - polar areas 50–1
      - rate increase 296–7, 335
    - growth-form response to grazing 159
  - height 6
  - increasers–decreasers 157–8
  - increasers 157
    - moderate grazing 157–8
  - individual 98–9
  - interactions 362–4
  - life cycle 452–3
  - litter
    - chemistry 474
    - decomposability 363
  - moisture availability 27–8
  - morphological change induction 393
  - nitrogen content 272–3
    - critical value 304–5, 306, 307–8
  - nutrient content 470
  - over-compensation 110–11
  - palatability 107
  - phenological state 452–3
  - phenology 355–8
  - physical avoidance of herbivores 104–5
  - physiological responses to herbivores 472–3
  - processes
    - modelling 358
    - urine patches 341–2
  - production 24
    - determinants 85–6
    - herbivory level 353–4

Cambridge University Press

0521536871 - Large Herbivore Ecology, Ecosystem Dynamics and Conservation

Edited by Kjell Danell, Patrick Duncan, Roger Bergstrom and John Pastor

Index

[More information](#)

Index | 497

- productivity 1
  - biomass-based models 351–2
  - potential 310
  - reduction 149–50
- prostrate 158–9, 160
- quality 24
- recruitment 114–15
- reproductive organs 386
- reserve storage 108–9
- resistance to herbivores 105
- responses
  - to grazing 17, 472–3
  - to herbivory 474
  - to large herbivore impacts 104–11
  - plasticity 473
- rosette 158–9, 160
- small 158–9
- spatial heterogeneity 120–4
  - increase by herbivores 124
  - scale-dependence 120–1
- species
  - mortality 149–50
  - relative abundance 146–7
  - richness with grazing 146–7
  - selection by herbivores 116–17
- specific leaf area 161–2
- tall 158–9, 160
- tissue chemistry 11, 17
- tissue damage 99–100, 100–1
- tolerance 5, 108–10
  - definition 108
  - grazing 113
  - morphological features 108
- traits/trait relationships 119, 363
  - grazing response 161–2
  - trade-offs 113, 114
- ungrazed 113
- see also* browsers/browsing; defoliation; forage; fruits; grazers/grazing; leaves; seeds; shoots; spinescence; thorns; vegetation
- plant communities 111–12
  - adaptive responses 473
  - long-term 472–3
  - Caledonian forest 458
  - changes 474–6
  - competitive balance 277–8
  - competitive relationships 274–5
  - composition
    - changes 474
    - grazing 145–6, 277
    - nitrogen cycling 300–1, 308–9
    - structural 119
    - successional effects 277, 300
    - trampling 268–9
- diversity 5, 111–27, 114–19
  - abiotic factors 117–18
  - arid ecosystems 6
  - grazing refuges 118
  - herbivore interactions 116–17
  - nutrient-poor sites 118
  - structural 119, 393
- dynamics 4–5
- herbivore impact response 4–5
- heterogeneity 335–40, 393
  - herbivore response 335–8
  - large herbivore effects 338–40
- nitrogen addition 274–5
- nutrient uptake rates 474
- past events 125
- population dynamics 475–6
- relative abundance 157
- species loss 243
- structure 4–5, 97–8, 111–27
- sunlight penetration 474
- temporal dynamics 124–7
- trampling 268–9
- woody 268–9
- plant functional types (PFTs) 362–3
  - differentiation 363–4
  - identification 363
- plant secondary metabolites (PSMs)
  - 105–7, 474
  - browsing deterrence 278
  - counter-adaptations 107
  - defences 106
  - diet choice 174
  - flammability 278
  - volatile 277
- plant vigour hypothesis 109–10
- plant–herbivore interactions 472
- Pleistocene extinctions, human influence
  - 26–7
- polar areas 50–1
  - ice crust formation 59
  - seasonality 51
  - solar radiation 50
  - see also* Arctic area
- political relations 316–17
- pollen
  - analysis of primaeval vegetation 205
  - arboreal 216–17
  - non-arboreal 216–17, 219
- pollen diagrams 216–17

Cambridge University Press

0521536871 - Large Herbivore Ecology, Ecosystem Dynamics and Conservation

Edited by Kjell Danell, Patrick Duncan, Roger Bergstrom and John Pastor

Index

[More information](#)

498 | Index

- pollination failure with browsing 185–6
- polygyny 37–8
  - body size 39
- population dynamics 2–3, 71
  - bottom-up processes 413–14
  - climatic variability 55–7
    - synchronization 61
  - cycles 315
  - density
    - carrying capacity relationship 426–7
    - large carnivore impact 439–40
    - predator-free environments 430
    - Serengeti 308–9
  - destabilizing influences 89
  - diet selection 84–9
  - fluctuations 55, 56
  - high level of herbivores 315
  - landscape patterns 348–9
  - mechanistic simulation 82–3
  - muskox 57–61, 59, 60
    - culling 60
  - numerical response 82
  - oscillations 149–50, 150
    - conservation reserve size 315–16
  - plant community changes 475–6
  - predation influence 413–14
  - predator-free environments 430
  - regulation 421
  - reindeer 57–61, 58
  - resource coupling 86
  - resource heterogeneity 84–9
  - short-term fluctuations 190
  - simulation modelling 349–51
  - Soay sheep 91–2
  - stabilizing influences 89
  - stability 54
  - top-down processes 413–14
  - variability 90–1, 91
  - woodland cover changes 188–9
- predation
  - behavioural responses 359–60
  - effects 419
  - food models 419–20
  - herbivore dynamics 413–14
  - model 419–20, 420–4
  - moose 107, 428–9
  - offspring loss to predators 433
  - pressure 41
  - risk with foraging 432
- predation–food model 426–31
- predator pits 15, 426–31
- predator–large herbivore interactions 359–60
- predator–prey interactions 418–20
  - behavioural aspects 431–4
  - community effects 434–7
  - facultative diet selection 431
  - interference 430
  - prey defence 431
  - sigmoid functional response 430–1
  - stability 429–31
  - switching behaviour 431
  - territoriality 430–1
  - two-predator/single-prey 424
  - Yellowstone National Park 435–6
- predators
  - avoidance 120
  - behaviour change 433–4
  - large herbivores as 385
  - mesopredators 437
  - mobile ground-dwelling 398
  - recognition capabilities of large herbivores 433
  - scanning for 82
- pre-gastric fermentation 248
- prey
  - access to 438
  - alternative 424–5
  - defence 432
    - predator–prey interactions 431
  - density with wolf predation 424
  - handling 72
  - localized extinction 424–5, 433
  - migration 431–2
  - naïve 432–3, 439–40
  - overabundance 438
  - population increase limitation 418–19
  - searching 72
- primaeval natural vegetation 218, 219
- production
  - consumption relationship 334
  - plants 24
  - primary 19–20
    - above-ground 306–7
    - modelling 358
  - plant community composition
    - shift 300
  - reindeer grazing 61–3
  - species diversity 24–5
  - variability 86–7
- secondary 19–20

Cambridge University Press

0521536871 - Large Herbivore Ecology, Ecosystem Dynamics and Conservation

Edited by Kjell Danell, Patrick Duncan, Roger Bergstrom and John Pastor

Index

[More information](#)

Index | 499

- productivity 1
  - browsing 474
  - grazing 474
  - plants 1
    - biomass-based models 351–2
    - potential 310
    - reduction 149–50
  - primary of planet 26
  - rates 474
  - Serengeti grazing ecosystem 297
  - spatial patterns 291–2
- pronghorn migration 328–9
- Prosopis glandulosa* (honey mesquite) 151–2
- protection increaser plants 158–9
- pruning, regrowth 99–100
- public relations 316–17
  
- Quercus* (oak) 179
- Quercus alba* (white oak) 221
- Quercus petraea* (sessile oak) 205
- Quercus robur* (pedunculate oak) 205
  
- rabbits 212–13
- radiations 25
- rainfall
  - biomass in arid regions 156
  - frequency 153–4
  - gradient 148
  - herbivore abundance relationship 82–3
  - variation 142
  - winter 154–62
- rangelands
  - arid 160–1
  - degraded 455–8
  - North Australia 456
  - productivity 457
  - systems 456–7
  - water retention 457
  - winter rainfall 154–62
- Rangifer tarandus* (reindeer) 51
- raphides 147–8
- recruitment of plants 114–15
- refugia
  - geologic 118
  - protective 432
- regional heterogeneity 328–33
- ungulate effects 330–3
- reindeer 51
  - birth 51–2
    - timing 53–4
  - body weight 53
    - breeding strategy 54–5
    - food preference variations 62–3
    - grazing impact 61–3
      - invertebrates 402
    - growth rate 51–2
    - habitat use 52
    - insect-related stress 64–5
    - migration 302, 431–2
      - patterns 64–5
    - nutrient cycling in tundra 301–2
    - population dynamics 57–61, 58
    - summer range 302
    - Svalbard 58, 61
    - trampling of shrubs/mosses 302
    - winter range 302
- reintroductions *see* introductions
- repellents 107
- reproductive performance 41–2
- resins 177–8, 278, 278
- resistance, associational 112–13
- resources
  - abundance 2–3
  - animal abundance prediction 86
  - availability 63
  - buffer 90
  - coupling with population
    - dynamics 86
  - distribution 120, 474
  - heterogeneity 84–9
  - large herbivores as 385
  - limitation 84, 413–14
  - management 461–3
  - non-equilibrium 87–9
  - prime 90
  - reserve 90
  - seasonal use 86–7
  - types 90
- resting areas 120
- rhizosphere 340
- rinderpest epidemics 188–9
- ring-barking 178–9
- rock outcrops 118
- rodents 241–2
  - assemblages 389
  - population density index 387
  - species richness 387
  - temperate grassland 387
- rooting niche separation 152
- roots
  - distribution 152
  - eating by elephants 171–2

Cambridge University Press

0521536871 - Large Herbivore Ecology, Ecosystem Dynamics and Conservation

Edited by Kjell Danell, Patrick Duncan, Roger Bergstrom and John Pastor

Index

[More information](#)

500 | Index

- rosette plants 158–9, 160
- ruminants 234–5, 248, 292
  - boreal forests 297–301
  - carbohydrate digestion 296
  - fermentation of cellulose/lignin 293–4
  - indigenous to Europe 216
  - seed predation 249
- run-off patterns 268
- Russian Far East 416–18
- Sahel rangelands, sheep trampling 267
- saliva, plant effects 98–9
- saplings
  - browsing response 102
  - Caledonian forest 460
  - density with carnivore absence 434
  - forest gap models 352–3
  - layer 390
  - recruitment 428
  - Scots pine 459
- Sarcopoterium spinosum* (perennial shrub) 155
- savanna
  - Acacia* 242–3
    - mortality 243
  - arid 6
  - disturbance 24, 152–3
  - fire 275–7
  - frugivores 239
  - grazing 16
  - herbivore biomass 235–8
  - instability 7
  - Northern Australia 455–7
  - semi-arid 6
    - degraded 449–50
  - tree canopy browsing 277
  - ungulates 19–20
    - body size 31
- SAVANNA model 13
  - competition 362–3
  - cultural features 364
  - differential patch selection 361
  - grazing interaction with fire 365
  - intake rate 373
  - integrated 353–4, 354–5
  - landscape patterns 374
  - land-use changes 364
  - nutrients
    - cycling 367
    - redistribution 367
  - predation 360
    - real-world data 374
    - structure 354
  - scaling, allometric 469–70
  - scaling diagram, space-time 369–70
  - scatterhoarding 242
  - seasonal grazing systems 56–7
  - seasonality 50
    - bark stripping 177
    - body weight 54–5
    - browsing 355–8
    - congregations of deer 190–1
    - extreme 3
    - grazing impact 61–3
    - juvenile mortality 41
    - life history tactics 51–2
    - polar areas 51
  - sediment run-off 456
    - reduction 457
  - seed banks, establishment by
    - shade-tolerant trees 207–8
  - seed defences, overcoming by frugivores 233, 235
  - seed dispersal
    - Acacia* in Negev desert 242–7
    - animal 248
    - extreme habitats 242–53
    - frugivores 241
    - fruits 248
    - mechanisms 241
    - vectors 367–8
  - seed predation
    - brocket deer 249
    - mechanisms 237
      - evolution 241–2
    - tropical forest ungulates 240, 248
  - peccaries 249
  - resource scarcity 242
  - ruminants 249
  - seed dispersal 241
  - seed protection strategies 252
- seedlings
  - browsed 299
  - density 181
    - carnivore absence 434
  - establishment 99
  - forest gap models 352–3
  - survival 155, 209
  - trampling 99
  - see also* tree(s), seedlings

Cambridge University Press

0521536871 - Large Herbivore Ecology, Ecosystem Dynamics and Conservation

Edited by Kjell Danell, Patrick Duncan, Roger Bergstrom and John Pastor

Index

[More information](#)

Index | 501

- seeds
  - abundance 387–9
  - cache exploitation 242
  - complex digestive system evolution 233
  - consumption 172–3, 179, 474–5
  - dispersal 4, 7, 102–3, 179, 474–5
    - Acacia* 9
    - modelling 368
    - seed predation 241
    - shrubs 183–4
  - DNA content 474–5
  - dry weight proportion of fruit
    - 248–9
  - edible 171–2
  - hardness 252
  - nutrient content 248–9
  - predation adaptations 8, 235–8
  - production 102–3
    - reduced 392
  - protection mechanisms 241, 252
  - redistribution 190–1
  - toxins 241, 252
  - tree 171–2
- selectivity of large herbivores 119
- semi-arid grazing systems
  - Australia 162–3
  - key resource areas 85
  - spatial variation 84–5
  - temporal heterogeneity 85
  - trampling 265–6
  - water 120
- Serengeti grazing ecosystem
  - food quality 295
  - migration 293, 315, 329, 431–2
  - nitrogen cycling 297, 366
  - nutrient cycles 293–7
  - productivity 297
  - volcanic ash sub-soils 297
- sexual dimorphism
  - body size 35–7
  - body weight 39
  - occurrence 38–9
- shade intolerance 299–300
- sheep
  - bighorn 425
  - heavy grazing 123, 458
  - population dynamics 61
  - population fluctuations 55
  - predation 385
  - Soay
    - density dependence 54
    - population dynamics 91–2
  - trampling 123
    - sandy soils 267
- shelter areas 120
- shifting mosaics 125–7
  - spatial 214
- shoots
  - browsing 171–2, 173, 175–6
  - coppice 176, 190
  - growth after damage 175
  - nitrogen concentration 295–6
  - production and grazing intensity 341
  - winter 173–4
- shrub encroachment *see* bush encroachment
- shrublands
  - Australian 162–3
  - fire regimes 277–8
- shrubs
  - establishment 183–4
  - light-demanding 204–5, 210
  - nurse 362
  - perennial 155
  - seed dispersal 183–4
  - spiny 155, 209–10
    - browsing by herbivores 210
  - trampling by reindeer 302
  - see also* tree(s)
- sigmoidal functional response 423–4
- simulation modelling 16
- Sitta europaea* (nuthatch) 212
- small animals
  - indirect large herbivore
    - effects 386
  - large herbivore impacts 383
    - ingestion 385
    - methodology 384
  - small herbivores 14, 238
- social behaviour, female 38
- social structures 313–14
- soil
  - albedo 144–5
  - biota composition 275
  - compaction 387–9
  - dung addition 296
  - fertility 27–8, 214
  - fine-scale variability 340
  - herbivore influence on processes in
    - rhizosphere 340
  - hydrology 266–8, 267
  - infiltration of water 456
  - large herbivore impact on
    - processes 340

Cambridge University Press

0521536871 - Large Herbivore Ecology, Ecosystem Dynamics and Conservation

Edited by Kjell Danell, Patrick Duncan, Roger Bergstrom and John Pastor

Index

[More information](#)

502 | Index

- soil (*cont.*)  
 macro-invertebrates 457  
 microbial activity 306–7, 453  
 micro-fauna 403  
 mineralization 296  
 moisture 268  
   competition for 351–2  
 moisture-holding capacity 457  
 nitrogen  
   availability 296, 311  
   density 309  
   mineralization rate 291, 302  
 nutrients  
   availability 185  
   dynamics 269  
   enhancement 291  
   redistribution 190–1  
   status 109–10  
 run-off 456  
   patterns 268  
 sandy 267  
 spatial structure of  
   processes 340  
 trampling 266–8, 267  
   impact on hydrology 266–7  
 urine patches 341–2  
 wallows 270  
 solar radiation, polar areas 50  
 Spalinger-Hobbs model *see* functional response models  
 spatial heterogeneity 120–4, 327–8  
   biotic interactions 261–2  
   disturbance 261–2  
   increase by herbivores 124  
   patterns 477  
   modelling 368  
   scale-dependence 120–1  
   stocking rate 143  
   structure change 339–40  
   urine patches 341–2  
   processes outside 339  
   wallows 270  
 spatial mosaic 211  
   shifting 214  
 spatial scales 384  
 species diversity 1  
   latitudinal gradient 24  
   longitudinal gradient 24  
   primary production 24–5  
 species richness 19–20  
 species-area relationship 1  
 specific leaf area (SLA) 161–2  
 spiders, habitat requirements 453–4  
 spinescence 75–6, 104  
   grazing increasers 158–9  
   shrub encroachment 155  
   *see also* thorns  
 spruce, unbrowsed 299–300  
 state-and-transition models 161  
 steppe, grass-dominated 218  
 stocking density 143  
   herbivory impact 148  
   reduction 457  
 sub-soil, volcanic ash 297  
 succession 7  
   cycle 7  
   ecosystem effects of large herbivores 384  
   modelling 371  
   moose effects 386  
   processes 125–7  
   retrogressive 213  
   shifting mosaics 125–7  
   vegetation community level 452–3  
   woody plant community composition 277  
 suckers, browsed 299  
 survival, juvenile 41  
*Sus scrofa* (wild boar) 385  
 susceptibility, associational 112–13  
 swallowing rate 72–3  
 switching behaviour 431  
 tannin binding proteins, salivary 107  
 tannins 174  
 tapirs 248  
   diet 249, 252–3  
   frugivory 252–3  
 tarpan 203, 204  
   primaeval vegetation 205  
   wood-pasture grazing 214–15, 217–18  
*Taurotragus oryx* (eland) 329  
 taxonomic diversity 22–5  
 temporal dynamics 124–7  
 temporal scales 384  
 termites 267  
 terpenes 174  
 territoriality, predator-prey interactions 430–1  
 thorns 75–6, 104  
   avoidance by cattle 173–4  
   browser feeding 173–4



Cambridge University Press

0521536871 - Large Herbivore Ecology, Ecosystem Dynamics and Conservation

Edited by Kjell Danell, Patrick Duncan, Roger Bergstrom and John Pastor

Index

[More information](#)

Index | 503

- nurse plant species 185
- protection from 190
- seedling protection 184, 186
- wood-pasture species protection 209–10
- see also* spinescence
- time scales 125
- tissue chemistry 11, 17
- tolerance, plants 5, 108–10
  - definition 108
  - grazing 113
  - morphological features 108
- top-down processes 413–14, 414–15
  - absence 434
  - heterogeneity 415–16
  - human domination 440
  - operation on communities 415
  - population dynamics 475–6
- topography 120
- toxins 107
  - conifers 174
  - seeds 241
- trails
  - evolutionary changes 312
  - trampling 265–6
- traits 119
  - behavioural 20–1
  - carbon allocation 355–8
  - nutrient allocation 355–8
  - relationships 363
    - grazing response 161–2
  - trade-offs 113, 114
- trampling 9–10, 264–70
  - area 265
    - calculation 264
  - arid ecosystems 265–6, 267
  - body mass scaling 266
  - concentrating effects 265–6
  - forage damage 265–6
  - grazed ecosystems 268–9
  - hydrology 266–8
  - individual plant effects 98–9
  - local amplification of effect 265–6
  - patch-use 269–70
  - plant tolerance 109
  - rate estimation 264
  - regrazing 269–70
  - reindeer on shrubs/mosses 302
  - seedlings 99, 368
  - sheep 123, 267
  - soil
    - hydrology impact 266–7, 267
    - moisture 268
  - spatial heterogeneity 122–4
  - trees 171–2
  - wallows 270
- tree(s)
  - asexual reproduction 176
  - biomass 156
  - breaking 171–2
  - browsing/browsing impact 173, 188
    - canopy 277
    - compensatory regrowth 298–9
    - defence increases 174
    - growth 175–9
    - height 173
    - resistance 174
    - survival 175–9
  - damage
    - areas 190–1
    - repetition 175–6
    - severity 175–6
  - deer exclusion 189
  - digestibility 175–6
  - fire
    - crown level 277–8
    - risk 178
  - fungal infections 178
  - germination 153–4
    - grassland 183–4
  - grove formation 212–13
  - growth
    - bark loss 178
    - browsing effects 175–9
  - light-demanding 204–5, 210
  - organizational levels 125
  - palatability 174, 363
  - plant defences 173–4
  - protection 7
  - recruitment 6–8, 151–2
  - regeneration 7, 190
    - browser effects 179–80
    - canopy openings 180
    - indirect effects of herbivores 183–5
    - prevention within groves 213
    - rates 190
    - seed consumption 172–3
    - seed supply 180
    - seedling density 180
    - soil nutrient availability 185
  - root consumption 171–2
  - seedlings
    - abundance 179–80
    - browsing survival 180

Cambridge University Press

0521536871 - Large Herbivore Ecology, Ecosystem Dynamics and Conservation

Edited by Kjell Danell, Patrick Duncan, Roger Bergstrom and John Pastor

Index

[More information](#)

504 | Index

- tree(s) (*cont.*)
- competition with grasses 183
  - density 180
  - establishment in grasslands 183–4
  - grazing impact 183–4
  - growth suppression 190
  - protection 186
  - seeds
    - consumption 172–3, 179
    - dispersal 179
    - edible 171–2
    - supply 180
  - shade-tolerant 205, 206
    - distribution in forest reserves 206
    - persistence in reduced daylight 207
    - seed bank establishment 207–8
  - species
    - composition changes 185–8
    - distribution 207
    - diversity 186, 187–8
    - recruitment failure 185–6
    - relative abundance 188
  - sub-tropical 179
  - survival
    - bark loss 178
    - browsing impact 175–9
  - temperate 179
  - trampling 171–2
  - tropical 179
  - wounds 177–8
    - breaks 178
  - see also* bark stripping; canopy; groves; shrubs
  - tree–grass coexistence 6, 151–2, 152–3
    - two-layer hypothesis 151
  - trophic cascades 415, 440–1
  - tropics
    - frugivory 234–9
    - herbivore biomass of forests 235–8
    - see also* forests, tropical
  - tundra
    - Fennoscandia 301–2
    - moss-dominated 218
  - tusks, tree damage 171–2
  - tussocks, grazing indicators 163
  - two-layer competition
    - hypothesis 154
  - ungulates
    - abundance 19–20
- Acacia*
- bruchid beetle interactions 9
    - seed pod foraging 244
  - Amazonian 253–4
  - body size 28, 29, 30, 241–2
    - distribution in biomes 31
    - feeding types 34
    - habitat types 32
  - body weight distribution 27
  - browsing 277
  - complex digestive system 235–8
  - consumption 333
  - diversity 19–20
  - fire impact of grazing 275–6
  - foraging on burned areas 276–7
  - frugivory 248–53
  - grasslands
    - adaptations 326
    - decisions in 12
    - East Africa 275–6
    - formation 213–14
    - heterogeneity 328
  - group size 36
  - habitat type 36
  - heterogeneous habitat
    - response 327
  - introduction effects on trees 174
  - juvenile survival 41
  - litter size 41–2
  - migration 328–9
  - nitrogen movement 12
  - offspring 40
  - palaeohistory 25–6
  - populations 1–2
    - East Africa 275–6
  - savanna 19–20
  - Scandinavian population 438
  - seed predation 235–8
  - taxonomy 22–4
  - urea excretion 296, 306–7
  - urine
    - addition to soils 270–5
    - competitive relationships in vegetation 274–5
    - excess nutrients 471
    - grassland area influenced by 339
    - nitrogen 11, 271, 274–5, 471
    - excretion 304–5
    - movement 12
    - nutrient effects 453
    - patches 10, 12, 274–5

Cambridge University Press

0521536871 - Large Herbivore Ecology, Ecosystem Dynamics and Conservation

Edited by Kjell Danell, Patrick Duncan, Roger Bergstrom and John Pastor

Index

[More information](#)

Index | 505

- grazing intensity 338
- nitrogen 338
- spatial heterogeneity 341–2
- plant effects 98–9
- resources for other animals 385
- soil nutrient enhancement 291
- van Oene model 367
  - intake rate 373
  - nutrient redistribution 367
- vegetation
  - arctic 387–9
  - biomass 387–9
  - bird habitat structure 392
  - buffer 90
  - changes 126
    - ground-nesting birds 390
  - community level 452–3
  - competitive relationships 274–5
  - composition 387–9
  - contracted 142
  - cover
    - increase 456–7
    - water retention 457
    - wild ass exclusion 146–7
  - cyclic turnover 214
  - density 144–5
    - climatic variability 144–5
  - destruction with climate change 64–5
  - digestibility 91
  - dynamics 351–3
  - gradual change 26–7
  - grazing impact 456
  - ground in Caledonian forest 459
  - high-nutrient 329
  - interaction modelling 13–14
    - long-term 13
  - invertebrate species richness 402
  - landscape-level influences
    - 364–5
  - oscillations 149–50
  - physiognomy 21
  - primaeval 205, 219
    - natural 218, 219
  - processes 369
  - reserve 90
  - response to grazing models 161
  - structure 389
  - traps for litter 457
  - wallows 270
  - water points 148
- vegetation–large herbivore interactions
  - 348–9
- vigilance 432
  - costs 82
  - wolf presence 435–6
- volatile oils 278
- voles
  - Arctic vegetation 387–9
  - Yellowstone National Park 303, 308–9
- wallowing 270
- wallows 270
  - distribution 270
  - spatial heterogeneity 270
- water 120
  - access for drinking 84–5
  - herbivore feedback 316–17
  - infiltration 456
  - plant uptake 152
  - quality 455
  - retention on rangelands 457
  - run-off 456
- water buffalo, African 329
- water points
  - trampling 265–6
  - vegetation 148
- weather
  - muskox population dynamics 60
  - see also* climate variability
- wetlands, grazing 392
- wildebeest 293
  - digestive physiology 293–4
  - forage quality 295
  - foraging strategy 293–4, 295
  - migration 329, 431–2
  - population crash 434–5
  - resident 431–2
- wilderness, charters regulating 215–16
- wildfire suppression 220
- wolf–elk–aspen trophic systems 359–60
- wolf–moose interactions 422
- wolves
  - abundance 428
  - extinction 436
  - moose interaction 428
  - predation 424
    - alternative prey 424–5
    - cervid population 426–7
    - moose 421, 422, 427
    - rate 423
  - reintroduction 435

Cambridge University Press

0521536871 - Large Herbivore Ecology, Ecosystem Dynamics and Conservation

Edited by Kjell Danell, Patrick Duncan, Roger Bergstrom and John Pastor

Index

[More information](#)

506 | Index

- woodland
  - cover change with herbivore population
    - crash 188–9
  - fluctuations in herbivore
    - numbers 190
  - grasses 183
  - grazing 188–9
  - herbivore diet 172
  - maintenance 190
  - restoration 449–50
  - stock grazing 184
  - ungulate body size 31
  - see also* canopy; forests; tree(s)
- wood–pastures 8
  - cattle grazing 208, 217–18
  - diversity 217
  - forest reserve status 204–5, 219
  - grasses 213
  - hazel 204
    - regeneration 208–11
    - seedling establishment 209
  - herbivore–plant defence interplay 218
  - horse grazing 208, 217–18
  - livestock density 215
  - oak 204
    - regeneration 208–11
    - seedling establishment 209
  - primaeval natural vegetation 218, 219
  - processes 214
  - regeneration 217–18
  - stock grazing 184
  - temperate 204
  - tree regeneration prevention 213
- wood-to-grass ratio 21
- xylem 177–8
- Yellowstone National Park
  - above-ground production 333, 336
  - carnivore–herbivore interactions
    - 435–6
  - ecosystem process patchiness 342
  - elk–wolf–aspen interaction 435–6
  - faeces deposition spatial
    - pattern 335
  - forage 335–6
  - grassland 334, 333, 336
    - nutrient deficiencies 337
  - landscape heterogeneity 334
  - migrations 328–9
  - ungulate consumption 333
  - voles 303, 308–9
  - see also* elk
- zebra 293, 294
  - digestive physiology 293–4, 295
  - foraging strategy 293–4
  - migration 329
  - population crash 434–5
- zinc deficiency in grass 335–6