

Cambridge University Press
0521542189 - Analytic Pro- p Groups, Second Edition
J. D. Dixon, M. P. F. Du Sautoy, A. Mann and D. Segal
Frontmatter
[More information](#)

CAMBRIDGE STUDIES IN
ADVANCED MATHEMATICS 61

EDITORIAL BOARD
W. FULTON, T. TOM DIECK, P. WALTERS

ANALYTIC PRO- p GROUPS

Cambridge University Press

0521542189 - Analytic Pro-p Groups, Second Edition

J. D. Dixon, M. P. F. Du Sautoy, A. Mann and D. Segal

Frontmatter

[More information](#)*Already published*

- 1 W.M.L. Holcombe *Algebraic automata theory*
- 2 K. Petersen *Ergodic theory*
- 3 P.T. Johnstone *Stone spaces*
- 4 W.H. Schikhof *Ultrametric calculus*
- 5 J.-P. Kahane *Some random series of functions, 2nd edition*
- 6 H. Cohn *Introduction to the construction of class fields*
- 7 J. Lambek & P.J. Scott *Introduction to higher-order categorical logic*
- 8 H. Matsumura *Commutative ring theory*
- 9 C.B. Thomas *Characteristic classes and the cohomology of finite groups*
- 10 M. Aschbacher *Finite group theory*
- 11 J.L. Alperin *Local representation theory*
- 12 P. Koosis *The logarithmic integral I*
- 13 A. Pietsch *Eigenvalues and s-numbers*
- 14 S.J. Patterson *An introduction to the theory of the Riemann zeta-function*
- 15 H.J. Baues *Algebraic homotopy*
- 16 V.S. Varadarajan *Introduction to harmonic analysis on semisimple Lie groups*
- 17 W. Dicks & M. Dunwoody *Groups acting on graphs*
- 18 L.J. Corwin & F.P. Greenleaf *Representations of nilpotent Lie groups and their applications*
- 19 R. Fritsch & R. Piccinini *Cellular structures in topology*
- 20 H. Klingen *Introductory lectures on Siegel modular forms*
- 21 P. Koosis *The logarithmic integral II*
- 22 M.J. Collins *Representations and characters of finite groups*
- 24 H. Kunita *Stochastic flows and stochastic differential equations*
- 25 P. Wojtaszczyk *Banach spaces for analysts*
- 26 J.E. Gilbert & M.A.M. Murray *Clifford algebras and Dirac operators in harmonic analysis*
- 27 A. Frohlich & M.J. Taylor *Algebraic number theory*
- 28 K. Goebel & W.A. Kirk *Topics in metric fixed point theory*
- 29 J.E. Humphreys *Reflection groups and Coxeter groups*
- 30 D.J. Benson *Representations and cohomology I*
- 31 D.J. Benson *Representations and cohomology II*
- 32 C. Allday & V. Puppe *Cohomological methods in transformation groups*
- 33 C. Soulé et al *Lectures on Arakelov geometry*
- 34 A. Ambrosetti & G. Prodi *A primer of nonlinear analysis*
- 35 J. Palis & F. Takens *Hyperbolicity, stability and chaos at homoclinic bifurcations*
- 37 Y. Meyer *Wavelets and operators I*
- 38 C. Weibel *An introduction to homological algebra*
- 39 W. Bruns & J. Herzog *Cohen-Macaulay rings*
- 40 V. Snaith *Explicit Brauer induction*
- 41 G. Laumon *Cohomology of Drinfeld modular varieties I*
- 42 E.B. Davies *Spectral theory and differential operators*
- 43 J. Diestel, H. Jarchow & A. Tonge *Absolutely summing operators*
- 44 P. Mattila *Geometry of sets and measures in euclidean spaces*
- 45 R. Pinsky *Positive harmonic functions and diffusion*
- 46 G. Tenenbaum *Introduction to analytic and probabilistic number theory*
- 47 C. Peskine *An algebraic introduction to complex projective geometry I*
- 48 Y. Meyer & R. Coifman *Wavelets and operators II*
- 49 R. Stanley *Enumerative combinatorics*
- 50 I. Porteous *Clifford algebras and the classical groups*
- 51 M. Audin *Spinning tops*
- 52 V. Jurdjevic *Geometric control theory*
- 53 H. Voelklein *Groups as Galois groups*
- 54 J. Le Potier *Lectures on vector bundles*
- 55 D. Bump *Automorphic forms*
- 56 G. Laumon *Cohomology of Drinfeld modular varieties II*
- 57 D.M. Clarke & B.A. Davey *Natural dualities for the working algebraist*
- 60 M. Brodmann & R. Sharp *Local cohomology*

Cambridge University Press
0521542189 - Analytic Pro- p Groups, Second Edition
J. D. Dixon, M. P. F. Du Sautoy, A. Mann and D. Segal
Frontmatter
[More information](#)

J.D. Dixon

*Carleton University,
Ottawa*

M.P.F. du Sautoy

University of Cambridge

A. Mann

*Hebrew University,
Jerusalem*

D. Segal

*All Souls College
Oxford*

Analytic Pro- p groups

Second Edition

Revised and enlarged by

Marcus du Sautoy & Dan Segal



Cambridge University Press
0521542189 - Analytic Pro-p Groups, Second Edition
J. D. Dixon, M. P. F. Du Sautoy, A. Mann and D. Segal
Frontmatter
[More information](#)

PUBLISHED BY THE PRESS SYNDICATE OF THE UNIVERSITY OF CAMBRIDGE
The Pitt Building, Trumpington Street, Cambridge, United Kingdom

CAMBRIDGE UNIVERSITY PRESS

The Edinburgh Building, Cambridge CB2 2RU, UK
40 West 20th Street, New York NY 10011-4211, USA
477 Williamstown Road, Port Melbourne, VIC 3207, Australia
Ruiz de Alarcón 13, 28014 Madrid, Spain
Dock House, The Waterfront, Cape Town 8001, South Africa

<http://www.cambridge.org>

© Cambridge University Press 1991, 1999

This book is in copyright. Subject to statutory exception
and to the provisions of relevant collective licensing agreements,
no reproduction of any part may take place without
the written permission of Cambridge University Press.

First published 1991
Second edition 1999
First paperback edition 2003

A catalogue record for this book is available from the British Library

ISBN 0 521 65011 9 hardback
ISBN 0 521 54218 9 paperback

Transferred to digital printing 2003

Contents

Preface	<i>page</i>	ix
Introduction		x
Notation		xvi
Prelude A reminder		1
0.1 Commutators		1
0.2 Nilpotent groups		2
0.3 Stability group theory		4
0.4 Unipotent groups		5
0.5 Frattini subgroup		5
0.6 Group algebras		6
0.7 Topology		7
0.8 Lie algebras		9
0.9 p -adic numbers		10
Part I: Pro-p groups		13
1 Profinite groups and pro-p groups		15
1.1 Profinite groups		15
1.2 Pro- p groups		22
1.3 Procyclic groups		29
Exercises		31
2 Powerful p-groups		37
Exercises		45
3 Pro-p groups of finite rank		48
3.1 Powerful pro- p groups		48
3.2 Pro- p groups of finite rank		51
3.3 Characterisations of finite rank		52
Exercises		58

vi	<i>Contents</i>	
4	Uniformly powerful groups	61
4.1	Uniform groups	61
4.2	Multiplicative structure	64
4.3	Additive structure	65
4.4	On the structure of powerful pro- p groups	70
4.5	The Lie algebra	75
4.6	Generators and relations	78
	Exercises	83
5	Automorphism groups	87
5.1	The group $GL_d(\mathbb{Z}_p)$	87
5.2	The automorphism group of a profinite group	89
5.3	Automorphism groups of pro- p groups	91
5.4	Finite extensions	92
	Exercises	96
	Interlude A ‘Fascicule de résultats’: pro- p groups of finite rank	97
	Part II: Analytic groups	99
6	Normed algebras	101
6.1	Normed rings	101
6.2	Sequences and series	104
6.3	Strictly analytic functions	108
6.4	Commuting indeterminates	117
6.5	The Campbell–Hausdorff formula	122
6.6	Power series over pro- p rings	129
	Exercises	134
7	The group algebra	138
7.1	The norm	138
7.2	The Lie algebra	148
7.3	Linear representations	153
7.4	The completed group algebra	155
	Exercises	166
	Interlude B Linearity criteria	171
8	p-adic analytic groups	178
8.1	p -adic analytic manifolds	178
8.2	p -adic analytic groups	185
8.3	Uniform pro- p groups	189
8.4	Standard groups	193
	Exercises	203

Contents

vii

Interlude C Finitely generated groups, p -adic analytic groups and Poincaré series	206
9 Lie theory	213
9.1 Powers	213
9.2 Analytic structures	217
9.3 Subgroups, quotients, extensions	220
9.4 Powerful Lie algebras	221
9.5 Analytic groups and their Lie algebras	228
Exercises	235
Part III: Further topics	241
10 Pro-p groups of finite coclass	243
10.1 Coclass and rank	245
10.2 The case $p = 2$	248
10.3 The dimension	250
10.4 Solubility	256
10.5 Two theorems about Lie algebras	262
Exercises	267
11 Dimension subgroup methods	270
11.1 Modular dimension subgroups	270
11.2 Commutator identities	273
11.3 The main results	282
11.4 Index growth	285
Exercises	289
12 Some graded algebras	291
12.1 Restricted Lie algebras	292
12.2 Theorems of Jennings and Lazard	298
12.3 Poincaré series: ‘l’alternative des gocha’	306
Exercises	310
Interlude D The Golod–Shafarevich inequality	311
Interlude E Groups of sub-exponential growth	319
13 Analytic groups over pro-p rings	322
13.1 Analytic manifolds and analytic groups	322
13.2 Standard groups	330
13.3 The Lie algebra	339
13.4 The graded Lie algebra	343
13.5 R -perfect groups	344
13.6 On the concept of an analytic function	347
Exercises	350

Cambridge University Press
0521542189 - Analytic Pro-p Groups, Second Edition
J. D. Dixon, M. P. F. Du Sautoy, A. Mann and D. Segal
Frontmatter
[More information](#)

viii

Contents

<i>Appendix A</i>	The Hall–Petrescu formula	355
<i>Appendix B</i>	Topological groups	358
Bibliography		362
Index		366

Preface

This second edition of *Analytic pro- p groups* has been prepared by two of the authors, Marcus du Sautoy and Dan Segal. We thank Avinoam Mann for contributing Appendix A, and both him and John Dixon for giving us a free hand.

Apart from minor changes in wording and presentation, the book differs from the first edition in the following respects.

- Most of the content of the original Chapter 6 has been redistributed among the other chapters and the ‘Interludes’; as a result, the new Chapter n takes the place of the old Chapter $n + 1$ for $n = 6, 7, 8$ and 9 .
- Chapters 10–13 are new, as are §§5.4, 6.5, 6.6, 7.4 and Interludes A, B, D and E (Interlude B is based on material from the old §§6.1 and 6.2).
- Some of the old exercises have been incorporated into the main text; many new exercises have been added.
- The following sections have undergone major revision: §§3.3, 4.4, 4.5, 7.1, 7.2, 8.1, 9.4 and 9.5.
- The old §6.6 has been left out, as has most of the old §6.2.
- The bibliography has been updated and expanded.

We wish to thank several readers, and especially one reviewer, of the first edition, who pointed out a number of errors – typographical and mathematical. We are grateful to the American Mathematical Society for permission to reproduce Interlude C, which first appeared in the *Bulletin of the American Mathematical Society*.

Introduction

And the end of all our exploring
Will be to arrive where we started
And know the place for the first time
T.S. Eliot: Little Gidding

The origin of this book was a seminar held at All Souls College, Oxford, in the Spring of 1989. The aim of the seminar was to work through Michel Lazard's paper *Groupes analytiques p -adiques* [L], at least far enough to understand the proof of 'Lubotzky's linearity criterion' (Lubotzky 1988). In fact, Lubotzky's proof combined Lazard's characterisation of p -adic analytic groups with some recent results of Lubotzky and Mann (1987b) on 'powerful' pro- p groups. We found that by reversing the historical order of development, and starting with powerful pro- p groups, we could reconstruct most of the group-theoretic consequences of Lazard's theory without having to introduce any 'analytic' machinery. This was a comforting insight for us (as group theorists), and gave us the confidence to go on and develop what we hope is a fairly straightforward account of the theory of p -adic analytic groups.

The first edition was divided (like Gaul) into three parts. Parts I and II were essentially linear in structure. The point of view in Part I was group-theoretic; in Part II, more machinery was introduced, such as normed algebras and formal power series. Between Parts I and II was an *Interlude* (Chapter 6): this consisted of a series of more or less independent digressions, describing applications of the results to various aspects of group theory.

This second edition is also in three parts. Parts I and II cover the same ground as before, with some additional material; however, the old Chapter 6 has been replaced by several shorter *Interludes*, and a new Part III has appeared. Readers seeking a simple introduction to pro- p

Cambridge University Press

0521542189 - Analytic Pro- p Groups, Second Edition

J. D. Dixon, M. P. F. Du Sautoy, A. Mann and D. Segal

Frontmatter

[More information](#)*Introduction*

xi

groups and to p -adic analytic groups will still find this in Parts I and II; the four new chapters that constitute Part III deal with a variety of topics that we felt deserved a place, but which are not necessary for an understanding of the basic theory. The book as a whole now gives a fairly comprehensive account of what is known about pro- p groups on the ‘smallish’ side; ‘large’ pro- p groups – free products, groups of tree automorphisms and the like – are discussed in the forthcoming book [DSS].

We now outline the contents in more detail. *Part I* is an account of pro- p groups of finite rank. **Chapter 1** is a leisurely introduction to profinite groups and pro- p groups, starting from first principles. **Chapter 2** is about finite p -groups. A finite p -group G is defined to be *powerful* if G/G^p is abelian (if p is odd; the case $p = 2$ is slightly different). The key results established in this chapter are due to Lubotzky and Mann (1987a): (i) if G is powerful and can be generated by d elements, then every subgroup of G can be generated by d elements; and (ii) if G is a p -group and every subgroup of G can be generated by d elements, then G has a powerful normal subgroup of index at most $p^{d(\log(d)+2)}$ (log to the base 2). **Chapter 3** returns to profinite groups. Here the *rank* of a profinite group is defined, in several equivalent ways. Defining a pro- p group G to be powerful if $G/\overline{G^p}$ is abelian (where $\overline{\quad}$ denotes closure, and the proviso regarding $p = 2$ still applies), we deduce from the above results that a pro- p group has finite rank if and only if it has a powerful finitely generated subgroup of finite index (Lubotzky and Mann 1987b). This is then used to give several alternative characterisations for pro- p groups of finite rank. **Chapter 4** continues with the deeper investigation of finitely generated powerful pro- p groups. These groups, being ‘abelian modulo p ’, are in many ways rather like abelian groups. In particular, each such group contains a normal subgroup of finite index which is ‘uniform’; we shall not define this here, but note that the uniform pro- p groups are among those studied by Lazard under the name ‘groupes p -saturables’. Following an exercise in [L], we show that a uniform pro- p group G has in a natural way the structure of a finitely generated free \mathbb{Z}_p -module, which we denote $(G, +)$ (here \mathbb{Z}_p denotes the ring of p -adic integers). Defining an additional operation ‘bracket’ on this module, we also indicate how $(G, +)$ can be turned into a Lie algebra L_G over \mathbb{Z}_p : this is the first hint of a connection with Lie groups. It follows that the automorphism group of G has a faithful linear representation over \mathbb{Z}_p , and hence that G itself is ‘linear modulo its centre’. Part I concludes with **Chapter 5**. Here we study the most familiar p -adic analytic group,

Cambridge University Press

0521542189 - Analytic Pro- p Groups, Second Edition

J. D. Dixon, M. P. F. Du Sautoy, A. Mann and D. Segal

Frontmatter

[More information](#)

xii

Introduction

namely $\mathrm{GL}_d(\mathbb{Z}_p)$, and show quite explicitly that a suitable congruence subgroup is a uniform pro- p group. Together with the results of Chapter 4, this is used to show that *the automorphism group of any pro- p group of finite rank is itself virtually* (i.e. up to finite index) *a pro- p group of finite rank.*

Interlude A is a summary of results, established throughout the book, that characterise the class of pro- p groups of finite rank, and that determine the *dimension* of such a group.

Although *Part II* is headed ‘Analytic groups’, these do not appear as such until Chapter 8. **Chapter 6** is utilitarian, giving definitions and elementary results about complete normed \mathbb{Q}_p -algebras which are needed later; also established here are relevant properties of the *Campbell–Hausdorff formula*. **Chapter 7** forms the backbone of Part II. In it, we show how to define a norm on the group algebra $A = \mathbb{Q}_p[G]$ of a uniform pro- p group G , in a way that respects both the p -adic topology on \mathbb{Q}_p and the pro- p topology on G . (Readers familiar with Chapter 8 of the first edition will note that the construction of the norm has been streamlined, and that the troublesome case $p = 2$ has been tamed by modifying the norm in that case.) The completion \hat{A} of this algebra with respect to the norm serves two purposes. On the one hand, an argument using the binomial expansion of terms in \hat{A} is used to show that the group operations in G are given by *analytic functions* with respect to a natural co-ordinate system on G , previously introduced in Chapter 4. On the other hand, \hat{A} serves as the co-domain for the *logarithm* mapping $\log : G \rightarrow \hat{A}$. We show that the set $\log(G)$ is a \mathbb{Z}_p -Lie subalgebra of the commutation Lie algebra on \hat{A} , isomorphic via \log to the Lie algebra L_G defined intrinsically in Chapter 4 (in fact, the proof simultaneously establishes that L_G satisfies the Jacobi identity, and that $\log(G)$ is closed with respect to the operation of commutation). An appeal to *Ado’s Theorem*, in conjunction with the Campbell–Hausdorff formula, then shows that G has a faithful linear representation over \mathbb{Z}_p ; it follows that *every pro- p group of finite rank has a faithful linear representation over \mathbb{Z}_p .*

The final section of Chapter 7 examines the structure of the completed group algebras $\mathbb{Z}_p[[G]]$ and $\mathbb{F}_p[[G]]$: the associated graded rings are shown to be *polynomial rings over \mathbb{F}_p* , which implies that $\mathbb{Z}_p[[G]]$ and $\mathbb{F}_p[[G]]$ are both Noetherian integral domains. These results are not needed for the theory of analytic groups developed in the rest of Part II, but have other important applications (for example in Chapter 12, and in the cohomology theory of p -adic analytic groups, see [DSS]). Under

Cambridge University Press

0521542189 - Analytic Pro- p Groups, Second Edition

J. D. Dixon, M. P. F. Du Sautoy, A. Mann and D. Segal

Frontmatter

[More information](#)

Introduction

xiii

the name of the ‘Iwasawa algebra’, the completed algebra $\mathbb{Z}_p[[G]]$ plays an important role in the theory of cyclotomic fields (Washington 1982).

The linearity result proved in Chapter 7 is applied in **Interlude B** to establish ‘Lubotzky’s linearity criterion’. This amounts to the statement that *a finitely generated (abstract) group G has a faithful linear representation over a field of characteristic zero if and only if some pro- p completion of G has finite rank.*

p -adic analytic groups are defined in **Chapter 8**. Although we introduce p -adic manifolds, only a bare minimum of theory is developed (in contrast to Serre (1965), for example, there is no use of differentials). Using the results of Chapters 6 and 7, it is shown that *a pro- p group has a p -adic analytic structure if and only if it has finite rank*, and, more generally, that *every p -adic analytic group has an open subgroup which is a pro- p group of finite rank*. These major results are due to Lazard [L], except that he refers to finitely generated virtually powerful pro- p groups where we have ‘pro- p groups of finite rank’.

In **Interlude C** we reprint an announcement by Marcus du Sautoy, where the preceding theory is applied to study the subgroup-growth behaviour of finitely generated groups.

Chapter 9 is concerned with some of the ‘global’ properties of p -adic analytic groups. The first main result here is that *every continuous homomorphism between p -adic analytic groups is an analytic homomorphism*, from which it follows that *the analytic structure of a p -adic analytic group is determined by its topological group structure*. Next, it is shown that *closed subgroups, quotients and extensions of p -adic analytic groups are again p -adic analytic*; these results now follow quite easily from the corresponding properties of pro- p groups of finite rank. Section 9.4 (which can be read independently of Chapter 8) establishes that *the correspondence $G \leftrightarrow L_G$ is an isomorphism between the category of uniform pro- p groups and the category of ‘powerful’ Lie algebras over \mathbb{Z}_p* . This is used in the final section of the chapter to establish the equivalence of the category of p -adic analytic groups (modulo ‘local isomorphism’) with the category of finite-dimensional Lie algebras over \mathbb{Q}_p .

The first chapter of *Part III*, **Chapter 10**, gives an account of the theory of *pro- p groups of finite coclass* (completing the brief discussion given in §6.4 of the first edition). This beautiful theory is central to the classification of finite p -groups. The chapter can be read directly after Chapter 4, as it depends on the theory of powerful pro- p groups but not on the analytic machinery developed in Part II.

The next two chapters discuss the *dimension subgroup series* in finitely generated pro- p groups. In **Chapter 11** this series is used to derive some more delicate characterisations of pro- p groups of finite rank, originally discovered by Lazard using a different method. **Chapter 12** investigates the *graded restricted Lie algebra* associated with the dimension series; after developing from first principles the necessary theory of restricted Lie algebras, the chapter proves some celebrated theorems of Jennings and of Lazard, about dimension subgroups and about the coefficients in the ‘Golod–Shafarevich series’ of a finitely generated pro- p group.

The next two *Interludes* give applications of Lazard’s theorem on the Golod–Shafarevich series; **Interlude D** is devoted to the *Golod–Shafarevich inequality* in a large class of pro- p groups and abstract groups, while **Interlude E** presents Grigorchuk’s theorem about *groups of sub-exponential growth*.

In the Introduction to the first edition, we wrote ‘... Analytic groups over other fields also deserve consideration; a Lie group in the usual sense (over \mathbb{R} or \mathbb{C}) cannot be a pro- p group (except in the trivial, discrete, case), but some extremely interesting pro- p groups arise as analytic groups over fields of characteristic p : for example, suitable congruence subgroups in $\mathrm{SL}_n(\mathbb{F}_p[[t]])$. The theory of such groups poses some exciting challenges: they will have to be faced in a different book.’ **Chapter 13** is a first step in facing those challenges. A *pro- p domain* is a commutative, Noetherian complete local integral domain R whose residue field is finite, of characteristic p . We propose a definition for ‘groups analytic over R ’, and generalise one of the main results of Chapter 8 by showing that *every R -analytic group contains an open R -standard subgroup*; here, a group is called *R -standard* if it can be identified with $(\mathfrak{m}^k)^{(n)}$, where \mathfrak{m} is the maximal ideal of R , and the group operation is given by a formal group law with coefficients in R . By their very nature, R -standard groups are pro- p groups. In general they do not have finite rank, but they resemble \mathbb{Z}_p -standard groups (which do have finite rank) in interesting ways. These are explored in the later part of the chapter, which establishes some results due to Lubotzky and Shalev (1994).

Appendix A gives a proof of the *Hall–Petrescu* commutator-collection formula, which is used in Chapters 10 and 11. **Appendix B** contains the proofs of some elementary facts about topological groups, used in Chapter 9.

The *Exercises* at the end of each chapter serve two important purposes, beyond the usual one of providing practice in the use of new


concepts: some fill gaps in the proofs of the main text, and some lead the reader through the proofs of interesting and/or important results which didn't find a place in the main text, but deserve to be known. They are meant at least to be read, whether or not the reader actually wants to do them!

The brief *Notes* at the end of each chapter represent a very inadequate attempt to give credit where it is due. Because we have done things in our own quixotic way, it has not always been easy to attribute specific results.

To say that the language and much of the theory of profinite groups has passed into 'folklore' does an injustice to the creators; we apologise for this, giving the weak excuse that it's the best we can do. However, it does seem clear that Serre's 'Cohomologie galoisienne' (recently translated as Serre (1997)) was the first appearance in book form of much of the basic theory, particularly as far as pro- p groups are concerned.

The book as a whole should be seen as an exegesis, plus extended commentary, of the first four chapters of Lazard's magisterial work *Groupes analytiques p -adiques* [L]. (The fifth chapter of [L] deals with the cohomology of p -adic analytic groups; an adequate treatment of this important subject is beyond the scope of this book, and the competence of the present authors. For a recent account of some of Lazard's results the reader is referred to J. S. Wilson's book 'Profinite groups' (Wilson 1998); a fuller treatment is given in the chapter by Symonds and Weigel in [DSS].) Exactly which aspects of the theory of Lie groups over 'non-classical' local fields are due to Lazard, Serre or Bourbaki, respectively, we do not know; but the central topic of this book, namely how the group-theoretic properties of a pro- p group reflect its status as a p -adic analytic group, is entirely the brainchild of Lazard.

Dependence of chapters



Notation

\mathbb{C}	complex numbers
\mathbb{R}	real numbers
\mathbb{Q}	rational numbers
\mathbb{Z}	integers
\mathbb{N}	non-negative integers (<i>including</i> 0)
\mathbb{Z}_p	p -adic integers
\mathbb{Q}_p	p -adic numbers
\mathbb{F}_q	finite field of size q
$v(x) = v_p(x)$	p -adic valuation of x
$ x = x _p$	p -adic absolute value of x
$[x]$	greatest integer $\leq x$
$\lceil x \rceil$	least integer $\geq x$
$\lambda(r) = \lceil \log_2(r) \rceil$	so $2^{\lambda(r)-1} < r \leq 2^{\lambda(r)}$
GL_n	$n \times n$ general linear group
SL_n	$n \times n$ special linear group
U_n	$n \times n$ upper uni-triangular matrix group
M_n	$n \times n$ matrix ring
I_n	$n \times n$ identity matrix
\overline{X}	closure of X
\subseteq	subset
\subseteq_o, \subseteq_c	open subset, closed subset
\leq	subgroup
\leq_o, \leq_c	open subgroup, closed subgroup
$<$	proper subgroup
$<_o, <_c$	open proper subgroup, closed proper subgroup
\triangleleft	normal subgroup
$\triangleleft_o, \triangleleft_c$	open normal subgroup, closed normal subgroup
$\langle X \rangle$	group generated by X
$Z(G)$	centre of G
$\Phi(G)$	Frattini subgroup of G
$\mathrm{Aut}(G)$	automorphism group of G
$K[G]$	group ring of G over K
$\mathbb{Z}_p[[G]], \mathbb{F}_p[[G]]$	completed group algebras of G
$C_G(X)$	centraliser of X in G

Introduction

$A \times B$	direct product of A and B
$A \rtimes B$	semidirect product of A by B
$A^{(n)}$	n -fold direct power of A
$A \oplus B$	direct sum of A and B
A^n	direct sum of n copies of (additive group) A
$d(G)$	minimal number of generators of G
$d_p(G)$	minimal number of generators of $G/[G, G]G^p$
$\text{rk}(G)$	rank of G
$\dim(V)$	dimension of V

$$x^y = y^{-1}xy$$

$$[x, y] = x^{-1}x^y, \text{ or } -x + xy \text{ if } x \text{ is in a module acted on by } y$$

$$[x_1, \dots, x_n] = [[x_1, \dots, x_{n-1}], x_n]$$

$$[x, {}_n y] = [x, y, \dots, y], \text{ with } n \text{ occurrences of } y$$

$$[A, B] = \langle \{[x, y] \mid x \in A, y \in B\} \rangle$$

$$[A_1, \dots, A_n] = [[A_1, \dots, A_{n-1}], A_n]$$

$$[A, {}_n B] = [A, B, \dots, B], \text{ with } n \text{ occurrences of } B$$

$$X^{\{n\}} = \{x^n \mid x \in X\}$$

$$G^n = \langle G^{\{n\}} \rangle \text{ (if } G \text{ is a multiplicative group)}$$

$$\gamma_1(G) = G, \quad \gamma_n(G) = [\gamma_{n-1}(G), G]$$

$$P_1(G) = G, \quad P_n(G) = \overline{[P_{n-1}(G), G]P_{n-1}(G)^p}$$

$$D_n(G) \quad n\text{th modular dimension subgroup of } G$$

$\ \cdot\ $	norm
deg	degree
$W(\mathbf{X})$	set of words in non-commuting indeterminates X_1, \dots, X_n
$K\langle X_1, \dots, X_n \rangle = K\langle \mathbf{X} \rangle$	polynomial ring over K in non-commuting indeterminates X_1, \dots, X_n
$K\langle\langle X_1, \dots, X_n \rangle\rangle = K\langle\langle \mathbf{X} \rangle\rangle$	formal power series ring over K in non-commuting indeterminates X_1, \dots, X_n

xviii

Introduction

$K[X_1, \dots, X_n] = K[\mathbf{X}]$ polynomial ring over K in commuting
 indeterminates X_1, \dots, X_n
 $K[[X_1, \dots, X_n]] = K[[\mathbf{X}]]$ formal power series ring over K in
 commuting indeterminates
 X_1, \dots, X_n

$\langle \alpha \rangle = \alpha_1 + \dots + \alpha_r$, where $\alpha = (\alpha_1, \dots, \alpha_r)$

$\epsilon_i = (0, \dots, 0, 1, 0, \dots, 0)$ with 1 in the i th place

$\binom{X}{n} = X(X-1)\dots(X-n+1)/n!$

$(a, b) = ab - ba$

$(a_1, \dots, a_n) = ((a_1, \dots, a_{n-1}), a_n)$

$(a, b)_e = (a, \underbrace{b, \dots, b}_{e_1}, \underbrace{a, \dots, a}_{e_2}, \dots)$ where $e = (e_1, e_2, \dots)$