

## Index

- UV A/B
  - light therapy 58
- accessing psychological services, children 97
- acne excoriee 34, 36, 38, 104
- acne excoriee des jeunes filles* 37, 38
- acne myths 59
- acne patients 6, 30, 32, 34, 39, 103–104
- acne severity 123
- adaptation, chronic illness 20, 91
- adolescent, implication 90
- adrenal medulla 19
- adrenocorticotrophic hormone (ACTH) 19
- adrenoreceptors 22
- adult dermatology 1
- aesthetic object 139
- afferent pathway 17
- alexithymia, level 65
- allergens 18, 22
- allergic
  - disorders 18
  - reactions 9
  - responses 17
- alopecia areata 25, 29, 33, 64–66
- alternative, complementary treatment 95
- anamnesic techniques 7
- androgen 82
- anergic mechanism 18
- anorexia nervosa 30, 37
- anti-bullying policies 52, 97
- anti-T cell therapy 23
- antiviral control 24
- anxieties, child 95
- anxiety-related coping strategies 66
- anxious-ambivalent 75–78
- apoptosis 23
- appearance industry 101, 131, 136
- appearance-altering condition 57
- appearance-related schemas 63
- assertiveness 106, 107, 111
- assertiveness and social skill training 51, 106, 107, 109
- atopic dermatitis
  - atopic eczema 21
  - behaviour therapy 106
  - patient disease interaction 123
  - QoL research 117
- atopic eczema 21
  - CBT 107
  - impact of skin disease 90
  - psoriasis 23
- atopic skin 22
- attachment behaviour 79, 83
- attachment style 64, 72–73, 78
- attachment theories 75–76, 77
- autogenic training 9
- autoimmune diseases 21
- autonomic activity 8
- autonomic nervous system 15, 19, 101
- autonomic stress systems 19
- autonomic vaso-vagal collapse 18
- autonomy 4, 75, 136
- avoidant-attachment 66
- bacterial proteins 23
- behaviour therapy 106
  - habit-reversal training 106
  - psychotherapeutic counselling 112
- behavioural problems 90, 94, 95
- biochemical process 7

## 146 Index

- biofeedback 7, 106
- biological factor 8, 30, 92, 109
- biopsychosocial model
  - diatheses–stress paradigm 8
  - recommendation, treatment 110
  - skin disease 92
  - theoretical model 8, 91
- birth-mark 59
- blood flow 17
- body dissatisfaction 5
- body image
  - BDD 36
  - dermatological disorder 29
  - dermatological shame 76
  - self-schema(s) 5
  - sexuality 81
  - skin disease 2, 4, 6, 102, 136
- body satisfaction 5
- body shame 77
- body-related attitudes 60
- brainstem nuclei 19
- breast cancer 75
- brief consultation 90
- British Psoriasis Association 80
- bulimia nervosa 30, 37
  
- calcitonin gene-related peptide (CGRP) 19, 20, 22, 23
- camouflaging cosmetics 58
- cancer 74, 89, 92
- cardiovascular disease 74
- caregiver 30, 39, 75, 83, 94
- catastrophizing cognition 110
- catecholamine 21, 22
  - urine output 24
- CD4 lymphocytes 24
- CD8 cytotoxic 24
- cell-mediated
  - autoimmune process 23
  - immune reactions 16
  - immunity 20, 21, 24
- cell-signalling interactions 16
- cellular
  - immune system 24
  - immunocompetency 17
  - level 23
- central nervous system (CNS) 9, 15, 30
- chemical messengers 15
- chemical structures 7
- chemokines 22
- chemotaxis 20
- child mental health services 97
- child, attachment 94
- child, discomfort 73, 74, 93
- child's condition 92, 95
  - impact of skin condition 95, 97–98
  - impact of skin disease 90
- child's skin condition 89–91, 93–96, 97, 132
- childhood problems 89
- children, eczema 89, 90, 93–94
- children's common problem 95
- children's dermatology 91, 121, 125
- Children's DLQI (CDLQI) 118, 121, 125
- chronic
  - adaptation 20
  - ailment 4
  - anxiety 18, 21
  - atopic dermatitis 22
  - idiopathic urticaria 39
  - illness 20, 57, 60, 65, 73, 74, 83, 91
  - immune dysfunction 19
  - immune response 20
  - intractable eczema 33
  - medical condition 31, 72
  - pain 74
  - psoriasis 78
- chronicity 18, 20, 21
- clinical
  - drug assessment protocols 117
  - improvement 25, 73
  - lesions 23
  - severity measurements 117
- close relationship, caregiver 30, 39, 75, 83, 94
- coal tar-based ointment 58
- cognitive
  - behavioural interventions 108
  - change 10
  - complexity 137
  - errors 6, 108
  - factors
    - personal illness, importance 134
    - personality characteristics 64

## 147 Index

- social and psychological impact 58
- model 107
- techniques 110
- cognitive-behavioural stress management 24
- cognitive-behavioural therapy (CBT)
  - 107–108, 137
  - self-esteem 97
  - treatment
    - dermatological condition 105
- colony stimulating factors (CSFs) 16
- common behavioural strategies 102
- communication
  - difficulties 78–79
  - problems 10
  - strategies 78
- compartmentalisation 137, 139
- comprehensive assessment 117
- compulsive correcting rituals 6
- concealment behaviours 6, 132, 134
- construct validity 120
- contagion 3, 4, 49, 102, 135, 138
- contextual events 5
- control group 60, 62, 93, 94, 105
- conventional medical treatment 95
- coping 65–66
- coping and adjustment 10, 57, 60–61, 72–73, 84
- coping behaviours 77, 103
- coping explanatory factors, adjustment 60–61
- coping mechanisms
  - body image pathologies 36
  - personality characteristics, core belief 64–65
- coping style 61
  - responses 18
  - theoretical model 91
- coping, chronic skin condition
  - dermatological shame 76
  - developmental factors 63
  - disease and treatment factors 61
  - explanatory factors 60
- coping, strategies
  - cognitive factors 64
  - future research 52
  - skin disease 134, 137
  - treatment and management 111
- corticosteroids 20, 21, 24
- corticotrophin releasing hormone (CRH) 19
- cosmetic strategies 76
- cosmetic surgery 101, 131
  - stigmatising condition 51
- counselling
  - dermatological problem 110
  - levels 111–113
  - psychology, treatment 139
- couple activities 78
- couple companionship 80
- couple interaction 73
- cranial nerves 17
- critical reviews 122
- cross-cultural stigmatisation 6
- cross-sectional study 92
- crucial myths 7
- cultural socialisation 5
- cutaneous
  - biology 23
  - cutaneous condition
    - behaviour therapy 106
    - dermatological condition 105
    - psychodermatology in context 131
    - psychological therapies 101
    - skin diseases 102, 103
  - disease 2, 16
  - disorders 109
  - dysaesthesias 33, 38, 39
  - illness 2, 9
  - Langerhans cells 22
  - mast cells 17
  - nerves 16
  - structures 15
  - symptoms 2
  - viral infections 21, 24
- cystic acne 32
- cytokines, depression 21
- degranulation 22, 23
- delusions
  - parasitosis 3, 29, 37
- dendritic cells 15–17
- depigmentation 133
- depressive disorder 30

**148**      **Index**

- depressive equivalents
  - masked depression 33
- depressive symptoms 21, 31, 33, 34, 39
- dermal dendritic cells 16
- dermal structures 16
- dermatitis artefacta 35
- dermatological conditions
  - behaviour therapy 106–107
  - future research 52–53
  - post-traumatic stress disorder 35–36
  - psychiatric comorbidity 29–30
  - psychoanalytic psychotherapy and hypnosis 108–109
  - psychological approach 105
  - psychological factors 113
  - psychosocial impact 60, 102–105
  - social and emotional consequences 1
  - stigmatisation 44, 45, 48–49
- dermatological delusional disease 3
- dermatological disorder
  - history 16–17
  - management 7–8
  - psychiatric comorbidity 29
  - psychological therapies 101
  - psychosocial impact 102–103
  - skin disease and psychology 2–3
- dermatological illness 2, 101, 131, 132
- dermatological literature
  - BDD 36
  - delusional disorder 37
  - psychological approach 105
  - psychosocial impact 102
- dermatological shame
  - appearance and attraction 76–77
- dermatological symptoms 31, 34, 39, 40
- dermatological treatment 25, 58, 109, 140
- dermatology
  - patient
    - appearance and attraction 76
    - body image and sexuality 81
    - depressive disorder 30
    - history 16
    - management 7
    - personality disorders 38
    - post-traumatic stress disorder 35
    - psychiatric comorbidity 29
    - psychodermatology 141
    - psychological therapies 101
    - skin conditions 97
    - skin disease 72, 102, 103, 132
    - stress 9
    - treatment and management 111
    - QoL scales 118
    - setting 106
  - Dermatology Life Quality Index (DLQI) 91, 118, 121
  - dermatology-specific measures 120, 121, 126
  - dermatology-specific QoL 118
  - dermatoses 7
  - developmental factors
    - cognitive factor 64
    - explanatory factor 60
    - predisposing 63
  - developmental stage, child
    - skin condition 89, 90
  - Diagnostic and Statistical Manual of Mental Disorders
    - major depressive disorder 30
    - personality disorder 38
  - diatheses–stress paradigm 8
  - disease statistics 8
  - disease, treatment factor 60, 61–62
  - disease-related
    - factor 62
    - variables 91
  - disease-specific
    - measures 91, 120, 121, 122
    - QoL measures 117
    - questionnaire 118
    - tools 126
  - disfiguring skin condition 30, 39, 45, 59, 63
  - dyadic coping 84
  - dyadic functioning 79
  - dysfunctional appraisal 111
  - dysfunctional behavioural strategies 103
  - dysfunctional belief 108
  - dysmorphic disorder (BDD) 10, 29, 36–37, 38, 40
  - dysmorphophobia 36, 40
  - dystrophic epidermolysis bullosa 91
  - ectoderm 15, 30

**149**      **Index**

- eczema  
   atopic 21–22  
   behaviour therapy 106  
   cognitive–behavioural therapy 107–108  
   depressive disorder 30  
   obsessive–compulsive disorder 34  
   psychoanalytic psychotherapy and  
     hypnosis 109  
   psychological symptom 123  
   skin condition 44, 51, 95  
   skin disease 3, 21, 89, 90, 92–94  
   social networks 80  
   stress 2, 9
- effects, stigmatisation  
   cognitive–behavioural model 49, 52  
   felt stigma 50
- efferent pathway 18
- emotional  
   bonds 75  
   component 73  
   distress 73, 75, 77, 79, 104  
   factors 8  
   impact 66, 78  
   intimacy 74  
   reaction 6  
   security 72, 77  
   stress 9  
   support 76, 84
- emotion-focused  
   coping 75  
   strategies 66
- empathic coping 77
- empirical studies 93, 94, 142
- endorphins 20
- environment factor 2, 83, 92, 110
- environmental pathogens 134
- eosinophil 18, 22
- eotaxin 22
- epidemiology 122–123
- epidermal  
   cells 15, 17  
   neuroendocrine structure 17  
   proliferation 23
- epidermis 17, 30
- episodic nature 3, 5, 132, 140
- Epstein–Barr Virus (EBV) 18, 24
- EuroQoL-5 126
- external validation 120
- facial acne 32, 92
- facial blemish 59
- factitious disorders 3
- Family Dermatitis Index 118
- fashion and cosmetic industry 131
- Freiberg Life Quality Assessment 118, 121
- functional independence 91
- functional magnetic resonance imaging  
   (fMRI) 54
- future research 10, 53, 112, 140, 142
- generic assessment tool 91
- genetic factor 2, 22, 134
- glycoproteins 16
- group cohesiveness 109
- group facilitator 109
- group therapy 109, 111, 140
- habit-reversal training 106, 107
- habitual pattern 6
- hand eczema 123
- health care systems 116, 122
- health professionals  
   management 7  
   professional perspective 140  
   psychodermatology 141  
   skin conditions 97  
   skin disease 4, 102, 134  
   social networks 80
- health service research 122
- health status 74
- healthcare, response 89
- heart disease 8
- hepatitis vaccination 18
- hernia surgery 19
- herpes simplex virus (HSV) 24
- Hippocratic–Galenic medicine 133
- histamine 20, 22
- histrionic personality disorder 38
- HPA axis 19, 20, 21
- HPA corticosteroid secretion 24
- HPV infections 24
- HSV IgE response 24
- human herpesvirus 24

**150**      **Index**

- human immunodeficiency virus (HIV) 24, 122  
 human papillomavirus (HPV) 24  
 humanistic therapy 112  
 humoral immune responses 16  
 humoral immunity 22  
 hygiene 3, 8, 59, 102  
 hypnosis 17, 105, 108–109, 140  
 hypophyseal–pituitary portal system 19  
 hypothalamic paraventricular nuclei 19  
 hypothalamus 15  
 hysteria 16  
 hysterical conversion mechanisms 2
- ichthyosis 123  
 IFN gamma 20  
 IgE–allergen complex 22  
 IL-2 receptor production 21  
 illness perception 65, 132  
 illness representation  
   cognitive factors  
     alexithymia 65  
   communication 78  
   framework 142  
   model 136  
   professional perspective 140  
   skin disorder 132–133  
   timeline 134  
 imagery 107  
 imipramine 105  
 immune  
   actions 17  
   cells 22  
   dysregulation 21  
   factors 2  
   function 15, 17, 20, 24  
   modulation 24  
   reaction 16, 18, 102  
   suppression 15  
   system  
     cutaneous viral infections 24  
     cytokines 21  
     dermatological problems 101  
     psychoneuroimmunology 15  
     stress and dermatology 9  
 immune-mediated  
   anaphylaxis 18  
   disorder 23
- immunosuppressive  
   reaction 20  
   response 20  
 immunoglobulin E (IgE) 22, 24  
 immunosuppressor 22  
 impulsive self-harm 38  
 individual variation  
   psychosocial impact 60, 104  
   theoretical framework 132  
 Infants Dermatitis QoL questionnaire 118  
 inflammatory  
   cytokines 20, 21, 24  
   dermatoses 21  
   disease 21, 125  
   mediators 23  
   skin disease 21, 125  
 influences affecting QoL 124  
 information giving (education) 111  
 intercellular messengers 17  
 interferons (IFNs) 16  
 interleukins (ILs) 16  
 internal validation 120  
 intervention strategies  
   impact of skin disease 89  
   physical disease 11  
 intimate relationship 10, 72, 75, 76, 77, 79,  
   83, 84  
 intracellular phosphodiesterases 22  
 intraepithelial neoplasia 24  
 intrapersonal factor 91  
 isotretinoin  
   major depressive disorder 30  
   self-esteem 95  
   symptoms 58  
 itching 17, 22, 108, 110, 133
- keratinocytes 15, 17, 20, 22, 23  
 Koebner phenomenon 23, 36
- Langerhans cells 15, 22  
 leg ulcers 117  
 leisure activities 73, 81, 91  
 leucocytes 16, 22  
 liaison service 97  
 life stress 19, 24  
 lung cancer 8

**151**      **Index**

- macrophages 9, 16, 20, 102  
 main carer 90  
 major depressive disorder 30, 39  
 maladaptive behaviour 106, 108  
 mast cells 16, 17, 20, 22, 23  
 medication 58, 93, 96, 108, 124  
 Meissner's corpuscle 17  
 melanocytes 15–17  
 melasma 122  
 memory T-cells 18, 23  
 mental construction 5  
 mental excitement 9  
 mental health professional 97  
 Merkel cells 15  
 methotrexate 126  
 monosymptomatic hypochondriacal psychosis 3  
 mood-congruent delusions 33  
 mother's rejection 94  
 mother–child relationship 92, 93, 94, 132  
 motivation  
   psychotherapeutic approach 112  
   self-esteem 95  
   skin disease, psychotherapy 137  
 myelinated A fibres 17
- narcissistic personality disorder 38  
 negative and intrusive reaction 59  
 negative evaluation scale 64  
 negative mind set 96  
 negative reactions  
   disease and treatment factor 61  
   personal illness, importance 134  
   predisposing developmental factor 63–64  
   psychological impact, skin disease 102  
 nerve cells 17  
 nerve density 23  
 nerve fibres 17  
 nervous debility 9  
 nervous disease 16  
 network remodelling 81  
 neural anatomical pathway 17  
 neural plate 15  
 neuro immunocutaneous system 22  
 neurodermatitis 109  
 neuroendocrine effects 20  
 neuroendocrine pathway 19–20  
 neuroendocrine stimulus 24  
 neurogenic factor (NGF) 22, 23  
 neurogenic hypothesis 23  
 neurohormones 19  
 neuro-immuno-cutaneous-endocrine system 15  
 neuro-immuno-endocrine pathway 19  
 neurokinins A and B 20  
 neuromediators 19  
 neuropeptides 15, 17, 19, 20, 23  
 neurophysiological disturbances 2  
 neuropsychiatry 15  
 neurotic excoriations 39  
 neurotransmitters 82  
 neutrophil 20, 23  
 NK cell activity 20  
 non-communicative, parents 90  
 non-contagious diseases 8  
 non-cystic acne 32  
 non-dermatologic disease 123  
 non-judgemental approach 98  
 non-pharmacological interventions 23  
 non-pharmacological treatments 7  
 noradrenaline 19  
 nucleus ceruleus 19  
 nurse-led clinic 95, 124  
 nymphomaniacal 16
- observational study 93  
 obsessive–compulsive disorder (OCD)  
   acne excoriee 34, 38, 104  
 obsessive–compulsive personality disorder 38  
 obsessive–compulsive personality type 30  
 oedema 3, 23  
 onchocercal skin disease (OSD) 6, 7  
 onychophagia  
   obsessive–compulsive disorder 34, 39  
 opiomelanocortins 19, 20  
 outcome measures 91, 105
- Pacinian corpuscles 17  
 paediatric dermatology services 11, 97  
 paediatric psychology 89  
 parental stress, high-level 95  
 pathogenesis 23  
 pathogenic process 102

**152**      **Index**

- patient disease interaction 123
- peripheral nerve 15
- peripheral sensory bodies 17
- personal illness 133, 134–137
- personality disorder 38
- personality factor 16, 61, 64, 65
- personality psychology 83
- pertussis vaccination 17
- pervasive effect 77
- phagocytosis 9, 20
- pharmaceutical therapy 3
- photochemotherapy 24
- physical
  - appearance 3, 93, 103, 132
  - atopic disease 22
  - attraction 10
  - condition, child 97
  - contact 49, 93–94
  - discomfort 73, 92
  - effect 15
  - illness
    - psychoneuroimmunology 15
    - skin disease on children 90
  - intimacy 10, 74–75, 79, 81
  - skin care 95
  - support 76
  - symptoms 15, 35, 58
  - treatment plan 95
- physiological
  - parameters 109
  - process 54
- pituitary gland 15
- post-traumatic stress disorder (PTSD) 29, 35
- potential triggers 73, 83
- predisposed mechanisms 59
- predisposing developmental factor
  - birth, child 63
  - coping and adjustment 60
  - personality characteristics 64
- proactive schools 97
- problem-focused
  - coping 79
  - strategies 66
- professional perspective 140–141
- proinflammatory cytokines 21
- proliferation 20, 23, 122
- proopiomelanocortin 19
- protective device 37
- pruritic conditions 34
- psoralen plus ultraviolet light (PUVA) 81, 107
- psoriasis
  - behaviour therapy 106
  - body image and sexuality 81–82
  - causes 134
  - cognitive factors 64–65
  - depressive disorder 30–32
  - dermatological condition 105
  - dermatology 117
  - obsessive–compulsive disorder 34–35
  - psychological symptoms 123
  - psychology 2
  - skin conditions 57, 58
  - skin disease 2–3, 21, 102–103
  - social networks 80
  - stigmatisation 44–46, 48, 49
  - treatment factors 61–62
- psoriasis disability index (PDI) 121
  - clinician-related severity 62
  - QoL research 117
- psoriasis patient
  - appearance and attraction 76
  - cognitive–behavioural therapy 108
  - health service research 122
  - major depressive disorder 32
- psoriasis-related stress 23, 31
- psoriatic cells 23
- psoriatic lesions 23, 36
- psoriatic plaque 23
- psychiatric comorbidity 10, 29–40
  - delusional disorder 37
  - depressive disorder 30
  - obsessive–compulsive disorder 34
  - personality disorders 38
  - post-traumatic stress disorder 35
  - social phobia 35
- psychiatric disease 2
- psychiatric disorder 29–30, 39, 103
- psychiatric pathology 29–30, 36
- psychiatric patients 17, 105
- psychiatric triggering, symptoms 58
- psychoanalysis
  - history 16
  - management 7



## 153 Index

- psychological approach 105
- psychology and treatment 139
- psychoanalytic psychotherapy, hypnosis 108–109
- psychoanalytic treatment 93
- psychocutaneous 21, 105
  - disorders 6
  - illness 2
- psychodermatological literature 102
- psychodermatological research 83, 102, 104
- psychodermatological treatment 140
- psychodermatology
  - framework, future 142
  - multidiscipline 141
  - professional perspectives 140
  - psychology and treatment 139
  - skin disease
    - psychotherapy 137
  - theoretical framework 132
  - theoretical models 8
- psychodermatoses 142
- psychodynamics, emphasis 108
- psychoimmunology 17
- psychological and emotional functioning 102
- psychological and physical state 92
- psychological approaches
  - dermatological condition 105
  - professional perspective 140
  - psychological service
    - skin condition 98
- psychological component 16
- psychological difficulties
  - service 113
  - skin condition, children 97
  - social and psychological impact 60
  - well-being 90
- psychological distress
  - cognitive–behavioural therapy 107
  - disease and treatment factor 62
  - impact of skin disease 91
  - skin condition
    - group therapy 109
    - psychosocial impact 60
    - theoretical framework 132
- psychological disturbances 4
- psychological factors
  - dermatological condition 105
  - dermatological illness 2
    - skin condition 95–96
    - skin disease 89, 91–92, 95
  - psychological health 7, 131, 136
  - psychological impact
    - skin condition 58–60
    - skin disease
      - condition 58
      - psychosocial impact 104
      - skin disorder 89
      - theoretical model 91
  - psychological implications 101, 102
  - psychological interventions
    - dermatological condition 105
    - group therapy 109
    - management 7
    - psychology and treatment 139
  - psychological perspective
    - stigmatisation 44
  - psychological problems
    - child, family 90
    - coping and adjustment 72
    - psychological therapies 101
  - psychological techniques 7, 106, 113
  - psychological therapies 25, 101, 105, 110, 140
  - psychological tool 76
  - psychological well-being
    - impact of skin disease 11, 89, 90
    - ongoing sociocultural factor 63
    - psychological approach 106
- psychology
  - psychotherapy 137
  - skin condition 97–98
  - skin disease 2–4, 89, 132, 137
  - theoretical models and psychodermatology 8
  - treatment 139–140
- psychology service 98
- psychoneuroimmunology
  - afferent pathway 17
  - atopic eczema 21
  - cytokines 21
  - efferent pathway 18
  - history 16–17
  - neuroendocrine pathway 19

## 154 Index

- psychoneuroimmunology (*contd*)
  - psoriasis 23
  - responses 18
  - skin disease, inflammatory 21
  - viral infection, cutaneous 24
- psychosis 3, 17
- psychosocial
  - conflict 2
  - constructs 10
  - effects 6, 132
  - factor 30
    - body image and sexuality 81
    - significant problem 66
  - impact 60, 102
  - issues 102, 112
  - morbidity 2, 7, 142
  - problems 1
  - stress 22, 24, 30
    - diatheses–stress paradigm 8
    - psychiatric comorbidity 29
    - skin disease 91
    - skin disease and psychology 2
  - stressors
    - atopic eczema 21
    - immune modulation 24
    - major depressive disorder 31
    - skin disease, child 91
- psychosomatic
  - component 25
  - dermatology 16
  - dermatosis 7
  - factors 17
  - immunological components 104
  - management 7
  - medicine 16
- psychostressful event 24
- psychotic symptoms
  - delusional disorder 37–38
- psychotherapeutic
  - approach 7, 108, 112
  - counselling 112
  - techniques 7
  - treatments 23
- psychotherapy 7, 11, 24, 108–109, 137
- public ignorance 80
- putative stress mechanisms 24
- QoL measurement 116–117, 124
- QoL research, development
  - dermatology 117–118
- Quality of life assessment
  - research methodology 116
- reciprocal
  - behavioural systems 75
  - causal patterns 92
  - nature 81
  - relationship, mother and her child 92
- reciprocity 79, 110
- recreational activities 80
- reduction, stigmatisation 10
  - cosmetic surgery 51
  - laser treatment 51
  - physical environment 52
- regulated on activation, T-cell expressed and secreted (RANTES) 22, 23
- relationship
  - coping 73, 79, 83–84
  - quality 73
  - status 73, 82
  - skin disorder, psychological factor 89
- relationships, impact 10, 74–75
- research methodology
  - available methodology
    - specific measures 121
  - challenges 124
  - critical review 122
  - quality of life 116
  - uses 122
- rheumatoid disease 21
- risk
  - factor 31, 91, 92
  - suicide 60
- river blindness 7
- romantic acceptance 76
- scalp dermatitis 122
- schizophrenia 17, 38
- scratching
  - cognitive–behavioural therapy 108
  - framework 142
  - major depressive disorder 30

**155**      **Index**

- mother–child relationship 92, 94
- obsessive–compulsive disorder 34
- secrecy 22, 78
- secure attachment style 79
- self-appraisals 5
- self-concept
  - ongoing sociocultural factor 63
  - psychology and treatment 139
  - psychosocial impact, skin disease 103
  - skin condition 60
- self-confidence 75, 76, 82, 109, 140
- self-consciousness 36, 72, 96, 103
- self-criticism 5, 139
- self-disclosure 78, 79, 81
- self-discrepancy theory 63
- self-esteem 95–96, 103
- self-involvement 80
- self-monitoring 107
- self-protection strategies 97
- self-rated severity 62
- self-schema 5–6, 77
- self-trust 110
- self-worth 5, 139
- sensory
  - fibres 17
  - nerves 24
  - system 82
- sexual
  - activity 81, 82
  - causation 4
  - dysfunction 82
  - functioning 74, 81, 82
  - inactivity 82
  - intimacy 73, 83
  - problems 82
  - relationships 6, 77, 82
  - response cycle 82
- sexuality 10, 81–83
- shame feeling
  - cognitive factor 64
  - future research 52
  - skin disease 72
  - social and psychological impact, skin condition 58
  - stigmatising 49
- shame schemas 77
- shame-proneness 64, 66
- Short Form-36 (SF-36) 117, 123, 126
- simple massage techniques 94
- skin condition
  - coping, chronic skin condition 58
  - define 57
  - impact
    - social and psychological 58
  - psychological difficulties 60
  - psychological impacts 58
  - self-esteem 95–97
  - social impacts 58
  - symptoms 58
  - types 91
- skin condition, chronic 109
  - cognitive factors
    - personality characteristics, core beliefs 64
  - coping 65
  - definition 97
  - disease and treatment factors
    - explanatory factors 60–61
    - individual variation 60
  - predisposing developmental factors
    - social and psychological impact 58–59
  - sociocultural factors
    - ongoing 63
  - stimuli 17
  - stress 21, 73, 75, 79, 83
  - symptoms 58
  - urticaria 109
- skin disease
  - appearance 76
  - attachment theory 75
  - body image, sexuality 4–5, 81
  - communication, difficulty 78
  - coping 72
  - cosmetic products 78
  - cross-cultural stigmatisation 6
  - dermatological shame 77
  - diatheses–stress paradigm 8
  - disease-related stress 73
  - empathic coping
    - partners 77
  - inflammatory 21
  - management 7–8

**156**      **Index**

- skin disease (*contd*)
  - myths 3, 135
  - personal illness 134–137
  - psychological impact 6–7, 89, 90, 91, 92
  - psychology 2–3, 137, 139
  - psychosocial impact 102
  - psychotherapy 108–109, 137
  - relationship perspective 73–74
  - relationship-focused coping
    - support seeking, giving 79
  - skin condition 44, 57, 58, 95, 97
  - skin disorder 10, 34, 132–133
  - skin lesions 4, 37, 39
  - social network 80
- skin disease, relationship 72
  - in sickness 72–73
    - romantic partner 72
    - partner support 73
    - chronic illness 73
    - social interaction 74
  - in health 72–73
  - coping and adjustment 73–75
    - social interaction 74
  - attachment styles 75–76, 81
    - working models 75
    - emotional bonds 75
  - appearance, attraction and shame 76–77
    - self-disgust 76
    - empathic coping 77
    - emotional impact 77
  - communication difficulties 77–79
    - self-disclosure 78
  - social networks, changes 79–80
    - avoidance 79
    - relationship functioning 80
    - positive readjustment 80
  - body image, sexual intimacy 80–81
    - negative body image 80
  - relationship-focused coping 81–82, 83
    - active engagement 82
    - avoidant adults 82
    - communal coping 82
    - legitimacy 82
    - self-disclosure 82
    - positive influence 73
  - intimacy 73, 75
  - shame 74
  - self-consciousness 74
  - psychological
    - consequences 74
    - distress 74
  - distress
    - emotional 73, 74, 77, 79
    - psychological 74, 77
  - skin disease on children
    - mother–child relationship 92
    - psychological model
      - theoretical model 91
    - psychological services 97
    - psychological well-being 90
    - self-esteem 95
  - skin emotional specialists 141
  - skin function 16
  - skin impairment 117
  - skin pathology 16
  - skin problems 95, 102
  - skin reactivity 18
  - skin temperature 17, 109
  - sleep-wake cycle 34
  - social anxiety disorder 35
  - Social Exclusion Theory (SET) 50
  - social factor 8, 58, 83, 109, 110
  - social improvement 73
  - social interactions 30, 39, 48, 51, 72, 81, 107, 111
  - social network 73, 80–81, 83
  - social phobia *see* social anxiety disorder
  - social problems 90
  - social reassurance seeking 6
  - social situations
    - coping 66
    - dermatology patient 111
    - major depressive disorder 30
    - personality disorder 38
    - relationship-focused coping 79
    - skin condition, impact 97
    - social phobia 35
    - stigmatisation 51
  - social skill training
    - behaviour therapy 106–107
    - group therapy 109
    - stigmatisation 51

## 157 Index

- social stigma 73, 77, 80
- social support 61, 72, 104
  - cognitive factor 64
  - coping 66
  - dermatology patient 111
  - self-discrepancy theory 63
  - sociocultural factor 63
- social vulnerability 64
- social–ecological factor 91
- sociocultural factor
  - explanatory factors
    - coping and adjustment 60
    - self-discrepancy theory 63
    - social support 63–64
- solicitous behaviour 77
- somatopsychic effect 2
- somatostatin 20
- spinal ganglia 19
- spinal sensory pathways 17
- sporadic and idiosyncratic phenomenon 32
- stereotypes
  - predisposing developmental factor 63
  - skin condition 59
  - stigmatisation 48
- steroid reactions 18
- stigmatisation, skin conditions
  - define 57
  - effects
    - rejection sensitivity 49
  - future research 52
  - nature, experiences 47
  - occurrence
    - alcohol dependence, nicotine 48
  - perception 45
  - reduction 51
  - research, review 44
  - types 45
    - enacted stigma 46
    - vicarious 46
- stigmatising illnesses 7
- stress management effects 24
- stressful life events 9, 75, 104
- stress-reactive alopecia areata 33
- stress–skin interaction 25
- structural pathology 16
- sub-cuticular tissue 17
- substance P (SP) 19
- subtle safety behaviour 66
- suicidal ideation 2, 10, 31, 32, 38–39, 96, 103
- superantigens 23
- support giving 79–80
- support processes 74
- support seeking 79–80
- supportive counselling 111
- survey
  - US marketing firm
    - Sexual intimacy 81
- survival mechanism 20
- systematic desensitisation 107
- systemic drugs 117
- systemic framework 89
  
- T cytotoxic 20
- T lymphocyte helper (Th) 16
- test–retest reliability 120
- Th1 helper cells 22
- Th1 lymphocytes 23
- Th1 pathways 21
- Th1-mediated T-cell control 24
- Th2 cytokines 22, 23
- Th2 disease mechanism 22
- Th2 humoral response 24
- T-helper cell 20
- theoretical and therapeutic implications 104
- theoretical framework 11, 131, 132
- theoretical model
  - psychodermatology 8
  - psychological impact 91
  - skin disease, impact 89
- therapeutic interventions 23
- therapeutic techniques 7, 106
- therapeutics 122
- thymus and activation related chemokine (TARC) 22
- time-consuming therapy 58
- timeline 133, 134
- TNF alpha 20, 23
- topical medication 93
- topical pimecrolimus 122
- topical tacrolimus 122
- traumatic episodes 96
- trichotillomania 3, 34, 36, 39, 40

**158**      **Index**

- trivial skin blemishes 95
- tumour necrosis factors (TNFs) 16
  
- UK Sickness Impact Profile 117
- unmyelinated C fibres 17
- unpleasant smelling creams 58
- urinary stress 17
- urine cortisol output 24
- urticaria, idiopathic 3, 25, 29, 33, 109, 123
  
- vaccines 8
- validation techniques 119–120
- vasoactive effects 22
- vasoactive intestinal peptide (VIP) 19, 20, 22, 23
- vasopressin 19
- venom-allergic patient 18
- viral warts 109
- visible skin condition 59, 62, 77, 135
  
- vital life energies 15
- vitiligo
  - behaviour therapy 106–107
  - causes 134
  - cognitive factors 64–66
  - cognitive–behavioural therapy 107–108
  - dermatological conditions 105
  - dermatological shame 77
  - disease and treatment factors 61–62
  - skin condition 44, 58–59
  - skin disease 3, 102–104
  - social network 80
  - stigmatisation 48–51
  - stress 2
  
- way of communicating
  - pictures or drawing 90
  - potential difficulties 89