CAMBRIDGE

Cambridge University Press
978-0-521-54347-7 - Bird Life of Woodland and Forest
Robert J. Fuller
Index
More information

INDEX

The Preface and Glossary have not been indexed. Only species names have been indexed from Appendices 1 and 2.

Aberdeenshire 19, 77
Abernethy Forest (Inverness-shire) 134, 136
acidification 14, 158–62
afforestation 12, 132–3, 139–40
air pollution, effects on woodland 158–62
alder 19, 24, 29, 34, 39, 119
alder buckthorn 85
altitude, effects on bird communities 63
ancient woodland 15–17, 159, 169
ants, in competition with birds 45
Arctic Warbler 29, 206
area of woodland, effects on bird communities 64–7, 167
ash 4, 5, 12, 20, 24, 34, 71, 76, 109, 119, 137, 157, 170
Ashclyst Forest (Devon) 17
Aston Rowant (Oxfordshire) 85

Bagley Wood (Oxfordshire) 75
Barn Owl 140, 199
Barred Warbler 205
Beachy Head (Sussex) 94
beech 4–5, 10, 12, 18, 20, 42, 59, 74–6, 79, 101–4, 107, 121, 129–30, 133, 158, 162
beechmast 42, 59, 103–4
Belgium 33, 81
Berkshire 116, 123
Białowieża Forest (Poland) 34–7, 71, 79, 172–4
birch 12, 18–19, 22, 24, 29, 34, 63–4, 71, 76–9, 84, 86, 91, 101, 108–9, 117–19, 124, 129, 134, 137, 150, 155, 162
Blackbird 37, 46–7, 52, 58, 69, 75, 88, 93, 102, 117, 137–8, 141, 160, 182
Blackcap 36, 42, 44, 46, 62, 69, 75, 89, 94–5, 100–1, 106–7, 109, 115, 117, 124, 127, 143, 164, 166, 174, 183
Black Grouse 29, 133, 135, 146, 148–52, 161, 190
Black Kite 30
blackthorn 4, 72, 85–6, 128, 157
Black-throated Green Warbler 38
Black Woodpecker 30–1, 204
bluebell 6
Bluethroat 29, 204
Blue Tit 46–7, 50, 75, 79, 100–1, 108, 117, 120, 122–3, 141, 143, 186
Bonelli's Warbler 205
Booted Eagle 203
Borders Region 17
Borrowdale Woods (Cumbria) 119
bracken 84–6, 91–2, 131, 148, 157
Bradenham (Buckinghamshire) 102
Bradfield Woods (Suffolk) 25–7, 37
Bradford-Hutt system 21
bramble 4, 75, 84–6, 128, 148, 157
Brambling 29, 59, 103, 117, 143, 201, 206
Breckland 17, 30, 90–1, 140, 146 (*see also* Thetford Forest)
breeding season
  effects of altitude 63
  length 52
  timing 50–2
breeding systems 53–4
broadleaved woodland
  birds compared with coniferous woodland 79, 104
  birds of 99–131
  distribution and recent trends 9–13, 159
  management systems 20–7
Broadleaves Policy 13
bryophytes 18, 130
Buckinghamshire 36–7, 70, 72, 87, 102, 116, 175
buckthorn 85, 87

© Cambridge University Press www.cambridge.org

CAMBRIDGE

Cambridge University Press
978-0-521-54347-7 - Bird Life of Woodland and Forest
Robert J. Fuller
Index
More information

Bullfinch 38, 46, 52, 189
Burnham Beeches (Buckinghamshire) 116
Buzzard 32, 62, 104, 194

Caithness 20, 132
Caledonian Scots pine forest 18, 133–7, 148–52
Capercaillie 29, 33, 62, 66, 79, 133, 135, 146, 148–52, 154, 178–9
carr 19–20
Carrion/Hooded Crow 32, 36, 46–7, 141, 196
Cetti's Warbler 200, 206
Chaffinch 44–7, 54, 58–9, 65, 69–70, 83, 88, 101–3, 109, 112, 117–18, 120, 122, 134, 137, 139, 141, 143, 160, 165, 169, 188
cherry 10
Chiffchaff 36, 46, 62, 65, 69, 75, 89, 94–5, 100, 106, 109, 117, 124, 164, 166, 174, 184
Chiltern Hills 7, 10, 17, 20, 75, 87–9, 94, 102
Cirl Bunting 193, 206
Citril Finch 205
clear-cutting, *see* clear-felling
clear-felling 21, 33, 69, 99, 104–6, 108, 139–40, 146–8, 154–5, 160–1
climate, effects on woodland birds 31–2, 58, 62–3, 90, 124–5, 148, 162–3
climate warming 162–3
Coal Tit 15, 38, 41, 43–4, 46, 61, 75, 79, 104, 112, 117, 132–4, 138–9, 141, 143, 161, 186
Collared Dove 46, 198
Collared Flycatcher 125, 205
Common Crane 202
Common Crossbill 29, 49, 78–9, 139, 141, 143, 146, 189
community
  ecological concepts 1, 41–5
  factors influencing bird communities 61–83
Community Forests 13
competition 28, 37, 43–5, 50, 59, 125
coniferous woodland
  birds compared with broadleaved woodland 79, 104
  birds of 132–56
  distribution and recent trends 10–5
  management systems 20–2
continuous cover 21
coppice
  birds and coppicing 24, 36, 71–2, 82, 84, 108–12
  compared with other woodland types 108
  derelict coppice 99, 112–15, 169–70
  management system 2, 11, 13, 18, 24–7, 55, 118, 159, 169, 175
  structural changes with growth 24–7, 108–9
Corn Bunting 201
Cornwall 90, 157–8
Corsican pine 143
Countryside Commission 13
creation of new woodland, *see* new woodland
Crested Tit, 5, 43–5, 62, 75, 133–5, 161, 186
Cretzschmar's Bunting 206
Cuckoo 46, 180
Cumbria 119–20
Curlew 132, 198
Cyprus Warbler 206
Czechoslovakia 34, 158, 160–1
Czech Republic, *see* Czechoslovakia

Dartford Warbler 90, 95–6, 192
dead wood 15, 27, 34–6, 59, 76, 104, 121, 129, 135, 137, 154–5, 161, 170–4
Dee valley (Aberdeenshire) 19, 79
deer 23, 114, 116, 126–9, 135–7, 140, 151, 156–7, 159
defoliation 158–62
density-dependence, in bird populations 41–2
destruction of woodland, historical and recent 17, 30–3
Devon 16–17, 118
Dinnet (Aberdeenshire) 77
dispersal 55, 67–8, 82
disturbance 163–5
dogwood 87
Dorset 90–1
downland 84–90, 93–4, 98
drought 160
dunes 10, 85, 98
Dunnock 24, 38, 41, 46–7, 54, 58–9, 65, 69, 85, 87–8, 100, 102, 109, 135, 138, 140, 157, 160, 181
Dutch elm disease 13, 15, 174

Eagle Owl 31, 203
ecological isolation 43
ecological niche 43–5
edges and edge effects 32, 65, 68–72, 83, 151–3, 167, 175 (*see also* rides)
elder 85, 88, 93–4
elm 13, 15, 29, 34, 174

© Cambridge University Press www.cambridge.org

CAMBRIDGE

Cambridge University Press
978-0-521-54347-7 - Bird Life of Woodland and Forest
Robert J. Fuller
Index
More information

Epping Forest (Essex) 116
equilibrium theory of island biogeography 65
Essex 24, 116
establishment stage 21, 100, 109, 139–41
European woodland, compared with British 29–31

farmland, woods and trees in 12–13, 65, 67, 159, 165–9
feeding
  advantages of flocking 55–7
  feeding sites 44–5, 48, 59, 75
  in relation to roosting 60
Felbrigg Woods (Norfolk) 23
fen 85, 98
fenitrothion 15
Fenland (East Anglia) 17, 65, 67
Fennoscandia 29, 33, 38, 44–5, 50, 69, 76, 79, 103, 117, 124–5, 134, 141, 143, 148, 151–2, 154, 161
fertilisers 21
ffridd 84
Fieldfare 29, 93, 138, 168, 200, 206
field maple 4, 24, 29, 109, 128, 162
Fife 17
Finland, *see* Fennoscandia
fire 5, 18, 92–4, 96
Firecrest 5, 38, 50, 79, 146, 160, 184
flow country 132
foliage height diversity 74
foliage profile, *see* structure of woodland
food
  altitude and food availability 63
  breeding seasons and food 51–2
  climate warming and food 162–3
  conifer plantations, food resources in 139, 143
  defoliation and food 161
  edges and food 69–71
  fruit and seeds 57–8, 84, 93–5, 143
  geographical variation in food availability 63
  grazing and food availability 127–9, 151
  insect outbreaks 54
  land productivity and food availability 64
  population dynamics and food 41–2
  treefall gaps and food 76, 174
  tree species and food 77–81, 101–4
  winter compared with summer 59
Forest of Dean (Gloucestershire) 101, 118, 126, 141
Forestry Commission 7–8, 11–14, 17, 153, 159
forestry, history in Britain 7
forest interior species 66
fox 151
fragmentation of forest 31–3, 150–1
France 20, 33, 58, 63, 99–101
fruit 57, 84, 93–5, 138, 168

Garden Warbler 24, 33, 36, 44, 46, 62, 69, 75, 87–9, 100, 109, 117, 124, 127, 140, 164, 166, 174, 183
garigue 94–5
geographical location, effects on bird communities 62–3
Germany 33, 63, 158, 161
glades 4–5, 68, 73, 96
Gloucestershire 101, 118, 126, 141
Goldcrest 38, 41, 44–6, 50, 57–8, 61, 69, 75, 79, 90, 132, 134, 138, 141, 157, 160, 184
Golden Eagle 194
Goldeneye 197
Golden Oriole 5, 187, 206
Golden Pheasant 139, 179
Golden Plover 132, 198
Goldfinch 46, 143, 201
Goosander 198
gorse 84, 90, 92, 157
Goshawk 5, 133, 140–2, 146, 154, 178, 206
Gotland (Sweden) 44
Grasshopper Warbler 46, 89, 161, 191
grazing 17–18, 22–3, 86, 91, 94, 96–8, 116–31, 135–7, 151
Great Grey Owl 29, 206
Great Grey Shrike 200
Great Spotted Cuckoo 206
Great Spotted Woodpecker 30, 38, 46–7, 59, 67, 157, 181
Great Tit 2, 42–7, 51–2, 55, 57–8, 79, 100, 103–4, 109, 117, 141, 161–2, 186
Greece 94
Greenfinch 46, 49, 52, 143, 188
Greenish Warbler 206
Greenshank 29
Green Woodpecker 46, 157, 180
Grey-headed Woodpecker 30, 203–4
Grey Heron 193
group-felling 21, 104–6, 156
habitat selection
  effects of competition 44–5
  effects of population level 83
  effects of predation 45, 74–5, 142
  effects of social behaviour 81
  historical changes 28
  geographical differences 37–40
  seasonal changes 58–9
Hampshire 17, 22–3, 90–1, 116, 119, 122, 124, 128–9

© Cambridge University Press www.cambridge.org

CAMBRIDGE

Cambridge University Press
978-0-521-54347-7 - Bird Life of Woodland and Forest
Robert J. Fuller
Index
More information

Harz Mountains (Germany) 63, 161
Hawfinch 5, 54, 67, 79–80, 101, 166, 189
Hawk Owl 29, 206
hawthorn 4, 84–5, 87, 93, 102, 128, 162, 168
hazel 4, 18, 24, 29, 34, 102, 104, 109, 113–15, 117, 119, 128
Hazel Grouse 29, 39–40, 203
heathland 2, 10, 17, 84, 90–3, 122, 139
hedgerows 13, 47, 166–9
Hen Harrier 5, 140, 146, 190
herbicide 96, 147–8
Hertfordshire 87
high forest
  birds in broadleaved high forest 36, 99–108
  birds in coniferous high forest 138–56
  management systems 11, 19, 20–2, 159, 175
  structural changes with growth 21–2
Hill Wood (Worcestershire) 114
Hobby 195
hole-nesting birds 49–50, 76, 80, 87, 100–1, 104, 108, 112, 122, 124, 154–5, 161, 171
holly 23, 75
holm oak 94
Honey Buzzard 5, 31–2, 101, 178, 206
honeysuckle 4
hornbeam 18, 24, 34, 37, 80
Hornhill Wood (Worcestershire) 113
Humberside 17

Icterine Warbler 30, 205
Imperial Eagle 206
information centre hypothesis 60
insect outbreaks 54, 81
insect pests in forestry 15
Inverness-shire, 78, 134, 136
Ireland 1, 30–1, 38, 62, 81, 138, 144–5, 165
isolation of woodland, effects on bird communities 67–8, 166
ivy 4

Jackdaw 46–7, 54, 101, 123, 196
Jay 46, 54, 57, 65, 103, 157, 187
juniper 29, 78, 86–7, 117, 133, 135, 137

Kent 24
Kestrel 46–7, 140, 194
Kielder Forest (Northumberland) 14, 143
Killarney oakwoods 38
Kingley Vale (Sussex) 137
King's Forest (Suffolk) 103

Lady Amherst's Pheasant 179
Lakenheath Warren (Suffolk) 92
Lancashire 17, 128
land productivity, effects on bird communities 63–4, 118, 140
landscape ecology 64–8, 82–3, 167–9
Lapwing 86
larch 12, 154
Lesser Spotted Eagle 202
Lesser Spotted Woodpecker 5, 46, 62, 67, 79, 162–3, 181
Lesser Whitethroat 46, 89, 95, 166, 192
lime 24, 29, 34, 37, 162
Lincolnshire 90
Linnet 46, 49, 52, 85, 87–8, 109, 192
Little Owl 46, 199
lodgepole pine 12, 15
Long-eared Owl 6, 141, 195
Long-tailed Tit 41, 46, 50–1, 57, 69, 75, 135, 141, 185
lynx 137

Magpie 36, 46, 196
Mallard 197
management of woodland
  ancient woodland 159, 169
  broadleaved high forest 104–8
  conifer plantations 153–6
  coppice 111–15
  effects on hole-nesting birds 50
  grazed woodland 129–131
  heathland scrub 91, 95–8
  native Scots pine 135–7
  new woodland 167–9
  scrub 95–8
Mandarin 197
maquis 94–5
Marmora's Warbler 94, 206
Marsh Tit 30, 43–4, 46, 50, 57–8, 65, 67, 75, 100–1, 104, 112, 162, 166, 185
Marsh Warbler 200
Meadow Pipit 29, 87–8, 90, 139, 143, 160, 199
Mediterranean 86, 94–5
Melodious Warbler 30, 205
Merlin 141, 194–5
Merseyside 17
Middle Spotted Woodpecker 30, 204
migrant birds, habitat selection for breeding 50, 108, 119, 124–5
Mistle Thrush 28, 38, 46–7, 138, 195–6
mixed woodland 10, 79, 176
Montagu's Harrier 198

National Forest 13
National Trust 17
natural woodland 5, 33–7, 50, 71, 115, 135–7, 154, 156, 159, 163, 169–75

© Cambridge University Press www.cambridge.org

CAMBRIDGE

Cambridge University Press
978-0-521-54347-7 - Bird Life of Woodland and Forest
Robert J. Fuller
Index
More information

Nature Conservancy Council 17
nature conservation in woodland 6, 17, 129–31, 152–6, 159, 175–6 (*see also* management of woodland)
nest boxes 124–5
nest sites 48–50
Netherlands 1, 67, 83, 161–2, 164–6
New Forest (Hampshire) 17, 22–3, 90–1, 116, 119, 122, 124, 128–9
new woodland 6, 12, 159, 165–9
Nightingale 5–6, 46, 62, 65, 68, 79, 81–2, 89, 95, 108–9, 111–12, 124, 126–7, 138, 182
Nightjar 5, 92, 96, 140, 146–9, 154, 161, 190
Norfolk 10, 23, 166
North America 2, 34, 38, 44, 50, 63–4, 66–7, 74, 79, 154, 169–72, 174
Northamptonshire 31
Northumberland 14, 143
Norway 59, 150
Norway spruce 12, 64, 79, 133, 143, 154, 158, 173
Nutcracker 205
Nuthatch 2, 30, 42, 46, 50–1, 57–9, 62–3, 67–8, 74–5, 79, 101, 104, 106, 108, 122, 157, 162, 166, 187

oak 4, 10, 12, 17–18, 20, 22, 24, 29, 34, 36, 38, 57–8, 71, 99, 101–3, 107–8, 115, 118–21, 129, 131, 133, 137, 162, 175
old-growth, *see* natural woodland
Olivaceous Warbler 206
Olive Tree Warbler 206
Orphean Warbler 95, 206
Ortolan Bunting 206
Osprey 194
Oxfordshire 20, 44, 75, 85, 126

Paradise Copse (Devon) 17
parkland 2, 123
Parrot Crossbill 5, 189, 206
Parulidae 50
passive sampling, explanation of area effects 66
patchiness, in woodland structure 5, 14, 17, 26–7, 71–3, 105–8, 112, 153, 156, 172–5
Pheasant 46, 141, 143, 146, 179
Pied Flycatcher 30, 36, 50, 54, 61–2, 76, 79, 81, 117, 119–21, 124–5, 127, 131, 134, 185
pine beauty moth 15
Pine Grosbeak 29, 206
Pisgah Forest (New Hampshire) 172
Poland 34–40, 71, 79, 158, 172–4
polder woodland 166
pollards 17, 23, 116, 121, 130
poplar 165–6
population
  dynamics 41–2, 103–4
  sources and sinks 82–3, 127, 162–3
  turnover in breeding population 52–3
predation, on woodland birds 32, 37, 45, 49–50, 54, 56–7, 59, 66, 142, 151–2, 161, 164
primeval woodland, *see* natural woodland
primrose 6
privet 87
Pygmy Owl 30, 203

rabbit 86, 131
Raven 201
recreation 159, 163–4
Red-backed Shrike 89–90, 161, 174, 192
Red-breasted Flycatcher 174, 205
Red-flanked Bluetail 206
Red Grouse 132
Red Kite 6, 62, 193–4, 206
Red-legged Partridge 198
Red-necked Nightjar 206
Redpoll 29, 46, 49, 85, 189
Redstart 30, 33, 46, 50, 61, 67, 101, 117–20, 122, 124–5, 127, 129–31, 182
Redwing 5, 29, 93, 138, 168, 183, 206
Reed Bunting 46, 85, 165, 193
Reed Warbler 200
regional differences in bird communities 62–3, 117–20
regulation of bird populations 42
restocks in conifer forest 133, 139–41, 143, 146–8
restructuring of conifer forests 14, 153, 159
retention 21, 153–4
rhododendron 4, 59–60, 75, 81
rides 4–5, 68–9, 71–2, 153, 175
Ring-necked Parakeet 197
Ring Ouzel 93, 199
River Warbler 204
road construction 164
Robin 33, 37–8, 41, 46–7, 52–3, 57–9, 65, 69–70, 75, 88, 94–5, 100, 102, 109, 114, 117, 120, 122, 134, 137, 141, 143, 160, 181–2
Rockingham Forest (Northamptonshire) 31
Roller 203
Rook 32, 36, 71, 157, 196
roosting 59–60, 74, 81, 84, 93

© Cambridge University Press www.cambridge.org

CAMBRIDGE

Cambridge University Press
978-0-521-54347-7 - Bird Life of Woodland and Forest
Robert J. Fuller
Index
More information

Roudsea Wood (Lancashire) 128
rowan 117, 119
Royal Society for the Protection of Birds 136
Rüppell's Warbler 206
Rushbeds Wood (Buckinghamshire) 37
Rustic Bunting 29, 206

sallow 71, 109
Sardinian Warbler 94–5, 206
scale 61, 175
Scandinavia, *see* Fennoscandia
Scarlet Rosefinch 201, 206
Scops Owl 203
Scotland 1, 8–9, 12–13, 15, 17–18, 29, 34, 38, 44–5, 51, 62–3, 77–9, 83–4, 109, 117–21, 124–6, 132–7, 141, 146, 148–52
Scots pine 2, 12, 18–19, 29, 34, 64, 79, 91–2, 133–7, 143, 148, 150, 154
Scottish Crossbill 5, 62, 133, 146, 189
scrub 2, 53, 84–98, 157, 168
sea buckthorn 85
seasonal changes in woodland bird communities 50–60
Sedge Warbler 85, 89, 165, 200
selection system of high forest 21, 104–8, 176
Serin 197, 205
Sheephouse Wood (Buckinghamshire) 37
shelterwood system of high forest 21, 58, 99, 104–6, 176
Short-eared Owl 5, 140, 146, 190
short rotation forest 165
Short-toed Eagle 202
Short-toed Treecreeper 38, 205
Siberian Jay 33, 206
Siberian Tit 29, 33, 206
silver fir 158
Siskin 29, 49–50, 79, 134, 139, 141, 143–6, 188
Sitka spruce 12, 14, 143–4
Skylark 86–8, 199
Snipe 198
Sombre Tit 206
Somerset 118
Song Thrush 33, 46–7, 52, 88, 93, 117, 141, 160, 164, 183
Spain 95
Sparrowhawk 2, 46, 52, 54, 57, 64, 83, 140–2, 178
Spartum Fen (Oxfordshire) 20
species–area relationship, *see* area
Spectacled Warbler 94–5, 206
Spey Valley 17, 78–9, 134
Spotted Eagle 203
Spotted Flycatcher 46, 117, 134, 185
Spotted Owl 169–71
Spotted Redshank 29
Starling 46–7, 50, 60, 71, 74, 84, 101–2, 196
Stock Dove 38, 46–7, 101, 123, 195
Stonechat 90, 95, 191
Stone-curlew 86
storms, effects on woodland 5, 34–6, 171–2
structure of woodland 3–5, 74–6, 101–2, 118, 120, 126–7, 134–5, 142–3
Subalpine Warbler 94–5, 206
succession 71, 86–94
Suffolk 10, 25–7, 90, 92, 96, 103, 146, 148, 170
Surrey 10, 53, 90, 97, 103
Sussex 22, 24, 92–4, 137
Sutherland 132, 151
swampy woodland 19–20, 34–6
Sweden, *see* Fennoscandia
sweet chestnut 11, 18, 24, 109–11
Swift 206
sycamore 4, 12, 76, 79, 81, 157
Syrian Woodpecker 204

Tawny Owl 30, 46, 104, 141, 180
Tengmalm's Owl 30, 203
territoriality 52–4, 58–9
The Mens (Sussex) 22
Thetford Forest (Norfolk & Suffolk) 10, 139–43, 147–8, 154
thicket stage 21, 60, 100–1, 139, 141–3
thinning 10, 22, 33, 104–8, 131, 136–7, 151, 167
Three-toed Woodpecker 33, 59, 161, 174, 204
Thrush Nightingale 36, 166, 204
Thursley Common (Surrey) 97
traveller's joy 4
Treecreeper 38, 45–6, 51, 57–8, 67, 75, 101, 122, 141, 166, 187
treefall gaps 5, 34–5, 71–2, 76, 136, 171–4
Tree Pipit 30, 46, 69, 73, 76, 81, 87–8, 92, 100–1, 106, 109–11, 117–20, 124–5, 127, 131, 134, 140, 160, 174, 191
Tree Sparrow 46, 197
tree species, effects on bird communities 63, 77–81, 101–4, 127–8, 143, 153–4
Turtle Dove 46, 62, 89, 139, 164, 166, 195
two-storey system of high forest 21

underplanting 21
upland woods 58, 62–3, 116–131
Ural Owl 29, 206

© Cambridge University Press www.cambridge.org

CAMBRIDGE

Cambridge University Press
978-0-521-54347-7 - Bird Life of Woodland and Forest
Robert J. Fuller
Index
More information

Waldsterben 158–62
Wales 1, 8–10, 12, 17–18, 34, 61–2, 79, 84, 117–21, 124–5, 139–40, 146, 149, 154
watercourses in forests 14, 153
Waxwing 29, 197, 206
wayfaring tree 87
Weald 7
Whinchat 69, 73, 139, 191
White-backed Woodpecker 204
White Down Copse (Devon) 17
Whitethroat 42, 46, 85, 87–9, 95, 100, 106, 109, 140, 161, 166, 192
White-winged Crossbill 206
wildwood 29–37
willow 19, 29, 86, 128, 165
Willow Grouse 29
Willow Tit 30, 38, 43–6, 58, 100–1, 104, 112, 141, 143, 161–2, 166, 185
Willow Warbler 24, 29, 33, 36, 42, 46–7, 53–5, 69–70, 87–9, 94–5, 100, 109, 111, 117–18, 120, 124, 134, 139, 160, 164–6, 184
Windsor Forest (Berkshire) 116, 123
windthrow 15, 22, 115, 131, 154
winter
  comparison with breeding season 58
  feeding sites 45
  fruit-eating 93–5, 138
  habitat use 58–9, 74–5
  high forest bird populations 102–4, 143
  population dynamics 41–2
  territoriality 58–9
  upland woods 58, 118, 120, 125
wolf 137
Woodcock 46, 54, 166, 179
woodland
  definitions 2–5
  distribution in Britain 7–10
  historical aspects 28–33
  recent trends 11–15, 17
Woodlark 5, 90, 140, 146–8, 154, 191
wood-pasture 17–18, 22–3, 116–31, 159, 169, 175
Woodpigeon 38, 46–7, 52, 54, 75, 103, 117, 137, 141, 143, 180
Wood Sandpiper 29
Wood Warbler 30, 36, 38, 46, 50, 54, 61–2, 75, 79, 81, 99–101, 119, 122, 124–5, 127, 131, 174, 183
Worcestershire 113–14
Wren 37–9, 41, 46–7, 58, 65, 69–70, 75, 83, 88, 90, 100, 115, 117–18, 120, 134, 138, 141, 160, 164–5, 181
Wryneck 5, 134, 180, 206
Wye Valley (Gloucestershire & Gwent) 17
Wyre Forest (Shropshire & Worcestershire) 118
Wytham Wood (Oxfordshire) 126

Yellowhammer 46, 87–8, 100, 106, 109, 120, 140, 174, 192–3
yew 133, 137–8
Yorkshire 10

© Cambridge University Press www.cambridge.org