

Cambridge University Press

978-0-521-55302-5 - Levy Processes and Infinitely Divisible Distributions

Ken-iti Sato

Index

[More information](#)

## Subject index

- $\alpha$ -semi-stable, 76  
 $\alpha$ -stable, 76  
 $\Gamma$ -distribution, 13, 15, 31, 45, 390  
   mixture of —s, 47  
 $\Gamma$ -process, 63, 147, 203, 217  
 $\delta$ -distribution, 14  
 $\varepsilon$ -translation number, 188  
 $\sigma$ -algebra, 1  
   Kolmogorov, 4  
 $\chi^2$ -distribution, 13  
  
absolutely continuous, 9, 146, 174, 177  
absolutely continuous part, 174  
additive process, 3, 30, 120, 121, 129  
  broad-sense selfsimilar, 99  
  broad-sense semi-selfsimilar, 102  
  continuous part of, 121  
  jump part of, 121  
  selfsimilar, 99, 117, 272  
  semi-selfsimilar, 102, 103  
additive process in law, 3, 47, 51  
almost periodic (function), 188  
almost surely, 2  
analytic (function), 335, 338  
arcsine distribution, 372  
  generalized, 372  
associated Gaussian processes, 328  
associated sequence, 49  
  


---

Underlined numbers show the pages  
where definitions are given.
- balayage operator, 283  
Banach space, 205  
Bernoulli convolution, 194  
Bernstein's theorem, 388, 389  
Bessel function, 20, 47  
  modified, 21, 204, 233, 235, 421  
Bessel transform, 421  
bigger tail, 263  
bimodal, 147, 395, 420  
binomial distribution, 14, 17, 31  
birth–death process, 426  
Blumenthal's 0–1 law, 275, 313  
Bochner's theorem, 8  
Bondesson class, 389  
Borel–Cantelli lemma, 5  
bounded (linear operator), 205  
Brownian motion, 22, 22–28, 329, 335,  
  349, 360, 367, 380  
   $d$ -dimensional, 22  
  existence of, 64  
  law of the iterated logarithm for, 357,  
  368  
  multiple points of, 380  
  potential density of, 329  
  potential density of — with drift, 270  
   $q$ -potential density of, 204  
  recurrence/transience of, 243  
  reflection principle for, 280  
  selfsimilarity of, 23  
  set  $\Sigma_0$  of, 316  
  subordination of, 202, 217

- weak/strong transience of, 262
- capacitary measure, [298](#), [331](#)  
 co-, [298](#), [331](#)
- capacity, [300](#)  
 $q$ -, [298](#), [330](#), [331](#)
- carrier (of discrete measure), [176](#)
- Cauchy distribution, [11](#), [31](#), [202](#)  
 $d$ -dimensional, [11](#)  
 density restricted to  $[a, \infty)$ , [449](#)
- Cauchy process, [63](#), [87](#), [202](#), [270](#), [332](#)  
 recurrence/transience of, [243](#)  
 set  $\Sigma_0$  for, [316](#)
- center (of infinitely divisible distribution),  
[39](#), [83](#)
- center (of Lévy process), [65](#)
- Chapman–Kolmogorov identity, [54](#)
- characteristic function, [7](#)
- Choquet's capacitability theorem, [331](#)
- class  $B$ , [389](#), [425](#), [426](#)
- class  $L$ , [90](#), [117](#)
- class  $L_\infty$ , [425](#)
- class  $LCV$ , [425](#)
- class  $L_m$ , [118](#)
- class  $ME$ , [389](#), [390](#), [425](#)
- class  $T$ , [425](#)
- closable (linear operator), [206](#)
- closed (linear operator), [205](#)
- closure (of operator), [206](#)
- compensated sum of jumps, [119](#), [121](#)
- completely monotone (function), [388](#), [424](#)
- compound Poisson distribution, [18](#), [39](#),  
[45](#), [123](#), [171](#)
- compound Poisson process, [18](#), [18–21](#),  
[143](#), [175](#), [234](#), [292](#), [335](#)  
 approximation by, [342](#)  
 point recurrence of, [319](#)  
 $q$ -potential measure of, [204](#)  
 support of, [149](#)
- compounding, [234](#)
- condition (ACP), [288](#), [289](#), [297](#), [303](#), [320](#),  
[328](#), [329](#)
- condition (ACT), [288](#), [310](#), [328](#)
- condition (H), [332](#)
- conditional probability, [15](#)
- cone, [143](#)  
 proper, [144](#)
- confluent hypergeometric function, [420](#)
- constant (random variable), [71](#)
- continuity (of sample functions), [59](#), [135](#)
- continuity set, [8](#)
- continuous (measure), [146](#), [174](#), [175](#)
- continuous in probability, [3](#)
- continuous part (of function), [139](#)
- continuous part (of measure), [174](#)
- continuous singular (distribution), [183](#),  
[185](#), [194](#)
- continuous singular part, [174](#)
- convergence  
 almost sure, [5](#)  
 in probability, [5](#)  
 $L^2$ -, [227](#)  
 of bounded measures, [7](#)  
 of probability measures, [7](#)  
 stochastic, [5](#)  
 strong, [205](#)  
 weak, [213](#)
- convex at infinity, [272](#)
- convolution, [8](#)
- core, [206](#), [208](#), [212](#), [215](#), [234](#)
- correct measure function, [379](#)
- covariance matrix, [11](#), [163](#)
- creep (across a point), [378](#)
- cylinder set, [4](#)
- decreasing, [xi](#)
- degenerate (Lévy process), [157](#)
- degenerate (measure), [156](#)
- dense (in Banach space), [206](#)
- density  
 completely monotone, [388](#)  
 of class  $C^\infty$ , [190](#)  
 of class  $C^n$ , [146](#), [190](#)
- density transformation (of Lévy process),  
[218–220](#), [221](#), [221–233](#), [236](#)
- Descartes' rule of signs, [422](#)
- deterministic process, [71](#)
- diffusion, [426](#)
- dimension (of singular distribution), [196](#)
- direct product (of probability spaces), [4](#)
- directing process, [198](#)
- discrete, [146](#), [174](#), [176](#), [186](#), [188](#)
- discrete part, [174](#)
- dispersive, [209](#)
- distinguished logarithm, [33](#), [251](#)
- distinguished  $n$ th root, [33](#)
- distinguished  $t$ th power, [33](#)
- distribution, [2](#)  
 of random variable, [2](#)  
 system of finite-dimensional —s, [2](#)

- divergence condition (of radially absolutely continuous measure), [178](#)
- domain (of linear operator), [205](#)
- domain of attraction, [117](#)
- drift (of infinitely divisible distribution), [39](#), [83](#)
- drift (of Lévy process), [65](#)
- drift transformation, [232](#)
- drifting to  $-\infty$ , [256](#), [363](#)
- drifting to  $\infty$ , [256](#), [363](#)
- dual (of probability measure), [8](#)
- dual infimum process, [333](#)
- dual process, [286](#), [295](#), [333](#)
- dual reflecting process, [333](#)
- dual space, [213](#)
- dual supremum process, [333](#)
- Dynkin's formula, [330](#)
- Dynkin's lemma, [6](#)
- energy, [307](#)
- energy integral, [307](#)
- entire (function), [160](#)
- entropy, [146](#), [195](#)
- entropy function, [184](#), [195](#)
- epoch (of semi-selfsimilar process), [74](#)
- equilibrium measure, [300](#), [303](#)  
co-, [300](#)
- essentially co-polar, [288](#), [306](#)
- essentially polar, [288](#), [305](#), [310](#), [329](#)  
one-point set, [313](#), [316](#), [317](#), [319](#), [322](#)
- Euler's constant, [116](#)
- excessive, [284](#), [289](#), [319](#)  
co-, [286](#)
- excursion, [377](#), [384](#)
- expectation, [2](#)
- exponent (of operator-stable distribution), [118](#)
- exponent (of selfsimilar or semi-selfsimilar process), [74](#), [75](#), [117](#)
- exponential (of linear operator), [207](#)
- exponential distribution, [13](#), [31](#), [335](#), [382](#), [389](#), [390](#), [399](#)  
two-sided, [98](#), [335](#)
- extreme value distribution  
of type 1, [46](#)  
of type 3, [46](#), [194](#)
- $F$ -distribution, [46](#), [98](#)
- $F_\sigma$  set, [279](#)
- fast point, [381](#)
- fine topology, [317](#)
- first passage time process, [333](#), [345](#)–[351](#)
- fluctuation theory, [384](#)
- Fourier inversion formula, [250](#)
- Fourier transform, [41](#), [250](#)
- fractional power (of the negative of infinitesimal generator), [216](#)
- function  $h^q(x)$ , [313](#)
- $g$ -moment, [159](#), [194](#)
- Gaussian covariance matrix, [38](#), [65](#)
- Gaussian distribution, [11](#), [22](#), [23](#), [31](#), [39](#), [70](#), [168](#), [399](#)  
covariance matrix of, [11](#), [168](#)  
nondegenerate, [10](#), [11](#)
- generating function, [196](#), [387](#)
- generating triplet  
( $A, \nu, \gamma$ ) of infinitely divisible distribution, [38](#)  
( $A, \nu, \gamma_0$ )<sub>0</sub>, [39](#)  
( $A, \nu, \gamma_1$ )<sub>1</sub>, [39](#)  
( $A, \nu, \gamma_c$ )<sub>c</sub>, [39](#)  
of Lévy process, [65](#)  
system of —s of additive process, [53](#), [121](#)
- genuinely  $d$ -dimensional (Lévy process), [157](#), [254](#)
- genuinely  $d$ -dimensional (measure), [193](#)
- geometric Brownian motion, [68](#)
- geometric distribution, [14](#), [31](#), [234](#), [382](#)
- geometric stable distribution, [203](#)
- group (of Lévy process), [158](#), [193](#), [243](#)
- Gumbel distribution, [46](#)
- $H$ -selfsimilar process, [74](#)  
broad-sense, [74](#)
- $H$ -semi-selfsimilar process, [74](#)  
broad-sense, [74](#)
- Hahn–Banach theorem, [213](#)
- half-Cauchy distribution, [47](#), [98](#)
- half-Gaussian distribution, [194](#)
- harmonic measure, [329](#)
- Hartman–Wintner theorem, [182](#), [187](#)
- Hausdorff dimension, [196](#), [312](#), [379](#)
- Hausdorff measure, [379](#)
- Hellinger–Kakutani distance, [218](#)
- Hilbert transform, [328](#)
- Hille–Yosida theorem, [206](#)
- hitting time, [202](#), [276](#), [279](#), [331](#), [426](#)
- Hölder's inequality, [165](#), [449](#)

- Hunt's switching formula, 296  
hyperbolic distribution, 236
- identical in law, 3  
identical tail, 263  
image set, 380  
increase time, 28, 378  
increasing, xi, 137  
independent, 2, 5, 6  
    inheritance of independence, 6  
    pairwise, 67  
independent increments property, 3  
index  
    (of stable or semi-stable process or distribution), 76  
    analogue of — of stable process, 362, 367, 379, 380  
indicator function, xi  
infimum process, 333  
infinitely divisible distribution, 31  
    condition for, 45, 385, 386  
    correspondence of — to Lévy process, 35, 63, 65  
    mean of, 39  
infinitesimal generator (of semigroup of operators), 206, 213, 234  
integrable, 250  
    square, 174  
invariant distribution, 112, 194, 426  
invariant measure, 158, 194  
inverse Gaussian distribution, 233  
    generalized, 235  
inversion formula, 9  
irregular (point), 313, 353  
isomorphism theorem, 328
- Jessen–Wintner law of pure types, 182  
jump part (of function), 139  
jumping time, 131, 136
- $k$ -function, 403  
 $K$ -increasing, 144  
Kolmogorov–Rogozin inequality, 384  
Kolmogorov's 0–1 law, 6  
Kolmogorov's extension theorem, 4  
Kolmogorov's inequality, 128  
Krein's correspondence, 426
- lack of memory, 15  
Laplace distribution, 98  
Laplace transform, 10, 203
- Laplacian, 212  
large deviations, 169, 249  
last exit time, 101, 262, 303  
law (of random variable), 2  
law of large numbers  
    analogue of — for Lévy process, 246  
    strong, 245  
    weak, 246  
law of the iterated logarithm, 356, 359, 361, 366–368, 381  
Le Cam's estimate, 114  
Lebesgue decomposition, 174  
Lebesgue measure, 158  
Lévy–Itô decomposition of sample functions, 119–135, 219, 343  
Lévy–Khintchine formula (of infinitely divisible distribution), 37  
Lévy–Khintchine representation (of infinitely divisible distribution), 37, 39, 41, 119, 210  
Lévy measure  
    of infinitely divisible distribution, 38  
    of Lévy process, 65  
    radial part of, 79  
    spherical part of, 79, 115  
    with bounded support, 168  
Lévy process, 3  
     $d$ -dimensional, 3  
    generated by  $(A, \nu, \gamma)$ , 65  
    infinitesimal generator of transition semigroup of, 208, 383  
    linear transformation of, 65  
    long time behavior of, 363–368  
    mean of, 163  
    of type A, 65, 68, 140, 324, 355  
    of type B, 65, 68, 140, 324, 355  
    of type C, 65, 68, 141, 324, 326, 351, 355  
    projection of, 65  
    short time behavior of, 323, 351–362  
    strong transience for  $d \geq 5$  of, 262  
    symmetric, 263  
    time dependent distributional property  
        in the class of —es, 145  
    transience for  $d \geq 3$  of, 254  
    without positive jumps, 345–351  
Lévy process in law, 3, 35  
limit distribution, 108  
linear functional, 213

- continuous, 213
- linear operator, 205
  - extension of, 205
- Linnik distribution, 203
- local time, 236, 327, 332, 384
- locally bounded, 159
- log-concave, 395
- log-convex, 387, 425
- log-normal distribution, 47, 68, 98, 164
- logarithm (of operator), 217
- logarithmic potential operator, 272
- logistic distribution, 47, 98
- lower semi-continuous, 288, 322, 328
- Markov process, 55
  - initial distribution of, 58
  - path space representation of, 55
  - temporally homogeneous, 55, 273
- Markov property, 57, 278
- martingale, 68, 349
- mean vector, 11
- measurable space, 1
- mesh (of partition), 26
- Mittag-Leffler distribution, 154, 194, 195, 383
- Mittag-Leffler function, 154, 234
- mixing measure, 388
- mixture, 388
- modal interval, 395, 404
- mode, 147, 395
  - location of, 408, 426
- modification, 2
- moment
  - exponential, 161, 165
  - of order  $\alpha$ , 146
- more peaked, 265, 271
- multinomial distribution, 17, 122
- multiple point, 380
- mutually absolutely continuous, 218
- $n$ -modal, 146, 395
- nearly analytic set, 331
- nearly Borel set, 331
- negative binomial distribution, 14, 31, 39, 203
- non-constant (random variable), 71
- non-trivial (distribution), 71
- non-trivial (process), 71
- non-trivial (random variable), 71
- non-zero (process), 71
- non-zero (random variable), 71
- nondegenerate (Lévy process), 157
- nondegenerate (measure), 156
- nonnegative-definite (function), 8, 331
- norm, 205
- norm (of linear operator), 205
- nowhere differentiable, 27
- null array, 47, 67, 91
- occupation density, 327
  - joint continuity of, 328
- operator-selfdecomposable distribution, 118
- operator-semi-stable distribution, 118
- operator-stable distribution, 118
  - strictly, 118
- operator-stable process, 118
- Ornstein-Uhlenbeck process, 108
- Ornstein-Uhlenbeck type
  - limit distribution of process of, 108
  - process of, 108–114, 116, 272, 426
- oscillating (Lévy process), 256, 363
- overshoot, 369
- packing dimension, 379
- packing measure, 379
- Pareto distribution, 46, 98
- partial fraction expansion, 391
- Peres-Solomyak number, 184
- piecewise constancy (of sample functions), 135
- piecewise monotone, 394
- Pisot-Vijayaraghavan number, 184
- point masses, 174
- point recurrent, 262, 319
- Poisson distribution, 10, 31, 39, 119, 122
- Poisson point process, 144
- Poisson process, 15, 15–18, 342
- Poisson random measure, 119, 120, 122, 123, 144, 323
  - intensity measure of, 119, 120, 122, 123
- Poisson transform, 426
- polar, 288, 329
  - co-, 288
  - one-point set, 313
- positivity (of operator), 207
- potential density, 242
  - $q$ -, 242
- potential kernel, 282
- potential measure, 203, 237

- continuous singular  $q$ -, 294
- $q$ -, 203, 251, 283, 334
- potential operator
  - in the sense of Yosida, 212, 236, 272
  - $q$ -, 283
- precompact, 66
- principle of reflection, 153, 166
- probability measure, 1
- probability space, 1
- pure, [174](#)
- purely non-Gaussian, [38](#), [65](#)
- $Q$ -selfdecomposable, 118
- quasi-left-continuity, [279](#), [280](#), [302](#), [370](#)
- quasi-unimodal, 263, 272
- radially absolutely continuous, [178](#)
- Radon–Nikodým derivative, 218
- random variable, 1
- random walk, [5](#), [249](#), [250](#), [336](#)
  - law of the iterated logarithm for, [357](#)
  - recurrence/transience of, [237](#), [238](#)
- range (of operator), 206
- range (of path), [326](#), [379](#), [382](#)
- recurrence/transience criterion
  - by potential measures, [239](#)
  - of Chung–Fuchs type, [252](#)
  - of Spitzer type, [254](#)
- recurrent, [237](#), [243](#), [270](#), [294](#)
  - $BG$ -, [329](#)
- recurrent potential operator, [254](#)
- reflecting process, [333](#), [384](#)
- reflection (of probability measure on the line), [8](#)
- reflection principle, [280](#)
- regular (point), [313](#), [353](#)
- regular for itself, [313](#), [316](#), [327](#)
- regularly varying (function), [164](#)
- renewal theorem, [271](#), [442](#)
- resolvent equation, [207](#), [283](#)
- resolvent operator, [207](#)
- Riemann–Lebesgue theorem, [174](#), [183](#), [190](#), [293](#), [294](#), [436](#)
- Riesz potential, [261](#)
- rotation invariant, [85](#), [114](#), [116](#)
- row sum, [47](#)
- sample function, [3](#)
- sample path, [3](#)
- selection theorem, [42](#)
- selfdecomposable distribution, [90](#), [93](#), [99](#), [116](#), [117](#), [404](#)
  - absolute continuity of, [177](#), [181](#)
  - as distribution of selfsimilar additive process, [99](#)
  - as limit distribution, [91](#), [108](#)
  - asymptotics of density of, [409](#)
  - Lévy measure of, [95](#), [112](#)
  - smoothness of, [190](#)
- selfdecomposable process, [93](#), [292](#), [403](#)–[416](#)
- selfsimilar process, [70](#), [71](#), [117](#)
  - broad-sense, [70](#), [71](#), [75](#)
- semi-polar, [332](#)
- semi-selfdecomposable distribution, [90](#), [93](#), [94](#), [102](#), [103](#), [181](#)
- semi-selfdecomposable process, [93](#), [292](#)
- semi-selfsimilar process, [70](#), [71](#)
  - broad-sense, [70](#), [71](#), [73](#)
- semi-stable distribution, [70](#), [114](#), [117](#), [158](#), [399](#)
  - 1-, [76](#)
  - characteristic function of, [83](#)
  - density of, [190](#)
  - index of, [76](#)
  - Lévy measure of, [77](#)
  - Lévy measure of strictly, [81](#)
  - strictly, [70](#)
- semi-stable process, [70](#), [71](#), [143](#), [193](#), [418](#)
  - 1-, [76](#), [270](#), [316](#)
  - drifting/oscillating of, [366](#)
  - exponent of, [75](#)
  - hitting time of  $(0, \infty)$  for, [356](#)
  - index of, [76](#)
  - moment of, [162](#)
  - point recurrence of, [319](#)
  - polarity and Hausdorff dimension for, [313](#)
  - $q$ -capacity for, [311](#)
  - recurrence/transience of, [259](#), [260](#)
  - regularity of 0 for itself for, [326](#)
  - set  $\Sigma_0$  for, [326](#)
  - strictly, [70](#), [71](#), [311](#)
  - variation function of, [143](#)
- semigroup (of operators), [206](#)
  - contraction, [206](#)
  - property, [283](#)
  - strongly continuous, [206](#)
- semimartingale, [144](#), [236](#)

- set  $\Sigma_0$ , [313](#)  
 shift (of path), [327](#)  
 sign function, [xii](#)  
 singular, [146](#), [174](#), [186](#)  
 slow point, [381](#)  
 slowly varying (function), [164](#), [410](#)  
 smallest closed extension (of operator), [206](#)  
 sojourn time, [238](#)  
   mean, [238](#)  
 space  $\mathbf{D} = D([0, \infty), \mathbb{R}^d)$ , [xii](#), [121](#), [273](#)  
 space  $D([0, t], \mathbb{R}^d)$ , [126](#), [249](#)  
 span (of semi-selfdecomposable distribution), [90](#)  
 span (of semi-selfsimilar process), [74](#)  
 span (of semi-stable distribution), [76](#)  
 spectral decomposition, [426](#)  
 stable distribution, [426](#)  
 stable distribution, [69](#), [114](#), [116](#), [194](#), [195](#)  
   1-, [76](#), [84](#)  
   as limit distribution, [94](#)  
   characteristic function of, [83](#), [86](#)  
   density of, [87](#), [190](#)  
   duality between strictly —s, [90](#)  
   index of, [76](#)  
   Lévy measure of, [78](#)  
   Lévy measure of strictly, [81](#)  
   one-sided strictly  $\frac{1}{2}$ -, [12](#), [29](#), [45](#), [280](#), [399](#), [403](#)  
   rotation invariant, [86](#), [115](#)  
   strictly, [69](#), [84](#), [87](#), [89](#)  
   strictly 1-, [84](#)  
   symmetric, [86](#)  
 stable process, [70](#), [71](#), [115](#), [117](#), [193](#), [332](#), [384](#)  
   1-, [76](#), [270](#), [316](#), [332](#), [362](#), [382](#)  
   capacity of strictly, [304](#)  
   drifting/oscillating of, [365](#)  
   hitting time of  $(0, \infty)$  for, [355](#)  
   index of, [76](#)  
   law of the iterated logarithm for, [358](#)  
   mode behavior of, [415](#)  
   potential density of, [270](#)  
   potential density of rotation invariant, [261](#)  
   recurrence/transience of, [260](#)  
   regularity of 0 for itself for, [325](#)  
   rotation invariant, [202](#), [236](#), [304](#), [330](#), [381](#)  
   set  $\Sigma_0$  for, [325](#)  
   strictly, [70](#), [71](#), [82](#), [115](#), [361](#), [367](#), [380](#)  
   strictly  $\frac{1}{2}$ -, [87](#)  
   variation function of, [143](#)  
   weak/strong transience of, [262](#)  
   with parameters  $(\alpha, \beta, \tau, c)$ , [87](#)  
   without positive jumps, [350](#)  
 stationary increments property, [3](#)  
 Stirling's formula, [171](#), [364](#)  
 stochastic area, [98](#)  
 stochastic process, [2](#), [3](#)  
 stochastically continuous, [3](#)  
   uniformly, [51](#)  
 stopping time, [275](#), [275–280](#), [331](#)  
    $\sigma$ -algebra  $\mathcal{F}_T$  for, [275](#)  
    $\sigma$ -algebra  $\mathcal{F}'_T$  for, [275](#)  
 strong Markov property, [278](#), [283](#), [373](#)  
 strongly unimodal, [146](#), [395](#), [423](#), [424](#), [426](#)  
 Student's  $t$ -distribution, [46](#), [98](#)  
 subexponential (distribution), [146](#), [163](#)  
 submultiplicative (function), [159](#), [165](#), [167](#)  
 subordinate, [198](#), [213](#)  
 subordination (of Lévy process), [198](#), [198–205](#)  
   iteration of, [201](#)  
 subordination (of semigroup of operators), [213](#)  
 subordinators, [137](#), [138](#), [153](#), [185](#), [197](#), [212](#), [271](#), [330](#), [332](#), [383](#), [423](#)  
   potential density of stable, [261](#)  
   selfdecomposable, [234](#), [235](#), [415](#), [422](#)  
   short time behavior of, [360](#)  
   stable, [138](#), [153](#), [271](#)  
   strictly  $\frac{1}{2}$ -stable, [202](#), [280](#), [349](#)  
   strictly stable, [202](#), [216](#), [233](#), [331](#)  
   subexponentiality in, [164](#)  
   subordination by, [198](#), [213](#)  
   unimodality in, [417](#), [418](#)  
 support (of function), [207](#)  
 support (of Lévy process), [154](#), [243](#), [291](#), [306](#), [328](#)  
 support (of measure), [148](#)  
 support (of random variable), [148](#)  
 supremum process, [167](#), [333](#)  
 symmetric (distribution), [8](#), [85](#), [114](#), [146](#), [417](#)

Cambridge University Press

978-0-521-55302-5 - Levy Processes and Infinitely Divisible Distributions

Ken-iti Sato

Index

[More information](#)

486

SUBJECT INDEX

symmetrization, 67, 270, 329

Tauberian theorem

Karamata's, 410

of exponential type, 436

temporal homogeneity, 3

thin, 332

three-series theorem, 227

time, 3

time reversal, 287, 331

total positivity, 422

transient, [237](#), 294

strongly, 262

weakly, 262

transition function, 54

spatially homogeneous, 55

temporally homogeneous, 54, 106

translation invariant, 55

transition kernel, 282

transition operator, 283

transition semigroup, 208

triangular density, 251

trivial (distribution), [71](#), 72trivial (process), [71](#)trivial (random variable), [71](#)

type A, B, C, 65

uniform continuity

order of, 381

uniform distribution, 14, 31

uniformly integrable, 245

unimodal, 145, [147](#), 195, 395, 400, 404,  
416, 418

unimodal correspondent, 265, 271

universally measurable, 274

variation, 138, 140

 $\eta$ -, 381

variation function, 138

Weibull distribution, 46, 164, 194

Wiener–Hopf factorization, 333–378

Wiener integral, 106

Wiener process, 22

Yamazato property, [400](#), 418zero (process), [71](#)