

## Compound index

- $\alpha$ -Al<sub>2</sub>O<sub>3</sub> 51–4, 69, 72, 75–6, 139–43, 295–6, 391–4, 427–8  
 $\gamma$ -Al<sub>2</sub>O<sub>3</sub> 64, 143, 391  
 $\eta$ -Al<sub>2</sub>O<sub>3</sub> 64, 143  
  
 BaO 138–9, 295, 425–6  
 BaTiO<sub>3</sub> 40–1, 208–9  
 BeO 72  
 Bi<sub>0.1</sub>WO<sub>3</sub> 69  
 Bi<sub>2</sub>(Ca,Sr)<sub>3</sub>Cu<sub>2</sub>O<sub>8+x</sub> 64, 417, 428, 430  
 Bi<sub>2</sub>Mo<sub>3</sub>O<sub>12</sub> 338  
 $\alpha$ -Bi<sub>2</sub>O<sub>3</sub> 338  
 Bi<sub>2</sub>Sr<sub>2</sub>CaCu<sub>2</sub>O<sub>8-x</sub> 62, 64, 175, 236, 365, 369, 430  
 Bi<sub>2</sub>Sr<sub>2</sub>CuO<sub>x</sub> 428, 430  
 Bi<sub>5</sub>Sr<sub>3</sub>Ca<sub>2</sub>Cu<sub>4</sub>O<sub>x</sub> 414  
  
 CaO 34, 131–2, 138–9, 295, 384–8  
 CeO<sub>2</sub> 370  
 CoO 34–5, 72, 75–6, 226–8, 358–61, 425  
 Cr<sub>2</sub>O<sub>3</sub> 52, 68, 76, 218, 352–3, 412  
 Cu<sub>2</sub>O 62, 74, 233, 364–5  
 CuO 234  
  
 Er<sub>2</sub>O<sub>3</sub> 370  
 EuBa<sub>2</sub>Cu<sub>3</sub>O<sub>7-x</sub> 236, 418  
 EuO 35  
  
 Fe<sub>3</sub>O<sub>4</sub> 54, 59, 163, 169, 221–6, 357–8, 426  
 FeTiO<sub>3</sub> 49  
 Fe<sub>x</sub>O 54, 170, 221–6, 358, 412  
 $\alpha$ -Fe<sub>2</sub>O<sub>3</sub> 53, 54–5, 161, 221–6, 287, 355–8  
  
 GdBa<sub>2</sub>Cu<sub>3</sub>O<sub>7-x</sub> 367  
  
 IrO<sub>2</sub> 246  
  
 K<sub>0.3</sub>MoO<sub>3</sub> 64, 173  
 KTaO<sub>3</sub> 171  
  
 La<sub>1.8</sub>Sr<sub>0.2</sub>CuO<sub>4</sub> 365, 367  
 La<sub>2</sub>CuO<sub>4</sub> 63, 69, 76, 173  
 La<sub>2</sub>O<sub>3</sub> 69, 370  
 LaAlO<sub>3</sub> 394, 428–9  
 (La,Sr)<sub>2</sub>CuO<sub>4</sub> 63  
 Li<sub>2</sub>O 76  
 LiNbO<sub>3</sub> 49, 209–11, 370  
 LiTaO<sub>3</sub> 49, 209–11  
  
 MgO 32–4, 36, 69, 72, 74, 76, 88, 95–6, 104–8, 111, 114–17, 129–38, 253, 288–94, 371, 384–91, 425–6, 430  
 MgO:Li 20, 110, 291  
 MnO 35, 218–21, 353–5, 412  
 Mo<sub>18</sub>O<sub>52</sub> 61  
 MoO<sub>3</sub> 61, 173, 237–40, 284, 337–8, 425  
 (Mo,Ta)<sub>5</sub>O<sub>14</sub> 69  
  
 Na<sub>0.9</sub>Mo<sub>6</sub>O<sub>17</sub> 64  
 Na<sub>x</sub>WO<sub>3</sub> 41, 91, 93, 168, 171, 179–80, 241–3, 338–9, 370, 400–1  
 (Nd,Ce)<sub>2</sub>CuO<sub>4</sub> 63, 173  
 Nd<sub>2</sub>CuO<sub>4</sub> 63  
 NiAl<sub>2</sub>O<sub>4</sub> 392  
 NiO 34–5, 68–9, 72, 75–6, 99, 161, 176–8, 229–33, 361–4, 413, 426  
  
 (Pb,Bi)<sub>2</sub>Sr<sub>2</sub>CaCu<sub>2</sub>O<sub>8</sub> 64

460

*Compound index*

- PbO 64  
 PrBa<sub>2</sub>Cu<sub>3</sub>O<sub>7-x</sub> 430
- Rb<sub>0.05</sub>WO<sub>3</sub> 64  
 Rb<sub>0.3</sub>MoO<sub>3</sub> 64, 68  
 ReO<sub>3</sub> 168, 241, 243-4  
 RuO<sub>2</sub> 46, 48, 168, 180, 245-6
- SnO 108  
 SnO<sub>2</sub> 45-7, 76, 83, 108, 149-57, 284-5, 313-16,  
 398-400  
 SnO<sub>2</sub>:Sb 91, 93, 110, 156-7  
 SrO 138-9, 295  
 SrTiO<sub>3</sub> 39, 42, 74, 171, 200-8, 287, 333-6, 370, 401,  
 403-4, 410, 412
- Tb<sub>7</sub>O<sub>12</sub> 69  
 Tb<sub>11</sub>O<sub>20</sub> 69  
 Tb<sub>12</sub>O<sub>22</sub> 69  
 ThO<sub>2</sub> 246  
 Ti<sub>2</sub>O<sub>3</sub> 52, 168, 171, 192-9, 340-9  
 TiO<sub>2</sub> 7, 44-9, 65, 68, 72, 93, 161, 168, 181-92, 284,  
 286, 317-33, 370, 401-12, 420-4, 426-8  
 TiO<sub>2</sub>:Cr 69
- TiO<sub>x</sub> 199-200, 342-3
- U<sub>4</sub>O<sub>9</sub> 69  
 UO<sub>2</sub> 61, 67, 69
- V<sub>2</sub>O<sub>3</sub> 52, 171, 214-7, 349-52  
 V<sub>2</sub>O<sub>3</sub>:Cr 217  
 V<sub>2</sub>O<sub>5</sub> 64, 90, 161, 212, 336-7, 370  
 V<sub>6</sub>O<sub>13</sub> 75-6  
 VNb<sub>9</sub>O<sub>25</sub> 69  
 VO<sub>2</sub> 168, 171, 213-14, 352, 427  
 VO<sub>x</sub> 217, 426-7
- WO<sub>3</sub> 41, 61, 241-3, 287, 338-9, 370
- YBa<sub>2</sub>Cu<sub>3</sub>O<sub>7-x</sub> 62, 169, 173, 236-7, 365-7, 414, 417,  
 428-30  
 YBa<sub>4</sub>Cu<sub>2</sub>O<sub>8-x</sub> 365
- ZnO 55-8, 66-8, 71, 93, 100, 117, 143-9, 284-5,  
 296-313, 394-8  
 ZrO<sub>2</sub> 76, 413  
 ZrO<sub>2</sub>:Y 74, 428

## Subject index

- Accumulation layer 93, 119, 261, 314  
 Adsorption  
   acid/base reactions (*see* Adsorption, donor/acceptor reactions)  
   dissociative 256  
     heterolytic 255–6, 258, 263, 282  
     homolytic 255, 258, 263  
   donor/acceptor reactions 255–9, 284–5  
   molecular (non-dissociative) 256  
   oxidation/reduction (redox) interactions 255–7, 260–1, 285–6  
     with oxygen transfer 2, 255, 257, 382  
   role of lattice oxygens 255–7, 266, 269, 284, 381–2, 401  
   selective oxidation 2, 255, 276, 282  
   Xe 276, 310  
 Anatase 44, 318, 423  
 Antibonding orbitals 103, 160, 164, 172, 258  
 Antifluorite structure 19  
 Atomic force microscopy (AFM) 6, 27, 52, 68  
 Auger  
   parameter 381  
   spectroscopy 127, 249, 381  
 Bandgap 111, 113  
   direct 111, 124  
   indirect 111, 124  
   narrowing 33, 106, 108, 114, 116  
   surface 116, 127  
   thermal 111  
 Bandwidth 105–6, 113–14, 161–4, 169, 173, 259  
 Bonding orbitals 103, 107, 160, 164, 168, 172  
 Bridging oxygen ions 44–5, 71, 149, 151, 284, 314  
 Brookite 44, 318  
 Brønsted acidity 284  
 Bunsenite 34  
 Computational methods 22–24  
   *ab initio* 23, 121–2  
   cluster 72, 106, 116, 120–1, 254  
   configuration-interaction (CI) 169, 176–7  
   embedding techniques 22, 120  
   Green's function 114, 120  
   Hartree–Fock 23, 121  
   linear combination of atomic orbitals (LCAO) 121  
   linear combination of muffin-tin orbitals (LCMTO) 121, 185  
   local-density 23, 121  
   one-electron approximation 120, 124–5, 175  
   parameterized interaction potential 22  
   pseudopotential 121  
   quantum-mechanical total energy 22  
   semi-empirical 23  
   shell model 23, 95, 105  
   slab 22, 120  
   tight-binding 121  
   transfer-matrix 120  
   X $\alpha$  106, 116, 121  
 Cassiterite 45  
 Charge neutrality 20, 32, 109, 244  
 Charge-transfer insulators 177  
 Chemisorption (*see* Adsorption)  
 Coherence lengths 175  
 Constant final state spectra 123  
 Constant initial state spectra 123  
 Coordination 15  
   eight-fold 18  
   four-fold pyramidal 18  
   four-fold tetrahedral 18, 55, 71, 166  
   linear 18  
   six fold octahedral 16, 71, 164–6  
   square planar 18, 166  
   twelve-fold 18–19  
 Coordinative unsaturation 114, 255, 284–5  
 Correlation 112, 125  
 Corundum 49, 51, 139  
 Coulomb repulsion 104, 162, 173, 176, 185, 370

- Covalency 104, 160, 228  
 surface enhanced 104, 114, 185, 228
- Crystal-field (ligand-field) splitting 164–8, 172
- Crystallographic shear (CS) planes 21–2, 41, 171
- Cuprite structure 62
- d orbitals 159, 161–2, 164, 260
- d<sup>0</sup> transition-metal oxides 161, 165, 167–8, 170, 200, 285, 316–17, 369, 372, 377
- d<sup>10</sup> transition-metal oxides 18, 167–8
- d<sup>n</sup> transition-metal oxides 159, 161, 165, 168, 176, 259, 286, 339, 377
- Defects 20–2, 116, 170–1, 269, 285  
 cation vacancy 31, 69, 108, 389  
 compensating 108–10  
 dislocations 20–1  
 F and F<sup>+</sup> centers 20, 23, 108  
 Frenkel 20  
 oxygen vacancy 20, 31, 39, 44, 46, 50, 69, 71, 108, 119, 187, 266, 287, 317  
 point 20, 26–7, 69–72, 120, 255–6  
 Schottky 20  
 steps 25–6, 28, 31, 39, 48, 50, 59, 64–9, 117–18, 138, 204, 253, 255–6, 276, 298–9  
 V and V<sup>-</sup> centers 108–9, 139
- Density-of-states 107, 120, 124, 127, 175, 179, 259  
 joint 112, 123
- Depletion layer 93, 119, 243, 261
- Desorption  
 electron-stimulated (ESD) 65, 69, 73, 127, 249, 253, 369–77  
 photon-stimulated (PSD) 65, 73, 249, 253, 369–77  
 extended fine structure in 373–4  
 thermal (TDS) 252–3, 276  
 laser-induced 253
- Dielectric function 79, 87, 89, 112, 126
- Dispersion interactions (*see* Electrostatic interactions)
- Electron  
 affinity 131  
 mean-free-path 25–6, 123, 132  
 microscopy 29, 69, 428–9  
 scattering  
 dynamical (multiple scattering) model 25  
 kinematical model 25–6  
 transfer in adsorption (*see also* Adsorption, oxidation/reduction) 380, 382
- Electron-energy-loss spectroscopy 122–4, 126, 169, 259  
 extended fine structure in (EXELFS) 27  
 high-resolution (HREELS) 77, 86–91  
 of adsorbates 99, 251–2  
 off-specular 85, 96, 252
- Electronic structure  
 ground state 104, 109, 121, 124, 165–6, 177  
 itinerant 4, 103, 112, 125, 169, 180  
 localized 4, 103, 169, 259
- Electrostatic interactions 256, 281
- Energy  
 bands 103–4, 106–7, 112, 121, 161, 168–9, 179, 254  
 bending of 3, 119, 250, 258, 261, 287, 314  
 surface 114, 120, 129  
 distribution curves 124  
 interfacial 29, 383–4  
 loss spectroscopy (*see* Electron-energy-loss spectroscopy)  
 surface 22, 28–9, 36, 39, 48, 65
- Epitaxial growth 384
- Exchange 121, 165, 221, 232, 286
- Excitons  
 Frenkel 111, 169  
 surface 134, 138  
 Wannier 111
- Extended x-ray absorption fine structure (EXAFS) 27
- Extra-molecular relaxation-polarization shift 250, 258
- Fermi-surface nesting 173
- Final state  
 effects 125, 175–6, 180  
 screened 180  
 unscreened 180
- Fluorite structure 18–19, 61
- Fractional parentage 176
- Franck–Condon broadening 111, 125
- He atom diffraction 26
- Heat of formation 382
- Hematite 52, 55
- High-T<sub>c</sub> superconductors 62, 73, 173–5, 228, 233–7, 273, 365–9, 414, 428–30
- Hubbard  
 model 162  
 U 162, 177
- Hybridization 103, 108, 168, 176–7
- Hydroxide formation 255–6, 263, 269
- Ilmenite structure 19, 49, 200
- Image-potential theory 384
- Impact scattering 85, 252
- Impurity stabilization 36
- Infrared reflection/absorption spectroscopy (IRRAS) 77, 82–3, 93, 96, 99, 251–2
- Inner potential 124
- Inverse photoelectron spectroscopy (IPS) 126, 259
- Ion scattering spectroscopy (ISS) 26
- Ionic model 14, 18, 23, 103–4, 114
- Isotope studies 253, 373
- Jahn–Teller distortion 18, 166
- Knotek–Feibelman mechanism 369–77

- Lattice vibrations (*see* Phonons)
- Layer-by-layer growth 383
- Lewis  
 acidity 255, 284  
 basicity 284
- Low-energy electron diffraction (LEED) 24, 252  
 I-V measurements 24
- Madelung  
 constant 104, 114, 117  
 potential 104, 106, 114, 122, 138
- Magnetite 19, 59
- Magnéli phases 22, 159, 192, 211
- Manganosite 35
- Medium-energy electron diffraction (MEED) 45
- Metal/non-metal transitions 102, 110, 171–3, 213, 217
- Mixed valency 159, 163, 168, 173, 180
- Mott  
 insulator 177  
 transition 162, 173
- Mott–Littleton method 23
- Multiple scattering (*see* Electron scattering, dynamical)
- Near-edge extended x-ray absorption fine structure (NEXAFS) 252
- NiAs structure 18
- Non-bonding orbitals 107–8, 168
- Non-polar surfaces 32, 36–7, 42, 44, 46, 48, 51, 53, 56, 61–2, 65
- Nonstoichiometry 5, 20–2, 24–5, 28, 72–6, 159, 236
- Orbital stabilization 107, 117, 258, 286
- Oxidation state 4, 18, 20, 108, 159–61, 164, 170, 174, 255, 379, 401
- Parting 29
- Periclase 29, 33
- Phonon losses  
 surface, multiple 88, 99, 252  
 correction for 88, 99, 252
- Phonons  
 acoustical 78, 85–6  
 dipole active 81  
 Fuchs–Kliwiler 80, 86–91, 93  
 longitudinal 79  
 optical 78, 86–91  
 screening of 91–3  
 transverse 79
- Photoemission  
 angle-resolved 107, 123–4, 179  
 difference spectra 249–50, 311  
 direct 176  
 of adsorbed xenon (PAX) (*see* Adsorption, Xe)  
 resonant 123, 175–6
- ultraviolet (UPS) 122, 175–6, 249, 258–9
- x-ray (XPS) 122, 249, 380
- Physisorption (*see* Adsorption)
- Plasmon–phonon coupling 93
- Plasmons  
 bulk 91, 110, 112–13  
 conduction band 93, 110  
 surface 92, 112–13, 127, 139  
 valence-band 113, 131
- Polar surfaces 29, 32, 36, 42, 57, 61–2
- Polaritons 83
- Polarizability 23, 138, 261
- Polarization 105–6, 111, 120, 163
- Polaron  
 large 163, 171  
 small 93, 109, 134, 163, 171
- Post-transition-metal oxides 102, 108–9, 143, 284
- Pre-transition-metal oxides 102, 109, 128, 285
- Preferred orientation 384
- Pressure gap 248, 297
- Raman spectroscopy 77
- Reaction kinetics 254, 286
- Reflection high-energy electron diffraction (RHEED) 26, 252
- ReO<sub>3</sub> structure 19, 41
- Reststrahl bands 83
- Rutherford backscattering spectroscopy 62
- Rutile 44
- Scanning tunneling  
 microscopy (STM) 6, 27, 45, 64, 67  
 spectroscopy 27, 127
- Screening, electronic 125, 162–3, 276, 380, 387
- Secondary-electron yield 126, 132
- Secondary-ion mass spectroscopy (SIMS) 253
- Sensors, gas 3, 119, 143, 149, 258, 285, 296, 313, 321, 378, 398, 413, 418
- Sodium tungsten bronze 19, 41, 171, 400
- Sphalerite structure 19
- Stark effect 134
- Steps (*see* Defects, steps)
- Stranski–Krastanov growth 383
- Super-Coster–Kronig transition 176
- Superlattices 426
- Surface  
 charging 5, 25–6, 122, 126  
 conductivity 3, 143, 149, 252, 258, 260, 285, 296, 378, 418  
 corrugation 26, 253  
 diffusion 253, 382–3  
 energy (*see* Energy, surface)  
 extended x-ray absorption fine structure (SEXAFS) 27, 252  
 preparation 5, 24

464

*Subject index*Surface (*cont.*)

- cleaving 5, 14, 24, 28–9, 32, 73, 117
- fracture 5, 24–5, 29, 73, 117
- ion bombardment and annealing 6, 24–5, 28, 73
- reconstruction 8, 21, 25–6, 96, 114, 382
- relaxation 26, 28, 33, 69, 72, 114, 117, 120, 138
- resonances 85
- rumpling 33–4, 98

Tetrahedral coordination (*see* Coordination, four-fold tetrahedral)

## Transitions

- direct 124
- indirect 124
- order–disorder 41

Tungstite 41

Uraninite 61

Vacancies (*see* Defects)

Verwey transition 223

Vicinal surfaces 28

Volmer–Weber growth 383

Work function 7, 146, 252, 261, 380

Wustite 170

Zincblende structure 19, 55

Zincite 55