

Index

- access time 183
 air gap winding 168, 171, 180
 air gap flux density 165, 169, 186
 air-cored coil 140, 143
 alnico
 demagnetization 146, 166
 demagnetization curves 65
 magnets 35
 production 36
 thermal stability 65
 Alnico 5 DG 37, 67
 Alnico 5 36, 65, 135, 139
 aluminum 76, 78, 193
 Ampère's Law 7, 83, 114
 anisotropic magnets 34, 36, 41, 46, 51, 53,
 55, 124, 139, 167
 anisotropy
 energy, *see* energy
 magnetocrystalline 9, 19, 32, 38, 45, 62,
 92
 shape 19, 21, 35, 64, 74, 92
 armature reaction, 165, 171
 armature teeth, 165
 audio speaker, *see* loudspeaker
 automobiles 159, 165, 196
- B* versus *H* loop 1, 14, 16, 22, 25, 62, 179
 ballistic galvanometer 147
 bearings *see* magnetic bearing
 bonded magnets 51
 brushless d.c. motor 158, 161, 168, 172
- calcium 44, 46
 can-stack motor 175
 capacitor discharge magnetizer 141, 145
 ceramic ferrite, *see* ferrite
 ceramic 8, 62, 65, 67, 135
 cerium 45
 claw-pole structure 176
 co-reduction 45, 46
 coatings 79
- cobalt 38, 46, 59, 72, 78, 135
 coercive force, *see* coercivity
 coercivity H_c 15
 coil excitation 107, 130, 138
 columnar 37
 composition variations 69, 76
 compression molding 51, 54
 copper 38, 42
 corrosion, *see* oxidation
 coupling, *see* magnetic coupling
 critical radius 32, 47
 crystallographic constant 11, 69
 Curie temperature T_c , 45, 59, 69
 curl operation 6, 83, 121
 current density 6, 83, 118, 121, 124, 127,
 192
 cylindrical rotor 168, 171
- d.c. commutator motor 158, 161, 168, 172
 d.c. generator 161
 d.c. motor, *see* d.c. commutator motor
 demagnetization curve 1, 57, 61, 89, 92,
 100, 106, 125, 127
 demagnetization process 145
 demagnetizing factor 20, 31, 63
 demagnetizing force 18, 85
 die-upsetting 49, 74, 167
 disk armature motor 168, 177, 181
 disk drive head actuator 160
 div operation 85
 divergence, *see* div
 domain 26, 40
 domain wall 27, 40
 dynamic operation 90, 94, 98, 165
 dynamic stability 74, 92
 dysprosium 46, 72, 135
- e.m.f. constant 162, 183
 Earnshaw's Theorem 190
 eddy currents 113, 193
 electric field 114

- electronic commutation, *see* brushless d.c. motor
 electronic integration 149
 ellipsoid 20
 energy
 air gap, 100, 184, 199
 anisotropy 9, 21, 29
 exchange 28
 field 13, 16, 21, 26, 31, 97, 184
 kinetic 17, 97, 136
 magnet 16, 101
 potential 18, 98
 shape 21
 transfer 97, 102
 wall 30, 31, 40
 energy density 99
 energy functional 126
 energy in capacitor 141, 143
 energy product 18, 99
 equivalent circuit 82, 105
 erbium 70
 exchange interaction 4, 28
 extrusion 51, 54

 Faraday's Law 102, 114, 146, 162
 ferrite
 applications 158, 171, 185, 200
 bonded 52
 demagnetization 146, 166
 demagnetization curves 62, 94
 magnets 32
 production 34
 thermal stability 61
 finite difference method 120, 192, 201
 finite element mesh 131
 finite element method 82, 126, 192, 201
 fluid control valve 188
 flux
 conservation 117
 density B 2, 85
 linkage 101, 114, 155
 fluxmeter 148
 force 103, 185, 194

 gadolinium 70
 gallium 76
 gallium arsenide 149, 151
 gear wheel 197
grad operation 116

 half-cycle magnetizer 141
 Hall
 constant 150
 effect 149, 196
 effect gaussmeter 149
 field 150
 sensor 150, 162, 196

 hard disk drives 159
 HDDR process 51, 55
 head actuator, *see* disk drive head actuator
 Helmholtz coils 157
 holding force 185, 189
 holding torque 173
 hot plastic deformation, *see* die-upsetting
 hot-pressing 49, 51, 74
 hybrid stepper motor 173, 178
 hydrogen decrepitation 50
 hysteresigraph 153, 155
 hysteresis motor 179

 ignitron 141
 indium antimonide 149, 151
 injection molding 51, 53, 176
 integrating fluxmeter 149, 151
 interrupter vane, *see* vane
 intrinsic coercivity H_{ci} 13, 22, 93
 intrinsic magnetization, *see* magnetization
 M
 intrinsic magnetization characteristic 14,
 96, 125, 136, 139
 iron 9, 25, 45, 59
 irreversible change 58, 61, 65, 70, 76, 92,
 99
 isotropic magnets 34, 48, 52, 55, 175, 198

 keeper 88, 137

 Laplace's Equation 116
 leakage coefficient 90, 100, 105
 leakage flux 83, 90, 105, 111
 line-start synchronous motor 178
 linear actuator 130, 159, 180
 load line 63, 88, 90, 96, 105, 138, 156, 199
 lodestone 32
 loss factor 90, 100, 105
 loudspeaker 160, 184

 m.m.f., *see* magnetomotive force
 maglev 160, 192
 magnetic
 bearing 190
 chuck 188
 coupling 195
 dipole moment 2, 5, 28, 33, 59
 domain, *see* domain
 latching force 187
 levitation, *see* maglev
 resonance imaging 160, 200
 sensor, *see* sensor
 suspension 189
 viscosity 58
 magnetization M 4, 5, 59, 88, 115
 magnetization process 134, 143
 magnetizing fixture 140

- magnetizing force H 8, 84, 116, 151
 magnetomotive force 86, 106
 magnetostrictive 199
 magnetostatic field 113, 115, 128
 maximum energy product $(BH)_{\max}$ 18, 39
 Maxwell's Equations 83, 114
 melt spinning, *see* rapid quenching
 minor loop 64, 68, 93
 mischmetal 45
 moving coil actuator 160, 180
 MRI, *see* magnetic resonance imaging
- natural frequency 187
 Nd-Fe-B, *see* neodymium-iron-boron
 Nd₂Fe₁₄B, *see* neodymium-iron-boron
 neodymium-iron-boron
 applications 159, 165, 171, 175, 184,
 191, 200
 bonded 55
 composition variations 72
 demagnetization 146, 166
 demagnetization curves 72, 94
 magnetization 135
 magnets 45
 oxidation 78
 production 46
 rapidly quenched 48, 55, 167
 thermal stability 72
 nickel 59
 niobium 76
 nucleation 41, 47, 135
- Ohm's Law 115
 open-circuit 88
 optical sensor 196
 over-relaxation method 123
 oxidation 76
- parallel air gaps 108
 permanent change 57, 67, 146
 permeability
 function 124
 recoil 94, 107, 138, 175
 relative 115, 120, 128
 permeance
 calculation 106, 110
 definition 105
 pinning 43, 78, 135
 Poisson's Equation 117, 119, 125
 potential coil 154
 potential
 scalar 116, 126, 127
 vector 118, 120, 127, 131, 192, 201
 powder metallurgy 34, 40, 43
 power steering 165
 praseodymium 45
 print hammer 159, 186
- radial orientation 167
 radiator cooling fan 168
 rapid quenching 47, 55
 rare earth elements 39
 recoil lines 94, 100, 107
 reduction/diffusion 44, 46, 50
 reduction/melt 39, 50
 reed switch 196
 relaxation factor 123
 reluctance 108, 169, 172, 197
 remanence B_r , 15, 52
 remanent flux density, *see* remanence
 remanent magnetization 124
 reservoir of flux 109
 residual 123
 resistivity 140
 reversible change 58, 61, 65, 70, 93
 reversible temperature coefficients 67, 70,
 72
 rotation, *see* curl
- samarium-cobalt
 applications 159, 165, 171, 175, 184,
 191, 200, 202
 bonded 54
 composition variations 70
 compounds 42
 demagnetization 146, 166
 demagnetization curves 69, 94
 magnetization 135
 magnets 38
 oxidation 77
 production 41
 thermal stability 70, 202
 saturation magnetization 12, 59
 saturation 4, 12, 133, 134, 140
 search coil 147, 153
 sensor 160, 196
 series air gaps 108
 short-circuit 88
 shorted turn 181
 size factor 165
 skin depth 140, 145
 skin effect 113
 slotless d.c. motor 171
 Sm₂Co₁₇ 42, 70, 72, 135, 165
 SmCo₅ 39, 70, 135
 solenoid fixture 145
 specific electric loading 164
 spherical particle 30
 spindle motors 159
 spontaneous magnetization 4, 8, 16, 20,
 26, 31, 41, 59
 spring constant 186
 stall torque 164
 static operation 88
 stepper motors 159, 172, 175

Cambridge University Press

978-0-521-56688-9 - Permanent Magnet Materials and their Application

Peter Campbell

Index

[More information](#)*Index*

207

- Stokes' Theorem 84, 114
 superconducting magnet 160, 192, 200
 surface layer 77
 surface oxidation, *see* oxidation
 susceptibility 115
 suspension, *see* magnetic suspension
 symmetry axis 130
 synchronous motor 178, 192
- tape drive 168
 thyristor 141
 time constants 142
 titanium 38
 torque
 angle 178, 179
- calculation 2, 12, 103, 125, 147, 164,
 169, 173, 182
 constant 164, 182
 magnetometer 11, 19
 traveling wave tube 201
- vanadium 76, 78
 vane 196
 variable reluctance stepper motor 173
 voice coil actuator 160, 180
- Wiegand effect 199
 wiggler 202
 workholding device 189