

Cambridge University Press

0521571634 - Neural Networks and Psychopathology: Connectionist Models in Practice and Research

Dan J. Stein and Jacques Ludik

Index

[More information](#)

# Index

Note: **bold** page numbers indicate illustrations

- acetylcholine
  - Alzheimer's disease 28
  - and associative memory 329–32
  - dynamics of cortical activation 279
  - nucleus basalis Meynert 27
  - transmission, fast/slow 148
  - ventral tegmentum, control of activity 157
- activation (input–output) functions 59–61
- adaptive resonance theory (ART) 140–1, 144–6
  - model 155–6
- after-hyperpolarizing potential (AHP) 330
- AI *see* artificial intelligence 251, 359–60
- algorithmic approaches, parallel processing 38
- alien hand syndrome 202
- alpha-amino-3-hydroxy-5-methyl-4-isoxazole propionic acid (AMPA) receptor 58, 318–19
  - cholinergic modulation 331–2
- Alzheimer's disease 65, 316–17
  - acetylcholine 28
  - brain region localization 317
  - computational theory 317–38
  - hippocampus 323–5
  - neuronal loss 28
  - neuropathology 333–4
  - NMDA receptor activation 321–2
  - progression, runaway synaptic modification 333–4
  - theories of progression 322–3
- amnesia, dissociative 248
- amphetamines
  - comparison with attentional effects in schizophrenia 70
  - psychotic symptoms 153
- anhedonic behaviour 152
- animal models, behavioural pharmacology 63–4
- anorexia nervosa 200
- anosognosia 201
- antidepressants
  - serotonergic activity 76
  - simulated activity 77
- anxiety, and depression 108–9
- Aplysia* model of learning 22
- ART *see* adaptive resonance theory
- artificial intelligence (AI) 251, 359–60
  - models, decision-making 38
- artificial life 350
- artificial neural networks *see* neural network models
- Asperger's disorder 275, 308–10
- assimilation/accommodation model, Piaget 111
- association psychology 18
- associative learning recall 137–9
  - modulatory mechanisms 137
- associative memory
  - acetylcholine effects 329–32
  - function **326**
  - and Hebbian learning 21, 147, 326–9
- attended repetition (AR) 238
- attended semantic (AS) 238
- attention
  - control 115
  - disorders and short-term memory 146–7
  - neuromodulation effects 70–1
- attentional control variables **142**
- attractor network model, Ruppert et al.'s 218–19
- attractors
  - autoassociative network **43**
  - defined 25

Cambridge University Press

0521571634 - Neural Networks and Psychopathology: Connectionist Models in Practice and Research

Dan J. Stein and Jacques Ludik

Index

[More information](#)

364

*Index*

- autism 274–310
  - affective meaning of facial expressions, lack of awareness 299–301
- alternative pathogenetic mechanisms 302–7
- back-propagation analogues of learning 278–81
- brain size 289
- cognitive and social emotional functioning **309**
- facial cues 283
- genetics, neural development and ‘broader phenotype’ 307
- learning 276, 284–98
  - function of training trials 288
  - fuzzy nonlinear classification problems 290–98
  - generalization rate 276, **285**, 286–8, 303
  - linear classification problem **282**
  - speed/extraneous inputs **284**
  - vowel discrimination 307
  - well-defined nonlinear classification problems 289–90
- neuropsychology 276–8
- onset 274
- savant skills 275, 289
- self-stimulatory behaviours 201
- treatment 304–6
- vowel recognition 292–8
- word recognition 292
- autoassociative networks **42**, 43–5, 176
- automatisms 202
- axonal pruning, schizophrenia 211–12, 304, 358
- back-propagation network 278, 280–81, 291
- basal ganglia
  - involvement in disease 233–4
  - role in learning 69–70
- basin of attraction 176
- behaviour control system (BCS) **151**, 154, 158
  - and bipolar disorder 150–4
- behaviour therapy 112
- belief model of delusions 170, 171
- bicuculine, GABA-A receptor agonist 320
- bipolar disorder 144
  - and behaviour control 150–4
  - described 150
  - gain control breakdown 158
  - primary symptom 150
- Bleuler, E. 14
- Bose–Einstein condensates 357–8
- brain modulatory mechanisms in mental disorders 132–64
  - activity pattern **135**
  - instar connectivity **139**
  - lateral interactions pattern 136
  - outstar connectivity **138**
  - pattern registration and storage 136–7
  - temporal order encoded as spatial order 139
- brain stem, ascending diffuse inputs 68, 148
- CA1, CA3 neurons *see* hippocampus
- Capgras delusion 199
- catecholamines, vs amphetamines, schizophrenia 70
- cathartic technique 263
- central brain state control system 132, 147–9
  - output component 148
- Chen’s model of delusional thinking 217–18
- chlorpromazine 354
- clinical psychopharmacology, attention and neuromodulation effects 72–81
- clomipramine 232
- cognition, vs emotion 93
- cognitive–behaviour therapy 88, 107, 112
- cognitive bias 196–8
- cognitive information processing
  - delusional thinking approach 192–8
  - delusions 167–88
  - hierarchical network model 174–7
  - inflexibility 181–2, 185
  - priming (top-down) effects 177–8
  - relationship with network states 179
- cognitive models of delusions 173
- cognitive slippage 193
- Cohen and Servan-Schreiber’s model of delusional thinking 212–13, 350
- communication, patient and colleagues 116–18
- comorbidity, psychopathology 108
- compulsion repetition **107**
  - simplified 117
- computer-simulated network models 27
- computerized tomography (CT), OCD patients 233
- computers 22–5
  - processing power 350
- computing *see* neurocomputing
- connectionism 3–4
  - defined 14, 24
  - therapy 105
  - view of psychotherapy 109–13
- connectionist models 4, 249 252
  - degrees of freedom 123
  - distributed representation and interconnectedness 91–9
  - learning rate 254
  - multilevel modelling tool 270
  - person–environment interaction 101
  - problems and possible solutions 122–4
  - repetition compulsion 105–6

Cambridge University Press

0521571634 - Neural Networks and Psychopathology: Connectionist Models in Practice and Research

Dan J. Stein and Jacques Ludik

Index

[More information](#)*Index*

365

- theory 134
- consciousness, functioning, unconscious
  - aspects 100–1
- constraint networks 5
- content, analysis 167
- context effect, modelling issues 45–8
- control condition (CO) 237–8
- cooperative–competitive networks 136–7
- cortex
  - association areas 202, 204
  - dorsal raphe nuclei, serotonergic innervation 75
  - dysfunctional hippocampal–cortical communication 217–18
  - frontal/prefrontal cortex 154–7
  - hyperconnectivity 215
  - macroscopic mapping 184
  - neurons, integrators or coincidence detectors 30
  - nonlinear synaptic integration 348–9
  - prefrontal 201–2
  - time coding 29
- cortical activation
  - ACh function 27–8
  - MRI and EEG 68
- cortical associative memory function
  - models
    - Hebbian synaptic modification 326–7
    - runaway synaptic modification 317, 328–9
- cortical information processing,
  - schizophrenia, models of delusional thinking, Chen's 217–18
- Cotard delusion 199
- Darwinian animals 349
- delusional thinking
  - acute-onset syndromes 199–201
  - adult syndromes 200
  - anxious arousal 195
  - cognitive bias 196–8
  - cognitive information processing 192–8
  - Cotard 199
  - disconnection of reciprocally innervated brain systems 198–203
  - neural network information processing approach 189–222
  - neural network models 210–20
    - Chen's, schizophrenia 217
    - Cohen and Servan-Schreiber's, schizophrenia 210–12
    - Hoffman's 210–12
    - integration 219–20
    - paranoid process 214–15
    - Vinogradov's model 214–15
  - neuropsychology 199–203
  - neuropsychological model 204–10
  - properties 190–2
    - see also* schizophrenia
  - delusions 142, 167–88
    - bizarreness 167–8, 179
    - clinical examples 168, 179
    - conceptual analysis 168–72, 191
    - content and form 169–71
    - etymology 169
    - formation 171–2
    - global factors 181–3
    - of imperfection 199–201
    - informational value and loci 171
    - modelling 177–81
    - mood-congruent 168, 179, 181
    - network model, mechanisms 178
    - parallel models 172–4
      - early models 172–3
      - existing models 172
      - recent cognitive models 173
    - raw datum 169
    - reduplicative 200
    - of reference 173
    - secondary 168, 179, 181
    - sequential models 173–4
    - spurious attractors and bizarre delusions 177–80
    - structural characteristics 177
    - types 168
- depression
  - and anxiety 108–9
  - dopamine depletion 161
  - as hypercholinergic state 79
  - long-term depression (LTD) 22, 62, 69
  - serotonergic function, experimentally manipulated 78
  - and serotonin 74–9
  - tyrosine 161
- desipramine 232
- destabilization 111
- developmental disorder, pervasive 275
- diagnosis *see* psychiatric diagnosis
- disorganization states 111
- dissipative structures 102, 111
- dissociative disorders 267
- disturbance models, schizophrenia, Cohen and Servan-Schreiber's 212–13
- dopamine (DA) 148, 158
  - Cohen and Servan-Schreiber's model of disturbance 212–13
  - depletion, and depression 161
  - effects on LTP 69
  - gain parameter, neuromodulation 213
  - and learning 68–70
  - motor output regulation 150
  - obsessive–compulsive disorder link 233
  - and Parkinson's disease 72–3
  - and schizophrenia 73–4

Cambridge University Press

0521571634 - Neural Networks and Psychopathology: Connectionist Models in Practice and Research

Dan J. Stein and Jacques Ludik

Index

[More information](#)

366

*Index*

- dopamine gain control 142–5
  - central brain state 147–58
  - input–output function
    - increased gain **60**
    - and OCD 147
    - sensitivity 70–1
  - malfunction 145–7, 212–13
    - onset of mania 158–9
  - signals (bias nodes) 146–7
  - variables, classified 142
- dopamine neurons, lesioning 240
- doppelganger delusion 199
- dorsal raphe nuclei, serotonergic
  - innervation to simplified archicortex 75, 153–4
- dynamic animation 354
- education, neurocomputing 347–8
- Ekbom delusion 199
- electroencephalogram (EEG) 66, 68
- emotions 99–100
  - vs cognition 93
- energy landscape 47, **48**
- entropy
  - reduction of all uncertainty 50
  - and retrieval **52–3**
- environment, schema theory 101
- eosinophilia–myalgia syndrome, L-tryptophan 160
- epilepsy
  - and Alzheimer’s disease, common neural mechanisms for learning? 316–38
  - interictal manifestations 203
  - and learning, transition between states 323–6
  - models 323–5
  - NMDA receptor activation 320–21
  - sensory–limbic hyperconnectiveness 197
  - temporal lobe 202–3
- ethylene glycol-bis N, N, N, N-tetraacetic acid (EGTA) 319
- evolution, and neurocomputing 349, 352, 353
- evolution of states 44
- excitatory postsynaptic potentials (EPSPs) 318
- Exner, S. 14, 16–17, 31
- experiential therapy *see* Gestalt psychology
- facial cues, autism **282**
- facial expressions, conceptual space of child
  - with ‘too few/too many’ connections 300–301
- feed-forward neural network 279
- focusing therapy 112
- four-tract control system 148–9
- frequency/adequacy of intuitive processing
  - model 114
- Freud, S. 14, 16–18, 31
  - case study of Lucy R. 249–72
- frontal cortex
  - functions 154
  - Levine model 155–7
  - neurons, integrators or coincidence detectors 30
  - time coding 29
- frontal eye fields 145–6
- frontal-basal ganglia-limbic-thalamic (FBGLT) circuits 205
- G-proteins, mediated conductances, serotonin receptor 67
- GABA-A, synaptic currents 325
- GABA-A blocker, picrotoxin 65
- GABA-A receptor 58
  - bicuculine (agonist) 320
- GABA-B IPSPs, hippocampal oscillations
  - model 65
- GABA-B receptor, active/desensitized 67
- gain *see* dopamine gain control
- Galton, F. 18
- ‘ganglia-globules’ 15
- Gestalt psychology 112, 141
- Gilles de la Tourette’s syndrome 152
- glutamate receptors
  - three classes 318
  - see also* AMPA; N-methyl-D-aspartate
- glutamatergic neurons, excitotoxicity 28
- Golgi, C. 15
- goodness-of-fit landscape 5, 6, 7
- Gregorian animals 349
- Grossberg, S. 134, 139, 348
  - arousal effects in ART 1 model 297
  - instar network configuration 139
  - outstar connectivity **138**
  - stability–plasticity dilemma 301
- grounding problem 8–10
- hallucinations 142, 144, 182, 262
  - auditory 144
  - in schizophrenia 25–6
- Hasselmo, M. 26, 28
- Hebb, D. 21, 318
- Hebbian learning and associative memory
  - 21, 147, 326–9
- Hebbian synaptic modification 336
- Hebb’s law, long-term memory (LTM) 5, 42, 137, 147
- heuristic rules of therapy 118–19
- hippocampus
  - Alzheimer’s disease 317
  - and autism 277
  - CA1 neurons 216–17

Cambridge University Press

0521571634 - Neural Networks and Psychopathology: Connectionist Models in Practice and Research

Dan J. Stein and Jacques Ludik

Index

[More information](#)*Index*

367

- CA3 neurons, population oscillations 329–32
- cortical communication, dysfunction 217–18
- network model **335**
- nonlinear synaptic integration 348–9
- oscillations model 65–6
- serotonergic innervation 75
- His, W. 15
- historical background to neural network research 14–31
  - Lucy R. case study 249–72
- Hoffman, R. 25–6, 31, 143, 350
  - model of autism 304
  - model of delusional thinking 210–12
- Hopfield neural network **5**, 143
- Huntington's disease 152, 233
- 5-hydroxyindoleacetic acid (5-HIAA), OCD 232
- 5-hydroxytryptamine (5-HT) *see* serotonin
- hysteria 249
- 'ideal types' 35
- ignored repetition (IR) 237–8
- ignored semantic (IS) 238
- image pyramid 351
- information, human body, mathematical limits in neurocomputing 356–8
- information flow, tracking 50
- information processing
  - hierarchical network model 174–7
  - sequential model 173–4
- informational value and loci of delusions 171
- input–output function, increased gain effects **60**
- instar, defined 139–42
- integrated models, via a neural network model 236–7
- intelligence, artificial 359–60
- intuitive processing model 114
- invertebrate networks 63–4
- James, W. 19, 21
  - learning rule 21
  - organizing principle of neural networks 21
- Jung, C-G. 19
- Kandel, E., learning and synaptic modification 22
- Kintsch construction–integration model 120
- Kluyver–Bucy syndrome 305
- Kohonen-networks 30
- Korsakoff's disease 149–50
- Kraepelin, E. 14, 19
- lamprey, locomotion 64
- landscape
  - defined 5, 7
  - energy landscape 47, **48**
  - goodness-of-fit 5, 6, **7**
- language complexity, and brain activity 349
- learning
  - acquisition rate, function of trials/hidden layer size **295**
  - associative 137–9
  - autism 275, 284–98
  - and epilepsy, transition between states 323–6
  - generalization rate **296**
  - top-down expectancy learning 138
  - traumatic 262
- learning rate coefficient 254
- Levine model 155–7
- lexical disambiguation 213
- life processes, modelling 354
- lithium therapy, case study 160–2
- locus coeruleus/noradrenalin tract, function 149
- long-term depression (LTD) 22, 62, 69
- long-term memory (LTM), Hebb's law 137, 147
- long-term potentiation (LTP) 22, 28, 62, 69, 316
  - NMDA-dependent LTP, molecular mechanisms 318–19
- Lucy R.
  - case history 249–72
  - turning points 257–8
- Lucynet
  - architecture 254
  - 'stream of consciousness' **265**
- lysergic acid (LSD), psychotic symptoms 153
- McCulloch, W.S. 20, 31
- magnetic resonance imaging (MRI)
  - abnormalities in autism 276–7
  - and EEG, cortical activity 68
  - OCD patients 233–4
- mania
  - acute
    - neuroleptic treatment 160
    - thought disorder 143
  - 'behaviour unrelated in context' 145
- causes 158–62
  - as hyponoradrenergic state 72
  - mixed 158–9
  - subtypes 159
  - symptoms 159
  - thought disorder 143–4, 158–62
- manic depression *see* bipolar disorder
- matching familiar figures test (MFFT) 235

Cambridge University Press

0521571634 - Neural Networks and Psychopathology: Connectionist Models in Practice and Research

Dan J. Stein and Jacques Ludik

Index

[More information](#)

368

*Index*

- mathematical limits in neurocomputing 356–8
- memory
  - cortical associative memory function models, synaptic modification 317, 326–9
  - disorders, reversibility 267–9
  - long-term memory (LTM) 137, 147
    - associative learning recall 137–9
  - schizophrenia 194–5
  - short-term memory (STM) 137, 146–7
    - and attention disorders 146–7
  - storage 5
- memory overload, spurious attractors 177, 180
- mental disorders
  - control malfunctions 132
  - modulatory mechanisms 132–63
- mental symptoms *see* individual symptoms
- MFFT *see* matching familiar figures test
- microgyria 277
- microtubules, quantum effects 357–8
- modelling methods
  - issues 42–8
  - order of presentation 52–3
  - top-down influence 51
- modulatory mechanisms 132–63
  - activity pattern 135
  - associative learning recall 137
  - pattern registration and storage 136–7
- motor learning and control 138–9
- motor vigilance 150
- MPTP models of parkinsonism 73
- MRI *see* magnetic resonance imaging
- multilayer neural network **6**
- multiple constraint satisfaction, parallel processing 94
- negative priming tasks 237–8
- von Neumann, J., neuronal precision 23
- neural information, speed 29
- neural network models 210–18, 303
  - activation (input–output) functions 59–61, 214–16
  - architecture 63, 70
  - back-propagation of error 62–3
  - baseline firing rate 61
  - delusional thinking 210–20
  - integration 219–20
  - pharmacology 58–9
  - psychiatric diagnosis, symptom recognition 34–54
  - psychopharmacological simulations 64–71
  - sigmoid input–output function, effect of increased gain **60**
  - see also* delusional thinking
- neural networks
  - activity pattern **135**
  - analysis of learning in autism 274–310
  - anatomy and problem type 281
  - association and dissociation, fables of Lucy R. 248–72
  - basin of attraction and spurious attractors 176–7, 180
  - components 176
  - constraint-satisfaction processes 175
  - cooperative–competitive 136
  - design, stability–plasticity dilemma 140
  - early reception of highly informative codes 52
  - evolution of states **44**
  - features 4
  - Hopfield network 5, 143
  - hyperconnectivity 215
  - input–output function, decreasing input **60, 61**
  - late reception, highly informative codes 53
  - lesions 10
  - linear classification problems 281–9
  - macroscopic mapping onto cortex 184
  - multilayer **6**
  - multilayer feedforward **279**
  - neurobiological approach 10–12
  - noise parameter 181–2
  - nonlinear classification problems 289–98
  - perceptual network 182–3
  - priming 177
  - priming tasks, negative 237–8
  - processing across different networks 177
  - processing within networks 175
  - and psychopharmacology 57–81
  - research 14–31
  - simulation results 241
  - theory 92, 132–62
    - neurobiological approach 10–12
  - topology 4
  - vowel classification 298
  - see also* connectionism
- neural pruning, schizophrenia 304, 358
- neurocomputational unit **43**
- neurocomputing 347–61
  - biological verisimilitude 348–9
  - challenges from nonbiology 351–2
  - complexity and decipherment 355–6
  - education 347–8
  - environmental input 349
  - and evolution 353
  - fast progress of computing 350
  - mathematical limits 356–8
- neuroleptics 158–9
- neuromodulators
  - cortical behaviour, general effects 72

Cambridge University Press

0521571634 - Neural Networks and Psychopathology: Connectionist Models in Practice and Research

Dan J. Stein and Jacques Ludik

Index

[More information](#)*Index*

369

- mechanisms in mental disorders 132–64
- neuron
  - origin 15
  - schematic diagram **280**
- neuropsychology
  - cardinal principles 132
  - pattern processing, principles and mechanisms 133–6
- N-methyl-D-aspartate (NMDA)
  - antagonist, AP5 320
  - fast synaptic transmission 58–9
  - NMDA-dependent potentiation 316–38
  - molecular mechanisms 318–19
- N-methyl-D-aspartate (NMDA) receptor
  - 62, 64
  - activation and Alzheimer's disease 321–2
  - activation and epilepsy 320–21
  - properties 62
- 'noise parameter', neural networks 181–2
- noradrenalin/locus coeruleus tract, function 149
- normality, modelling 353–4
- nucleus accumbens, bipolar disorders 150–2, **151**, 154
- nucleus basalis Meynert, acetylcholine production 27–8, 148
- obsessive–compulsive disorder (OCD) 147, 206–7, 355
  - defective communication 158
  - disinhibition and neurotransmitter dysfunction 231–44
  - link with dopamine 233
  - neuroanatomy 233–4
  - neurochemistry 232–3
  - neuropsychology 234–6
  - neural network analysis 11
  - pattern-selection mechanism malfunction 145
  - repetition compulsion 104–5
  - simulations **241**
- olfactory hallucinations, Lucynet 249–72
- outstar, defined 137–9
- owl, auditory system 29
- pallidum, behaviour control and bipolar disorder **151**
- parallel processing 94–5
  - algorithmic approaches 38
- paranoid process 196–8
  - thought processes 9
  - Vinogradov's model of delusional thinking 214–15
- parasitic attractors 26
- parasitic foci, schizophrenia 211–12, 218
- parietal region, anterior 200
- parieto-temporo-occipital (PTO) region 216
- parieto-temporo-occipital-limbic (TOPL) circuits 204–6
- Parkinson's disease 70, 152
  - and dopamine 72–3
  - MPTP models 73
- PARRY program 8–9
- pathological beliefs 167, 169
- pathological priming 180–1
- pattern-recognition
  - and code protection 139–42
  - instar connectivity 139
  - modules, context dependence 41
- perception
  - expectations, impact of past on present functioning 95–7
  - unaware 349
- perceptual network, sequential model of information processing 173–4
- pervasive developmental disorder 275
- phobia 98
- Pitts, W. 20, 31
- Platonic assumption 34
- Popperian animals 349
- post-traumatic stress disorder (PTSD), symptoms 256, 259, 262
- prefrontal cortex, function 154
- Prigogine's dissipative structures 102, 111
- priming 177
  - perceptual network 182–3
- privileged features method 45
- processing within networks 175
- protein kinase C, and calcium 319
- psychiatric diagnosis
  - basic modelling 42–5
  - diagnostic classification, privileged features 45
  - symptom recognition 36–8
- psychomotor retardation, anhedonic 152
- psychopathology, comorbidity 108
- psychopharmacology
  - clinical 72–81
  - neural network models 58–9
  - simulations 64–5
- psychoses, parallel models 172–4
- psychotherapists
  - functioning and development 113–15
  - views and types of intervention 121
- psychotherapy
  - change, system compensation and resistance to 97–9
  - connectionist view 88–131
  - dynamic approach 109–13
  - construction-integration model 120
  - defined 88
  - diverse orders 103
  - heuristic rules 118–19
  - limits of traditional concepts 90–1



Cambridge University Press

0521571634 - Neural Networks and Psychopathology: Connectionist Models in Practice and Research

Dan J. Stein and Jacques Ludik

Index

[More information](#)

370

Index

- psychotherapy (*contd.*)
  - patient's problem, therapist view **121**
  - patient's psychopathology 103–9
  - planned intervention, simulating effects 120–2
  - psychoanalysis 112
  - specific and non-specific factors 102–3
  - success rates 89
- psychotic symptoms 142, 153
- Ruppin et al.'s network model for 218–19
- PTSD *see* post-traumatic stress disorder
- Purkinje cells, imitation 351
- pyramidal cells
  - somatic current injection **325**
  - synaptic current 330–31
  - synaptic integration 348–9
  - Traub models 324
- pyramidal neural networks 351–2
- quantum effects, microtubules 357–8
- Ramón y Cahal, S. 15
- raphé dorsalis, bipolar disorders 75, 153–4
- rational-analytic and intuitive processing model 114
- raw datum of delusions 169
- reality check 144–6
- recurrent neural networks, lesioning 240–42
- Remak, R. 15
- repetition compulsion 103–4
  - aspects and possible treatments 104–9, **107**
- repetition compulsions 104–7
  - aspects and possible treatment **107**
  - simplified version **117**
- repetition negative printing (RNP) 241
- repression, causes 260
- Rogierian therapy 112
- Rosenblatt, F., Mark I Perceptron 22
- runaway synaptic modification *see* synaptic modification
- Ruppin et al.'s model of delusional thinking 218–19
- schema, defined 6
- schema theory 11, 101
  - vs neural networks 6
- schizophrenia
  - axonal pruning 211–12, 304, 358
  - 'behaviour unrelated to context' 145
  - catecholamines vs amphetamines 70
  - cognitive analysis
    - memory 194–5, 209
    - perceptual accuracy 209–10
  - cognitive defects 193–5
  - cognitive slippage 193
  - and dopamine 73–4
  - dopamine gain, and dysfunction 10–12
  - hallucinations 25–6
  - information processing 60
  - models of delusional thinking
    - Chen's 217–18
    - Cohen and Servan-Schreiber's 212–13
    - Ruppin et al.'s 218–19
  - neural network models 210–20
  - neurocognitive impairment 207–10
  - neuroleptic treatment 160
  - paranoia 196–8
  - parasitic foci 211–12
  - positive symptoms 146
  - regulatory failure 207, 208
  - sejunktion 14
  - simulated symptoms 304
  - thought disorder 143–4, 158
- script, defined 251
- segmental codes, series processing **49**
- sejunktion, defined 14
- semantic negative priming (SNP) 241
- sensory gating, P50 auditory event-related potential 207
- sequential model of information processing 173–4
- series processing, segmental codes **49**
- serotonergic function
  - and depression 74–9
  - dysfunction 237
  - experimentally manipulated 78
  - extrasynaptic 79
  - innervation to simplified archicortex **75**
  - psychotic symptoms in mania 153–4, 160–2
- serotonin
  - precursors (5-HTP and L-tryptophan) 159
  - regulation of contextual set 157
- serotonin receptor, G-protein mediated conductances 67
- serotonin reuptake inhibitors (SRIs), OCD 232–3
- serotonin selective reuptake inhibitors (SSRIs) 76, 232
- Shanks, theory of scripts 251
- Sherrington, C.S. 16
- short-term memory (STM) 137
  - and attention disorders 146–7
- Skinnerian brains 349
- sleep
  - REM sleep 68, 154
  - dreams 156
  - and thalamic oscillation model 66–8
  - vigilance control network 149
- SNP (semantic negative priming) 241
- social-emotional functioning **309**



Cambridge University Press

0521571634 - Neural Networks and Psychopathology: Connectionist Models in Practice and Research

Dan J. Stein and Jacques Ludik

Index

[More information](#)*Index*

371

- speech
  - vowel recognition
    - acquisition and generalization rates **294**
    - first and second formant values **292**
    - formant values 292
    - function of trials/hidden layer size 296
    - generalization, means/standard deviations 298
    - hidden neurons for each vowel type 294
- spurious attractors
  - memory overload 177, 180
  - and primed patterns 181
- stability–plasticity dilemma, neural network design 140
- striatum, behaviour control and bipolar disorder **151**, 155
- Stroop task 237
  - presented stimuli 238
  - recurrent network simulation 238–9
  - recurrent neural network model **239**
  - schizophrenia 73
- subliminal activity 349
- suspiciousness 196
- Sydenham's chorea 233
- symbol-grounding problem 8
- symbolic models of the mind 8
- symptom recognition 36–9
  - construction process **48**
  - descriptive problems 39–41
  - and diagnosis processing **46**
  - multidimensional representation 41, 48–9
- synapse, historical aspects 21
- synaptic connectivity, matrix 327
- synaptic modification
  - computer simulation 21
  - cortical associative memory function
    - models 317, 326
  - Hebbian synaptic modification 137, 326–9
  - maximal, during cholinergic suppression 328–9
  - runaway (RSM)
    - and Alzheimer's disease progression 317, **327**, 333–5, **336**
    - mechanisms **327**
  - prevention by ACh 27, 28
  - spread 336
  - threshold 329
- synaptic transmission
  - cholinergic suppression **329**
  - fast 58–9
- temporal lobe epilepsy 202–3
- temporo-limbic system 203
- temporo-parietal region, left 201
- temporo-occipito-parietal (PTO) cortex 216
- temporo-occipito-parietal-limbic (TOPL)
  - circuits 204–6
- thalamic oscillations and sleep 66–8
- thought disorder
  - acute mania 143–4, 158–62
  - schizophrenia 143–4
- top-down expectancy learning 138
- top-down influence **51**
- Tourette's syndrome 152
- Traub model 66, 324
- L-tryptophan
  - eosinophilia–myalgia syndrome 160–1
  - treatment for depression 159–60
  - treatment for mania 152, 159–62
- Turing computer 8
- Turing Test 9–10
- tyrosine, in depression 161
- ventral tegmentum, control of ACh activity 157
- vertebrates, locomotion in lamprey 64
- vigilance control network 149
- Vinogradov, model of delusional thinking 214–15
- Virchow, R. 15
- Waddington's 'epigenetic landscape' 111
- Wagner, R. 15
- Waldeyer, H.W. 15
- Wegman, C. 249–50
- Wernicke, C. 14, 19
- Wernicke's aphasia 201
- Wisconsin Card Sorting Task (WCST) 155–6
  - dopamine deficit 70
- Wundt, W. 18–19