

Index

- abstraction homomorphism, 343
- admissible inference rule, 198
- ADT, 222
- affine logic, 14
- algebra
 - free, 227
- algebraic
 - cocompleteness, 227
 - compactness, 227
 - consistent, 230
 - completeness, 227
- α -equivalence, 244
- applicative bisimulation, 279
- asynchronous transition system, 336
 - coherent, 336
 - coproduct, 338
 - product, 337
- autoconcurrency, 333
- autonomous category, 12, 18
- auxiliary notation, 206
- axiom of choice, 55, 57, 78, 96
- axiomatic domain theory, 222
- β -rules, 254
- bisimilar, 343
 - weakly, 349
- bisimilarity, 259
- bisimulation, 27, 259
 - history-preserving, 345
- Calculus of Constructions, 94
 - Extended, 95
- Calculus of Inductive Definitions, 95
- call-by-name, 282
- call-by-value, 282
- canonical, 85
 - functor, 347
- canonical form, 249
- canonical interpretation, 175
- cartesian
 - lifting, 306
 - morphism, 306
- catch, 157
- categorical logic, 133
- categories with families, 81
- category
 - algebraically cocomplete, 227
 - algebraically compact, 227
 - consistent, 230
 - algebraically complete, 227
 - autonomous, 12, 18
 - contextual, 109
 - extensional, 137
 - indexed, 110
 - Linear, 178
 - monoidal, 176
 - new-Seely, 180
 - of elements, 122
 - of families of sets, 103
 - of fun-games, 150
 - of games, 10
 - of labelled transition systems, 304
 - of linear fun-games, 143
 - of linear win-games, 163
 - of win-games, 166
 - symmetric monoidal closed, 12, 177
 - with attributes, 101, 108
 - with families, 101, 104
- causal dependency relation, 324
- CBN, 189
- CBV, 188
- Church's thesis, 57
- classifier
 - of partial continuous maps, 225
- closed term, 246
- Co-induction Principle, 260, 262
- cocartesian lifting, 306
- cofinal, 273
- coherence, 120
 - diagram, 176

- coherent
 - asynchronous transition system, 336
 - event structure, 324
 - trace language, 321
- commuting square, 106
- comonad
 - exponential, 147
 - monoidal, 136, 178
- comonad monoidal, 178
- comonoid structure, 136
- complete lattice, 258
- completeness
 - strong, 167
 - weak, 167
- complexity, 219
- comprehension, 102, 104
- computation path, 342
- computational type, 210
- concurrent event, 324
- configuration, 325
- conflict relation, 325
- congruence relation, 284
- conservative, 124
 - extension, 122
- consistency relation, 324
- consistent algebraic compactness, 230
- context, 82, 250
 - definitionally equal, 82
 - evaluation of, 273
 - Lemma, Milner's, 257
 - morphism, 98
 - term in, 82
 - type in, 82
 - typing, 188
 - valid, 82
- context morphism, 98
- contextual
 - category, 109
 - equivalence, 252
 - preorder, 252
- continuations, 220
- continuous function, 223
- convergence testing, 279
- coproduct
 - categorical, 311
 - of asynchronous transition systems, 338
 - of event structures, 327
 - of trace languages, 322
- copy-cat strategy, 9, 135
- coreflection, 301, 318
- cpo, 223
- cppo, 223
- cut lemma, 46
- definitionally equal
 - context, 82
 - type, 82
- deliverables, 127
- denotational semantics, 195
 - fully abstract, 198
- dependent
 - function space, 84
 - product, 84
 - sum, 85
- depth of proofs, 268
- dialogue
 - fun game, 171
 - game for fun, 171
 - just win-game, 173
- divergence, 190
- domain, 223
- empty type, 92
- environment, 195
- equality reflection, 90
- equational logic, 207, 254
- equivalence
 - α -, 244
 - ground contextual, 252
 - Kleene, 262
 - lazy contextual, 278
 - observational, 193
- η -rule, 256
- evaluation relation, 249
- event, 320, 323, 324
 - concurrent, 324
- event structure, 324

- coherent, 324
- configuration, 325
- coproduct, 327
- morphism, 326
- exception, 219
 - handling, 191
- exponential comonad, 147
- expression
 - pseudo-, 187
 - well-formed, 187
- Extended Calculus of Constructions, 95
- extensional
 - behaviour, 137
 - type theory, 90, 115
- extensionality, 255
- fibre product, 309
- first order logic
 - classical, 77
 - intuitionistic, 76
- fix-point combinator, 231
- fix-type, 230
- fixed points, 155
- formal
 - point, 65
 - space, 62, 64
 - topology, 73
- formula
 - geometric, 40
 - negative, 47
 - positive, 40, 47
- free algebra, 227
- full completeness, 26
- fun-game, 139
 - category of, 150
 - exponential, 147
- function application
 - non-strict, 282
 - strict, 282
- function variables, 281
- functor
 - canonical, 347
 - symmetric monoidal, 177
- game
 - acyclic, 173
 - category, 10
 - co-, 134
 - dialogue, 170
 - exponential, 147, 165
 - finitary, 173
 - for fun, 139
 - just, 173
 - linear
 - function space, 135
 - implication, 8
 - move, 4, 139
 - negative, 134
 - of argument, 174
 - play, 139
 - position, 139
 - product, 136
 - relation on, 27
 - simple, 134
 - tensor product, 7, 135, 141, 161
 - terminal, 136
 - to win, 160
 - tree, 139
 - unit, 141, 161
- generalised substitution, 98
- generator, 137
- geometric
 - formula, 40
 - theory, 40
- gluing construction, 126
- Gofer, 39
- ground contextual
 - equivalence, 252
 - preorder, 252
- HA^ω , 55
- Haskell, 39
- Henkin set, 69
- Herbrand's theorem, 78
- Hilbert's program, 60
- history-free strategy, 14, 25
- history-preserving bisimulation, 345
- Hoare trace, 316

- ideal
 - prime, 67
 - regular, 77
- identity type, 88
- idle transition, 303
- IMLL, 12
- impredicative quantification, 91
- incremental approach, 217
- independence relation, 321, 336
- indexed category, 110
- inductive definitions, 46
- inequational logic, 254
- infinite box principle, 41
- intensional
 - semantics, 2
 - type theory, 90
- intensionality, 137
- interactive algorithm, 45
- internal language, 205
- intuitionistic
 - higher order arithmetic, 55
 - linear logic
 - negative fragment of, 3
 - multiplicative, 12
- Jacobson's theorem, 69
- judgemental equality, 90
- justification convention, 169
- Kleene
 - equality, 119
 - equivalence, 262
- label, 302, 320
- language, 316
 - morphism, 317
- lazy contextual equivalence, 278
- LCF, 222
- linear
 - category, 178
 - fun-game
 - category of, 143
 - function application, 10
 - implication
 - of games, 8
- logic
 - affine, 14
 - intuitionistic multiplicative, 12
 - map, 134
 - win-game
 - category, 163
- locale, 63
- logical
 - framework, 93, 199
 - relations extended in time, 27
 - waterfall, 28
- Markov's
 - principle, 34, 77
 - rule, 34
- Martin-Löf's type theory, 93
- Mazurkiewicz
 - trace, 321
 - language, 321
- mediating natural transformation, 177
- modest set, 117
- module
 - parametric, 217
 - polymorphic, 217
- monad
 - continuation, 37
- monadic approach, 211
- monoidal
 - adjunction, 180
 - category, 176
 - closed structure, 177
 - comonad, 136
 - symmetry, 176
- monotone operator, 258
- morphism
 - of event structures, 326
 - of languages, 317
 - of trace languages, 322
 - pure, 343
 - zig-zag, 343
- move, 4
- mutable store, 190
- natural
 - numbers, 87

- transformation
 - mediating, 177
- negative
 - analysis, 56
 - formula, 47
 - interpretation, 56
 - translation, 36
- new-Seely category, 180
- non-deterministic choice, 191
- normal play convention, 160
- notion of computation, 210
- O*-view, 170
- observational equivalence, 193
- ω -set, 116
- open
 - extension of a relation, 262
 - map, 348
 - subset, 223
 - term, 246
- operational
 - extensionality, 262
 - semantics
 - abstraction preserving, 194
 - call-by-name, 189
 - call-by-value, 188
 - computationally adequate, 194
 - equationally sound, 194
- Opponent, 3, 132
- P*-strategy, 140, 160
- parallelism, 192
- partial
 - continuous function, 223
 - equivalence relation, 117
- partially ordered multiset, 333
- path-lifting condition, 342
- PCF, 180
 - programs, 181
 - type theory, 182
 - types, 153, 180
- PCFL
 - bisimilarity, 259
 - bisimulation, 259
 - canonical form, 249
 - congruence relation, 284
 - context, 250
 - typed, 251
 - contextual preorder, ground, 252
 - equivalence
 - ground contextual, 252
 - Kleene, 262
 - operational extensionality, 262
 - precongruence relation, 284
 - program, 248
 - rules
 - for evaluation, 248
 - for type assignment, 247
 - similarity, 259
 - simulation, 259
 - syntax, 244
 - term, 244
 - closed, 246
 - open, 246
 - typeable, 246
 - type, 245
 - assignment relation, 246
 - valid assignment relation, 246
 - typing assertion, 246
- PER, 117
- phase semantics, 65
- Π -type, 84
- Player, 3, 132
 - time-wasting, 173
- pomset, 333, 342
- position, 139
 - even, 139
 - legal, 171
 - odd, 139
- post-fixed point, greatest, 258
- pre-syntax, 95
- precongruence relation, 284
- predomain, 223
- prefix relation, 138
- prefixed point
 - least, 232
- presheaf, 122
 - rooted, 348
- prime

- filter, 66
- ideal, 67
- Principle of Justice, 173
- Principle of Pertinence, 169
- product
 - categorical, 308
 - of asynchronous transition systems, 337
 - of synchronisation trees, 316
 - of trace languages, 322
 - of transition systems, 307
 - tensor, 134
- program, 248
- projection, 102, 138
- propositionally equal, 88
- pullback, 105
- P -view, 170
- questions and answers, 168
- rational completeness, 256
- reactive system, 299
- reflection, 301, 318
- reflective sub-category, 118
- regular ideal, 77
- relabelling, 306
- relation on games, 27
- relational parametricity, 30
- restriction, 305
- resumptions, 234
- rooted presheaf, 348
- schema, 34
- SDT, 222
- section, 104
- semantics via translation, 204
- sequence, 138
 - concatenation, 138
 - maximal finite or infinite, 139
- sequent calculus
 - game-theoretic interpretation of, 50
 - Gentzen's, 44
- side-effects, 218
- Σ -type, 85
- signature realisations, 204
- similarity, 259
- simulation, 259
- single element type, 92
- space of phases, 66
- span, 343
- special invariant object, 232
- specification structure, 15
 - meet-closed, 27
 - posetal, 27
- Spector's double negation shift, 40
- stages, 122
- state, 302
 - initial, 302
 - reachable, 303
- strategy, 5, 134
 - composition, 136
 - copy-cat, 9, 135
 - finite innocent, 171
 - good, 174
 - history-free, 14, 25
 - in function mode, 140
 - in subtree mode, 140
 - innocent, 170, 171, 174
 - P -, 160
 - total, 15
 - uniform, 21
 - winning, 18, 174
- strict function, 223
- structural rules, 82
- subject reduction, 189
- substitution, 245, 250
- supports
 - Π -types, 110
 - Σ -types, 112
 - intensional identity types, 113
 - the Calculus of Constructions, 113
- surjective pairing, 256
- switching condition, 7
- symmetric monoidal
 - closed category, 12, 177
 - functor, 177
- synchronisation

- algebra, 3, 309
 - for pure CCS, 310
 - tree, 314, 341
 - product, 316
- syntactic
 - adequacy, 203
 - bottom, 256
 - continuity, 256
- synthetic domain theory, 127, 222
- Tait/Novikov calculus, 47
- take-lemma, 267
- Tarski-Knaster Fixed Point Theorem, 258
- tensor product, 134
 - of games, 7
- term, 244
 - closed, 246
 - open, 246
 - typeable, 246
- topological
 - models, 62
- total strategy, 15
- trace, 316
 - Hoare, 316
 - language
 - coherent, 321
 - coproduct, 322
 - Mazurkiewicz, 321
 - morphism, 322
 - product, 322
 - Mazurkiewicz, 321
 - semantics, 216
- transfer principle, 70
- transition relation, 302
- transition system, 302
 - acyclic, 303
 - asynchronous, 336
 - category of labelled, 304
 - initial, 309
 - morphism, 303
 - nil, 308
 - nonrestarting, 312
 - prefix, 313
 - product, 307
 - reachable, 303
 - terminal, 309
- tree, 138
 - sub-, 138
- type, 245
 - assignment relation, 246
 - assignments, 82
 - computational, 210
 - definitionally equal, 82
 - dependent, 185
 - empty, 92
 - fix-, 230
 - identity, 88
 - inductive, 209
 - PCF, 153
 - single element, 92
 - theory
 - extensional, 90, 115
 - intensional, 90
- typeable term, 246
- typing assertion, 246
- unfolding, 256
- uniform strategy, 21
- universe, 90
- Van der Waerden's theorem, 71
- variable type, 20
- view
 - Opponent's, 170
 - Player's, 170
- visibility condition, 171
- weak Σ -elimination, 86
- weakening, 104
 - map, 105
- weakly bisimilar, 349
- win-game, 160
 - category of, 166
 - exponential, 165
- winning strategy, 18
- worlds, 122
- Yoneda embedding, 122