

Index

- α_i , 12
 Abu Mostafa, Y-S., 93
 adaptive gain matrix, 176
 adaptive GLS structure, 65
 adaptive merging, 132
 adjusted block means, 58
 aircraft identification, 93
 algebraic forms, 93
 algorithms, 3, 6, 62
 ANOVA (analysis of variance)
 application of, 8
 contrast algorithm, 155
 design, 3
 four-way, 21
 low-order, 46
 nested design, 132
 one-way, 149
 techniques, 2, 4
 two-way, 40, 41
 Anderson, S., 2
 approximation, stochastic, 2, 3, 6, 156–167, 179
 approximation methodology, 2
 arithmetic mean of block, 149
 Aron, J., 7, 81
 associated confidence interval, 47
 astronomy, 35
 asymptotic variance, 172
 average risk, 157
 averaging filter, 181
 averaging over specific index, 13

 background arrays, 91, 94, 100, 104
 background elements, 95
 background interference, 4
 background structure, 35, 41, 42, 46
 balanced incomplete block, 7

 balanced incomplete block (BIB), 7, 25, 27, 57, 93
 Bayes estimation, 157
 Behar, D., 54, 69, 81, 83
 Benteftifa, M., 93
 β , 8, 9
 $\hat{\beta}$, 9
 “between sum of squares” (BSS), 14, 37, 41, 43, 46
 BIB, 7, 25, 27
 bidirectional, 47, 70
 bilevel images, 108
 biological behavior, 119
 block design, 17, 57
 block effects, 57, 61, 149
 block mean, 58, 149
 block nature, 57
 blocks and treatments within blocks, 24
 blurred edges, 67
 blurring, 181
 Bonferroni method, 4, 30, 31
 Borel measurable function, 165
 Bose, D., 81
 Box, G., 2
 broad classes of models, 8
 BSS_1 , 41, 46
 BSS_2 , 41, 43, 46
 BSS_3 , 46
 BSS_4 , 46

 cameras, 90
 canonical form, 34
 center 135° diagonal, 49
 center 45° diagonal, 49
 center column contrast, 48
 center of gravity, 121

- center row contrast, 48
 Chang, E., 58, 61, 93, 94
 Chernoff–Savage class, 170
 Chin, R., 93
 chi-square variate, 34
 Cholesky factorization, 184
 circular harmonic functions expansion, 93
 class and homogeneity, 134
 class formation, 139
 class of effects, 85
 column, 14, 21
 column and row orientations, 4
 column and row position information, 57
 column contrast, 47, 75
 column effect, 12, 14, 15, 47
 column merging, 142
 column sum of squares, 42
 conformal mapping process, 5
 common effect, 14
 comparing two or multiple means, 31
 comparison test, 67
 comparisons among effects, 29
 complete layout, 17
 complex moments, 93
 component sum of squares, 63
 confidence ellipsoids, 32
 confidence intervals, 7, 29–31, 70, 109
 conformal mapping, 91–93, 118, 119
 constraint on spread of initial guess, 160
 contraction mapping, 159, 165, 179
 contrast algorithm, 91, 111
 contrast and linear combination comparisons, 31
 contrast between target, 95
 contrast calculation, 85
 contrast detection, 111
 contrast estimate, 70, 110
 contrast functions, 4, 5, 30, 31, 36, 46, 47, 63, 84, 102, 151, 153
 contrast space, 92
 contrast tests, 137, 176
 contrast value, 91
 contrast variance, 50, 52–54, 104, 109
 contrast-based procedure, 5, 121, 124
 contrast to noise, 153, 155
 contrasts of means, 116
 convergence, 159, 179
 convergence of recursion without oscillation, 166
 correlated data, 5, 10, 123
 correlated nature, 55
 correlated noise, 36, 50, 51, 78, 155
 correlated noisy environments, 91
 correlated noisy image scenes, 86
 correlation factor, 51
 correlation matrix, 9, 51, 99, 100, 124, 152
 correlation matrix \mathbf{K}_f , 9
 corrupting noise, 55
 cortex of brain, 119
 cortical image, 121, 123
 cortical plane, 119, 121
 cortical reference object, 123
 cyclic scanning, 123
 cylinder, 121
 data collection stage, 17
 data parameterization, 139
 decision interval, 171
 decision rules, 135
 decision threshold, 11
 degrees of freedom, 11, 14, 16, 20, 23, 99, 134
 dependence, 156
 dependent noise, 149
 derivative operator, 83
 design matrix, 8, 54, 98
 designated target, 91
 detection algorithms, 92
 detection features, 122
 detection of edges, 86
 detection of known objects, 90
 detection of lines, 4
 detection probability, 1, 3, 153, 176
 detection procedure based on the F-statistics, 93
 detection stage, 94, 95, 108
 detectors
 adaptive, 36
 bidirectional, 5, 39, 67, 70, 71, 86
 contrast-based, 51, 65, 151, 178
 dependent noise-based, 96
 edge, 5, 47, 67, 68, 155, 181
 F test, 176,
 GLS, 46, 71
 Latin square-based, 74, 78, 86
 line, 47, 155
 multidirectional, 5, 36, 65, 67
 texture edge, 5
 unidirectional edge, 68
 deterministic case, 159
 deterministic part, 164
 diagonal contrasts, 49
 diagonal directions, 44
 diagonal effects, 17
 diagonal masks, 48, 53

- diagonal matrix, 147
 diagonally oriented lines, 44
 diagonals, 54
 difference of means, 83
 difference operator, 83
 differences of local averages, 83
 digital gradient, 83
 direction of the edges, 81
 directional masks, 5, 83, 84
 dissipation of noise perturbation, 160
 distribution-free sequential estimation procedure, 158
 distribution-free statistics, 179
 dominant gray level peaks, 108
 double-edge transition type algorithm, 4
 Duncan test, 31
 Dvoretzky, A., 159
 Dvoretzky's theorem, 165, 179
- Eberlein, R., 81
 edge, 66, 67
 edge detection, 4, 66–86, 181
 edge detection preprocessor, 6
 edge element, 3
 edge extractors, 67
 edge orientation, 83
 edge points, 82
 edge preserving image restoration, 196
 edge reconstruction, 5, 81, 83, 86
 edge transition region, 75
 edge-preserving restoration, 186
 edge-transition methodologies, 69
 effect estimates, 37, 41, 46, 78, 80
 effect vector, 10, 78
 effective signal-to-noise ratio (SNR), 192
 effects estimates, 85
 elementary contrasts, 110
 elementary matrix, 101
 empirical version, 158
 ϵ -contaminated normal class, 173
 error matrix, 98
 error sum of squares, 28, 53, 148
 error term, 14
 estimable function, 32, 33, 107, 109
 estimate of effect, 26
 estimated values, 181
 estimation theory, 15
 estimators, 2
 expected bias, 169
 experimental designs, 2, 7, 31
- experimental units, into homogeneous groups or blocks, 24
 extended contrast algorithm, 117
 extraction of streaks, 35
- F_a , 11
 $F_{q,n-r,\delta}$, 11
 F-distribution, 11
 F-statistic, 2, 6, 23, 32, 35, 42, 45, 136, 149, 156
 F-test, 31, 46, 73, 176
 factor α , 133
 factor β , 133
 false alarm, 1, 31
 fast sampling rate, 3
 feature detection, 109
 feature extraction process, 78
 feature matching, 91, 92, 108
 first stage, 181
 fixed block effects, 25
 fixed effects, 8, 129, 143
 fixed threshold, 2, 85
 form invariant detection procedure, 91
 Fourier domain, 93
- gain matrix, 176
 Gauss–Markov theorem, 33, 107
 Gaussian assumption, 156
 Gaussian noise, 2, 9, 35, 176
 general linear model, 8, 10
 general mean, 14, 106
 Gladyshev's theorem, 166, 174, 179
 global arrays, 94, 124
 global mean, 14
 GLS, 83, 182
 GLS designs, 4, 63, 76
 GLS detector, 46
 GLS model, 62
 GLS or Youden square type, 6
 Græco-Latin squares, 4, 7, 21, 34, 44, 67, 84
 gradient comparison, 85
 gradient operation, 5
 gradient search, 83, 85
 gradient-based approach, 86
 gray level, 5, 57, 72, 128
 Greek letters, 182
- Habestroh, R., 39, 62, 63
 Hampel, F., 2
 hat notation, 26
 heterogeneity, 67
 heterogeneity of global array, 5

- heterogeneous quadrants, 136
 hierarchical model, 135
 high intensity, 56
 higher power, 5
 higher-order designs, 17
 histogram layout, 108
 homogeneity, 67, 128, 129, 135
 homogeneous subregions, 108
 horizontal edges using a block approach, 71
 Huber's M -estimators, 170, 172, 173
 hypotheses, 7, 12, 18, 23, 34
 hypothesis-alternative pair, 38, 62
- identification by comparisons, 58, 59
 identity matrix, 9
 image, 64
 image reconstruction, 189
 image restoration, 181–196
 image scenes, 52
 image segmentation, 5, 81, 128–143
 imaging sensors, 90
 impulse response, 3
 impulsive noise, 156, 189
 incomplete designs, 17, 36, 65
 incomplete three-way layout, 17
 independent noise case, 147
 independent noise-based detector, 96
 independent quadratic form, 33
 initial segmentation, 123
 initial strategy flexibility, 160
 input/output SNR, 194
 internal holes, 104
 invariant representation, 119
 invariant tests, 2, 7
 invariant to scale, 118
 iterative scheme, 159, 179
- K_f , 9
 Kadar, I., 72, 73, 75, 93, 175
 Kang, T., 93
 Kariolis, S., 81, 93
 Kiefer-Wolfowitz, 163, 165, 179
 Kowalski, J., 3
 Kronecker product, 184
 Kronecker delta, 63
 kurtosis, 2
 Kurz, L., 7, 72, 73, 75, 78, 81, 93, 175, 176
- Λ -set, 181
 Latin letters, 182
 Latin square designs, 17, 18, 67, 86
- Latin square mask, 72
 Latin squares, 4, 7, 34, 78, 86
 “Lena” image, 144, 192, 193, 195
 learning intervals, 171
 learning phase, 102
 learning procedure, 93
 learning stage, 91, 96, 121
 least squares, 9, 48, 165, 179
 Lehmann, E.L., 2
 line detection, 4, 35–65
 line discrimination, 67
 line extraction, 35
 line segments, 36
 line thickening problem, 47
 linear combination, 30, 110
 linear contrast techniques, 91
 linear hypothesis, 4, 10
 linear models, 7–34
 linear prediction, 82
 linear regressions, 186
 linearly independent side conditions, 9
 linked lists, 138, 143
 localized mask operations, 66
 locating a trajectory, 59
 logarithmic mapping, 119
 logarithmic transformation, 119
 logical predicates, 135–137, 143
 Lomp, G., 3
 lookup table, 98
 loss of contrast, 128
 low complexity, 91
 LS, 71
- M -estimator, 173
 M -interval partition approximation, 176
 machine vision, 92, 118
 Mann–Whitney–Wilcoxon statistic, 172
 mapping, 93, 119, 121
 Markov noise, 36, 147, 182, 183
 Markov process, 51, 81
 mask, 3, 67, 106
 mask size, 106
 matched filter, 1, 35
 matrix components, 80
 maximum a posteriori probability estimator (MAP), 157
 maximum contrast, 50, 85
 maximum gradient edge detection, 81
 maximum gradient search, 82
 maximum likelihood estimation, 157
 maximum likelihood method, 9

- mean block effects, 150
 mean estimate, 15, 37, 41, 46, 148
 mean square sense, 159, 160, 179
 mean square sense convergence, 161
 median filters, 181
 medical applications, 118
 merging adjacent quadrants, 132
 merging process, 128, 138
 merging strategies, 142
 merging homogeneous quadrants of regions, 132
 meteorites, 35
 meteorite trajectory, 35
 military applications, 92
 Miller, R., 30
 minimum mean-square estimator (MMSE), 157
 minimum variance, 33
 missing value approach, 6, 181, 189, 195
 MIT building image, 195
 mixed observation set, 100
 mixture distribution model, 181
 mixture noise, 189
 model fitting, 31
 model for reconstruction, 81
 model parameter variance, 5
 Mohwinkel, C., 93
 moment invariant technique, 92, 93
 moment invariants, 93, 112, 119
 Monte-Carlo simulations, 3, 6, 177, 178
 moving robot, 90
 μ , 12
 multicomparison methodology, 34, 59, 86, 92
 multicomparison model, 49
 multicomparisons, confidence intervals, 4
 multidirectional edges, 86
 multiple comparison S-method, 152
 multiple comparison techniques, 4
 multiple comparisons, 30
 multiple linear regression model, 186
 multiple projections of object, 90
 multipurpose segmentation algorithm, 129
 multivariate normal distribution, 33
- n*-dimensional vector, 8
 $n \times p$ matrix, 8
 nested design algorithm, 143
 nested design approach, 6
 nested design model, 129, 133
 nested two-factor design, 133
 Neter, J., 7
 Neyman–Pearson detector, 153, 178
- noise, 6, 183, 195
 noise component, 8, 21
 noise contamination, 156
 noise dissipation, 160
 noise variance, 49, 51
 noise vector, 8
 noisy environments, 91
 noisy image, 86
 nominal contrast, 104
 non-Gaussian noise, 189
 noncentral parameter, 176
 noncentrality parameter δ , 11
 nonlinear statistical operators (masks), 2
 nonlinear time convolution, 3
 nonnegative real sequences, 160
 nonrobustized version, 156
 nonsingular $n \times n$ matrix \mathbf{P} , 10
 nonuniform background structures, 46
 nonuniform sampling grid, 121
 normal equations, 13, 15, 73, 78
 null hypothesis, 2
 number of treatments in block, 25
- object, 90, 104
 object detection, 5, 90–126
 objective measures of performance, 192
 objects of large size, 124
 ω , 11
 on-board cameras, 90
 one-dimensional contrast case, 59
 one-sample, 170, 179
 one-way, 4, 7, 34
 one-way design, 11, 13, 37
 one-way design with fixed effects, 106
 one-way layout, 90
 one-way model, 12, 69, 148
 optimum gain coefficients, 174, 179
 optimum parameters, 95
 orientation, 91
 original, 92, 95
 original and transformed data spaces, 124
 orthogonal, 47, 116
 orthogonal contrast functions, 63
 orthogonal contrasts, 5, 116, 124
 orthogonal data, 10
 orthogonal transformation, 2, 7
 orthogonality condition, 64
 orthonormal complement, 152
 outliers, 170
 output SNR, 194
 overall arithmetic mean, 58

- overall unit mean, 61
 overshoot constraint sequence, 160
- p -dimensional vector, 8
 p -way design, 17
 pairwise comparisons, 31
 pairwise function, 29, 30
 parallelepiped masks, 49
 parallelepiped shape, 48
 parameter estimation, 4, 7, 34, 156
 parameterization, 133
 parametric function, 32, 107
 partition stage, 108
 partition tests, 2
 partitioning, 162, 164
 P_D , 178
 peaked probability density function, 2
 Pearson and Hartley, 177
 performance analysis, 156–179
 performance criterion, 158
 permutation matrices, 5, 100, 101, 124
 pixels
 adjacent, 52
 background, 91
 badly corrupted, 181
 low-intensity, 56
 missing values, 189
 target, 104
 polar angle, 119
 polar coordinates, 119
 post hoc comparison, 75
 potential lines, 64
 power calculations, 179
 power for all alternatives, 7
 predicate, 135–137
 preprocessing mask, 189
 preprocessors, 181
 preselected threshold, 3
 prewhitening transformation, 10
 primary treatment levels, 63
 primitive feature, 153
 primitive quadrants, 130
 primitive structures, 135
 probability of detection, 1, 3, 153, 176
 processing time, 3, 5, 91
 projection, 90, 121
 projection matrix, 152
 Psaltis, D., 93
 pulse function, 58
 pulse-like distribution, 66
 pulse-like shape distribution, 61
 pure merging, 128
 pure splitting, 128
- q , 11
 q -dimensional contrast space, 34
 quadratics, 99
 quantization of treatment levels, 57
- radial distance, 92, 119
 radial masks, 147–155
 radial processing, 5, 147
 radial processing masks, 155
 radial version, 148
 random effects models, 8
 random part, 163, 164
 randomization, 24
 randomized design, 57
 randomized Latin square layout, 72
 randomized version, 100
 rank of \mathbf{X}^T , 9
 rank of quadratic form, 104
 rank statistic preprocessor, 170
 reconstructed edge, 82
 rectangular representation, 119
 rectangular window, 49
 recursive least square estimator, 6, 82, 186
 reduced algorithm, 91
 reference contrast, 92
 reference database, 90
 reference objects, 91, 94, 118
 reference templates, 95
 region effects, 6
 region homogeneity, 128, 136
 region merging, 143
 region testing, 130
 region-growing algorithm, 128, 129
 regression equation, 158
 regression function, 174
 regular contrast algorithm based on ANOVA,
 155
 reparameterized, replicated, full-rank two-way
 design, 174
 replicated models, 93
 replicates of each treatment, 26
 replication order, 174
 representation, 119
 restoration, 6, 196
 restored images, 181
 retinal plane, 119
 retino-cortical mapping, 120
 RMSA estimator, 156, 181

- Robbins-Monro, 162, 165, 179
 Robbins-Monro stochastic approximation (RMSA) algorithm, 156
 robotics, 90
 robust estimator, 176
 robust form, 174
 robust recursive estimation, 169, 179
 robust SAMVLS, 173
 robust segmentation procedure, 129
 robustized versions, 2, 170
 robustness, 35, 67
 rotation, 90
 rotation angle, 92
 rotation between test, 118
 rotation invariance, 5, 92, 120, 124
 rotation invariant object detection, 91, 92
 rotation transformation, 118
 rotational invariance, 119
 row, 12, 21
 row contrast, 47, 75
 row effects, 14, 15, 41
 row scanning, 123
 row stacking operation, 100
- S-contrast, 104
 S-criterion (multicomparison method), 153
 Sacks' theorem, 165
 saddle point, 173
 salt and pepper noise, 181
 salt and pepper type, 189, 195
 sample mean, 85
 sample mean effect estimates, 48
 sampling grid, 121
 SAMVLS, 167, 170, 173
 satellite picture processing, 90
 SBIB designs, 4, 34, 56, 57, 93, 147, 149
 scale invariance, 120
 scaling effect, 119
 scanning window, 8, 17
 scene classification, 128
 Scheffe, H., 4, 7, 30, 31, 39, 104
 segment homogeneity, 134, 138
 segmentation, 5, 128, 135
 segmentation of gray level images, 143
 separable product, 100
 set S of indexes, 19
 set of treatments, 182
 shape, 104
 shape statistics, 4, 46
 shape test, 41, 46, 62, 69, 70, 75, 102
 sharpness, 71, 82
 shift in mean, 39
 σ^2 , 9
 ship discrimination, 93
 side conditions, 13, 15, 19, 27
 sign test, 59
 signal function, 3
 significance level, 73
 significant block effects, 58, 60, 61
 significant difference test (Fisher), 31
 significant unit effects, 60, 61
 significant visual contrast, 47
 simulation results, 3, 192
 small local operators (masks), 3
 small sample theory, 167
 SNR, 192
 split-and-merge procedure, 5, 128–131, 135
 splitting regions, 132
 splitting tile, 131
 $SS_a(\mathbf{y}, \beta)$, 11
 $SS_e(\mathbf{y}, \beta)$, 11
 standard array, 5, 91, 94, 95, 124
 standard pattern, 94, 95
 statistics for testing hypotheses, 20
 step function, 41
 step-like change, 66
 Stern, D., 78, 81
 stochastic approximation, 2, 3, 6, 156–167, 179
 stochastic case, 159, 165
 strongly mixing type, 156
 structural noise, 2
 structured backgrounds, 35, 46, 47
 structures and lines, 64
 studentized range distribution, 75
 subarrays, 106
 subspace, 11, 39
 sufficient conditions, 159, 179
 sum of squares, 12, 16, 23, 80
 sum of squares associated with H_g , 11
 sum of measurements, 58
 symmetric balanced incomplete blocks, 4
 symmetric BIB (SBIB), 26, 57
 symmetric Wilcoxon statistic, 173
 symmetrical incomplete block design (SBIB), 147
 systematic square, 72
- T-set treatments, 182
 tabulated threshold, 14
 target, 94, 108, 124
 target arrays, 91, 94, 100
 target extraction, 118

- target-to-background pixel ratio, 102
 targeted objects, 90
 TCM form, 53
 TCM matrix, 52
 Teh, C., 93
 template, 85, 91, 108
 template array, 94
 template matching technique, 94
 template reference, 91
 tensored correlated model, 52
 tensored form, 81, 99, 183
 test contrast, 92
 test feature, 68
 test object, 91
 test of heterogeneity of global array, 124
 test of sharpness, 71
 test of means of populations, 10
 test statistic, 11, 18
 tests of shape for lines, 62
 texture, 57, 128
 texture edges, 5
 thickening effect, 41
 thickening problems, 65
 thickness, 82
 three-dimensional images, 93
 three-dimensional object detection, 90
 three-pixel line, 151
 threshold, 50, 92
 threshold testing scheme, 58
 thresholding scheme, 61
 tile, 129, 135
 tile homogeneity, 136
 tile merging, 142
 tile segmentation, 132
 topological mapping strategies, 93
 trajectories, 4, 56–58, 61, 65
 trajectory detection, 36, 55, 57, 59, 61, 65, 93, 149
 trajectory elements, 57
 trajectory of meteorites, 35
 transformation, 93
 transformation \mathbf{P} , 10
 transformation rules, 95
 transformation-based object detection, 5, 94, 122, 123
 transformed data approach, 93
 transformed observations, 100
 transformed spaces, 92, 95
 translation in the transformed space, 92
 treatment and block effects, 27
 treatment group, 63
 treatment level, 62
 tree, 130
 Tsai, C., 176
 Tukey, 30, 31
 Tukey method, 4, 30
 Tukey's honestly significant difference test (HSD), 75
 two-dimensional object detection, 90, 91
 two-factor nested design, 132
 two-sample tests, 170, 171
 two-stage approach, 6, 196
 two-step process, 128
 two-way design, 34, 39, 174
 two-way layout, 7, 24, 90
 two-way layout parameterization, 5, 124
 two-way model, 98
U-form, 172
 UMP, 2, 35
 UMP-invariant, 39
 unbiased estimate, 55, 58, 107, 109
 unbiased estimators, 33
 unbiased linear estimate, 32, 107
 unequal nesting, 133
 unequal number of replicates, 133
 undershoot correction, 160
 unidirectional line detection, 36
 unidirectional problem, 65
 uniformity criterion, 128
 uniformly most powerful (UMP), 2, 35
 unique unbiased linear estimate, 32
 unit effects, 60, 61
 unit step function, 150
 unit-based approach, 61
 V curve, 155, 178
 validity of results, 29
 variable threshold approach, 1
 variance, 107
 variance analysis, *see* ANOVA
 variance of contrast function, 154
 vector form, 174
 vector of estimate, 98
 vector of orthogonal data, 10
 vector space Ω , 8
 vertical effects, 69
 vision, human, 118, 120
 vision problems, 90
 visual comparison, 192
 visual contrast, 47
 visual equivalence, 5, 95, 123

210 *Index*

- | | |
|---|------------------------------|
| Wasserman, W., 7 | \mathbf{X}^T , 8, 9 |
| weighed sum of squares, 37, 41 | |
| Wilcoxon robustized recursive least mean
square estimator, 195 | Youden square, 4, 56, 60, 61 |
| Wilcoxon statistic preprocessor, 156 | YS masks, 182 |
| Wilcoxon symmetric statistic, 171 | |
| window, 36, 48 | zero-sum condition, 13 |
| “within sum of squares” (WSS) 14, 37, 41, 43,
46 | |