

Index

- Abell clusters 136, 138, 162, 163
- active galactic nuclei (AGN) 32, 337–8
- age of the universe 12–16, 310–12
- arcllets 415–23
- axions 35, 36

- baryon clusters, measuring Ω_0 28–9, 151–2
- baryonic mass, galaxies 5, 107–8
- bias
 - galaxy mass-density 274–8, 303–6, 312
 - linear 183, 196–7
 - velocity 454
- Big Bang Nucleosynthesis (BBN) 27–9, 32
- black holes (BHs) 337–57
 - detection 345–7
 - M87 352–3
 - NGC3115 350–2
 - NGC4258 353–4
 - predictions from quasars 347–9
 - searches for 349–54
- black-body radiation 118
- bosons 37–8
- bottom-up formation models 110–11
- brightest cluster galaxies, distance indicators 237–9
- bulk velocity 281–3

- Cepheid variables
 - Hubble constant 16–17, 214, 216–19, 236, 245
 - surface brightness fluctuations 232–3
- CfA2 redshift survey 176
- clusters *see* galaxy clusters
- COBE-normalized models 56, 62–8, 72, 105, 123
- cold dark matter (CDM)
 - Λ CDM models 22–3, 54–75
 - axions 35, 36
 - cold + hot dark matter (CHDM) models 25, 30–1, 54–75
 - density fluctuations 103–5
 - gravitational lensing 402–3
 - linear theory 62–5
 - Massive Astrophysical Compact Halo Objects (MACHOs) 34, 36, 39, 374–9
 - models 6, 33–9, 54–75, 285–6, 442
 - nonrelativistic 5
 - small-scale simulations 65–8
 - standard cold dark matter (SCDM) 65, 189–90
 - supersymmetry 36–9
 - Weakly Interacting Massive Particles (WIMPs) 35, 36–9
- comoving coordinates 8–9
- constants, values 6
- continuity equation 262
- correlation function, galaxy clusters 160–4
- COsmic Background Explorer *see* COBE
- cosmic flows, estimates of Ω_0 and β 252–3, 304
- cosmic inflation *see* inflation
- cosmic microwave background (CMB)
 - acoustic peaks 309–10
 - anisotropies 53, 118–29, 439
 - fluctuations 44, 118–23, 273–5, 286–7, 313
 - gravitational lensing 425
 - maps 126–9, 267–9, 275
 - measuring β 300–1
- cosmic string 42–4, 57
- cosmic virial theorem (CVT) 25
- cosmochronometry 14
- cosmological constant (Λ) 9–10, 21–3, 32–3, 406, 440–1
- cosmological density parameter (Ω_0)
 - cluster baryons 27–9, 151–2
 - cluster correlations 161–2
 - cluster velocity 165–6
 - constraints 306–12, 313–14
 - cosmic flows 252–3, 304
 - cosmological tests 455–60
 - definition 321–2
 - early structure formation 30–2
 - galaxy halo scales 26–7
 - Hubble diagrams 234–6
 - inflation models 51–2
 - initial probability distribution function 292–3
 - large-scale measurements 24
 - measurements 23–33, 151–2, 252–3, 290–3
 - peculiar velocities 290–3
 - point masses 381–2
 - small-scale measurements 25–6
 - value 5, 286–7, 463
 - value in simulations 323–6
 - very-large-scale measurements 23–4
- cosmological models 7–8, 54–7, 439–41

- cosmological simulations 321–34
 cosmology, physical constants 6
- damped Lyman α systems 31, 33, 56, 68–9, 116–17
see also Lyman α clouds
- dark matter 3–75
 astrophysical properties 5
 classification 33–5
 distribution 195–8
 galaxies relationship 195–8
 galaxy clusters 155
 galaxy halos 26–7
 gravitational force 10–12
 gravitational lensing 425
 large-scale structure formation 280, 313
 nonbaryonic 5
 simulations 322–3
see also cold dark matter; hot dark matter; warm dark matter
- de Sitter cosmology 44–5
- degenerate parameter β , measuring 204, 253, 293–306
- density comparisons, measuring β 294–7
- density fluctuations 102–5
- deuterium, measurements 27–9, 32
- distance indicators (DIs) 215–16
 brightest cluster galaxies 237–9
 Cepheid variables 216–19
 Fundamental Plane relations 225–9
 galaxies 213–46
 Hubble constant 215–16
 Malmquist bias 241–4
 redshift-distance catalogs 239–41
 supernovae 233–7
 surface brightness fluctuations 229–33
 Tully–Fisher relation 219–25
- Einstein Cross 383–4
- Einstein radius 371–2
- Einstein rings 362
- Einstein–de Sitter cosmology 22–3, 92, 308, 435, 441
- elliptical galaxies
 boxy and disky types 344–5, 357
 formation 115–16
 Fundamental Plane relations 225–9, 245
 lens models 394–5
- Equivalence Principle 8
- ESO Slice Project (ESP) 178
- Euler equation of motion 88, 262
- extragalactic background infrared light (EBL) 32
- Faber–Jackson relation 225–6
- Fermat’s principle, gravitational lensing 387–92
- fermions 37
- flatness problem 46
- fluctuations
 cosmic microwave background 44, 118–23, 181, 273–5, 286–7
 density 102–5
 mass-density 261–4, 280–90
 origins 42–54, 47–8
 surface brightness 229–33, 245–6
- Fourier Transform 183, 184–5
- Friedmann equation 10, 44–5, 46–7
- Friedmann–Robertson–Walker universe 9–10, 87, 92, 251
- Fundamental Plane relations, elliptical galaxies 225–9, 245
- Galactic bulge, microlensing 377–8
- Galactic Zone of Avoidance (ZOA) 269
- galaxies
 baryonic mass 5, 107–8
 core formation 354–7
 counts 458–9
 dark-matter relationship 195–8
 density comparisons 294–7
 distances 213–46
 distribution 195–8
 elliptical 115–16, 278–80, 338, 344–5
 gravitational lensing 384–406
 irregular 338
 luminosity 107–8, 149–50, 178–81
 Mark III catalog 240–1, 254–5, 265–9
 mass-density biasing 274–8, 303–6, 312
 nearby galaxies, mass model 451–3
 nucleus 342
 redshift 116–18, 172–207, 451–3
 spiral 111–15, 278–80, 338, 400
 structure 400–1
 surface brightness 109–10, 339–45
 velocity analysis 253–80
 velocity bias 454
- galaxy centers
 black holes 337–57
 central parameter relations 342–4
 surface brightness 339–42
- galaxy clusters 135–68
 Abell clusters 136, 138, 162, 163
 abundance 306–7
 baryon fraction 28–9, 151–2
 cooling flows 150
 core radii 410–11, 414
 correlation function 160–4
 dark matter 155
 density parameter 444–6
 density profiles 140–1
 galactic content 141–2
 giant arcs 407–15
 gravitational lensing 362–3, 406–23
 intracluster gas 144–9
 luminosity 237–9
 mass function 155–6
 mass-to-luminosity ratio 142–3, 154–5, 156, 421–2, 446–7, 451–3
 masses 152–4, 408–15
 measuring Ω_0 29–30, 446–7
 number density 138–9
 optical properties 136–43
 peculiar motions 164–6
 power spectrum 182–95
 quasar association 156–8, 424

468 *Index*

- galaxy clusters (*cont.*)
 Sunyaev–Zel’dovich effect 151
 unsolved problems 167–8
 velocity dispersion 142, 443–6
 X-ray properties 143–51, 330–1, 332–3
- galaxy formation 4, 436–9
 age 438–9
 backwards approach 111–18
 gravitational lensing 401–2
 simulations 328–9
- galaxy halos, measuring Ω_0 26–7
- galaxy mass function 105–7
- galaxy superclusters 5–6, 158–60
 pencil-beam surveys 159–60
 unsolved problems 168
- gas
 hot 331
 near galaxies 332
- Gaussian fluctuations 288–90
- general relativity (GR) theory 7–9, 360–1
- globular clusters (GCs), age 12–16
- Grand Unified Theories (GUTs) 36–7, 43, 46, 50–1
- gravitational acceleration 10–12
- gravitational instability 86–96
 galaxy mass function 105–7, 274–8, 441–2
 hypothesis testing 273–4
 large-scale structure 251, 312–13
 linear theories 88–90, 99–105
 mixed boundary conditions 90–1, 161
 nonlinear methods 90–6, 105–11
- gravitational lensing 360–425
 applications 363
 arclets 415–23
 astrophysical results 400–6
 circularly symmetric lens models 391–4
 cluster masses 152–3
 convergence and shear 386–7, 396, 416–17
 cosmic microwave background 425
 cosmological constant 406
 effective potential 386–7
 Einstein rings 362
 Fermat’s principle 387–91
 galaxies 384–406
 galaxy clusters 362–3, 406–23
 giant arcs 407–15
 Hubble constant measurement 18–19, 361, 403–6
 Kaiser & Squires algorithm 416–18
 large-scale structure 423–5
 microlensing 39, 362, 374–84
 models 397–400
 non-circularly symmetric lens models 395–7
 point masses 364–84
 principles of 360–3
 quasars 362, 399–400, 424
 simulations 333
 strong lensing 407–15
 time-delay function 387–92
 weak lensing 407, 415–25
- gravitino 37, 50
- gravity, simulations 326
- gravity theory 7, 10–12
- Great Attractor (GA) 20, 266–9
- Hamilton’s principle 94–6, 449
- hierarchical formation models 110–11
- Higgs field 42, 46
- horizon problem 45–6
- Hot Big Bang 3–4
- hot dark matter (HDM) 5, 33–5, 40–2
- hot gas, simulations 331
- Hubble constant
 Cepheid variables 16–17, 214, 216–19, 236, 245
 cosmological model 54–5
 distance indicators 215–16
 gravitational lensing 18–19, 361, 403–6
 measurement 16–21, 213–19, 233–7, 403–6
 peculiar velocities 214, 232
 supernovae 16–18, 216, 219, 233–7, 246, 308–9
 value 5, 8
- Hubble diagram 234–6, 246, 308
- Hubble Space Telescope (HST)
 black hole research 350–4
 Cepheid distances 16–17, 19–20, 217–19
 galaxy center observations 337–45
- hydrodynamics, simulations 326
- hypotheses, testing 273–5
- inflation 44–54
 $\Omega_0 < 1$ 51–2
 eternal 48–50
 fluctuations 47–8
 Linde’s classification 49
 summary 52–4
 supersymmetric 50–1
- inflaton 46, 50–1
- Infrared Astronomical Satellite *see* IRAS
- initial probability distribution 287–90
- intracluster gas, galaxy clusters 144–9
- IRAS
 measuring β 294–7, 299–303
 redshift surveys 174–6
- Jacobian matrix 386–7
- Jeans mass 102
- Kaiser & Squires algorithm 416–18
- Kamiokande data 40–1
- Karhunen–Loève (K-L) Transform 186–7
- Large Magellanic Cloud (LMC) 39
 Cepheids 217
 gravitational lensing 362
 microlensing 377–9
- large-scale dynamics 250–314
- large-scale structure (LSS)
 COBE-normalized models 123–6
 formation theory 251–2
 gravitational instability 251, 312–13
 gravitational lensing 423–5
 mass-density fluctuations 280–90
 peculiar velocities 253–80, 312
- Las Campanas Redshift Survey (LCRS) 176–7, 187

- least action principle (LAP) 26
 LensClean technique 399
 lensing geometry 369–71
 LensMEM 399
 light, gravitational lensing 360–425
 lightest supersymmetric partner (LSP) 38–9, 50
 linear biasing 183, 196–7
 linear theories
 cold dark matter (CDM) 62–5
 gravitational instability 88–90, 99–105
 perturbation 88–9, 447
 redshift 190–1
 Liquid Scintillator Neutrino Detector (LSND) 40
 Local Group
 dynamics 448–54
 redshift survey 175–6, 194
 velocity bias 454
 luminosity
 brightest cluster galaxies 237–9
 galaxies 107–8, 149–50, 178–81, 446–7
 Lyman- α clouds
 simulations 331, 333
 see also damped Lyman α systems

 magnetic fields, simulations 327–8
 Malmquist bias, velocity analysis 241–4, 256, 257–8, 271–3
 maps
 cosmic microwave background (CMB) 126–9, 274
 velocity and density fields 267–9
 masers 346, 353–5
 mass density, measurement 435–63
 mass distribution, Local Group 448–54
 mass-to-luminosity ratio 142–3, 154–5, 156, 421–2, 446–7, 451–3
 Massive Astrophysical Compact Halo Objects (MACHOs) 34, 36, 39, 374–9
 massive dark objects (MDO), black holes 346–7
 matter power spectrum 124
 microlensing 39, 362, 374–84
 extragalactic 381–4
 ongoing searches 377, 380–1
 optical depths 377–9
 pixel lensing 380
 quasar QSO 2237+0305 383–4
 Milky Way
 dark halo 36, 39
 formation 112–15
 mixed boundary conditions 90–1, 262
 mock catalogs, simulations 264–6

 Near Infrared Camera/Multi-Object Spectrograph (NICMOS) 31–2
 neutralino 38
 neutrinos 5, 35
 mass 40–2, 74
 warm dark matter 57–8
 nonbaryonic dark matter 5

 observations, comparison with simulations 322, 330–4

 Occam's Razor 308
 OGLE, microlensing 377–8
 Optical Redshift Survey (ORS) 174–6

 Peccei–Quinn symmetry 36
 peculiar motions, galaxy clusters 164–6
 peculiar velocities
 catalogs 240–1
 Hubble constant measurement 214, 232
 large-scale structures 253–80
 measuring Ω_0 290–3
 redshift 183, 190–5, 239–41
 Tully–Fisher relation 219–25, 245
 pencil-beam surveys, galaxy superclusters 159–60
 perturbation equations 87–8, 92–4
 Petrosian flux 202–3
 photino 37–8
 point masses, gravitational lensing 364–84
 Poisson field equation 262, 300
 POTENT analysis
 bulk velocity 281–3
 density comparisons 294–7
 measuring Ω_0 24, 32
 power spectrum 283–4
 velocity data 256–69
 power spectrum 182–95, 283–6
 Primordial Isocurvature Baryonic model (PIB) 280
 probability distribution function (PDF) 24, 280, 288–9, 292–3

 Quantum Chromo-Dynamics (QCD) confinement transition 34–5
 quasars (QSOs)
 black hole predictions 347–9
 galaxy centers 337–8
 galaxy cluster association 156–8, 424
 gravitational lensing 362, 399–400, 424
 Hubble constant measurement 18
 measuring Ω_0 30–1, 33, 309
 QSO 0957+561 18–19, 362, 390, 401
 QSO 2237+0305 383–4

 redshift
 biasing 196–7
 cosmological principle 8
 distance indicators 239–41, 245
 galaxy formation 116–18
 galaxy mass 451–3
 gravitational lensing 420
 luminosity function 178–81
 measuring Ω_0 23–4, 30–1
 measuring β 204, 299–300, 301–3
 power spectrum 182–95
 selection function 180–1
 surveys 173–8, 199–207
 Tully–Fisher relation 225
 relative distance measurement 16–17
 Ring Cycle algorithm 399
 Robertson–Walker metric 8
 rocket effect 301

 Sachs–Wolfe effect 274

470 *Index*

- Sakharov oscillations 121
 scalar fields 42–3
 Schechter function 107
 Schwarzschild radius 367
 secondary radiation fields, simulations 329–30
 selectron 37
 Shapiro delay 365
 simulations
 comparison with observations 322, 330–4
 cosmological 321–34
 methods 323–30
 parameters 323–4
 singular isothermal sphere, gravitational lensing 384–5
 slice surveys 187
 Sloan Digital Sky Survey (SDSS) 33, 178, 199–205
 Space Infrared Telescope Facility (SIRTF) 31
 spiral galaxies
 dark-matter density 73–4
 formation 111–15
 gravitational lensing 400
 Tully–Fisher relation 219–25
 standard model of the universe 439–41
 stellar age estimates 12–16
 Sunyaev–Zel’dovich effect
 distance indicator 216
 galaxy clusters 151
 Hubble constant measurement 18
 superclusters *see* galaxy superclusters
 supernovae, Hubble constant measurement 16–18, 216, 219, 233–7, 246, 308–9
 supersymmetry 36–9, 50–1
 surface brightness
 fluctuations 229–33, 245–6
 galaxies 109–10, 339–45
 time machines 96, 287–90
 topological defects 42–4
 Tully–Fisher relation
 inverse 256–7, 271–3, 299–300
 law 12
 scatter 224–5
 spiral galaxies 17, 219–25, 245
 velocity analysis 253–7, 271–3
 Two-Degree Field Survey 178, 205–6
 universe
 age 12–16, 310–12
 mass density 4–5, 435–63
 standard model 439–41
 VELMOD, measuring β 298–9
 velocity analysis
 bulk velocity 281–3
 comparisons 298–9
 dispersion measurement 142, 443–4
 large-scale structure 253–80
 Malmquist bias 241–4, 256, 257–8, 271–3
 maps 267–9
 mass-density fluctuations 280–90
 methods 255–7
 power spectrum 283–6
 Wiener reconstruction 269–71
 velocity bias 454
 Virgo cluster, Cepheid variables 218–19
 Virgocentric flow 447–8
 Virgocentric infall 19–20, 198
 Void Probability Function (VPF) 65, 67
 voids, measuring Ω_0 290–2
 warm dark matter (WDM) 5, 33–5, 57–62
 Weakly Interacting Massive Particles (WIMPs) 35, 36–9
 white dwarfs 14–15, 233
 Wiener Filter (WF), velocity analysis 269–71
 X-ray properties, galaxy clusters 143–51, 330–1, 332–3
 Zel’dovich approximation 89–90, 96, 262, 288
 Zel’dovich spectrum 48, 55
 Zel’dovich–Bernoulli equation 288