CAMBRIDGE

Cambridge University Press
978-0-521-58667-2 - Principles of Animal Design: The Optimization and Symmorphosis Debate
Edited by Ewald R. Weibel, C. Richard Taylor and Liana Bolis
Index
More information

Index

abomasum, 221; *see also* stomach
absorption
  nutrients, 203, 214–15, 221, 224–6
  photon, 281–3
actin, 87, 95–100, 103
  actin–myosin interaction, 98–9, 103
actinomyosin, 147
activation
  bone cell, 86
  glycolytic pathway, 143
  ion channel, 271
  muscle, 103, 108–12, 147, 150, 153
activity
  bone, 64
  contractile, 90–2, 94
  EMG, 119
  enzyme, 87, 89, 91–4, 99–101, 132–3, 138, 142–4, 156, 158, 197, 200, 215
  flight, 177
  Krebs TCA cycle, 136–8
  metabolic, 131
  muscle fiber, 129
  neuromuscular, 89, 91
  periodic, 121
  physical, 51–2, 93, 112, 116, 120, 131, 196, 237, 262, 263–4
adaptation, 1, 6, 38, 51, 63, 79, 86, 127, 145, 153, 166, 168–75, 177, 182, 191, 222, 228, 242, 253, 265, 270, 276, 278, 282, 286, 294, 297, 299–306
  grazers, 224–5
  light, 282–3
  metabolic, 92
  regressive, 288–91
  species-specific, 92–4
  structural, 5, 151, 178–82
aerobic capacity, 48, 49, 92, 177, 181, 196, 242, 247, 249–52
Aniridia, 296
antelopes
  Impala, 227
  Pronghorn, 2, 255, 305
Apis mellifera, 156
ATP
  binding, 98, 99
  consumption, 95–8, 118, 129, 236
  cost, 150, 156
  homeostasis, 249
  hydrolysis, 96, 98, 156, 160
  inhibitory potential, 136
  per twitch, 149–50, 153
  production, 147
  requirements, 129, 147
  resynthesis, 130, 156, 161
  supply, 53, 129, 147–8, 151–3, 259
  system, 94
  turnover, 140–5, 160, 250
  utilization, 129–30, 148
  yield, 94
ATPase
  actin–myosin, 99
  actomyosin, 156
  Ca^{2+}-, 91, 156
  myosin, 147, 150
  Na^{+}, K^{+}-, 156, 197
  proton, 197, 199
  rate per twitch, 149
axon, 212, 272–5

bat, 166, 177–8, 181–5, 305
  frugivorous, 212
bee, *see* honeybee
biomechanics, 70
bird, 15, 41, 56–62, 104, 118, 123, 127, 166, 177–85, 264
  growing, 39, 56–62
  nectarivorous, 212, 215
Bohr
  equation, 244, 246
  integral, 173

© in this web service Cambridge University Press www.cambridge.org

CAMBRIDGE

Cambridge University Press
978-0-521-58667-2 - Principles of Animal Design: The Optimization and Symmorphosis Debate
Edited by Ewald R. Weibel, C. Richard Taylor and Liana Bolis
Index
More information

bone, 1, 11, 23, 28, 30–2, 34, 53, 63, 78, 304
  curvature, 70–2
  design, 63, 64–8
  responses to strain, 78–86
  shape, 64–8
  structure, 64–8
brain, 57, 270, 276, 281, 286, 290, 291–7, 304
breeding, 50, 52–3, 255, 263–5
butterfly, 52

capillaries, 28, 168, 175
  air, 178
  blood, 178
  density, 92
  endothelium, 180, 256, 258
  glucose transfer, 258–9
  lipid transfer, 259–61
  muscle, 6, 241, 244–7
  pulmonary, 168–75, 178–80, 244–7
Capra hircus, 81
carbon dioxide
  accumulation, 191
  diffusion, 197, 200
  exchange, 165, 186
  excretion, 186, 193, 197–200
  flux, 196, 199
  partial pressure, 246–7
carbon monoxide, 169
cascade, 195, 196, 200
  gas transfer, 196–7
  phototransduction, 281–2
  regulatory, 296
  respiratory, 239, 255–6
cat, 24, 92, 130
chicken, 24
chipmunk, 264
Cinclus species, 41
Colias, 52
contraction
  cost, 150–1
  energy demand, 151
  frequency, 149, 152
  isometric, 95, 116
  muscle, 66, 95, 99–101, 116, 130, 147–8, 150, 152
  rate, 147
  speed, 42
convection
  circulatory, 245–7
  ventilatory, 246–8
convergence, 11–12, 13–20, 177, 182, 187, 193
Coregonus lavaretus, 232
cost/benefit analysis, 21–2, 26–7, 56, 71–2, 76, 215, 278
cow, 6, 203, 226, 249
Craeonycteris thonglongyai, 182
Crotalus atrox, 148
Darwin, Charles, 42, 156, 160, 288, 293, 299, 301
Didelphis virginia, 81
diffusion, 16, 168, 186, 258
  alveolar–capillary resistance, 169–72
  barrier, 187, 189, 212, 258
  carbon dioxide, 200
  conductance, 186–7
  disequilibrium, 170–3
  distance, 187, 192
  enzymes, 212
  Fick's law, 173, 244
  glucose, 258
  gradient, 192, 215
  limitation, 168, 192, 240, 244–7
  oxygen, 33, 195, 247
  perfusion interactions, 174–5
  peripheral, 244–7
  pressure heads, 248
  pulmonary, 246
  resistance, 187
  time, 189
digestion, 210, 236
  carbohydrate, 25
  enzymatic, 203–4, 218
  fiber, 225–6
  physical limitations, 214
  plant cell wall, 220–8
  rate, 214
digestive system/tract, 203–4, 209, 212–19, 232, 236
  ruminants, 220–8
dog, 6, 92, 144, 168–70, 172, 239–40, 249–50, 252–3, 257–61, 300
Drosophila, 271, 296

earthworm, 273
economy, 1, 3, 12, 56, 70, 76, 95, 100, 118–20, 160, 230, 235, 237, 274, 291, 294
Electrophorus, 276
endurance, 2, 42, 249–53
energy allocation, 233–5
energy expenditure, 74, 124, 203, 205–10, 231, 233, 266–7
energy storage, 66
  elastic, 72–6, 116
engineering, 21–3, 40, 46
  allometric, 54
  chemical, 213
  genetic, 138, 306
environment, 41–2, 50, 70, 79, 85, 87–8, 122, 131, 165, 191, 195, 203–6, 222, 228, 231, 236, 239, 255, 269, 276, 294, 299, 300, 303–5
  aquatic, 197
  experimental, 51–4

© in this web service Cambridge University Press www.cambridge.org

CAMBRIDGE

Cambridge University Press
978-0-521-58667-2 - Principles of Animal Design: The Optimization and Symmorphosis Debate
Edited by Ewald R. Weibel, C. Richard Taylor and Liana Bolis
Index
More information

gravity-free, 78
lightless, 288
underground, 291, 294
enzymes, 5, 129–30, 131, 134, 138, 155–6, 300, 304
activity, 21, 87, 89, 91–3, 130–2, 156–60
capacity, 155
cellulolytic, 221
complexes, 133–4
deficiency, Complex I, 244
digestive, 204, 214–15, 232
elasticity coefficient, 133
gene expression, 155
glycolysis, 52, 143, 145, 155–60
hydrolytic, 24
induction, 25
Krebs TCA cycle, 131, 134–9
mitochondrial, 160–2
near-equilibrium steps, 156–8
non-equilibrium steps, 158–60
oxidative, 160–2
rate-controlling step, 132–3, 137–8
repression, 25–6
respiratory chain, 151
systems, 1, 10, 133
Epomorphus wahlbergi, 181
erythrocytes, 6, 173–5, 199–200, 261, 303
Euglena, 134
Eutamias amoenus, 264
evolution, 1, 7, 13, 19, 21–7, 37–9, 40–3, 49, 51–3, 105, 108, 160–1, 177–8, 182, 212, 227–8, 230, 286
eye of *Spalax*, 228–9, 291, 293–5, 297
herbivores, 217–18
molecular, 140
nerve fibers, 269, 271
plant, 220
stomach, 226
visual system of *Spalax*, 288–97
eye
atrophied, 291, 293
compound, 270, 278–86
degenerative modification, 295–6
metabolism, 291
morphogenesis, 296–7
primary visual organization, 295
regression, 288, 294
simple, 270

fasting, 240, 263, 264–7
fat, 143, 203, 214; *see also* lipid
body, 206, 265–6
depletion, 266
mobilization, 263
oxidation, 258, 261
reserves, 225, 252, 265, 267
storage, 264–7
utilization, 240
fatigue
bone, 30
damage, 85
fracture, 30
muscle, 193
resistance, 42
feeding types, animal
carnivores, 145
concentrate selectors, 222, 225–6
grazers, 222, 224–5
mixed feeders, 222, 226–7
fermentation
chambers, 204, 215–18, 223–5
forestomach, 221
hindgut, 222, 225
microbial, 204, 215
rate, 224, 226
rumen, 222
secondary, 226
vats, 220
fish, 20, 24, 87–8, 104–11, 123–6, 159, 186–93, 195–7, 204, 231–7, 274
carp, 104
dogfish, 166, 187, 197, 199–200
fresh-water, 276
garfish, 273
roach, 232
toadfish, 103, 112, 187
trout, 159, 166, 187, 189–92, 196–200, 232
whitefish, 232
flight, 61, 123, 147–53, 156, 158–9, 161, 177–8, 181–3, 284
bounding, 123, 127
muscles, 56–8, 130, 141, 144, 150, 152–3, 156, 158–9, 162
performance, 52, 182
flux, 43, 133
ATP demand, 145
ATP supply, 145
bicarbonate, 199
Ca^{2+}, 147
carbon dioxide, 196, 199
control, 137, 155, 158
electron, 161
enzymatic capacity, 155
food energy, 232
glucose, 258
glycolytic, 156, 158
ion, 191, 284
Krebs TCA cycle, 136
metabolic, 52, 133, 138
oxygen, 49, 239–40, 242–3, 244–6, 248, 256, 261
photon, 282
rate (maximum), 155–6, 158–9, 191, 250, 252, 254, 256–7

© in this web service Cambridge University Press www.cambridge.org

CAMBRIDGE

Cambridge University Press
978-0-521-58667-2 - Principles of Animal Design: The Optimization and Symmorphosis Debate
Edited by Ewald R. Weibel, C. Richard Taylor and Liana Bolis
Index
More information

flux (*continued*)
substrate, 249, 262
water, 191
fly, 283–4, 286
flying, 104, 147, 149, 151–3, 156, 161, 166, 181–2, 283–4
force, 79, 81, 84, 86, 96, 108, 111
bending, 67
contractile, 54, 99, 101, 103–5
direction, 67
generation, 72–4, 87, 96, 99–100, 103–7, 111, 118, 147, 151
isometric, 95, 100, 116
mechanical, 84
output, 91, 118
pattern, 65
production, 88, 96–7, 99–100, 111, 116, 117–20
force–velocity relation, 108, 111, 116
foregut, *see* gut
fowl, domestic, 178–9, 279
frog, 24, 104–11, 300
fuel
carbohydrate, 144
carbon, 143
delivery, 161, 239–40, 249–54
needs, 259
preference, 143–4
reserves, 252, 254, 258, 265
specialists, 263–7
storage, 263–4
stores, 240, 250
supply, 203–4, 239, 249–54
transport, 254
utilization, 239–40, 264–5, 267

Gallus gallus var. *domesticus*, 179
gas exchange, 2, 165–6, 178, 181, 183, 185, 186–90, 197, 240, 305
disequilibrium, 172–3
pulmonary, 168–75, 246
gene
clusters, 297
downregulation, 93
duplication, 140–1
effects, pleiotropic, 295
expression, 90, 93, 155
ey, 296–7
families, 140–1
Hox, 297
master control, 296
Pax-6, 296–7
products, 140–1
Sey, 296
SkM1, 271
upregulation, 93
genetic
control, 296–7
coupling, 48
drift, 37, 41, 48
endowment, 168
engineering, 138
factors, 294
heritage, 305
manipulations, 54, 138
mutations, 296
perspective, 42–3
resources, 177
gills, 40, 165–6, 186–93
dogfish, 199–200
gas exchange, 187–9
ion exchange, 189–91
structure, 197, 204
toxic damage, 191–3
glycolysis, 52, 133, 143, 155–60, 259, 302
goat, 6, 78, 81, 83, 92, 203, 239, 249–50, 252–3, 257–61
guinea fowl, 114
guinea pig, 92–3
gut, 57, 191, 204, 207–10, 212, 214, 217–18, 232, 236, 250, 256, 283
capacity, 214
epithelium, 303
foregut, 215–16
herbivore, 215
hindgut, 216, 218, 220, 222, 225–6

Haldane
effect, 166, 200
equation, 156
hemicellulose, 221, 226
hemoglobin, 181
buffering capacity, 199–200
concentration, 245
dissociation curve, 168, 173
dogfish, 196, 199–200
structure, 195–7, 200
trout, 196–9
herbivores, 213, 215, 217–18, 222
eutherian, 217, 220
mammalian, 212, 215–16, 218, 220
hindgut, *see* gut
honeybee, 147, 151–2, 156, 158–9, 161
flight muscles, 159
horse, 5, 30, 74, 168, 217, 249
leg bones, 34
racehorses, 114, 181, 240, 242–8
racing, 30
thoroughbred, 240, 242–8, 255
hummingbird, 21, 130, 141, 144, 151, 159–62, 178, 180, 182, 215, 305
hypobaria, 183
hypoxemia, 246–7
hypoxia, 51, 144, 168, 183, 189, 192, 246

© in this web service Cambridge University Press www.cambridge.org

CAMBRIDGE

Cambridge University Press
978-0-521-58667-2 - Principles of Animal Design: The Optimization and Symmorphosis Debate
Edited by Ewald R. Weibel, C. Richard Taylor and Liana Bolis
Index
More information

information
  phylogenetic, 14, 20
  pictorial, 278–84, 286
  sensory, 284
insect, 20, 147–52, 159–62, 177, 296
  compound eyes, 283–6
  flight muscles, 130, 150, 158–9, 162
  holometabolous, 236
  sound-producing muscles, 150
intestine, 10, 23, 25–6, 206, 225, 304
  concentrate selectors, 226
  large, 225
  small, 25, 207, 209, 213–16, 218
ion channel, 191, 271
  Ca^{2+} release, 145
  Na/Ca, 281
  potassium, 282–3
  sodium, 197, 271–6
ion exchange, 191, 196–7
ionoregulation, 186
isomyosin, *see* myosin isozymes
isozymes, *see* myosin, isozymes

jumping, 104–5, 111–12

kangaroo, 74, 115, 215–18
kinetics, 112
  activation-relaxation, 108–12
  evolution, 52
  saturation, 191
  voltage-sensors, 273
Krebs tricarboxylic acid (TCA) cycle, 131, 133–7, 139
  genetic engineering, 138
  regulation, 136–7

lactation, 23, 26, 203, 205–10, 304
leaf, 15, 16
  hemicelluloses, 221
  shape, 18–19
limit, 3, 5, 32, 61, 71, 169–70, 203, 214, 240, 255, 302
limitation, 40, 100, 152, 177, 182, 214, 242, 244, 248, 254, 284, 301
  diffusion, 168, 175, 192, 240, 244–7
  energy expenditure, 209–10
  energy input, 206–9
  mitochondrial, 244–5
  optical, 284
  oxygen flux, 240, 242–3
  substrate transfer, 261
  ventilatory, 247
lipid; *see also* fat
  consumption, 239
  droplets, 250, 254
  intracellular, 261
  loss, 266
  oxidation, 252, 257–8
  pathways, 259–61
  reserves, 253, 267
  stores, 239
  supply, 249
  utilization, 239
locomotion, 53–4, 58, 70, 72, 87–8, 103–5, 116, 117–18, 120, 121, 126–7, 236, 250, 264
  cyclical, 108–11
  nonuniform, 123–6
  one-shot, 11–12
  uniform, 122–3
lung, 2, 5, 6, 10, 16, 21, 45, 165–6, 168–75, 177–85, 239–40, 248, 256, 303–5
  avian, 178–85
  chiropteran, 181–5
  mammalian, 178, 187

maladaptation, 304
Malapterurus, 276
malleability
  lung, 239, 255
  muscle, skeletal, 89–94
  structures, 30, 304
manipulation, 38, 209
  genetic, 54, 138
  trait, 53–4
metabolism, 203, 250
  aerobic, 186, 257, 262
  brain, 294
  branch point, 132
  cellular, 129–30, 262
  energy, 91–2, 155, 204
  eye, 291
  fuel, 206, 250, 252–3
  glucose, 294
  glycogen, 92, 145
  highest known, 178
  maintenance, 233
  oxidative, 5, 93, 193
  pathway preferences, 143, 145
  small molecule, 133
metabolites, 133
  high-energy phosphate, 142, 144–5
  nonsubstrate, 132
metabolon, 133–9; *see also* Krebs TCA cycle
mice, *see* mouse
microsymmorphosis, 131; *see also* symmorphosis, molecular
migration, 37–8, 123, 205, 263, 265
mitochondria, 5, 6, 28, 33, 49, 92–3, 136–7, 143–5, 147, 150–3, 155, 239–41, 244–5, 249, 252, 254, 255–7, 259, 261, 300, 303
  disrupted, 134–5
  enzymes, 135, 138
  fish gills, mitochondria-rich cells, 190, 199
  inner membranes, 135

© in this web service Cambridge University Press www.cambridge.org

CAMBRIDGE

Cambridge University Press
978-0-521-58667-2 - Principles of Animal Design: The Optimization and Symmorphosis Debate
Edited by Ewald R. Weibel, C. Richard Taylor and Liana Bolis
Index
More information

mitochondria (*continued*)
matrix, 134
oxidative capacity, 160–2, 244, 247
oxidative limitation, 244–5
respiration rate, 161
sonicated, 135
yeast, 138
model, 50, 52, 64, 68, 86, 88, 98, 103, 133–4, 144, 169, 190, 230, 232, 235, 237, 250, 256, 297, 302–3
analysis, 121–2, 126, 187
evolutionary, 289
experimental, 104
graphical, 43
growth, 58
hierarchical, 79
optimality, 3, 38, 40–2, 64–8, 71, 76, 152, 162, 230, 235, 237, 239, 241, 284, 297, 299, 301–2
optimization, 278, 282, 297
species, 252
structural, 83
monkey, leaf, 215
morphometry, 160, 187
mouse, 6, 24, 26, 92–3, 114–15, 203, 206–9, 237, 296
lactating, 24, 209, 303
microphthalmic, 295–6
transgenic, 144
waltzing, 54
movement
accelerative, 76
control, 63, 70, 72–6, 95
direction, 269
economic, 114
escape, 264
fish, 104, 112
limb, 70–1, 116
long-distance directed motion, 121
mechanics, 114–16
muscle, fast and slow, 105
myofilament, 96, 98–9, 103–4
running, 115
velocity, 96
Murray's law, 15–17
muscle, skeletal
cost of contraction, 150–1
fiber types, 89–94, 141
musculoskeletal design, 70–6
performance, 103–12
mutant, 54
anophthalmic rodents, 295–6
yeast cells, 138
mutation, 54, 100, 293–7
myofilament, 103–5, 111
myoglobin, 256
myosin, 87, 89–94, 95–101, 153
ATPase, 94, 100, 147, 150
cardiac muscle, 101
cross-bridge cycle, 98–101, 147
heavy chains, 89–92
isozymes, 95, 100–1, 140
light chains, 89–91, 99
motor, 96–7, 100–1
smooth muscle, 101
superfast, 145
Myxicola, 273

Necturus, 166
nerve
conduction velocity, 272–4
myelinization, 269, 274–6
peripheral fibers, 269, 271–6
signals, 66
sodium channel, 271–2
stimulus, 150
nervous system, 10, 271–2
autonomic, 276
design, 269–70
nutrient, *see* fuel

omasum, 226; *see also* stomach
ontogenetic
conflicts, 236
development, 204
stage, 232
timetable, 236
ontogeny, 57–8, 141, 231, 237
opossum, 78, 81–3
optimality, *see* model
oxygen
carrier, 165
consumption, 48–9, 114, 125, 239, 243, 284, 302
delivery, 42, 195–6, 239–40
demand, 187, 189
diffusing capacity, 180, 187
exchange, 165
flux, 49, 196, 239–40, 244, 256, 261
$\dot{M}_{O_2\,max}$, 249, 250, 252
pathway for, 5–7, 49, 239, 249–50, 255–62
processing, 42
receptors, 192
requirements, 187
stores, 256
supply, 5, 92, 193, 249–50, 261, 302
transfer, 191, 197–9, 200
transport, 11, 28, 32–3, 34, 42, 186, 190, 192, 195–200, 240, 243
uptake, 28, 32–3, 186, 187, 189, 192–3, 236, 256
utilization, 144, 256
$\dot{V}_{O_2\,max}$, 5–6, 160–1, 181, 239–40, 241–7, 255, 257–61

© in this web service Cambridge University Press www.cambridge.org

CAMBRIDGE

Cambridge University Press
978-0-521-58667-2 - Principles of Animal Design: The Optimization and Symmorphosis Debate
Edited by Ewald R. Weibel, C. Richard Taylor and Liana Bolis
Index
More information

Passer domesticus, 179
perfusion, 169–70
  diffusion interactions, 174–5
  gill lamellae, 189
  rate, 173, 193
  vascular, 261
  ventilation mismatch, 170, 193
permutation, 185
phenotype, 40, 43, 48, 50, 54
  muscle fiber, 90–2
  mutant, 297
phosphorylation, 136
  glucose, 92
  oxidative, 6, 7, 151
  potential, 94, 136
photoreceptor, 278–86, 289, 291, 294
Phyllostomus hastatus, 182
plasticity
  metabolic sequences, 131–2
  muscle fiber, 90–2
  phenotypic, 50, 304, 305
pneumonectomy, 166, 169–73
predictability, 34–5, 70–2, 79
probability, 11, 29–32, 281
Pseudocheirus spp., 218
Pteropus adulis, 182

rabbit, 24, 92, 93
  eutherian, 218
  galloping, 104
rat, 24, 96, 143, 166, 216, 220
  mole, 2, 288–98
  rat-kangaroos, 221
reaction
  coupled, 135
  equilibrium, 133, 142, 156–60
  force, 64–5, 71
  ground, 70–1
  Krebs TCA cycle, 135
  oxidative, 203
  rate, enzymes, 129, 156
  uncatalyzed, 197
reactor, chemical, 204
  continuous-flow, stirred-tank, 213, 215–16, 219
  plug-flow, 212–15, 216–17, 219
regulation, 130, 136, 158
  acid-base, 186
  ATP turnover, 141–5
  catecholamine, 199, 200
  efficiency, 145
  enzyme gene expression, 155
  functional, 5, 255
  ion transport, 190
  metabolic, 132–3, 137, 139
  oxygen supply, 261
  photo-neuroendocrine, 291
relaxation, muscle, 99, 103, 108–11
reptile, 20, 86, 130
respiratory cascade, 255–6
respiratory system, 241–8
reticulorumen, *see* rumen
retina, 270, 284, 286, 289–91, 293, 294–6
  histogenesis, 289, 296
Root
  effect, 166, 190
  shift, 195–6, 199, 200
rumen
  bacteria, 221
  fermentation, 222
  fluid, 224
  mucosal surface, 224
  papillae, 224
  reticulorumen, 221, 224–6
ruminants, 204, 215–17, 220–8
  evolution, 220
  suckling, 221
running
  economy, 120
  energetics, 114
  energy cost, 34, 118
  fuel need, 239
  mechanical work, 114–17, 119
  quadrupedal, 117
  sprint, 46, 205
Rutilus rutilus, 232

safety factors, 3, 11–12, 21–7, 28–34, 42, 46, 63, 68, 71, 76, 112–13, 189–90, 212, 239–40, 255, 302, 305
  biological, 21–6
  engineering, 21–2
  physiological, 23–4
safety margins, 155, 183
salamander, 166
sarcolemma, 240, 256, 258–9, 261–2
sarcomere, 87, 97, 103–4, 106
selection, 40–1, 43–4, 50–3, 62, 247, 293–4
  forage, 220
  natural, 1, 7, 13–14, 21–2, 37–8, 40–6, 48–55, 83, 112, 129, 162, 255, 288, 297, 299–300, 303–4
  negative, 294
  sexual, 41, 48, 52
sequence
  cross-bridge cycle, 99
  differentiation, 237
  digestive, 204
  linear, 5, 132–3, 249
  linked structures, 5
  metabolic, 131–3, 138
  nucleotide, 155, 271, 296
shrew, Etruscan, 6, 178, 180, 240, 241, 305
snake, 21

© in this web service Cambridge University Press www.cambridge.org

CAMBRIDGE

Cambridge University Press
978-0-521-58667-2 - Principles of Animal Design: The Optimization and Symmorphosis Debate
Edited by Ewald R. Weibel, C. Richard Taylor and Liana Bolis
Index
More information

snake (*continued*)
garter, 52
rattlesnake, 130, 147–9, 151, 153
Spalacopus cyanus, 292
Spalax, 270, 288–98
species
aerobic, 258
altricial, 56, 58, 59
athletic, 6, 46, 261
browsing, 225
differences, 92, 196–7
endurance-adapted, 249
extant, 226, 227
large, 71, 222
mammalian, 23, 45, 92, 168, 288
microphthalmic, 294
migrant, 264
precocial, 56, 58, 59
ruminant, *see* ruminants
sedentary, 6, 249
small, 59, 71, 222
vertebrate, *see* vertebrates
stiffness, 72, 76
stimulation, muscle
low-frequency, 91–4
pattern, 108–11
periodic, 150
stomach, 226, 232
forestomach, 216–18, 220–22
glandular, 221
strain, 65–68, 71, 78–9, 85; *see also* stress
distribution, 63, 70
elastic, 72–3, 76, 120
mutant, 295–6
response, 79–84
tensile, 67
strength, 11–12, 21–3, 28–34, 53, 71–2, 84, 233
mechanical, 66–7, 245
tensile, 79
stress; *see also* strain
ambient, 125
bending, 14, 67, 70–1
bone, 31, 34, 63, 66, 68, 78–86
compressive, 67
environmental, 195, 304
experimental, 53
extreme, 49
failure, 245
mechanical, 1, 23, 82
muscle, 87, 151
natural, 52
tendon, 74, 76
substrate, 5, 133–4, 136, 215, 239–40, 252, 301; *see also* fuel
circulatory flux, 254, 262
diffusion, 240
intracellular stores, 261
mitochondrial, 137
oxidative, 92, 249, 258
pathways, 255–62
stores, 256
transfer, 261
transport, 256
uptake, 256
utilization, 256
Suncus etruscus, 241
Sus scrofa, 84
swimbladder, 112, 195, 196
swimming, 87, 88, 104–5, 108–11, 121–7, 189, 192–3, 196, 236
swine, miniature, 84
symmorphosis, 1–10, 28, 131, 165, 200, 203, 269, 286, 299
concept, 11, 19, 155, 195, 205, 230, 239, 255
critique, 38, 42–6, 212, 237, 241, 301
definition, 3, 205, 249, 299
in growth, 56
model, 79
molecular, 131–9
safety factors, 28
test, 5, 34, 48–54, 70–2, 94, 129, 162, 186, 191, 228, 257, 261, 276, 278, 283, 303

Tadarida mexicanobrasiliensis, 181, 212
tendon, 23, 66, 70, 72-6, 90, 115–20
Thamnophis, 52
Troglodytes aedon, 214
turkey, 88, 118
twist-to-bend ratio, 14–15

up-regulation, 162; *see also* regulation

variability, 6, 12, 29–30, 33–4, 58, 65
vertebrates, 24
flying, 177–85

wallabies, 74, 215
water-breathers, 186–93
whale, 40, 180, 276
wren, 214

© in this web service Cambridge University Press www.cambridge.org