

Contents

<i>Preface</i>	<i>page ix</i>	5 Angiosperms in context: extant and fossil seed plants	101
1 Introduction to angiosperms	1	5.1 Angiosperms among extant and fossil seed plants	101
1.1 Phylogenetic position of angiosperms	1	5.2 Bennettitales–Erdtmanithecates–Gnetales (BEG) group	104
1.2 Characteristic features of angiosperms	6	5.3 Gnetales	105
1.3 Timing of angiosperm diversification	16	5.4 Erdtmanithecates	114
1.4 Rise to ecological dominance	19	5.5 Unassigned dispersed seeds of the BEG group	119
2 The nature of the angiosperm fossil record	23	5.6 Bennettitales (Cycadeoidales)	124
2.1 Understanding the plant fossil record	23	5.7 Pentoxylales	130
2.2 The adequacy of the angiosperm fossil record	38	5.8 Other Palaeozoic and Mesozoic seed plants	131
3 The environmental context of early angiosperm evolution	39	6 Origin and age of angiosperms	141
3.1 Palaeogeography	39	6.1 Hypotheses of seed plant relationships	141
3.2 Palaeoclimate	45	6.2 Origin of angiosperm structure	150
3.3 Climate change during the Cretaceous	50	6.3 The age of angiosperms	155
3.4 Implications for angiosperm diversification	53	6.4 Pre-Cretaceous angiosperm-like fossils	158
4 Stratigraphic framework and key areas for Cretaceous angiosperms	55	7 Phylogenetic framework and the assignment of fossils to extant groups	163
4.1 The stratigraphic framework	55	7.1 Early ideas on angiosperm phylogeny	163
4.2 Key areas for Cretaceous angiosperms	56	7.2 Phylogenetic studies of angiosperms based on molecular data	163
4.3 Europe	57	7.3 Angiosperm phylogeny group classification (APGIII)	164
4.4 Eastern North America	72	7.4 Angiosperm phylogeny: future directions	167
4.5 Western Interior of the United States and Canada	79	7.5 Assignment of fossils to extant groups	168
4.6 Alaska	81	8 Fossils near the base of the angiosperm tree	169
4.7 Greenland	82	8.1 Early-diverging angiosperm lineages at the ANITA grade	169
4.8 Israel, Jordan and Lebanon	82	8.2 Amborellaceae	171
4.9 North Africa	84	8.3 Nymphaeales	171
4.10 West Africa and Brazil	85	8.4 Austrobaileyales	176
4.11 Asia	88	8.5 Chloranthaceae	180
4.12 Southern Gondwana and India	96	8.6 Ceratophyllaceae	185

vi Contents

9 Early fossil angiosperms of uncertain relationships	189	13.7 Caryophyllales	315
9.1 Putative angiosperms	189	13.8 Saxifragales	316
9.2 Fossil flowers attached to inflorescences and stems	192	14 Fossils of core eudicots: rosids	327
9.3 Isolated flowers and fruits preserved as compressions/impressions	200	14.1 Classification of rosids	327
9.4 Permineralised flowers	201	14.2 Fossil evidence of rosids	327
9.5 Isolated angiosperm mesofossils	202	14.3 Vitales	329
9.6 Dispersed monoaperturate pollen	208	14.4 Fabids (Eurosids I)	329
9.7 Fossil leaves of uncertain relationships	215	14.5 The COM clade	329
10 Early fossils of eumagnoliids	219	14.6 The nitrogen-fixing clade	332
10.1 Classification of eumagnoliids	219	14.7 Malvids (Eurosids II)	354
10.2 Magnoliales	223	15 Early fossils of eudicots: asterids	361
10.3 Laurales	231	15.1 Classification of asterids	361
10.4 Canellales	244	15.2 Cornales	363
10.5 Piperales	246	15.3 Ericales	365
11 Fossils of monocots	249	15.4 Lamiids (Euasterids I)	378
11.1 Classification of monocots	249	15.5 Boraginaceae, Icacinaceae and Vahliaceae	379
11.2 Fossil evidence of monocot diversification	250	15.6 Garryales	381
11.3 Putative early monocot fossils	250	15.7 Gentianales	381
11.4 Acorales	255	15.8 Solanales and Lamiales	382
11.5 Alismatales	256	15.9 Campanulids (Euasterids II)	382
11.6 Dioscoreales	266	15.10 Aquifoliales, Escalloniales and Asterales	383
11.7 Pandanales	266	15.11 Bruniales, Apiales, Paracryphiales and Dipsacales	385
11.8 Liliales	267	16 Patterns of structural diversification in angiosperm reproductive organs	387
11.9 Asparagales	267	16.1 Inflorescence structure	388
11.10 Commelinids	268	16.2 Floral organisation	391
12 Fossils of eudicots: early-diverging groups	275	16.3 Other aspects of floral construction	412
12.1 Classification of eudicots	275	17 History and evolution of pollination in angiosperms	415
12.2 Early-diverging eudicots	276	17.1 Pollination in extant non-angiosperm seed plants	415
12.3 Fossil evidence of eudicot diversification	277	17.2 Pollination in extant angiosperms	417
12.4 Fossils of uncertain relationships	277	17.3 Insects as pollinators	419
12.5 Ranunculales	289	17.4 Vertebrates as pollinators	426
12.6 Proteales	292	17.5 History of pollination in angiosperms	428
12.7 Sabiaceae	301	17.6 Large-scale trends in the history of angiosperm pollination	441
12.8 Buxales	303	18 History and evolution of dispersal in angiosperms	445
12.9 Trochodendrales	308	18.1 Dispersal in extant non-angiosperm seed plants	445
13 Fossils of core eudicots: basal lineages	311	18.2 Dispersal in extant angiosperms	447
13.1 Classification of core eudicots	311		
13.2 Early fossil evidence of core eudicots	312		
13.3 Gunnerales	312		
13.4 Dilleniaceae	313		
13.5 Berberidopsidales	313		
13.6 Santalales	314		

	Contents	vii
18.3 Animal dispersers	448	
18.4 History of dispersal in angiosperms	450	
18.5 Large-scale trends in the history of angiosperm dispersal	456	
19 Vegetational context of early angiosperm diversification	461	
19.1 Transition to angiosperm-dominated vegetation	461	
19.2 Components of Early Cretaceous vegetation	462	
19.3 Vegetation during the early diversification of angiosperms	467	
19.4 Early angiosperms: diversity in obscurity	469	
19.5 Mid-Cretaceous vegetation	471	
19.6 Late Cretaceous vegetation and floristic provinces	472	
20 The accumulation of angiosperm diversity	475	
20.1 Large-scale patterns in angiosperm diversification	475	
20.2 Patterns of angiosperm diversification: early lineages	477	
20.3 Patterns of angiosperm diversification: eumagnoliids	483	
20.4 Patterns of angiosperm diversification: monocots	486	
20.5 Patterns of angiosperm diversification: eudicots	488	
20.6 Angiosperm evolution and global change through the Cenozoic	495	
20.7 Prospects	498	
<i>References</i>	501	
<i>Index</i>	573	