

Cambridge University Press

978-0-521-60510-6 - Cambridge Handbook of Psychology, Health and Medicine, Second Edition

Edited by Susan Ayers, Andrew Baum, Chris McManus, Stanton Newman, Kenneth Wallston, John Weinman and Robert West

Index

[More information](#)

# Index

*Figures and Tables in Italics*

- abortion, 525
  - emotional responses to, 314, 526
  - laws governing (UK), 525
  - methods of, 526
  - See also* miscarriage
- accidents and unintentional injuries
  - adolescent, 529–30
  - childhood, 528–9
  - emotional reaction to, 529
  - injury control in
    - models for, 527–8
    - psychological factors in, 528–30
  - road traffic
    - demographics, 852
    - driving and, 852–3
    - fatigue and, 853
    - incidence of, 852
- acne
  - forms of, 531
  - incidence of, 530, 531
  - models of
    - biological, 531
    - biopsychosocial, 531
  - onset of, 530
  - psychological effects of, 531
    - measurements of, 532
    - quality of life and, 532
- Activity Restriction Model of Depressed Affect (ARMDA), 11–13
- acupuncture, 639
- addictions. *See* alcoholism; drug dependency; smoking; tobacco use
- ADHD, neurofibromatosis and, 791
- adherence to medicinal treatment. *See* medicinal treatment: non-adherence to
- adolescence, 5
  - alcohol consumption in, 5, 8
  - continuation of behaviours developed in, 6
  - determinants of health lifestyle in, 7
  - in developing countries, 8
  - eating habits in, 6
  - health behaviour in
    - change in, 5–6
    - personality traits and, 7
    - socioeconomic status and, 7
  - physical activity and, 6, 375
  - smoking in, 5, 7–8, 909 (*see also* smoking)
- adverse events and critical incidents
  - factors contributing to, 474
  - iatrogenic diseases as, 472–3
  - impact on families, 475
  - nature and frequency of, 473
  - preventing, 475–6
  - understanding, 474–5
- aging, 12, 13, 15, 20
  - activity restriction and, 11–13
  - adaptation and, 10, 11
  - clinical help with, 12
  - cognitive decline and, 15–17
    - interventions for, 18
    - predictors of, 17–18
  - continuity of activities and, 11, 12
  - depression and, 10, 12, 13
  - disability rates, 10
  - employment during, 11
  - and information processing speed, 16
  - and learning, 17
  - personal control and, 11
  - personality traits and, 11–12
  - physical changes from, 10, 20, 22
    - cardiovascular, 20–1
    - immune system, 21–2
    - kidney, 21
    - liver, 21
    - musculoskeletal, 21
    - nervous system, 22
    - respiratory, 21
  - population segments, 10
  - and sleep patterns, 22
  - social support and, 10–12, 22
  - successful, 10–12
  - and working memory, 16–17
- AIDS. *See* HIV/AIDS
- alcohol
  - abuse, 534, 686
  - abuse/dependence prevalence, 534, 685
  - complications from chronic use, 534, 686
  - deaths resulting from, 686
  - dependence, 534, 686
    - and diet, 75
    - and drugs, 686
  - reasons for use, 534–5
    - anxiety reduction, 534
    - and sleep, 201
  - See also* alcoholism
- alcoholism, 534
  - causes of, 534
  - hypertension and, 743
  - risk factors, 535, 536
  - treatment of, 535, 536
    - family involvement in, 536
    - relapse, 78, 535–6
    - self-help groups, 536
  - See also* alcohol
- allergies
  - diagnosis of, 544
  - drug
    - classifications, 538
    - costs of, 537
    - diagnosis of, 538
    - side effects of, 537
    - skin tests for, 538
    - treatment, 538–9
  - food, 540
    - anaphylactic shock from, 540
    - behavioural and psychological
      - aspects of, 541–2
    - diagnosis of, 540–1
    - incidence, 540
    - morbidity of, 540
    - treatment, 541
  - mechanisms, 543
  - placebo effects and, 221, 544
  - side effects, 537
  - symptoms, 543–4
  - treatment, 544, 545
- allostatis and allostatic load, 33–4
- alternative medicine. *See* complementary and alternative medicine
- Alzheimer's
  - characteristics of, 668
  - depression in, 386
  - and Down syndrome, 626
  - risk factors for, 626, 668
- amnesia
  - causes of, 546
  - classic syndrome of, 546
  - conceptual frameworks for, 546
  - retrograde (RA), 546
  - symptoms, 547
  - See also* dementia; memory
- amputation, phantom limb pain. *See* phantom limb: pain
- anaesthesia
  - assessment
    - of impairment, 552
    - methodology of, 551–2
  - awareness under, 553
  - cognitive function and, 551
  - impairment following
    - in children, 553
    - in older adults, 552–3
  - mortality from, 551
  - recovery studies, 551
- anorexia nervosa. *See* eating disorders

Cambridge University Press

978-0-521-60510-6 - Cambridge Handbook of Psychology, Health and Medicine, Second Edition

Edited by Susan Ayers, Andrew Baum, Chris McManus, Stanton Newman, Kenneth Wallston, John Weinman and Robert West

Index

[More information](#)

- antenatal care
  - depression and, 554
  - guidelines, 555
  - interventions, 554
  - objectives, 554
  - screening, 554 (*see also* screening: antenatal)
  - social disadvantage and, 555
- antenatal screening. *See* screening: antenatal
- anxiety. *See specific topic*
- aphasia
  - depression and, 558
  - psychosocial adjustment to, 557–8
  - recovery, 556–7
  - predicting, 556–7
  - symptoms, 556
  - therapy, 557, 558
- apnoea. *See* sleep: apnoea
- architectural design and health issues, 23, 25
  - illumination in, 25
  - spatial density in, 23–4
  - windows in, 24–5
- arthritis, coping with, 51 (*see also* osteoarthritis; rheumatoid arthritis)
- assessment. *See specific topic*
- asthma
  - biofeedback and, 336–7
  - effect of placebo on, 162
  - incidence, 560
  - mortality from, 560
  - psychosomatic nature of, 560
  - role of therapy in, 560–1
  - self-management, 561
  - self-perception of, 561
  - symptoms, 559
- attributions for disease
  - adjustment to illness and, 29–30
  - bias in, 28
  - culture/ethnicity and, 27, 28
  - illness differences and, 30
  - illness threats and
    - decision making in, 28
    - existence of, 27
  - implication and importance of, 27, 30–1
  - individual differences in, 30
  - model for understanding, 26–7
  - prevalence of, 27
  - socioeconomic status and, 28
  - stereotypes and, 28
  - types of, 27
    - disease cause, 29
    - symptoms, 28–9
- autism, blindness and, 563–4
- back pain
  - causes and mechanisms, 563
  - incidence, 563
  - treatment, 563, 564
- bedwetting. *See* enuresis
- behaviour therapy
  - aversion, 333
  - definition, 334
  - history of, 333
  - modeling of, 334
  - operant conditioning, 333–4
  - token economy, 334
- bereavement, 41
  - coping strategies for, 42, 44
    - adaptive, 42–3
    - Dual Process Model (DPM), 43–4
    - Four Component Model, 43
    - 'grief work', 42
    - loss oriented stressors, 44
    - restoration-orientation stressors, 44
    - theoretical approaches and
      - evaluation of, 43
  - impact, 42
    - on immune system, 169
  - risk factors for, 42
  - See also* death; dying; grief; mourning
- beta-blockers, 683–4
  - for cardiovascular disorders, 683
  - chemistry of, 683
  - mechanism of, 687
  - psychological effects of, 683
    - anxiety, 683, 684
    - situational stress, 683
- binge eating disorder. *See* eating disorders
- biofeedback, 390
  - for asthma control, 561
  - goals, 335
  - growth of, 337
  - headache/migraine and, 725–6
  - for pain, 336–8, 371–2
  - placebo effect and, 338–9
  - for skin disorders, 882
  - techniques for, 335–7
    - electrodermal response (EDR), 337–8
    - electroencephalography (EEG), 337
    - electromyography (EMG), 337, 848
    - thermal, 337
  - target conditions for, 336–7
- birth rates, 641–2
- blindness and visual disability
  - autism and, 566
  - causes, 565–6
  - developmental consequences of, 566
  - incidence, 565
  - learning and, 566
  - psychological issues in, 566–7
- blood donation
  - barriers to, 568
  - demands for, 567
  - demographics, 568
  - donor pool growth, 568–9
  - HIV and, 568
  - incentives for, 568
- blood pressure, measurement, 742
  - (*see also* hypertension)
- brain imaging
  - computerized tomography (CT) for, 239, 240
  - electroencephalography (EEG) for, 239
  - functional neuroimaging and, 240–1
  - magnetic resonance imaging (MRI) for, 239, 240
  - magnetic resonance spectroscopy (MRS) for, 239
  - nuclear magnetic resonance (NMR) for, 239
    - (*see also* magnetic resonance imaging)
- brain injury, 288, 290
  - learning and memory recall with, 296
  - See also* neuropsychological assessment; rehabilitation: neuropsychological
- breast cancer
  - emotional effects from, 577–9
  - hormone replacement therapy for, 732
  - incidence of, 577
  - lymphoedema from, 768–9
  - mammography for, 577, 858
  - self-examination for, 858, 870–1
  - stress management and, 404
  - survivor issues, 578
  - symptoms and detection of, 577
  - treatment of, 577–8
- breastfeeding
  - child development and, 571
  - demographics of, 570
  - incidence, 570
  - parental attitudes towards, 570–1
  - social and professional support for, 570–1
- bulimia nervosa. *See* eating disorders
- burn injury
  - coping patterns, 573, 574
  - incidence, 572
  - physical impairment from, 574
  - psychosocial consequences of, 572
    - anxiety, 572–3
    - behavioural problems, 573
    - body image dissatisfaction, 572–3
    - depression, 572
    - individual variability in, 573–4
    - post-traumatic stress disorder, 572–4, 842 (*see also* post-traumatic stress disorder)
  - victim, 531
    - psychology of, 842
- burnout. *See* health care professionals: burnout in
- cancer
  - childhood, 114
  - death rates, 584–6
  - depression and, 279–80, 585–6
  - emotional response to diagnosis of, 584–6
  - grief and, 56
  - incidence of, 584, 585
  - interventions to enhance quality of life with, 589
  - patient desire for information, 111
  - perceptions by children, 39
  - physical activity and prevention of, 157
  - recurrence issues, 588
  - religion and, 183
  - research, 93
  - screening. *See* screening: cancer
  - sleep duration and, 199
  - survivor issues, 588
  - treatment of, 586–8 (*see also* chemotherapy; radiotherapy)
  - See also specific type*

- cardiac
  - arrhythmias, biofeedback for, 336–7
  - bypass, 648
  - death, sudden, 649
  - psychology, 648
  - screening. *See* screening: cardiac
  - See also* coronary heart disease; hypertension
- cardiology
  - behavioural, 648
  - See also* coronary heart disease; hypertension
- cardiovascular disease
  - beta-blockers for, 683
  - cardiac risk factors, 861
  - emotions and, 280
  - religion and, 183
  - risk factors and unemployment, 234
  - shift work and, 201
  - See also* carotid artery disease
- carotid artery disease
  - as cause of stroke, 613
  - detection of, 613
  - quality of life and, 614
  - treatment of, 614
    - balloon dilation (angioplasty), 613–14
    - endarterectomy (CEA), 613
    - stenting, 613–14
  - See also* cardiovascular disease
- cervical cancer, 858
- chemotherapy
  - for breast cancer, 578
  - cognitive functioning and, 616
  - definition of, 616
  - goal of, 616
  - for gynaecologic cancer, 592
  - interventions, 617
  - for leukemia, 602
  - for lymphomas, 598, 599
  - medical complications from, 600
  - psychological impact of, 616–17
  - side effects of, 616
    - fatigue, 587
    - nausea and vomiting, 587, 599, 600, 603, 930
  - as surgery adjuvant, 591
  - See also* cancer
- chest pain, non-cardiac
  - causes
    - cardiovascular, 794
    - gastroenterological, 793
    - musculoskeletal, 793–4
    - psychosocial, 794
  - incidence, 793
  - interactive model of, 794
  - management, 794–5
  - treatment, 795
- child abuse
  - early intervention in, 620
  - forms of
    - neglect, 619
    - physical, 619
    - psychological/emotional, 619
    - sexual, 619
  - incidence of, 619–20
  - prevention of
    - community level, 620–1
    - family level, 621–3
    - individual level, 623
  - risk factors for, 622
- children
  - abuse of. *See* child abuse
  - hospitalization of. *See* hospitalization: of children
  - mortality, 75
  - perceptions of death, 38, 39
    - interventions to influence, 40
  - perceptions of illness and disability, 38–40
    - interventions to influence, 40
  - perceptions of medication for chronic illness, 40
    - interventions to influence, 40
  - socioeconomic status and health, 208, 211
- chiropractic medicine, 639
- chromosomal disorders
  - attentional deficits from, 625
  - behavioural phenotypes, 626–7
  - diagnosis of, 627
  - intellectual functioning and, 625
  - social impairments from, 626
  - speech and language resulting from, 625
  - See also* screening: genetic; *specific diseases*
- chronic bronchitis. *See* chronic obstructive pulmonary disease
- chronic fatigue syndrome
  - coping responses, 629
  - diagnosis, 629
  - hyperventilation and, 747
  - incidence, 629
  - infectious mononucleosis and, 706–7
  - prognosis, 630
  - risk factors for, 629
  - symptoms, 629
  - treatment, 630
    - cognitive behavioural therapy (CBT), 630
    - graded exercise therapy, 630
    - pharmacological, 630
- chronic illness, 46, 53
  - adjusting to, 46–7
  - children with, 40 (*see also* hospitalization: of children)
  - children's perceptions of, 38–40
  - coping with, 47
    - emotion-focused strategies for, 47
    - influences on, 47–8
    - intervention strategies for, 48
    - problem-focused strategies for, 47
  - emotional response to, 46–7
  - impact on caregivers, 169
  - medication for, children's perceptions of, 40
  - self-management of, 192, 393
  - social support and, 46, 47, 386
  - See also* chronic pain; disability; *specific diseases*
- chronic obstructive pulmonary disease
  - incidence, 631
  - psychological impact of, 631–2
  - quality of life with, 631–2
  - smoking and, 632
  - symptoms, 631
  - treatment for
    - pharmacological, 632
    - psychological, 632
    - pulmonary rehabilitation, 632
- chronic pain, 50, 53, 142, 371, 563
  - assessing impact of, 302–3, 371
  - conceptualization models of, 145–6, 370–1
    - biomedical, 143
    - Biopsychosocial Model, 144–6
    - Gate Control, 144
    - motivational, 143
    - operant conditioning, 143–4
    - psychogenic, 143
    - respondent conditioning, 143
    - social learning, 144
  - coping models, 373
    - acceptance, 53
    - active/passive, 51
    - Chronic Pain Acceptance Questionnaire (CPAQ) and, 53
    - cognitive/behavioural, 51–2
    - Coping Strategies Questionnaire (CSQ) and, 51–2
    - exposure-based interventions and, 53
    - fear avoidance, 52–3, 373
    - Pain Anxiety Symptoms Scale (PASS) and, 52
    - problem/emotion-focused, 50–1
    - Tampa Scale for Kinesiophobia (TSK) and, 52
    - Vanderbilt Pain Management Inventory (VPMI) and, 51
    - Ways of Coping Checklist (WCCL) and, 50, 51
  - emotional distress and, 13, 50, 52, 53, 142, 145, 302, 370
  - measuring, 301–2 (*see also* pain: assessment)
  - social support and, 51, 142
  - treatment, 371–2
    - effectiveness, 372–3
  - See also* chronic illness; disability; pain
- cleft lip and palate
  - causes, 634
  - characteristics, 634
  - complications from, 634
  - detection in utero, 634
  - incidence, 634
  - neuropsychological outcomes, 635–6
  - psychological functioning with, 634–5
  - See also* disfigurement, facial
- cognitive behaviour therapy (CBT)
  - cancer and, 587
  - chronic fatigue syndrome and, 630
  - contemporary issues in, 342–3
  - definition, 340
  - depression and, 384, 821
  - for eating disorders, 692
  - for eczema, 695
  - physical health problems and, 342
  - procedures, 341–2
  - relaxation training and, 390
  - for skin disorders, 695
  - theory, 341

Cambridge University Press

978-0-521-60510-6 - Cambridge Handbook of Psychology, Health and Medicine, Second Edition

Edited by Susan Ayers, Andrew Baum, Chris McManus, Stanton Newman, Kenneth Wallston, John Weinman and Robert West

Index

[More information](#)

- cognitive neuropsychology, 288  
 attention, 290  
 executive functioning, 291–2, 298  
 cold, common  
 psychosocial factors and, 638  
 stress and susceptibility to, 637–8  
 symptoms, 637  
 viral basis for, 637  
 colorectal cancer, 581, 858 (*see also* lower digestive tract cancer)  
 communication disability  
 assessment, 244  
 of fluency impairment, 243  
 of language impairment, 243–4 (*see also* aphasia)  
 of speech impairments, 243  
 of voice impairments, 243  
 WHO (World Health Organization)  
 International Classification of Functioning, Disability and Health (ICF)  
 model of, 242  
 communication skills teaching  
 assessment of, 515  
 competence learning model for, 511  
 curriculum development for, 512  
 for medical interviews, 512–13 (*see also* medical interviewing)  
 to medical students, 511–12  
 methodology for, 513–14  
 role play between peers as, 514  
 role play with simulated patients as, 514, 515  
 videotaping, 515  
 working with patients as, 515  
 trainer characteristics and, 513  
 communication, written. *See* patient(s): written  
 communication about; patient(s): written  
 communication for  
 community-based interventions  
 goals of, 344  
 impediments to, 346–7  
 professional attitudes as, 346  
 resources as, 347  
 key components of, 345–6  
 target population attitudes, 346–7  
 complementary and alternative medicine  
 common forms of, 639–40  
 conventional medicine interactions with, 640  
 history of, 639  
 prevalence, 639  
 reasons for use, 640  
*See also* acupuncture; chiropractic medicine; herbal medicine; homeopathy; osteopathy  
 computerized tomography (CT), 239, 240  
 contraception  
 abortion for, 641, 642 (*see also* abortion)  
 condoms for, 642–3  
 emergency (pharmaceutical), 643  
 intrauterine device (IUD) for, 643  
 male pill for, 643  
 oral, 642  
 patterns of, 642  
 sterilization for, 642  
 use of, 643  
 control  
 beliefs, 149  
 locus of, 148–9  
 perceived, 148  
 primary vs. secondary, 148  
 theory of, 149  
 coping, 245–6  
 assessment, 246–7, 249  
 function of, 148  
 with medical procedures, 59  
 effect of age on, 59–60  
 effect of gender on, 60  
 interventions to assist, 61–2  
 social and cultural impact on, 60  
 styles, 59  
 models. *See* chronic pain: coping models  
 relationship to perceived control, 148  
 system, 249  
 ways of, 246  
 families of, 247–9  
*See also specific conditions*  
 coronary heart disease (CHD), 644, 648  
 angina in, 645, 658, 683  
 behavioural changes from, 644–5  
 beta-blockers for, 683 (*see also* beta-blockers)  
 diet change after, 645  
 emotional benefits from, 645  
 emotional distress from, 385, 645–6  
 exercise changes and, 645  
 hostility and Type A behaviour in. *See* hostility and Type A behaviour  
 impact on patient's partner, 646  
 myocardial infarction and, 644  
 behavioural risk factors for, 648  
 triggers for, 649  
 positive emotions and, 280  
 predictors of emotional stress from, 645  
 psychosocial interventions for, 649–51  
 rehabilitation for  
 adjunctive psychological treatments in, 657  
 cognitive behavioural, 658  
 delivery of, 657  
 effectiveness of, 657  
 frequency of, 657  
 history of, 656  
 individual counselling in, 657  
 national clinical guidelines for, 656  
 programmes for, 657  
 reversal of, 650  
 risk factors  
 anxiety, 279  
 behaviour, 648  
 depression, 279  
 hostility and anger, 210, 279, 649  
 psychosocial, 648, 651  
 social isolation, 649  
 sexual activity and, 645  
 smoking and, 645  
 stress management and, 404, 657  
 surgery  
 cognitive function changes from, 660  
 neuropsychological complications from, 660–1  
 psychological responses to, 659–60  
 quality of life following, 661  
 types of, 660  
*See also* cardiovascular disease; heart failure; hypertension  
 cortisol  
 circadian variations in, 20, 33, 34  
 disruption  
 in preschool children, 35  
 in school transition children, 35–6  
 immune system suppression and, 33  
 maltreatment and levels of, 34  
 maternal attachment and levels of, 34  
 and stress  
 in children, 34  
 response, 33  
 as stress indicator, 33  
 counselling, 349–51  
 client centered approach to, 349  
 evaluation of, 350  
 in medical settings, 349–50  
 cultural and ethnic behaviours in health, 65  
 acculturative stress, 67–8  
 cultural domain and, 64–6  
 ethnic domain in, 66–8  
 intersection of culture and health in, 64–6  
 cystic fibrosis  
 incidence of, 662  
 psychological functioning with, 663  
 psychosocial impact  
 on families, 663  
 on parents, 663  
 on patients, 663  
 survival rate, 662  
 treatment, 663  
 adherence, 663–4  
 burden, 663–4  
 interventions, 664  
 deafness and hearing loss  
 categories of, 665  
 co-morbidity with tinnitus, 665 (*see also* tinnitus)  
 incidence of, 665  
 psychological effects of, 665–6  
 psychological treatment for, 666–7  
 social factors affecting, 666  
 death, 55, 56  
 children's perceptions of, 38, 39  
 effects on family, 55  
 delay in help seeking. *See* patient(s): delay in seeking help  
 dementia  
 classification of, 668  
 diagnosis, 669  
 geriatric depression and, 668  
 incidence, 547, 668  
 recognizing, 670  
 treatment, 669–70  
*See also* cognitive decline and; Alzheimer's  
 depression  
 ageing and, 10, 12, 13  
 antenatal, 554

Cambridge University Press

978-0-521-60510-6 - Cambridge Handbook of Psychology, Health and Medicine, Second Edition

Edited by Susan Ayers, Andrew Baum, Chris McManus, Stanton Newman, Kenneth Wallston, John Weinman and Robert West

Index

[More information](#)

- and cancer, 279–80, 585–6
- and cardiovascular disease, 210, 279, 648–9, 657
- in caregivers, 386
- effect of placebo on, 162
- in elderly. *See* elderly: depression in
- vs. grief, 56
- incidence, 686
- psychotherapy treatment of, 165
- religion and, 184
- See also specific topic or condition*
- diabetes, 47, 697–8
- blood glucose monitoring for, 672
- classifications of, 670
- gestational, 671
- Type I, 670
- Type II, 670
- consultations for, 671–2
- hyperglycaemia in, 670, 671
- hypoglycaemia in, 671
- management, 46, 75, 222, 670–2
- physical activity and, 124, 156–7
- prevention of, 124, 125
- psychological outcomes of, 671, 697–8
- sexual dysfunction from, 672
- symptoms, 670
- diagnostic interviews
- comprehensiveness of, 251
- predicaments in, 251
- structured, 251–2
- subjectivity in, 251
- uncommon diagnoses in, 251
- See also* medical interviewing
- diagnostic models
- augmented clinical practice, 252
- MINI, 252–3
- SADS-C, 253
- multiaxial, 253
- axis II interviews, 253–5
- CIDI, 253, 254
- SADS, 253–4
- SCID, 253, 254
- diet
- eating behaviour
- cognitive models of, 77
- food exposure and, 76
- impact of dieting on, 77–8
- parental controls and, 76–7
- rewards and, 76
- social learning and, 76
- effects on health, 75, 743
- healthy, 75–6
- disability, 80, 82, 256
- alternative models of, 81
- assessment
- developments needed for, 259
- methods, 258–9
- purpose, 256–7
- clinical implications, 82–3
- costs of, 82
- measuring, 82
- medical model of, 80–1
- rates of, 81–2, 256
- religion and, 183
- WHO (World Health Organization)
- International Classification of Functioning, Disease and Health (ICF) model of, 256
- International Classification of Impairments, Disabilities and Handicaps (ICIDH) model of, 81–3, 256
- See also* chronic illness; chronic pain
- disfigurement, facial
- adjustment to, 708–9
- causes, 708
- incidence, 708
- needs resulting from, 709
- psychosocial consequences of, 708
- See also* cleft lip and palate
- divorce, 134–5
- dizziness
- anxiety from, 922
- causes
- behavioural, 922
- perceptual-motor, 922
- emotional disturbance and, 922
- incidence, 921
- psychological origin of, 922
- symptoms, 921
- therapy for, 923
- domestic violence
- actions comprising, 674
- detection of, 674
- incidence of, 674
- intervention in, 675
- psychotherapy for, 674
- symptoms, 674
- treatment, 675
- drug dependency
- benzodiazepine tranquilizers
- actions, 676
- basis for dependency, 677
- dependent populations, 676–7
- long-term effects of, 677
- management of dependency, 677–8
- recreational use of, 676
- tolerance, 676, 677
- withdrawal from, 676, 677
- criteria for, 675, 676
- multiple drug, 679
- opiates and stimulants
- assessment, 679
- HIV infection and, 681
- motivational interviewing and, 679
- needle and syringe exchanges, 681
- pharmacotherapies for, 680–1
- psychological treatments for, 679–80
- relapse prevention and, 680
- therapeutic communities for, 680
- treatment effectiveness, 681
- withdrawal from, 681
- reasons for, 680
- See also* alcoholism; smoking; tobacco use
- drugs
- allergies to, 687 (*see also* allergies: drug)
- antidepressant, 686–7
- antipsychotic, 686
- benzodiazepines, 686 (*see also* drug dependency: benzodiazepine tranquilizers)
- beta-blockers. *See* beta-blockers
- chemotherapy with. *See* chemotherapy
- opiates and stimulants. *See* drug dependency: opiates and stimulants
- psychotropic
- alcohol, 685–6 (*see also* alcohol; alcoholism)
- tobacco, 685 (*see also* smoking; tobacco use)
- dying, 55
- breaking bad news, 57–8
- coping methods
- for family, 55
- for medical staff, 55, 58
- for patient, 57
- fear and, 56
- grief and, 56
- resistance to change and, 56–7
- dyslexia
- forms of
- phonological, 689
- surface, 688–9
- genetic basis for, 688
- incidence, 688
- phonological processing and, 689
- dysmorphology. *See* disfigurement, facial
- eating disorders, 75
- causes, 690
- prevention, 691
- risk factors, 690–1
- treatment, 691–2
- See also* diet
- eczema
- causes, 694
- incidence, 693–4
- prognosis, 694
- psychological factors in, 694
- symptoms, 693
- treatment
- medical, 694–5
- psychological, 695
- See also* psoriasis; skin disorders
- elderly
- depression in, 386
- with Alzheimer's, 386
- caregivers for, 386
- incidence of, 383
- medically ill, 385
- primary care, 386
- psychosocial treatments for, 383–7
- recognition of, 383
- subclinical, 386
- suicide and, 386
- psychosocial care of, 383–7
- sleep disturbance in, 22, 200, 201
- electroencephalography (EEG), 239, 283, 337
- emotional expression and health, 84–5, 153, 279, 280
- expressive writing for, 85–6



Cambridge University Press

978-0-521-60510-6 - Cambridge Handbook of Psychology, Health and Medicine, Second Edition

Edited by Susan Ayers, Andrew Baum, Chris McManus, Stanton Newman, Kenneth Wallston, John Weinman and Robert West

Index

[More information](#)

- emphysema. *See* chronic obstructive pulmonary disease
- endocrine disorders
- of adrenal system, 697
  - diabetes mellitus, 697–8 (*see also* diabetes)
  - of growth, 698
  - of parathyroid, 697
  - psychiatric symptomatology of, 696
  - of reproductive system, 698
  - of thyroid, 696–7
- enuresis
- in adults, 701
  - causes, 700–1
  - in children, 700
  - diagnosis and assessment, 700
  - incidence, 700, 701
  - treatment, 701–2
  - See also* incontinence
- environmental toxins. *See* toxins, environmental
- epilepsy
- biofeedback for, 336–7
  - causes, 702
  - classification, 703
  - incidence, 703
  - psychosocial consequences of, 703–4
  - services, 703
- Epstein–Barr virus infection
- diseases caused by, 705
  - incidence, 705
  - infectious mononucleosis from. *See* infectious mononucleosis
  - psychoneuroimmunology and, 705–6
- erectile disorder, 645
- examinations, intimate
- comfort during, 763, 764
  - definition of, 763
  - examining room and, 764
  - psychological impact of, 763
- exercise. *See* physical activity
- fear, of death. *See* dying: fear and
- fetus
- health of
    - assessment of, 712–13
    - improvement of, 712
  - high-risk, 711
  - monitoring of, 712–13
  - screening of
    - risk factors and, 711–12
    - validation of, 712
  - See also* screening: antenatal
- fight or flight response, 56, 128, 174, 218, 279, 280, 687, 747
- General Health Questionnaire (GHQ), 501
- grief, 41, 42 (*see also* bereavement; mourning)
- group therapy
- applications, 354
  - efficacy, 353–4
  - models, 352–3
  - therapeutic factors in, 353
- growth retardation, 716–17
- clinical indicators, 717
  - psychological distress of, 717
- gynaecologic cancer
- death rate from, 591
  - incidence, 591, 592
  - psychological reactions to, 591
  - psychosocial intervention for, 593–4
  - survivorship, 591–3
  - symptoms, 592
  - treatment, 591, 592 (*see also* hysterectomy)
- haemophilia
- causes, 718
  - genetics of, 718
  - HIV and, 719–20
  - incidence, 718
  - psychosocial problems of, 719–20
  - symptoms, 718
  - treatment, 718–19
    - complications from, 719
    - gene therapy as, 718
  - World Federation of Hemophilia and, 719
  - See also* screening: genetic
- head and neck cancer
- appearance changes from, 596
  - incidence, 595
  - prognosis, 595
  - psychological interventions for, 596–7
  - psychological morbidity, 595–6
  - public health issues, 595
  - quality of life and, 596
  - recurrence fears, 596
  - social support for, 596
  - survival rates, 595
  - treatments, 595
- head injury
- assessment of, 721
  - neuroimaging, 721–3
  - neuropsychiatric, 722
  - neuropsychological, 721–2
  - classification, 720
  - concussion, 722
  - definition, 721
  - incidence, 721
  - outcome, 723
  - postconcussional disorder, 721
  - treatment, 723
- headache and migraine
- biofeedback control of, 336–7, 725–6
  - incidence, 724
  - personality and, 725
  - physiological basis for, 724–5
  - stress management for, 404
- health, 266
- and architecture. *See* architectural design and
  - health issues
  - emotional expression and. *See* emotional expression and health
  - emotions and, 279–80
  - men's. *See* men's health
  - mental. *See* women's health: mental
  - multicultural health, 68
  - physical activity and. *See* physical activity
  - religion and. *See* religion
  - social anxiety and, 210
  - socially-oriented approaches to, 193, 613
  - socioeconomic status and. *See* socioeconomic status
  - status assessment, 266–7
  - unemployment and. *See* unemployment
  - women's. *See* women's health
  - See also* health practices; health-related behaviours; lifestyle
- Health Belief Model (HBM), 38, 40, 100–1
- application difficulties, 99
  - demographic factors and, 99
  - development of, 97
  - extensions of, 99
  - research on use of, 98, 100, 101, 376
  - structure of, 97
- health care professional–patient communication
- benefits of, 438
  - breaking bad news, 112, 423, 584–5
  - guidelines for, 423–4
  - patient's perspective on, 424–5
  - training for, 425
- consultation process, 436
- ethnicity and socio-economic class and, 437–8
- improving, 437
- input factors in, 435–6
- need for, 111–12
- outcomes of, 436–7
- patient expectations from, 435
- written. *See* patient(s): written communication for
- health care professionals
- attitudes of, 436
  - health care user characteristics and, 421
  - health services and, 421–2
  - outcome of health services and, 422
- burnout in, 427, 501–2
- alleviating, 429
  - consequences of, 427–8
  - management of, 503–4
  - risk factors for, 428–9
  - stress and, 502
- diagnosis delay by, 70
- psychological support for
- conceptual framework for, 482–3
  - development of, 484–5
  - effects of, 485–6
  - sources of, 484
  - types of, 482–3
- See also* health care professional–patient communication; health care work environments
- health care work environments
- health care system and, 439–40
  - staffing and task factors in, 441
  - stressors in, 440–1
  - structure and policies of, 440–1
  - improvement of, 442–3
  - with process consultation, 442–3
  - with team building and collaborative change, 442

Cambridge University Press

978-0-521-60510-6 - Cambridge Handbook of Psychology, Health and Medicine, Second Edition

Edited by Susan Ayers, Andrew Baum, Chris McManus, Stanton Newman, Kenneth Wallston, John Weinman and Robert West

Index

[More information](#)

- integrated systems framework for, 439
- management of, 442
- patient outcomes in, 441–2
- work morale and performance in, 441
- health cognition assessment
  - of attitude, 261–2
  - control perceptions in, 263
  - disposition to act and, 263–4
  - factors affecting, 261
  - norm measurement in, 263
  - self-report in, 260–1, 264–5
  - self-representations and, 262–3
  - theories of, 261
- health education, 97
- health expectations and expectancies
  - behaviour-outcome and, 88–90
  - outcome value and, 89
  - principles of, 88
  - proximal vs. distal outcomes in, 90
  - self-efficacy in, 89–90
  - self-management and, 88
  - self-regulation and, 87–8
  - stimulus outcome in, 89
- health practices
  - cross cultural differences, 66
  - psychosocial factors in, 66
  - social inequality in, 66
- health promotion
  - determinants, 357
  - goals, 355
  - implementation, 357
  - intervention mapping, 357–8
  - interventions, 357
  - planning, 355–7
    - precede-proceed model of, 355, 357
    - quality of, 355
- health psychology, cross-cultural, 64
- health-related behaviours, 5
  - addictive and risk taking, 6, 124, 218
  - changing demographics of, 103
  - characteristics, 104
  - correlations between, 6
  - determinants of, 104–6
    - cognitive, 105
    - environmental, 105–6
    - ethnic and cultural, 105
    - personality, 105
    - social and cultural, 105
  - effects of changing to positive, 10
  - exercise as, 102
  - factors influencing, 7–8
  - interventions, 125
  - personality traits and, 7, 153–4, 535
  - positive, 6–7, 104 (*see also* Health Belief Model; Protection Motivation Theory)
  - predictors of, 6
  - self-management of
    - common-sense and, 125
    - self-efficacy in, 192
  - Social Cognitive Theory of, 7
  - social influences on, 126
  - socioeconomic status and, 7
  - theories of, 106
- Theory of Reasoned Action of, 7
- unemployment impact on, 235
- See also* adolescence; Health Belief Model; lifestyle; physical activity
- hearing loss, 138
- heart failure, 654
  - anxiety from, 655, 657, 659
  - contributing factors to, 655
  - depression from, 654–5, 657, 659
  - early indicators of, 655
  - interventions, 655
  - quality of life during, 654–5, 658
  - self-management of, 655
  - See also* coronary heart disease; hypertension
- herbal medicine, 639
- herpes
  - cause, 727
  - incidence, 727
  - prevention, 728
  - psychological effects of, 727–8
  - psychological intervention for, 728
  - symptoms, 727
  - treatment, 727
- HIV/AIDS
  - acquisition from breastfeeding, 571
  - behavioural interventions for, 731
  - blood donation and, 568
  - children's perceptions of, 39, 40
  - depression and, 730
  - drug-resistant strains, 729
  - haemophilia and, 719–20
  - intervention mapping in, 358
  - and needle and syringe exchanges, 681
  - and opiate use, 681
  - pandemic, 668
  - psychosocial adjustment to, 730–1
  - public health education campaign for, 103
  - stress as a factor in, 730
  - treatment
    - Highly Active Anti-Retroviral Therapy (HAART), 729–30
    - patient adherence to, 221, 729, 730
- homeopathy, 639
- hormone replacement therapy
  - benefits of, 732–4
  - breast cancer and, 732
  - cognitive functioning during, 733
  - decision-making for, 733–4
  - for menopause, 779
  - osteoporosis, benefits from, 734
  - risks of, 732–3
- hospice, 55, 58
- hospital acquired infection
  - factors contributing to, 736
  - forms of, 736
  - incidence of, 736
  - hand hygiene and
    - barriers to, 737
    - guidelines for, 736
  - handwashing behaviour, 736, 737
  - patient education behavioural model, 737
  - patient acquisition of, 736
- hospitalization
  - of adults, 109, 112
    - communication with medical personnel, 111–12 (*see also* health care professional–patient communication)
    - coping strategies, 110–11
    - emotional state during, 110
    - family roles during, 112
    - psychological preparation for medical procedures, 111
    - stressors associated with, 109–10
  - of children, 113–14, 117
    - coping strategies, 115–17
    - factors influencing responses to, 114–15
    - parental responses to, 115
    - reactions to, 114
    - stressors associated with, 114
- hostility and Type A behaviour
  - assessment of, 120
  - definitions and symptoms, 119–20
  - history of, 119–20
  - intervention and behaviour modification, 121–2
  - measures of, 121
  - mechanism for influencing coronary artery disease, 122
  - psychobiological mechanisms, 121
  - psychological repercussions of, 121
  - risk factor in coronary artery disease, 120–1
  - women and, 122
- Huntington's disease
  - affective disorders, 738
  - diagnosis, 738, 739
  - DNA marker for, 739
  - genetic basis for, 738
  - incidence, 738
  - predictive testing for, 739
  - psychological impact of, 738, 739
  - symptoms, 738
- hyperactivity
  - ADHD and, 741
  - genetic factors in, 741–2
  - symptoms, 741
  - treatment, 741
- hypertension
  - assessment of, 743
  - biofeedback control and, 336–7
  - causes of, 743
  - hostility/Type A behaviour and, 121
  - incidence of, 743
  - psychological and behavioural interventions for, 743–4
  - religion and, 183
- hyperthyroidism
  - life factors linked with, 745
  - psychological disturbances resulting from, 745
  - quality of life and, 745–6
  - symptoms, 745
  - treatment related psychological symptoms, 746
- hyperventilation
  - diagnosis, 747
  - relationship to physical disorders, 747
  - symptoms, 747
  - treatment, 748

- hypnosis, 359–60  
clinical applications of, 360–2  
theories of, 360
- hysterectomy  
incidence of, 749  
preparation for, 749  
psychosocial aspects of, 749–50  
quality of life following, 750  
types of, 749  
*See also* gynaecologic cancer
- illness  
children's perceptions of, 114 (*see also* chronic illness: children's perceptions of)  
chronic. *See* chronic illness  
cognitions, 268  
assessment of, 268–71  
common-sense model of, 60–1  
terminal. *See* dying
- immune system  
cells, 168, 310  
activity of, 310–13  
cytokines and, 311  
delayed-type hypersensitivity of, 312–13  
lytic capacity of, 310–12  
natural killer cell activity of, 311  
numbers of, 309–10  
phagocytosis in, 312  
proliferation of, 311  
reactive oxygen species in, 312  
function, 309, 310  
impact of stress on, 167–71, 584  
*See also* HIV/AIDS
- immunization  
factors affecting effectiveness of, 751–2  
purpose of, 751  
*See also* MMR vaccination
- incontinence  
causes, 754  
incidence, 754  
psychological consequences of, 754  
treatment for, 754  
biofeedback, 754–5  
pelvic floor rehabilitation, 755
- infectious mononucleosis  
as risk factor for chronic fatigue syndrome, 706  
symptoms, 705  
*See also* chronic fatigue syndrome;  
Epstein–Barr virus infection
- infertility  
behavioural causes of, 756–7  
incidence, 756  
psychological adjustments to, 757  
psychosocial intervention in, 757
- inflammatory bowel disease (IBD)  
Crohn's disease, 759  
impact of, 759  
interventions, 759–60  
ulcerative colitis, 759
- informed consent  
clinical research and, 447  
computing and, 447  
conflicts of interest in, 447  
cultural diversity in, 447–8  
elements of, 445–6  
exceptions to, 446  
framework for, 444  
genetics and, 447  
goal of, 444  
history of, 444–5  
psychotherapy and, 446  
third party information in, 447
- insomnia. *See* sleep disorders: insomnia
- interventions. *See specific topic*
- intelligence, 15, 273  
age-related changes in, 15–17, 274  
crystallized, 15–17, 276  
fluid, 15, 16, 276  
theories of, 275–6
- intelligence quotient (IQ), 273–4  
group differences in, 276–7  
tests, 274–5
- intensive care unit  
clinical implications of, 761–2  
cognitive function in, 761  
criteria for admission, 760  
psychological disturbances within, 761
- interprofessional education  
collaboration and teamwork in, 450  
communication in, 452  
definition of, 450  
future goals of, 453  
history of, 449–50  
models for, 450–1  
mutual support in, 453  
principles of, 450  
research in, 452  
theoretical perspectives in, 451–2
- intimate partner violence. *See* domestic violence
- IQ. *See* intelligence quotient
- irritable bowel syndrome  
causes, 766  
stress as cause of, 766  
symptoms, 765  
treatment, 766–7
- Joint Commission on Accreditation of Healthcare Organizations (JCAHO), 304
- Kaposi's Sarcoma, 730 (*see also* HIV/AIDS)
- leukemia  
behavioural interventions for, 603–4  
coping skills for, 603  
forms of, 601  
incidence, 601  
psychosocial adjustment to, 602  
quality of life with, 602–3  
risk factors for, 601  
social support for, 603  
symptoms, 602  
treatment, 602  
side effects, 602
- life course epidemiology, 33, 211
- life events  
impact on health, 129–30  
Schedule of Recent Experiences (SRE) and, 129  
stress analysis of  
conceptual levels of, 128  
Life Events and Difficulties Schedule (LEDS)  
and, 129, 130  
Life Experiences Survey (LES) and, 129  
stress from, 130–1
- life expectancy, 10, 667
- lifestyle, 5  
health compromising, 5, 7 (*see also* risk taking behaviour)
- healthy, 5, 6, 10, 191 (*see also* Health Belief Model; Protection Motivation Theory)  
*See also* health-related behaviours
- loneliness, and health, 21
- lower digestive tract cancer, 581  
quality of life and, 581–2  
survival rate of, 581
- lung cancer  
incidence, 605  
non-smoking risk factors for, 605  
psychosocial interventions for, 606  
smoking and, 605  
symptoms, 605
- lymphoedema  
epidemiology, 768  
incidence, 768  
management, 769  
mechanism of, 768  
psychosocial issues and, 768–9  
stages, 768  
symptoms, 768  
treatment, 769
- lymphoma, Hodgkin's (HL) and non-Hodgkin's (NHL)  
clinical implications, 600  
incidence, 598  
psychological morbidity, 598–9  
treatment  
methods, 598  
side effects, 599, 600
- magnetic resonance imaging (MRI), 239
- magnetic resonance spectroscopy (MRS), 239
- malaria  
impairment following, 772–3  
incidence, 771  
morbidity, 771  
symptoms, 771
- mammography, 577, 858
- mastalgia  
causes, 774–5  
classification, 774  
health care providers and, 774  
impact of, 774  
incidence, 774  
management, 775–6
- medical decision-making  
assisting, 458  
clinical judgment in, 454–6  
decision analysis in, 454  
probability use in, 456–7  
utility of outcomes from, 457



- medical interviewing
  - Calgary–Cambridge Guide for, 462–6
  - building relationships in, 465
  - closing session in, 466
  - explanation and planning in, 466
  - gathering information in,
  - initiating session in, 465
  - structuring consultation in, 465
- content, 460–2
- history, 460
- process, 462
- See also* diagnostic interviews
- medicinal treatment
  - children's perceptions of, 40
  - non-adherence to
    - causes, 417
    - incidence, 417
    - interventions for, 417–18
    - risk factors for, 417
    - solutions for, 418–19
- meditation, 390, 406
- memory
  - assessment, 547
  - components, 546
  - environmental support hypothesis (ESH)
    - and, 17
  - episodic, 296, 546
  - executive functions, 298
  - explicit, 17
  - free recall, 17, 298
  - head injury effect on, 296, 547
  - implicit, 17
  - information processing speed, 298
  - learning and, 295
    - process approach to, 295–6
    - psychometric assessment of, 296, 297
    - systems approach to, 295
  - lifestyle and decline of, 18
  - long term, 16, 295–6 (*see also* ageing: and learning)
  - loss, 547 (*see also* amnesia)
    - rehabilitation, 547
    - restoration, 546
  - perceptual, 547
  - poor health and, 17–18
  - procedural, 547
  - prospective, 17
  - recognition, 17
  - self-efficacy and, 18
  - semantic, 546
  - working, 16, 295–6, 298, 547
    - capacity decline of, 16–17
    - and inhibitory deficit hypothesis, 16
- meningitis
  - bacterial, 776–7
  - impairment from
    - behavioural, 777–8
    - cognitive, 777, 778
    - hearing, 777
    - psychological, 777
  - tuberculous, 777
  - viral, 777
- menopause and postmenopause
  - cognitive behavioural treatment of, 780
  - depression during, 732–3
  - hormone replacement therapy for, 779
  - incidence, 779
  - physical symptoms, 732–3
  - psychosocial factors and, 780
  - symptoms, 779
- men's health, 135
  - gender differences in, 133–4
  - life expectancy and, 133
  - social roles and, 134–5
- mental health
  - biological basis for, 93
  - childhood, 93
  - effects of noise on, 139
  - gender differences in, 93
  - women's. *See* women's health: mental
- miscarriage, 525
  - coping with, 525
  - incidence of, 525
  - risk factors for, 525
  - See also* fetus; screening: antenatal
- MMR vaccination
  - attitudes toward
    - governmental, 782
    - health care professionals, 782
    - parental, 781–2
  - purpose, 781
  - rate, 781
- mood assessment procedures
  - psychophysiological, 283
  - recommendations for, 283
  - self-report, 280–3
- mortality, religion and, 183
- motivational interviewing
  - amplified reflection and, 363
  - effectiveness of, 364–5
  - mode of delivery, 363–4
  - for opiate and stimulant abuse, 679
  - predictors of outcome in, 365
  - principles of, 363
  - relative listening in, 363
  - resistance to behaviour change and, 364
  - self-efficacy beliefs and, 364
  - skills for, 363
  - theoretical framework for, 364
  - training for, 365
  - Transtheoretical Model (TTM) and, 364
- motorneuron disease
  - forms of, 784
  - incidence, 784
  - neuropsychological effects, 784
  - psychosocial factors, 784
  - and quality of life, 785
- mourning, 41 (*see also* bereavement; grief)
- multiple sclerosis
  - coping with, 787
  - emotional responses to, 786–7
  - incidence, 786
  - onset and course of, 786
  - perception of, 788
  - psychological interventions for, 788
- social support and family, 787–8
- stress effects on, 787
- symptoms, 786
- myasthenia gravis
  - incidence, 789
  - management of, 790
  - psychosocial impact of, 789–90
  - symptoms, 789
- myocardial infarction, 644 (*see also* coronary heart disease)
- nausea. *See* vomiting and nausea
- neurofibromatosis
  - cognitive impairment from, 791
  - diagnostic criteria for, 790
  - genetic basis, 790–1
  - incidence, 790
  - neurological complications, 791
  - psychiatric problems and, 791
  - symptoms, 790
- neuropsychological assessment, 287
  - dimensions and level of, 287–9
  - integration with other neurological indices, 289
  - of learning and memory, 296–9
  - measures of attention, 290–1
  - measures of executive functioning, 292–3
  - purposes of, 287
  - See also* cognitive neuropsychology
- noise, 137
  - hearing loss due to, 138
  - non-auditory health effects, 138
    - mental health, 139
    - performance and cognition, 139
    - sleep, 139
    - social behaviour, 139–40
    - stress and cardiovascular disorders, 138
    - theoretical explanations of, 140
  - sound, 137–8
- nuclear magnetic resonance (NMR), 239 (*see also* magnetic resonance imaging)
- obesity, 75
  - diet and, 797–8
  - exercise and, 798
  - genetics and, 797
  - hypertension and, 743
  - incidence, 797
  - prevention, 798–9
  - sleep duration and, 199
  - treatment, 75, 798–9
- old age. *See* aging
- oral disease(s)
  - acceptance of treatment for, 802
  - dental caries, 801
  - dental services and, 802
  - incidence, 801
  - oral hygiene for, 801, 802
  - periodontal, 801
- osteoarthritis
  - exercise therapy for, 804
  - incidence, 803
  - management, 804
  - models of, 805

Cambridge University Press

978-0-521-60510-6 - Cambridge Handbook of Psychology, Health and Medicine, Second Edition

Edited by Susan Ayers, Andrew Baum, Chris McManus, Stanton Newman, Kenneth Wallston, John Weinman and Robert West

Index

[More information](#)

- osteoarthritis (cont.)
  - physical function impact, 804
  - psycho-educational intervention, 804–5
  - symptoms, 803, 804
- osteopathy, 639
- osteoporosis, 21
  - incidence, 807
  - prevention
    - by bone mass increase, 807
    - by reducing bone mass loss, 807
  - treatment, 734, 808
- pain, 141–2, 144, 370, 563
  - alterations in processing, 812
  - assessment, 301–2, 371
  - biofeedback and, 336–8
  - breast. *See* mastalgia
  - chronic. *See* chronic pain
  - conceptualization models, 145–6
    - acute, 564
    - biomedical, 143
    - Biopsychosocial Model, 144–6, 300
    - damage-based, 564
    - Gate Control, 144, 300
    - motivational, 143
    - neuromatrix, 300–1
    - operant conditioning, 143–4
    - psychogenic, 143
    - respondent conditioning, 143
    - social learning, 144
  - definition of, 563
  - management, 370–2
    - for sickle cell disease, 878–9
  - processing, 812
  - relief, 141
    - effect placebo on, 162–3
  - responses, 370, 563–4
  - treatment, 371–2, 564
- Parkinson's disease
  - cognitive impairment, 809
  - depression and, 385, 809
  - management, 810
  - quality of life and, 810
- patient(s)
  - delay in seeking help
    - consequences of, 70
    - intervention in, 73
    - measurement, 70–1
    - reasons for, 71–3
- perspective on receiving bad news, 428–9
- reassurance
  - definition of, 487
  - failure, 487–8
  - following investigative test, 487
  - improvement, 488–9
  - psychological morbidity and, 488
- safety. *See* adverse events and critical incidents
- satisfaction
  - assessment of, 305–8
  - concept, 305, 477–8
  - factors influencing, 479–80
  - health status and, 478–9
  - measurement of, 480–1
  - paradigms, 306
  - with physicians, 306
- written communication about, 519–20
  - form of, 519
  - health professionals and, 519
  - quality of, 519
- written communication for, 517–19
  - effectiveness of, 517–18
  - form of, 517
  - psychological theories and, 518–19
  - purpose of, 517, 518
  - timing of, 517
- patient-centred health care
  - consultations and, 469
  - definitions of, 468–9
  - examples of, 469
  - research in, 469–70
  - vs. evidence-based health care, 470–1
- pelvic pain, chronic
  - causes, 811
  - incidence, 811
  - psychological consequences, 812
  - risk factors, 811–12
  - treatment, 812–13
  - See also* chronic pain
- peptic ulcer disease. *See* ulcers, gastric and duodenal
- personality
  - and coping, 59
  - development of, 152, 154
  - and health, 151–4, 535
  - and perceived well-being, 319
  - and social support, 322, 323
  - traits, 151–4
- phantom limb
  - alternate forms of, 548, 549
  - incidence, 548
  - mechanism for, 549
  - pain, 549–50
  - reality of, 548
  - symptoms of, 548–9
- physical activity, 155–6, 375
  - behavioural epidemiology research on, 156
  - forms of, 156
  - health benefits, 155–7, 375
  - influencing factors, 16, 157
  - theoretical models applied to, 158, 377
    - behaviour modification and learning, 376
    - ecological models, 159
    - health belief, 376
    - relapse prevention, 376
    - Social Cognitive Theory, 158
    - Theory of Planned Behaviour, 376
    - Translational Model, 158–9, 376–7
  - participation rates, 157, 159, 375
- physical fitness, 156 (*see also* physical activity)
- placebo, 161–2, 165
  - active, 161
  - biofeedback and, 338–9
  - clinical use of, 165
  - effect of, 161–3
  - evaluation of effect of, 154
  - explanations of effect
    - classical conditioning, 163–4
    - response expectancy, 163, 164, 221, 544
  - psychotherapy, 164–5
  - response to, 162–4
- planned behaviour theory. *See* Theory of Planned Behaviour
- postnatal distress, 554
  - depression and
    - detection of, 821
    - incidence of, 820
    - predicting, 820–1
    - prevention and treatment for, 821–2
    - symptoms of, 820
  - See also* antenatal care
- post-traumatic stress disorder (PTSD)
  - affect on immune system, 169–70
  - assault/rape victims and, 815
  - cardiovascular disease and, 645, 646
  - combat veterans and, 816
  - disasters and, 815–16
  - history, 814–15
  - incidence of, 815
  - physical health and, 816
  - predictors of, 816–17
  - symptoms, 815
  - terrorism victims and, 816
  - treatment and prevention of, 404–5
- pregnancy and childbirth
  - complications of, 824 (*see also* miscarriage)
  - early childhood mortality, 823–4
  - low birthweight and, 824
  - psychological and social factors
    - behavioural, 825–6
    - cognitive, 825
    - coping strategies, 825
    - social support, 824–5
  - See also* antenatal care; postnatal distress; premature babies; screening: antenatal
- premature babies
  - definition, 827
  - developmental outcomes for, 828–9
  - influence on parents, 829
  - survival rates for, 827–8
  - See also* antenatal care; pregnancy and childbirth; screening: antenatal
- premenstrual syndrome (PMS)
  - categories, 830–1
  - coping with, 831
  - incidence of, 830
  - models of, 831–2
  - women's interpretation of, 831
- primary mental abilities (PMAs), 15
- prostate cancer
  - informed decision-making
    - for testing, 607–611
    - for treatment, 607–8
  - psychosocial interventions for, 606
  - quality of life and, 607
  - screening for, 858
- Protection Motivation Theory (PMT), 38

Cambridge University Press

978-0-521-60510-6 - Cambridge Handbook of Psychology, Health and Medicine, Second Edition

Edited by Susan Ayers, Andrew Baum, Chris McManus, Stanton Newman, Kenneth Wallston, John Weinman and Robert West

Index

[More information](#)

- psoriasis  
 coping strategies for, 833  
 incidence, 833  
 psychological interventions for, 834  
 quality of life, 833  
 stress and, 833–4  
 symptoms  
   physical, 833  
   psychological, 833  
*See also* eczema; skin disorders
- psychodynamic therapy  
 attachment theory in, 380  
 clinical implications, 382  
 defences in, 381  
 dynamic unconscious, 379  
 early experience and, 379–80  
 social and cultural theory of, 381  
 therapeutic frame for, 380–1
- psychoneuroimmunology assessment.  
*See* immune system: cells
- psychosomatics  
 determinants of, 175  
 history of, 173  
 life events and, 174–5  
 medical field of, 176  
 physical illness and, 175–6  
 psychological disorder and, 175  
 research, 174, 176
- psychotropic drugs, 93, 685–6
- qualitative assessment  
 characteristics of, 314  
 with documentary evidence, 315–16  
 evaluation of, 317  
 with focus groups, 315  
 focus of, 314  
 major methods, 316–17  
 with participant observation, 315  
 with qualitative interviewing, 315  
 uses of, 318
- quality of life  
 assessment tools, 178–81, 319, 320  
 clinical trials and practice for, 179  
 concept of, 178  
 future challenges for, 179  
 Parkinson's disease and, 810  
 perceived, 319  
 population studies of, 179–80  
 psoriasis and, 833  
 spinal cord injury, 893  
 theoretical models of, 319
- radiotherapy  
 coping with, 836  
 counselling and interventions, 837–8  
 frequency of use, 836  
 information and anxiety reduction, 837  
 psychosocial problems from, 836–7  
 side effects, 836
- rape and sexual assault  
 coping with, 840  
 definition, 839  
 prevalence, 839
- reactions to, 839–40  
 treatment, 840
- reconstructive and cosmetic surgery  
 benefits of, 842–3  
 deciding about, 841  
 emergency, 842  
 frequency of, 841  
 motivation for, 841, 842  
 outcome expectations for, 842  
 preoperative assessment of, 841  
 postoperative period, 842
- rehabilitation  
 cardiac, 646, 656–8  
 memory loss, 546  
 neuropsychological, 367, 547  
   goal setting for, 367  
   holistic approach, 367–8  
   as a partnership, 367  
   technology use in, 368  
   theoretical models for, 368–9
- relaxation, 389  
 clinical applications, 391–2  
 methods, 389–91  
 for pain control, 372  
 theories, 391
- religion, 182–3  
 health profession and, 185  
 and mental health, 184–5  
   anxiety, 184  
   depression, 184  
   suicide, 184  
 and physical health, 183–5  
   cancer, 183  
   cardiovascular disease, 183  
   disability, 183  
   hypertension, 183  
   mortality, 183
- renal failure  
 psychological problems with, 844–5  
 quality of life and, 844–5  
 treatment  
   coping, 845  
   dialysis, 844  
   transplantation, 844
- repetitive strain injury  
 forms of, 846  
 incidence, 846  
 phases of, 847  
 risk factors, 846  
 symptoms, 846  
 treatment and prevention, 848
- rheumatoid arthritis  
 causes, 850  
 coping with, 850–1  
 impact of, 850  
 psychological interventions, 851  
 symptoms, 850
- risk information communication  
 improving, 432–3  
   by facilitating risk-reducing behaviour,  
   433  
   with informed choice, 432–3  
   with reassurance, 433
- as probabilities, 431  
 evaluation of, 431–2  
 impact of, 431  
 understanding, 431
- risk perception  
 communication of, 189–90  
 health risk decisions and, 187–8  
 quantitative assessment of, 188–9  
   estimation of risk size, 188–9  
   event definitions in, 189  
   mental models of, 189  
 risk taking behaviour, 5, 6 (*see also* adolescence;  
 lifestyle: health compromising)
- schizophrenia, 93, 305, 686
- screening  
 adherence to, 491–3  
 antenatal  
   chromosomal, 855  
   informed choice and, 855–6  
   programmes, 856  
   structural, 855
- cancer  
 outcome, 859  
 promotion of, 858–9  
 technologies for, 858  
*See also specific cancer types*
- cardiac  
 adverse effects of, 863  
 approaches to, 863  
 outcomes of, 863  
 psychological reactions to, 861–2  
 risk perception and, 863
- genetic  
 at-risk populations  
   for disease and risk factors, 865  
   motivations for, 865–7  
   outcomes of, 867–8  
 prenatal, 865  
 vs. somatic, 865  
 offering of, 490–1  
 psychological consequences of,  
 493–4  
 purpose of, 490
- self-efficacy, 148–9, 191–2  
 biological effects of perceived coping,  
 192  
 medical prognosis and, 192–3  
*See also* control
- self-management interventions  
 approaches to, 394–5  
   disease-specific, 395  
   generic, 395  
 delivery of, 395  
 education and, 394  
 efficacy, 395–6  
 models of, 394  
 theory of, 393  
 uptake and attrition of, 395  
 variation in, 394
- seniors. *See* aging
- sexual assault and infections, 875  
 (*see also* sexually transmitted infections)

- sexual behaviour
  - contraceptive risk and, 195
  - debut, 5, 6, 194
  - education and,
  - emotional relationships and, 196
  - health and, 195
  - HIV/AIDS and, 5, 194, 195 (*see also* HIV/AIDS)
  - partner risk in, 195–6
  - pregnancy from, 194–5
  - psychological interventions for, 197
  - risk definition for, 194
  - risk myths and, 196–7
  - unprotected, 195
- sexual dysfunction, 672
  - biofeedback control and, 336–7
  - in men
    - erectile dysfunction, 645, 672, 872
    - risk factors, 872
    - treatment, 872–3
  - in women, 873
    - diagnosis and treatment, 873
    - prevalence, 873
    - risk factors for, 873
- sexually transmitted infections
  - incidence, 875
  - psychological
    - impact of, 875
    - interventions, 876
  - stress effects on recurrent infection, 875
  - symptoms, 875
- shiftwork
  - accidents from, 498
  - and cancer, 497
  - and cardiovascular disease, 497
  - fatigue from, 496–7
  - and gastrointestinal disorders, 497
  - mechanisms of health effects of, 496
  - prevalence, 496
  - and reproductive disorders, 497–8
  - tolerance, 498
- sickle cell disease
  - causes of, 877
  - coping with, 878
  - genetic counseling for, 878
  - genetic testing and screening for, 855, 877–8
  - incidence of, 877
  - pain management and, 878–9
- skin cancer
  - behaviour changes and, 611
  - causes, 610
  - early detection of, 611–12
  - forms, 610
  - incidence, 610
  - prevention, 608, 610–11
  - risk, 611
  - self-screening and, 611–12
- skin disorders
  - biofeedback control and, 336–7, 882
  - coping with, 881
  - management of, 881–2
  - psychological factors and, 880
  - stress as a contributing factor, 880–1
  - See also* eczema; psoriasis; skin cancer
- sleep
  - alcohol effects on, 201
  - apnoea
    - cause of, 883
    - consequences, 884–5
    - diagnosis, 884
    - incidence, 884
    - quality of life and, 885
    - risk factors, 884
    - symptoms of, 883, 884
    - treatments, 884
  - caffeine effects on, 201
  - circadian rhythms and, 200–1
    - effect of shift work on, 201
    - effect of transmeridian flight on, 201
  - deprivation, 200
  - disorders. *See* sleep disorders
  - effect of anxiety on, 199
  - effect of noise on, 139
  - in elderly, 22, 200, 201
  - nicotine effects on, 201
  - process, 198–200
  - requirements, 199
- sleep disorders
  - biofeedback control and, 336–7
  - dyssomnias, 887
  - incidence, 887
  - insomnia, 887
    - causes of, 888
    - diagnosis of, 887–8
    - predisposition for, 888
    - progression, 887
    - treatment, 888–9
  - parasomias, 887
  - symptoms of, 887
- smoking
  - adolescent, 5, 7–8
  - cardiovascular disease and, 645
  - cessation, 10, 78, 201, 910–11
  - as coping response, 217
  - effects of, 21, 124, 605, 632
  - hypertension and, 743
  - nicotine effects, 909
  - passive, 909
  - pregnancy and, 824–6
  - and socioeconomic status, 209, 210
  - See also* tobacco use
- social support
  - ageing and, 10–12, 22
  - assessment, 323–4
    - of enacted support, 321, 323
    - of perceived support, 321–3
    - of social integration/networks, 322, 323
  - chronic illness and, 46, 47, 386
  - chronic pain and, 51, 142
  - head and neck cancer and, 596
  - health and, 210
  - interventions
    - beneficiaries of, 398–9
    - effectiveness of, 399–400
    - individual, 400–1
    - rationale for, 397–8
    - support groups for, 398–400
  - for multiple sclerosis, 787–8
  - personality and, 322, 323
  - in pregnancy, 824
  - socioeconomic status, 207
    - and health, 207–8
    - causal explanations, 208–11
    - and IQ, 277
- spina bifida
  - characteristics of, 889
  - consequences of, 890
  - forms, 889
  - incidence, 890
  - long-term outcome, 891
  - quality of life for children with, 890
- spinal cord injury
  - causes, 892
  - consequences
    - physical, 892
    - psychological, 892–3
  - incidence, 892
  - intervention following, 894
  - quality of life, 893
  - rehabilitation for, 892
- sterilization and vasectomy
  - decisions about, 896
  - incidence, 895
  - psychological consequences of, 896
  - regret, 896–7
  - reversal, 895, 897
- stigma, 213–14
- stress, 215, 216, 326, 405–6
  - acculturative, 67–8
  - assessment
    - of stress appraisal, 327–8
    - of stress responses, 328–9
    - of stressors, 327
  - buffering effects of, 204
  - clinical implications of, 206
  - coping model, 394
  - coping with, 328 (*see also specific topics*)
  - disease progression and, 203
  - effect on health, 22, 167, 192, 210–11, 215–18, 386, 403, 404
  - emotional expression and, 84, 85
  - Epstein–Barr virus antibodies and, 705–6
  - in health professionals, 500–4
  - illness recovery and, 203–4
  - immune system impact, 36, 167–71, 584
  - intergeneration transmission of, 34
  - management, 403, 503–4
    - for critical incident exposure, 404–5
    - in health care settings, 404
    - in occupational settings, 404
  - measurement, 500–1
  - measurement of, 202–3
  - mechanisms for effects of, 204–5
  - mismanagement in the workplace, 482
  - mortality and, 199
  - occupational, 403–4 (*see also* health care professionals: burnout in)
  - personality and, 502–3

Cambridge University Press

978-0-521-60510-6 - Cambridge Handbook of Psychology, Health and Medicine, Second Edition

Edited by Susan Ayers, Andrew Baum, Chris McManus, Stanton Newman, Kenneth Wallston, John Weinman and Robert West

Index

[More information](#)

- physiological indices and, 204  
 physiological response to, 33, 329  
 recent developments, 203  
 recent developments in, 205  
 relation to burnout, 502  
 response  
   activation of, 34  
   allostasis and allostatic load, 33–4  
   cortisol and, 33  
   hypothalamic-pituitary-adrenal (HPA) axis  
     and, 33  
 socioeconomic status and, 210  
 from surgery  
   characteristics of, 506  
   cognitive responses and, 506  
   emotional responses and, 506  
   physiological responses and, 506–7  
   post-operative recovery and, 507–8  
   research implications for, 509  
   surgical preparation and, 508–9  
 theories of, 216–18  
 ulcers and, 715–16  
 working conditions and, 502–3  
*See also* post-traumatic stress disorder; *specific diseases*
- stroke  
   as cause of disability, 898  
   causes of, 897  
   depression and,  
   incidence, 897  
   psychological consequences of  
     anxiety, 898  
     cognitive impairment, 898  
     depression, 385, 898  
     emotions, 898  
     to families, 898–9  
   treatment and recovery, 899–900
- stuttering  
   development, 901–2  
   diagnosis, 901  
   psychological aspects of, 902–3  
   recovery from, 901  
   treatment, 902
- substance abuse. *See* alcoholism; drug  
   dependency; smoking; tobacco use; volatile  
   substance abuse
- suicide, 134  
   attempted, 904  
   classification, 904  
   epidemiology, 904  
   neurophysiology of, 904  
   prediction of, 905  
   prevention, 905  
   as psychiatric disorder, 904–5  
   religion and, 184
- surgery. *See specific topic*
- symptoms  
   interpreting, 221  
   influence of emotions on, 222  
   perception of, 219–21  
   influence of emotions on, 221  
   reporting of, 219  
   influence of emotions on, 221
- testicular cancer  
   incidence, 870  
   self-examination and, 870–1
- Theory of Planned Behaviour (TPB), 226  
   advantages of, 223  
   as a causal model, 225  
   as a deliberative processing model, 225  
   extensions of, 225–6  
   external variables in, 226  
   intervention studies, 226–7  
   meta-analyses of, 226  
   perceived behavioural control, 224  
   performance, 225  
   personal intentions and, 223–4  
   uses of, 77, 158, 223, 225, 376
- Theory of Reasoned Action (TRA), 77, 158
- tinnitus  
   biofeedback control and, 336–7  
   effects on patient, 906–7  
   hearing loss and, 906  
   incidence, 906  
   management, 907  
   psychosocial, 907  
   surgical and pharmacological, 907  
   mechanism of, 906  
   symptoms, 906  
   *See also* deafness and hearing loss
- tobacco use  
   detrimental health effects of, 908  
     cancer, 908  
     during pregnancy, 908  
     reasons for, 909  
   incidence, 909  
   mortality rate from, 908  
   nicotine effects, 909  
   reasons for, 909–10  
   stopping, 909, 911  
   *See also* smoking
- toxins, environmental  
   clinical implications of, 914  
   environmental epidemiology and, 912  
   home environment and, 913  
   malodours, 914  
   organs affected by, 912  
   psychological impact of, 913–14  
     inorganic lead, 913  
     methylmercury, 913  
     polychlorinated biphenyls (PCBs), 913–14
- transplantation, organ  
   complications, 916, 917  
   organ shortage for, 915  
   organ sources for, 915  
   psychological effects of, 915  
   psychological response to, 915  
   quality of life after, 915, 916  
   survival rates, 915  
   target organs for, 915
- Transtheoretical Model (TTM) of Behaviour  
   Change  
   measures with, 228–9  
   and physical activity, 158, 376–7  
   research designs in, 229–30  
   self-management and, 394
- stages of change in, 228  
 staging algorithm for smoking, 229
- Type A behaviour  
   personality traits and, 154  
   relation to hostility. *See* hostility and Type A  
   behaviour  
   *See also* coronary artery disease
- ulcers, gastric and duodenal  
   causes of, 714–15  
   stress from, 714–16  
   symptoms, 714
- unemployment  
   impact on biological and behavioural risk  
     factors, 234–5  
   impact on mental health and well-being,  
     235  
   impact on mortality and morbidity, 233–4  
   impact of suboptimal employment, 210,  
     235–6
- upper digestive tract cancer, 581  
   survival rate, 581  
   symptoms, 581  
   treatment, 581
- upper respiratory tract infections (URI). *See* cold,  
   common
- urinary tract disorders  
   causes, 919–20  
   fear of prostate cancer and, 920  
   help-seeking for  
   incidence, 919, 920  
   quality of life and  
   self-management, 920–1  
   surgery for  
   symptoms, 919  
   treatment, 920–1  
   *See also* prostate cancer
- vertigo. *See* dizziness
- vision disorders  
   eye movement, 924–5  
     nystagmus, 925  
     squint, 924–5  
   incidence, 924  
   low vision as, 924  
   loss  
     psychological response to, 924  
   permanent impairment, 924  
   *See also* blindness and visual disability
- voice disorders  
   classification of, 926  
   diagnosis of, 926, 927  
   dysphonia, 926  
   incidence, 926  
   management of, 926–7  
   treatment, 927
- volatile substance abuse  
   children and, 927  
   death from, 928, 929  
   drug action, 928  
   incidence, 927  
   laws regarding, 928  
   risk from, 928



Index

vomiting and nausea	wife battering. <i>See</i> domestic violence	health promotion, 408
assessment,	women's health, 92–3	adoption of, 409–10
cancer treatment and, 587, 599, 600, 930	mental, 93, 95–6	impact and effectiveness, 408, 409
clinical significance of, 929	biological basis for, 93	implementation, 410
intervention, 930–1	material-discursive-intrapsychic	improvement of, 410–12
measurement of, 929–30	analysis of, 94–5	maintenance, 410
mechanism for, 929	psycho-social factors, 93–4	participation in, 408–9
psychological factors in, 930	social constructionist view, 94	World Health Organization (WHO) disability
von Willebrand's disease, 718	worksite	model, 81
( <i>see also</i> haemophilia)	interventions, 408	