

Contents

| | | |
|---------------|--|-----------|
| | <i>List of figures</i> | page xiii |
| | <i>List of tables</i> | xviii |
| | <i>Preface</i> | xxiii |
| Part I | Basic topics | |
| 1 | In the beginning | 3 |
| 2 | Basic notions of statistics | 8 |
| | 2.1 Introduction | 8 |
| | 2.2 Data | 8 |
| | 2.2.1 The importance of understanding data | 10 |
| | 2.3 A note on mathematical notation | 10 |
| | 2.3.1 Summation | 11 |
| | 2.3.2 Product | 12 |
| | 2.4 Probability | 12 |
| | 2.4.1 Relative frequencies | 13 |
| | 2.4.2 Defining random variables | 14 |
| | 2.4.3 Probability distribution functions | 14 |
| | 2.4.4 Cumulative distribution functions | 16 |
| | 2.4.5 Multivariate probability density functions | 17 |
| | 2.4.6 The multivariate probability function | 18 |
| | 2.4.7 Marginal probability density functions | 21 |
| | 2.4.8 Conditional probability density functions | 21 |
| | 2.4.9 Defining statistical independence | 23 |
| | 2.5 Properties of random variables | 23 |
| | 2.5.1 Expected value | 25 |
| | 2.5.1.1 Properties of expected values | 26 |
| | 2.5.2 Variance | 28 |
| | 2.5.2.1 Properties of variance | 28 |

▼

| | | |
|-----------|---|----|
| vi | Contents | |
| | 2.5.3 Covariance | 30 |
| | 2.5.3.1 Properties of covariance | 31 |
| | 2.5.4 The variance–covariance matrix | 32 |
| | 2.5.5 Correlation | 33 |
| | 2.5.5.1 Properties of the correlation coefficient | 34 |
| | 2.5.6 Correlation and variances | 36 |
| | 2.6 Sample population statistics | 36 |
| | 2.6.1 The sample mean | 36 |
| | 2.6.2 The sample variance | 38 |
| | 2.6.3 The sample covariance | 38 |
| | 2.6.4 The sample correlation coefficient | 39 |
| | 2.7 Sampling error and sampling distributions | 39 |
| | 2.8 Hypothesis testing | 41 |
| | 2.8.1 Defining the null and alternative hypotheses | 42 |
| | 2.8.2 Selecting the test-statistic | 44 |
| | 2.8.3 Significance of the test and alpha | 45 |
| | 2.8.4 Performing the test | 51 |
| | 2.8.5 Example hypothesis test: the one sample <i>t</i> -test | 51 |
| | 2.9 Matrix algebra | 52 |
| | 2.9.1 Transposition | 53 |
| | 2.9.2 Matrix addition and subtraction | 53 |
| | 2.9.3 Matrix multiplication by a scalar | 54 |
| | 2.9.4 Matrix multiplication | 54 |
| | 2.9.5 Determinants of matrices | 55 |
| | 2.9.6 The identity matrix | 56 |
| | 2.9.7 The inverse of a matrix | 57 |
| | 2.9.8 Linear and quadratic forms | 58 |
| | 2.9.9 Positive definite and negative definite matrices | 59 |
| | 2.10 Conclusion | 59 |
| | Appendix 2A Measures of correlation or similarity | 59 |
| 3 | Choosing | 62 |
| | 3.1 Introduction | 62 |
| | 3.2 Individuals have preferences, and they count | 63 |
| | 3.3 Using knowledge of preferences and constraints in choice analysis | 71 |
| | 3.4 Setting up a behavioral choice rule | 74 |
| | 3.5 Deriving a basic choice model | 82 |
| | 3.6 Concluding overview | 86 |
| 4 | Paradigms of choice data | 88 |
| | 4.1 Introduction | 88 |
| | 4.2 Data consistent with choice | 89 |
| | 4.3 Revealed preference data | 92 |
| | 4.3.1 Choice-based sampling | 95 |

| | | |
|----------|---|------------|
| 4.4 | Stated preference (or stated choice) data | 96 |
| 4.5 | Further comparisons | 97 |
| 4.6 | Why not use both RP and SP data? | 98 |
| 4.7 | Socio-demographic characteristic data | 98 |
| 5 | Processes in setting up stated choice experiments | 100 |
| 5.1 | Introduction | 100 |
| 5.2 | What is an experimental design? | 100 |
| 5.2.1 | Stage 1: Problem definition refinement | 103 |
| 5.2.2 | Stage 2: Stimuli refinement | 104 |
| 5.2.2.1 | Refining the list of alternatives | 104 |
| 5.2.2.2 | Refining the list of attributes and attribute levels | 105 |
| 5.2.3 | Stage 3: Experimental design considerations | 109 |
| 5.2.3.1 | Labeled versus unlabeled experiments | 112 |
| 5.2.3.2 | Reducing the number of levels | 114 |
| 5.2.3.3 | Reducing the size of experimental designs | 115 |
| 5.2.3.4 | Dummy and effects coding | 119 |
| 5.2.3.5 | Calculating the degrees of freedom required | 122 |
| 5.2.3.6 | Blocking the design | 126 |
| 5.2.4 | Stage 4: Generating experimental designs | 127 |
| 5.2.4.1 | Assigning an attribute as a blocking variable | 130 |
| 5.2.5 | Stage 5: Allocating attributes to design columns | 131 |
| 5.3 | A note on unlabeled experimental designs | 150 |
| 5.4 | Optimal designs | 152 |
| | Appendix 5A Designing nested attributes | 154 |
| | Appendix 5B Assignment of quantitative attribute-level labels | 156 |
| 6 | Choices in data collection | 161 |
| 6.1 | Introduction | 161 |
| 6.2 | General survey instrument construction | 161 |
| 6.3 | Questionnaires for choice data | 166 |
| 6.3.1 | Stage 6: Generation of choice sets | 166 |
| 6.3.2 | Stage 7: Randomizing choice sets | 170 |
| 6.3.3 | Stage 8: Survey construction | 172 |
| 6.3.3.1 | Choice context | 173 |
| 6.3.3.2 | Use an example | 174 |
| 6.3.3.3 | Independence of choice sets | 174 |
| 6.3.3.4 | More than one choice | 175 |
| 6.3.3.5 | The no-choice or delay-choice alternative | 176 |
| 6.4 | Revealed preferences in questionnaires | 177 |
| 6.5 | Studies involving both RP and SP data | 177 |
| 6.6 | Using RP data in SP experiments: the “current alternative” | 178 |
| 6.7 | Sampling for choice data: the theory | 184 |
| 6.7.1 | Simple random samples | 185 |

| | | |
|-------------|--|-----|
| viii | Contents | |
| | 6.7.2 Stratified random sampling | 190 |
| | 6.7.3 Conclusion to the theory of calculating sample sizes | 192 |
| | 6.8 Sampling for choice data: the reality | 193 |
| 7 | NLOGIT for applied choice analysis: a primer | 197 |
| | 7.1 Introduction | 197 |
| | 7.2 About the software | 197 |
| | 7.2.1 About NLOGIT | 197 |
| | 7.2.2 About NLOGIT/ACA | 198 |
| | 7.2.3 Installing NLOGIT/ACA | 198 |
| | 7.3 Starting NLOGIT/ACA and exiting after a session | 198 |
| | 7.3.1 Starting the program | 198 |
| | 7.3.2 Inputting the data | 198 |
| | 7.3.3 Reading data | 200 |
| | 7.3.4 The project file | 200 |
| | 7.3.5 Leaving your session | 201 |
| | 7.4 Using NLOGIT | 201 |
| | 7.5 How to get NLOGIT to do what you want | 202 |
| | 7.5.1 Using the Text Editor | 202 |
| | 7.5.2 Command format | 204 |
| | 7.5.3 Commands | 205 |
| | 7.5.4 Using the Project File Box | 206 |
| | 7.6 Useful hints and tips | 206 |
| | 7.6.1 Limitations in NLOGIT (and NLOGIT/ACA) | 207 |
| | 7.7 NLOGIT software | 207 |
| | 7.7.1 Support | 208 |
| | 7.7.2 The program installed on your computer | 208 |
| | 7.7.3 Using NLOGIT/ACA in the remainder of the book | 208 |
| | Appendix 7A Diagnostic and error messages | 208 |
| 8 | Handling choice data | 218 |
| | 8.1 Introduction | 218 |
| | 8.2 The basic data setup | 219 |
| | 8.2.1 Entering multiple data sets: stacking and melding | 222 |
| | 8.2.2 Handling data on the non-chosen alternative in RP data | 222 |
| | 8.2.3 Combining sources of data | 224 |
| | 8.2.4 Weighting on an exogenous variable | 226 |
| | 8.2.5 Handling rejection: the “no option” | 227 |
| | 8.3 Entering data into NLOGIT | 230 |
| | 8.3.1 Entering data directly into NLOGIT | 230 |
| | 8.3.2 Importing data into NLOGIT | 232 |
| | 8.3.2.1 The Text/Document Editor | 232 |
| | 8.3.3 Reading data into NLOGIT | 232 |
| | 8.3.4 Writing data into NLOGIT | 235 |
| | 8.3.5 Saving data sets | 235 |

| | |
|--|------------|
| 8.3.6 Loading data into NLOGIT | 236 |
| 8.3.6.1 Changing the maximum default size of the Data Editor | 236 |
| 8.4 Data entered into a single line | 237 |
| 8.5 Data cleaning | 241 |
| 8.5.1 Testing for multicollinearity using NLOGIT | 246 |
| Appendix 8A Design effects coding | 248 |
| Appendix 8B Converting single-line data commands | 250 |
| 9 Case study: mode-choice data | 254 |
| 9.1 Introduction | 254 |
| 9.2 Study objectives | 254 |
| 9.3 The pilot study | 256 |
| 9.3.1 Pilot sample collection | 263 |
| 9.3.1.1 Interviewer briefing | 263 |
| 9.3.1.2 Interviewing | 264 |
| 9.3.1.3 Analysis of contacts | 264 |
| 9.3.1.4 Interviewer debriefing | 265 |
| 9.4 The main survey | 265 |
| 9.4.1 The mode-choice experiment | 267 |
| 9.4.1.1 Detailed description of attributes | 274 |
| 9.4.1.2 Using the showcards | 276 |
| 9.4.2 RP data | 276 |
| 9.4.3 The household questionnaire | 277 |
| 9.4.4 The commuter questionnaire | 277 |
| 9.4.5 The sample | 278 |
| 9.4.5.1 Screening respondents | 282 |
| 9.4.5.2 Interviewer briefing | 283 |
| 9.4.5.3 Interviewing | 283 |
| 9.4.5.4 Analysis of total contacts | 283 |
| 9.4.5.5 Questionnaire check edit | 284 |
| 9.4.5.6 Coding and check edit | 284 |
| 9.4.5.7 Data entry | 286 |
| 9.4.5.8 SPSS setup | 286 |
| 9.5 The case study data | 286 |
| 9.5.1 Formatting data in NLOGIT | 289 |
| 9.5.2 Getting to know and cleaning the data | 292 |
| Appendix 9A The contextual statement associated with the travel choice experiment | 296 |
| Appendix 9B Mode-choice case study data dictionary | 298 |
| Appendix 9C Mode-choice case study variable labels | 302 |
| 10 Getting started modeling: the basic MNL model | 308 |
| 10.1 Introduction | 308 |
| 10.2 Modeling choice in NLOGIT: the MNL command | 308 |

| | | |
|-----------|---|-----|
| x | Contents | |
| | 10.3 Interpreting the MNL model output | 316 |
| | 10.3.1 Maximum likelihood estimation | 317 |
| | 10.3.2 Determining the sample size and weighting criteria used | 323 |
| | 10.3.3 Interpreting the number of iterations to model convergence | 324 |
| | 10.3.4 Determining overall model significance | 326 |
| | 10.3.5 Comparing two models | 335 |
| | 10.3.6 Determining model fit: the pseudo- R^2 | 337 |
| | 10.3.7 Type of response and bad data | 339 |
| | 10.3.8 Obtaining estimates of the indirect utility functions | 339 |
| | 10.3.8.1 Matrix: LastDsta/LastOutput | 343 |
| | 10.4 Interpreting parameters for effects and dummy coded variables | 344 |
| | 10.5 Handling interactions in choice models | 352 |
| | 10.6 Measures of willingness to pay | 357 |
| | 10.7 Obtaining choice probabilities for the sample | 360 |
| | 10.8 Obtaining the utility estimates for the sample | 366 |
| | Appendix 10A Handling unlabelled experiments | 371 |
| 11 | Getting more from your model | 374 |
| | 11.1 Introduction | 374 |
| | 11.2 Adding to our understanding of the data | 375 |
| | 11.2.1 Show | 375 |
| | 11.2.2 Descriptives | 378 |
| | 11.2.3 Crosstab | 381 |
| | 11.3 Adding to our understanding of the model parameters | 383 |
| | 11.3.1 ;Effects: elasticities | 384 |
| | 11.3.2 Calculating arc elasticities | 392 |
| | 11.3.3 ;Effects: marginal effects | 393 |
| | 11.4 Simulation | 399 |
| | 11.4.1 Marginal effects for categorical coded variables | 407 |
| | 11.4.2 Reporting marginal effects | 411 |
| | 11.5 Weighting | 413 |
| | 11.5.1 Endogenous weighting | 413 |
| | 11.5.2 Weighting on an exogenous variable | 418 |
| | 11.6 Calibrating the alternative-specific constants of choice models estimated on SP data | 420 |
| | 11.6.1 Example (1) (the market shares of all alternatives are known <i>a priori</i>) | 423 |
| | 11.6.2 Example (2) (the market shares for some alternatives are unknown) | 424 |
| | Appendix 11A Calculating arc elasticities | 426 |
| 12 | Practical issues in the application of choice models | 437 |
| | 12.1 Introduction | 437 |
| | 12.2 Calibration of a choice model for base and forecast years | 438 |
| | 12.3 Designing a population data base: synthetic observations | 439 |

| | | |
|--------------------------------|--|-----|
| 12.4 | The concept of synthetic households | 440 |
| 12.4.1 | Synthetic households' generation framework | 441 |
| 12.5 | The population profiler | 443 |
| 12.5.1 | The synthetic household specification | 444 |
| 12.6 | The sample profiler | 448 |
| 12.7 | Establishing attribute levels associated with choice alternatives in the base year and in a forecast year | 451 |
| 12.8 | Bringing the components together in the application phase | 452 |
| 12.9 | Developing a decision support system | 453 |
| 12.9.1 | Using the data sample averages in creating the DSS | 455 |
| 12.9.2 | Using the choice data in creating the DSS | 461 |
| 12.9.3 | Improving the look of the DSS | 472 |
| 12.9.4 | Using the DSS | 475 |
| 12.10 | Conclusion | 475 |
| | | |
| Part II Advanced topics | | |
| | | |
| 13 | Allowing for similarity of alternatives | 479 |
| 13.1 | Introduction | 479 |
| 13.2 | Moving away from IID between all alternatives | 481 |
| 13.3 | Setting out the key relationships for establishing a nested logit model | 482 |
| 13.4 | The importance of a behaviorally meaningful linkage mechanism between the branches on a nested structure | 486 |
| 13.5 | The scale parameter | 487 |
| 13.6 | Bounded range for the IV parameter | 490 |
| 13.7 | Searching for the "best" tree structure | 494 |
| | Appendix 13A Technical details of the nested logit model | 495 |
| | | |
| 14 | Nested logit estimation | 518 |
| 14.1 | Introduction | 518 |
| 14.2 | The Hausman-test of the IIA assumption | 519 |
| 14.3 | The nested logit model commands | 530 |
| 14.3.1 | Normalizing and constraining IV parameters | 534 |
| 14.3.2 | RU1 and RU2 | 538 |
| 14.3.3 | Specifying start values for the NL model | 538 |
| 14.3.4 | A quick review of the NL model | 539 |
| 14.4 | Estimating an NL model and interpreting the output | 541 |
| 14.4.1 | Estimating the probabilities of a two-level NL model | 549 |
| 14.4.2 | Comparing RU1 to RU2 | 556 |
| 14.5 | Specifying utility functions at higher levels of the NL tree | 564 |
| 14.6 | Handling degenerate branches in NL models | 570 |
| 14.7 | Three-level NL models | 574 |
| 14.8 | Searching for the best NL tree structure: the degenerate nested logit | 577 |
| 14.9 | Combining sources of data: SP-RP | 580 |

| | | |
|------------|---|-----|
| xii | Contents | |
| | 14.10 Additional commands | 592 |
| | Appendix 14A The Hausman-test of the IIA assumption for models with alternative-specific parameter estimates | 595 |
| | Appendix 14B Three-level NL model system of equations | 601 |
| 15 | The mixed logit model | 605 |
| | 15.1 Introduction | 605 |
| | 15.2 Mixed logit choice models | 606 |
| | 15.3 Conditional distribution for sub-populations with common choices | 610 |
| | 15.4 Model specification issues | 611 |
| | 15.4.1 Selecting the random parameters | 611 |
| | 15.4.2 Selecting the distribution of the random parameters | 612 |
| | 15.4.3 Imposing constraints on a distribution | 614 |
| | 15.4.4 Selecting the number of points for the simulations | 614 |
| | 15.4.5 Preference heterogeneity around the mean of a random parameter | 617 |
| | 15.4.6 Accounting for observations drawn from the same individual correlated choice situations | 617 |
| | 15.4.7 Accounting for correlation between parameters | 619 |
| | 15.5 Willingness-to-pay challenges | 620 |
| | 15.6 Conclusions | 621 |
| 16 | Mixed logit estimation | 623 |
| | 16.1 Introduction | 623 |
| | 16.2 The mixed logit model basic commands | 623 |
| | 16.3 NLOGIT output: interpreting the mixed logit model | 627 |
| | 16.4 How can we use random parameter estimates? | 635 |
| | 16.4.1 A note on using the lognormal distribution | 641 |
| | 16.5 Imposing constraints on a distribution | 645 |
| | 16.6 Revealing preference heterogeneity around the mean of a random parameter | 650 |
| | 16.6.1 Using the non-stochastic distribution | 656 |
| | 16.6.2 Handling insignificant heterogeneity around the mean parameter estimates | 661 |
| | 16.7 Correlated parameters | 667 |
| | 16.8 Common-choice-specific parameter estimates: conditional parameters | 679 |
| | 16.9 Presenting the distributional outputs graphically using a kernel density estimator | 684 |
| | 16.10 Willingness-to-pay issues and the mixed logit model | 686 |
| | <i>Glossary</i> | 695 |
| | <i>References</i> | 710 |
| | <i>Index</i> | 714 |