

Index

- abscission, leaf 349, 353, 353–354, 355, 356, 360 *see also* herbivory, impact on growth
- adaptations
 - light capture 35, 36–44 *see also* light
 - water stress *see* water-stress adaptations
- Africa
 - logging studies 533–540
 - rainforest study *see* mutualistic interactions
- Akaike's Information Criterion (AIC) 94
- alien/native species coexistence, Puerto Rico
 - disturbance assessment 487, 492
 - diversity 484, 486, 491, 493
 - dry/moist/wet forests 500–502
 - endemic extinction due to invasion debate 484–486
 - forces of change 492–493
 - forest inventories 487, 493, 498–509
 - habitat/ecosystem approach 486–487
 - habitat modification by aliens 493
 - human domination 484, 493
 - implications, general 493–494
 - implications, management 484, 487, 492, 493
 - individual species/forest types 489, 490, 491, 504
 - karst forests 502–506
 - lower and upper montane wet forests 502
 - methodology, Appendix 20.1 498–500
 - results, Appendix 20.2 500–509
 - shade-coffee forest 506
 - site description 487–489
 - species composition/dominance, spatial/temporal patterns 489–490, 509
 - urban forest 507
 - value-laden eradication approaches 486, 494 *see also* invasions (woody plant)
- Allee effects 258, 259
- allelochemicals 9–10
- animal–plant interactions
 - ant–plant associations, SE Brazil 414, 415 *see also* *Attalea maripa* study; biodiversity; herbivory; mutualistic interactions; *Piper* ant–shrub system experiments; spatial distribution; trophic cascades
- animal seed dispersal *see* seed dispersal; seed removal
- ant–hemipteran systems, Mogi-Guaçu cerrado savanna, SE Brazil
 - ant behaviour and herbivore deterrence 429
 - ant–hemipteran associations 415, 417–421, 428–429, 433
 - ant–plant associations 414, 415
 - ant/treehopper (*Guayaquila xiphias*) system 416, 417–418
 - benefit to treehoppers 419, 420, 418–420
 - enhancement through treehopper behaviour 420–421
 - and host-plant (*Didymopanax vinosum*) damage by herbivores 421–422, 424
 - host-plant effects from honeydew-gathering ants 429–431
 - impact on associated herbivores 423, 424, 424, 427, 428
 - impact on plant fitness 415
 - interaction biodiversity conservation 433–434
 - multispecies systems 431–433
 - mutualisms 415
 - system cost-benefits 415
 - top-down/bottom-up systems 433
 - trophobionts 390–392 *see also* biodiversity; mutualistic interactions; *Piper* ant–shrub system experiments
- ant–plant
 - herbivore communities *see* communities
 - protection 388–390, 415
- arbuscular mycorrhizal associations (AM) 166, 182
 - Barro Colorado Island study *see below*
 - functional diversity 181–182
 - herbivory 178
 - and interspecific competition, host species 191
 - mineral soil exploitation 190–191
 - mycorrhizal species heterogeneity 179–180
 - nitrogen uptake 169
 - phosphorus uptake 168
 - response to mycorrhizal infection 170
 - water relations 176–177 *see also* mycorrhizal associations
- arbuscular mycorrhizal fungi (AMF), Barro Colorado Island, Panama
 - community impact 204–206
 - ecological equivalence 206, 218
 - future research 220
 - host comparisons 214, 213–214
 - impact on host growth, testing 209
 - interactive effects 217, 215–217
 - molecular sampling 208–209
 - morphological spore-based sampling 207–208
 - seasonal variations 214, 214–215
 - seedling colonization, spore/hyphae comparisons 219–220

Cambridge University Press

0521609852 - Biotic Interactions in the Tropics: Their Role in the Maintenance of Species Diversity

Edited by David F. R. P. Burslem, Michelle A. Pinard and Sue E. Hartley

Index

[More information](#)

554 INDEX

- arbuscular mycorrhizal fungi (*cont.*)
 - site comparisons 212, 211–213
 - spore/root species comparisons 218–219
 - successional studies 215, 216
 - tropical-temperate diversity 210, 209–211
 - see also above*; mycorrhizal associations
- architecture
 - allometry, seedling 69–70
 - tree 40–41, 42, 57
- ascomycetes 226–227 *see also* foliar endophytic fungi
- Asia, logging studies 532, 539
- Attalea maripa* study, Costa Rica
 - herbivore trophic level, *Tapirus terrestris* 312–313
 - interaction patterning 321–325
 - linear dynamics 322
 - non-linear dynamics 322
 - omnivores/herbivores 313–315
 - other models 323–324
 - patch-development phases 316, 315–321
 - phase 1 315–317
 - phase 2 317–318
 - phase 3 318–319
 - phase 4 319–320
 - phase 5 320–321
 - predator trophic level one 313
 - producer trophic level 311–312
 - system description 311
 - trophic cascades 310, 324
- Australia, logging studies 533, 540
- bacterial mutualisms 392
- ballistic/explosive seed dispersal 271
- Barro Colorado Island studies *see* arbuscular mycorrhizal fungi (AMF); foliar endophytic fungi; life-history trade-offs; neighbourhood effects; seed dispersal
- Bateman's (resource availability) principle 241
- bats, seed dispersal 271, 272, 277
- bedrock models 122, 122–123, 125
- biocontrol agents 465, 473–476 *see also* disease/plant-pest pressure theory; enemy-release hypothesis; invasions
- biodiversity
 - animal, *Piper* ant-shrub system experiments 373, 374, 372–375
 - conservation 433–434
 - and forest dynamics, India 522
 - and herbivory *see* herbivory, impact on diversity
 - Hubbell's unified theory of biodiversity and biogeography 109
 - and invading species 484, 486, 491, 493
 - and invasions (woody plant) 462
 - and logging 537
 - maintenance mechanism 141–142, 143, 149, 155, 159
 - and mutualistic interactions 404–405
 - and mycorrhizal fungi 166, 170–171, 180, 210, 209–211
 - plant, *Piper* ant-shrub system experiments 378, 375–379
 - and plant disease 149–152
 - processes, Costa Rica *see below*
 - and trophic cascades 369, 380
 - see also* dominance; species composition; succession
- biodiversity processes, tropical wet forest, Costa Rica
 - 366–367, 380
 - animal experiments 373, 374, 372–375
 - and biotic interactions 366–367, 376, 380
 - changes 366, 367, 380
 - and conservation 366, 380
 - measuring factors 367
 - plant experiments 378, 375–379 *see also* herbivory
 - predators, direct/indirect effects 369
 - and trophic cascades 369, 380
 - see also* ant-hemipteran systems; *Piper* ant-shrub system experiments; trophic cascades
- biogeochemical interactions *see* resource acquisition
- birds, seed dispersal 268, 271, 276–277
- Bolivia study *see* resource capture
- bottom-up (resource based) processes *see* top-down/bottom-up processes
- Brazil study *see* ant-hemipteran systems, Mogi-Guaçu cerrado savanna, SE Brazil
- cankers, wilts, diebacks 146, 150–151 *see also* disease
- canopy disturbance 534
- carbon
 - balance approach 37–38 *see also* resource capture
 - carbon transfer, and mycorrhizal associations 192
- coevolution
 - dynamics *see* mutualistic interactions
 - seed dispersal 274
- coexistence, alien/native species *see* alien/native species coexistence
- coffee-shade forest, Puerto Rico 506
- commonality/rarity 53–54
- communities
 - ant-plant-herbivore *see below*
 - changing 20, 19–21
 - coexistence *see* alien/native species coexistence
 - composition *see* species composition
 - impact of arbuscular mycorrhizal fungi 204–206
 - initiation, maintenance, degradation *see Attalea maripa* study
 - managing *see* timber management;
 - trees, response to logging *see* tree communities
 - see also* neighbourhood effects
- communities, ant-plant-herbivore 386, 387–395
 - ant-hemipteran trophobionts 390–392 *see also* ant-hemipteran systems
 - ant-plant opportunistic interactions 393
 - ant-plant protection 388–390
 - bacterial mutualisms 392
 - and food webs 394–395 *see also* herbivory, impact on growth
 - mutualism 387–388
 - top-down/bottom-up processes 387 *see also Piper* ant-shrub system experiments
 - trophic cascades 387
- compensatory productivity 10–12
- competition
 - apparent 338 *see also* biodiversity processes
 - chemical 337
 - /colonization trade-off (CC) 126, 127
 - interspecific, mycorrhizal host species 191–192

- overtopping 336–337
- pre-emptive 334–336
- resources 53–56
- competitive ability
 - evolution-of-increased-competitive-ability hypothesis (EICA) 463, 472–473
 - /resistance trade-off 330, 334, 338 *see also* herbivory
- competitive dominance 10–12
- competitive equivalence 66–67 *see also* life-history trade-offs
- competitive-exclusion hypotheses 328–329, 333–338, 339
- complementarity 4, 10–12, 13, 15, 27 *see also* plant-plant interactions
- conservation
 - ant-hemipteran systems 433–434
 - Costa Rica 366
 - cumulative effect of small perturbations 380
 - and seed dispersal 297–299
- continuous bedrock model 125
- continuous cyclic-succession model 124–125
- continuous lottery model 125
- Costa Rica
 - tropical invasion experiment 467–468
 - see also* *Attalea maripa* study; biodiversity; *Piper* ant-shrub system experiments; plant-plant interactions; trophic cascades
- crop-growth facilitation 26
- cyclic-succession model 117, 119, 116–120, 122
- Danum Valley Conservation Area *see* herbivory, impact on growth
- Darwin, Charles, naturalization hypothesis 470
- deciduousness, changes 15, 17, 17
- detritus
 - capture/recycling 8
 - fall 5
 - see also* plant-plant interactions
- Didymopanax vinosum*, damage by herbivores 421–422, 424
 - see also* ant-hemipteran systems
- Dipterocarpaceae study *see* herbivory, impact on growth
- disease, plant/pest pressure theory 141–142
- cankers, wilts, diebacks 146, 150–151
- comparative studies 144–149
- density dependent mortality/disease 142–144
- diversity, maintenance mechanism 141–142, 143, 149, 155, 159
- dominant plant species, effects of disease 155–156
- endophytic/epifoliar fungi 148–149
- environmental heterogeneity 156–157
- and evolution 158–159
- flower/fruit disease 147, 151–152
- foliar disease 145, 150
- host specificity 154, 152–155
- impact on biodiversity 149–152
- Janzen–Connell hypothesis 141, 142–144
- latitudinal gradient 157, 158
- obligate biotrophs 147
- powdery mildews 147
- rusts 147
- seed/seedling disease 145–146, 150
- smuts 147
- time, changes through 157–159
- ubiquity (of plant disease) 144, 145, 149, 159
- variability, space/time 156–157
- wood-decay fungi 146–147, 151
- disease resistance, and mycorrhizal associations 175–176
- dispersal *see* seed dispersal
- distribution of species *see* spatial distribution; species distribution
- disturbance
 - canopy 534
 - ecological resilience 543
 - elephants 517–519, 534
 - forest-response variability 542–544
 - intermediate-disturbance hypothesis 90
 - matching to species requirements 543–544
 - soil 533–534
 - thresholds 543
 - timber management 530
 - tolerance 23
 - see also* alien/native species coexistence; fires; forest dynamics; habitat fragmentation; invasions
- diversity, functional
 - arbuscular mycorrhizal 181–182
 - ectomycorrhizal 182–185
 - mycorrhizal associations 184, 180–184, 185, 186
- diversity, species *see* biodiversity
- dominance
 - competitive 10–12
 - and logging 541–542
 - spatial/temporal patterns, Puerto Rico site 489–490, 502, 505, 506, 508, 509
 - see also* biodiversity; species composition; succession
- drought tolerance 35–36, 52–53, 57 *see also* water-stress adaptations
- dry forests
 - India *see* forest dynamics
 - Puerto Rico 500–502
- dynamics, forest *see* forest dynamics
- ecological drift *see* niche-structured communities; neutral communities
- ecological equivalence
 - arbuscular mycorrhizal fungi 206, 218
 - neighbourhood-effects hypothesis 90, 91–92, 99, 100, 101, 102
 - species-equivalence issues 131, 129–132
- ecological resilience 543
- ectomycorrhizal associations (EM) 166, 189
 - distribution of host species 185–190, 191
 - functional diversity 182–185
 - and interspecific competition, host species 191–192
 - litter decomposition 190
 - mycorrhizal species heterogeneity 179
 - nitrogen limitation 188–190
 - nitrogen uptake 169–170
 - phosphorus uptake 168
 - response to mycorrhizal infection 170–171
 - surface-soil exploitation 190–191
 - water relations 177
 - see also* mycorrhizal associations
- edge effects 442, 442–443, 450 *see also* habitat fragmentation

Cambridge University Press

0521609852 - Biotic Interactions in the Tropics: Their Role in the Maintenance of Species Diversity

Edited by David F. R. P. Burslem, Michelle A. Pinard and Sue E. Hartley

Index

[More information](#)

556 INDEX

- elephants, disturbance by 517–519, 534
- endemic/alien species coexistence *see* alien/native species coexistence
- endophytic/epifoliar fungi *see* foliar endophytic fungi; *see also* disease, plant
- enemies
 - effects of natural *see* disease/plant-pest pressure theory; invasions (woody plant)
 - hypothesis 89–90, 91 *see also* Janzen–Connell hypothesis; neighbourhood effects
- enemy-release hypothesis (ERH) 463, 464–471
 - biocontrol agents 465, 473–476
 - enemy abundance 464–466
 - experiment duration 466, 471
 - herbivory, role 463, 464
 - interspecific studies 465, 466
 - intraspecific studies 466–467, 471
 - and Janzen–Connell hypothesis 465
 - latitudinal gradient 470–471
 - and naturalization hypothesis (Darwin) 470
 - pathogens, role 463, 464
 - and shade-tolerance changes 468–471
 - testing 465
 - tropical invasion experiment 467–468
- energy *see* light
- environmental changes, future 22–24
 - and disturbance tolerance 23
 - and fire tolerance 22–23
- epiphytes 6–7 *see also* plant–plant interactions
- equivalence
 - competitive 66–67 *see also* life-history trade-offs
 - ecological *see* ecological equivalence
- eradication of alien species, Puerto Rico 486, 494
- evolution
 - co-evolution dynamics *see* mutualistic interactions
 - impact of plant disease 158–159
 - increased competitive ability hypothesis (EICA) 463, 472–473
 - mutualistic interactions *see below*
 - seed dispersal 274
- evolution of mutualistic interactions 386, 395–404
- evolutionary conflicts 396
- forest-understorey ants 404
- Leonardoxa* tree mutualisms 398–401, 402, 403, 404
- mutualism–parasitism continuum 396
- qualitative resource changes 397–398 *see also* ant–hemipteran systems
- rate of resource-supply changes 396–397
- selection pressures 399–401
- exotic species
 - pollination by 446
 - weeds 533–540
 - see also* alien/native species coexistence; habitat fragmentation
- exploitation, real 337, 338 *see also* herbivory, impact on diversity
- extinction
 - Allee effects 258, 259
 - due to invasion debate, Puerto Rico 484–486
 - thresholds 258
- feeding guilds, seedling 358
- fires
 - forest responses 510, 517–518, 527
 - tolerance 22–23
 - vulnerability 543
- flower/fruit disease 147, 151–152 *see also* disease
- foliar disease 145, 148–149, 150 *see also* disease; foliar endophytic fungi
- foliar endophytic fungi 228
 - ascomycetes 226–227
 - costs to host 232–233
 - definition 226
 - experimental comparisons 227–229, 230
 - horizontal transmission 227
 - and host chemistry/genetics 233, 234
 - and host defence 231–232, 234
 - and host physiology/growth 232–233, 234
 - life cycle/natural history 231, 230–231
- food webs 394–395 *see also* trophic cascades
- foraging capacity, seedlings 57
- forest dynamics, India
 - analyses 513
 - changes, population size/species richness/size distributions 514–515
 - changes, size class distributions/basal area 519–521
 - climate interannual variation 510
 - comparison with moist-forest plot 511, 514, 523–526, 524
 - disturbance gradients 511
 - dry-forest study area 511–512, 523
- elephants 517–519
- environmental variation 510–511
- field methods 512–513
- fires 510, 517–518, 527
- growth rates/patterns 517, 522
- life-history comparisons, dry/moist forest 522–523, 526–527
- management 527
- mortality rates/patterns 517–519, 522, 525, 527
- projection of canopy-tree dynamics 521
- recruitment rates/patterns 516–517, 522, 525, 526
- sexual/vegetative reproduction trade-offs 526
- species richness 522
- stability over time 523, 527
- forest management *see* logging studies; timber management
- fragmentation of habitats *see* habitat fragmentation
- fruit/flower disease 147, 151–152 *see also* disease
- fruit/seed consumption data 271–274, 275
- fugitive species concept 90
- fungal–plant interactions *see* arbuscular mycorrhizal fungi; disease; foliar endophytic fungi; mycorrhizal associations
- gap(s)
 - canopy disturbance 534
 - dependent species 537
 - dynamics 21
 - partitioning 70 *see also* life-history trade-offs
 - phase regeneration 56, 54–56
 - size 534
- genetic-research methodology, seed dispersal 291–292

- genetic-shift hypothesis 463, 464, 472 *see also* invasions (woody plant)
- germination *see* seed germination
- growth
 - crop-growth facilitation 26
 - impact of foliar endophytic fungi on host species 232–233, 234
 - impact of mycorrhizal fungi on host species 171–174, 209
 - model, neighbourhood effects 95, 95–97, 98, 98, 99, 100, 102
 - /mortality rates 68–69, 71 *see also* life-history trade-offs
 - /reproduction trade-off 36, 57 *see also* resource capture
 - Guayaquila xiphias see* treehoppers
- habitat/ecosystem approach, Puerto Rico 486–487
- habitat fragmentation
 - edge effects 442, 442–443, 450
 - exotic pollinators 446
 - and herbivory, leaf 449
 - hunting pressure 449
 - inbreeding depression 443
 - initial impacts 441–443
 - mesopredator release 450
 - mutualism system collapse 445
 - other ecological interactions 451–452
 - plant-recruitment effects 448
 - pollination 443–447
 - predation 451, 450–451
 - seed dispersal, seed predation 447–449
 - seed size and vulnerability 448–449
 - selfing 445
 - studies 445–446
- habitat modification, by alien species 493
- habitat specialization/bedrock model 122, 122–123
- habitat specificity, seed dispersal/deposition 279, 284–286
 - future-research recommendations 285–286
 - patterns 285
- Hawaii, tropical invasion experiment 467–468
- hemipteran–ant systems *see* ant–hemipteran systems
- herbivory
 - and ant–hemipteran systems 423, 424, 424, 427, 428
 - ant–plant–herbivore communities *see* communities
 - and arbuscular mycorrhizal associations 178
 - deterrence 429
 - impact on diversity *see below*
 - impact on growth *see below*
 - and life-history trade-offs 72, 70–72
 - and mycorrhizal associations 178
 - /pathogen resistance, seedlings 39–40, 57
 - Piper* ant-shrub system experiments 371–372
 - role in woody-plant invasion 463, 464
 - see also* mutualistic interactions
- herbivory, impact on diversity 329
 - apparent competition 338 *see also* biodiversity processes
 - chemical competition 337
 - competitive ability/resistance trade-off 330, 334, 338
 - competitive exclusion hypotheses 328–329, 333–338, 339
 - direct-impact studies 329, 331–332 *see also* herbivory, impact on growth
 - diversity definition 330
 - environmental factors 340
 - future-research suggestions 338–340
 - indirect mechanisms 329–330, 332–333
 - Janzen–Connell model 328, 334–336, 339
 - mechanisms 338–340
 - nutrients/water resources 337 *see also* life-history trade-offs; resource capture
 - overtopping competition 336–337
 - physiological fit to microhabitat 332–333
 - pollinator resources 337
 - pre-emptive competition 334–336
 - predation by herbivores 328
 - predation of herbivores 330
 - real exploitation 337, 338
 - real interference 334–337
 - resistance components 330
 - seed-dispersal 332 *see also* seed dispersal, tropical woody plants; spatial distribution
 - seed dispersers resource 338
 - temperate studies 328
- herbivory, impact on growth, Dipterocarpaceae study, Danum Valley Conservation Area, Malaysia
 - climatic gradients 358
 - delayed greening 349, 354, 357, 360–361
 - density/distance/frequency dependence 358
 - early leaf abscission 349, 353, 353–354, 355, 356, 360
 - feeding guilds 358
 - growth/defence trade-off 349, 349
 - insect predation 347, 361
 - Janzen–Connell hypothesis 347
 - leaf development 348, 352, 350–353, 360
 - seedling environment 349, 357–360, 361
 - seedling position/neighbour-identity experiments 359, 358–360
 - study description 349–350
 - study site 350
- honeydew-gathering ants 429–431 *see also* ant–hemipteran systems
- host plant species
 - ant–hemipteran systems, damage by herbivores 421–422, 424
 - foliar endophytic fungi *see below*
 - growth and arbuscular mycorrhizal fungi 209
 - honeydew-gathering ants, effects 429–431
- host plant species, foliar endophytic fungi 232–233
 - effects on chemistry/genetics 233, 234
 - effects on defence 231–232, 234
 - effects on physiology/growth 232–233, 234
 - see also* foliar endophytic fungi
- Hubbell
 - neutral model 112, 111–113
 - unified theory of biodiversity and biogeography 109
- human-dominated landscapes *see* alien/native species coexistence; forest dynamics, India; habitat fragmentation; invasions (woody plant); timber management
- hydraulic conductance/embolism resistance 53, 57 *see also* water-stress adaptations
- India
 - forest dynamics *see* forest dynamics, India
 - logging studies 533, 539

Cambridge University Press

0521609852 - Biotic Interactions in the Tropics: Their Role in the Maintenance of Species Diversity

Edited by David F. R. P. Burslem, Michelle A. Pinard and Sue E. Hartley

Index

[More information](#)

558 INDEX

- insect–plant interactions *see* ant–hemipteran systems;
biodiversity; *Piper* ant–shrub system experiments;
trophic cascades
- insect predation 347, 361 *see also* herbivory
- interactions, biogeochemical *see* resource acquisition
interactions; *see also* plant–animal interactions;
plant–microbe interactions; plant–plant interactions
- interference, real 334–337 *see also* herbivory
- intermediate-disturbance hypothesis 90
- interspecific competition, mycorrhizal host species
191–192
- introduced species *see* alien/native species coexistence;
invasion, woody plants
- invasions (woody plant), effects of natural enemies
biocontrol agents 465, 473–476
enemy abundance 464–466
enemy-release hypothesis (ERH) 463, 464–465, 471
evolution-of-increased-competitive-ability hypothesis
(EICA) 463, 472–473
experiment duration 466, 471
future-research requirements 476–477
genetic-shift hypothesis 463, 464, 472
herbivory, role 463, 464
human acceleration of 459
hypotheses accounting for 462–464
impact of biotic interactions on 459–460, 462
increased-resource-availability hypothesis 462,
463
interspecific studies 465, 466
intraspecific studies 466–467, 471
introduced/native range variations 460–462
and Janzen–Connell hypothesis 465
latitudinal gradient 470–471
models 475–476
and naturalization hypothesis (Darwin) 470
pathogens, role 463, 464
phenotypic plasticity 464
and shade-tolerance changes 468–471
and species diversity 462
temperate studies 460, 466–467
tropical invasion experiment 467–468
tropical studies 460–462, 467–468
vacant-niche hypothesis 463
see also alien/native species coexistence;
disease/plant-pest pressure theory; herbivory
- invertebrates, seed dispersal 271, 278
- Janzen–Connell hypothesis
and disease/pest pressure theory 141, 142–144
and herbivory 328, 334–336, 339, 347
and invasions, woody plant 465
niche-structured models 126, 129, 128–129
see also enemies hypothesis
- karst forests, Puerto Rico 502–506
- Latin America, logging studies 531, 538–539
- leaves
canopy disturbance 534
development 348, 352, 350–353, 360
delayed growth 349, 354, 357, 360–361
display 41–43
early abscission 349, 353, 353–354, 355, 356, 360
morphology 39, 38–40
photosynthetic efficiency 51, 50–52, 57
wilting/abscission 50
see also herbivory, impact on growth; resource capture
- Leonardoxa* tree mutualisms 398–401, 402, 403, 404 *see also*
mutualistic interactions
- life-history trade-offs, Barro Colorado Island, Panama
above/below-ground resource-acquisition interactions
75–76
architecture/allometry 69–70
comparative studies 80–81
competitive equivalence 66–67
environmental cues 67, 68
establishment/growth trade-offs 68–76
gap-partitioning 70
growth/mortality rates 68–69, 71
herbivory 72, 70–72
light-availability gradients 65–66, 68–72
light-requirement differences 70, 71
morphological/physiological traits 68
niche differentiation 65–66, 80, 81
nutrient availability gradients 74, 72–74
recruitment success equalization trade-offs 65, 66–67,
76–80
seed germination/emergence trade-offs 67–68
seed number-seedling survival trade-off 76–77, 78
seed size-persistence trade-off 79, 78–80
soil moisture gradients 75
species differentiation 65, 68
see also trade-offs
- light
absorption efficiency 43
adaptations 35, 36–44
capture interactions 6, 13, 14–15, 18–19
carbon-balance approach 37–38
demanding species 536
leaf display 41–43
leaf morphology 39, 38–40
photosynthetic efficiency 51, 50–52, 57
shade-tolerance 6, 468–471
solar radiation 14–15
spatial/temporal gradients 37, 36–37
tracking 43–44
tree architecture 40–41, 42, 57
- literature review, timber management 531
- litter decomposition, and ectomycorrhizal associations
190
- logging studies
Africa 533–540
Asia 532, 539
Australia 533, 540
comparative 530
India 533, 539
Latin America 531, 538–539
see also community, responses to logging; timber
management; tree communities, responses to logging
- lottery model 122, 120–122
continuous 125
- Malaysia study *see* herbivory, impact on growth
- mammals, seed dispersal 268, 276

- management, forest *see* timber management
- Maximiliana maripa* *see* *Attalea maripa* study
- mesopredator release 450 *see also* habitat fragmentation
- microbe–plant interactions *see* arbuscular mycorrhizal
 - fungi; bacterial mutualisms; disease, plant; foliar
 - endophytic fungi; mycorrhizal associations
- mildews, powdery 147 *see also* disease, plant
- modelling, seed dispersal 293–296
 - mechanistic 294–295
 - phenomenological 295–296
- Mogi-Guaçu cerrado savanna study, SE Brazil *see* ant–hemipteran systems
- moist forests
 - Barro Colorado Island *see* arbuscular mycorrhizal fungi
 - India *see* forest dynamics
 - Puerto Rico 500–502
- molecular sampling, arbuscular mycorrhizal fungi 208–209
- morphology
 - leaf resource capture 39, 38–40
 - root 48, 47–48
 - seed-dispersal classification 268–269
 - trade-offs 68
- multi-trophic interactions *see* ant–hemipteran systems;
 - biodiversity processes; *Piper* ant-shrub system
 - experiments; trophic cascades
- mutualism 387–388, 415
 - African ants–plants–herbivores *see* mutualistic interactions
 - ant 372
 - bacterial 392
 - collapse of 445 *see also* habitat fragmentation
 - mutualism–parasitism continuum 396
 - see also* ant–hemipteran systems; biodiversity; *Piper* ant-shrub system experiments
- mutualistic interactions, ants–plants–herbivores, African rainforest 387–388
 - ant–hemipteran trophobionts 390–392
 - ant–plant–herbivore communities 386, 387–395
 - ant–plant opportunistic interactions 393
 - ant–plant protection 388–390
 - ecological diversity 404–405
 - evolution 386, 396, 395–404
 - and food webs 394–395 *see also* herbivory, impact on growth
 - forest-understorey ants 404
 - future-research questions 405–407
 - Leonardoxa* tree mutualisms 398–401, 402, 403, 404
 - qualitative resource changes 397–398
 - rate of resource supply changes 396–397
 - selection pressures 399–401
 - top-down/bottom-up processes 387
 - trophic cascades 387
 - see also* ant–hemipteran systems; *Piper* ant-shrub system experiments
- mycorrhizal associations
 - arbuscular *see* arbuscular mycorrhizal associations;
 - arbuscular mycorrhizal fungi
 - basis of growth response 171–174
 - carbon transfer 192
 - diversity 166
 - ectomycorrhizal *see* ectomycorrhizal associations
 - fungal pathogen resistance 175–176
 - functional diversity 184, 180–184, 185, 186
 - herbivory 178
 - host distribution 166
 - host species diversity/heterogeneity 170–171, 180
 - impact on forest composition/dynamics 167
 - and interspecific competition, host species 191–192
 - mycorrhizal species heterogeneity 178–180
 - nitrogen uptake 169–170
 - phosphorus uptake 167–168, 171–173, 174
 - role/benefits 165, 166, 167–180
 - root competition 173
 - toxin resistance 174–175
 - water relations 176–177
- myrmecophytes *see* ant–hemipteran systems; mutualistic interactions; *Piper* ant-shrub experiments
- native/alien species coexistence *see* alien/native species coexistence
- naturalization hypothesis 470
- neighbourhood crowding index (NCI) 93, 93
- neighbourhood effects, Barro Colorado Island, Panama Akaike's Information Criterion (AIC) 94
- density dependence 90, 100
- ecological-equivalence hypothesis 90, 91–92, 99, 100, 101, 102
- enemies hypothesis 89–90, 91
- experimental methodology 92–95
- fugitive-species concept 90
- growth model 95, 95–97, 98, 98, 99, 100, 102
- intermediate disturbance hypothesis 90
- model adequacy/explanatory power 100–101, 103
- neighbourhood crowding index (NCI) 93, 93
- neutral theory, symmetric 90, 101
- niche-assembly theory 90
- research models/hypotheses 92, 94
- sample-size effects 102–103
- survival model 95, 98, 99, 98–99, 100, 102
- neutral communities
 - definition 107
 - evidence for 109, 110
 - Hubbell's unified theory of biodiversity and biogeography 109
 - neutral community models (NCMs) 109, 110
 - neutral vs. structured debate 107–108, 110–111
 - population size distribution 109
 - species-equivalence issues 131, 129–132
 - see also* niche-structured communities
- neutral theory, symmetric 90, 101
- niche(s)
 - assembly theory 90
 - differentiation 65–66, 80, 81 *see also* life-history trade-offs
 - structured communities *see below*
 - vacant-niche hypothesis 463
- niche-structured communities 111, 130
 - continuous niches 124, 123–127
 - dispersal 135–136
 - generality 123
 - implications 132–133

- niche-structured communities (*cont.*)
 - mathematical proof 113–116
 - models *see below*
 - neutral vs. structure debate 107–108, 110–111
 - niche structure 111, 133–135
 - species-equivalence issues 131, 129–132
 - structured communities 107, 108–109
 - trade-off axes 108
 - see also* neutral communities
- niche-structured models 116–123
 - competition-colonization trade-off (CC) 126, 127
 - continuity 125–126
 - continuous bedrock model 125
 - continuous cyclic-succession model 124–125
 - continuous lottery model 125
 - cyclic-succession model 117, 119, 116–120, 122
 - habitat specialization/bedrock model 122, 122–123
 - Hubbell's neutral model 112, 111–113
 - Janzen–Connell (JC) effect 126, 129, 128–129
 - lottery model 122, 120–122
 - zero-sum 111–112, 113, 116
 - see also* ecological drift
- nitrogen
 - fixation 8–9, 13
 - uptake, and mycorrhizal associations 169–170, 188–190
- nutrient-availability gradients 74, 72–74 *see also* life-history trade-offs; resource acquisition
- obligate biotrophs 147 *see also* disease, plant
- opportunistic interactions, ant–plant 393
- Panama studies *see* arbuscular mycorrhizal fungi; foliar endophytic fungi; life-history trade-offs; neighbourhood effects; seed dispersal
- parasites
 - parasitism–mutualism continuum 396
 - and plant–plant interactions 7
- pathogens
 - resistance, and mycorrhizal associations 175–176
 - resistance, seedlings 39–40, 57
 - role 463, 464 *see also* disease/plant-pest pressure theory; invasions, woody plant
- pest pressure theory *see* disease, plant; Janzen–Connell hypothesis
- phenotypic plasticity 464
- phosphorus
 - resource-capture interactions 9
 - uptake, and mycorrhizal associations 167–168, 171–173, 174
- photosynthetic efficiency, seedlings 51, 50–52, 57
- Piper* ant-shrub system experiments 370, 369–380
 - and animal biodiversity 373, 374, 372–375
 - ant mutualists 372
 - direct/indirect effects of predation 379–380
 - herbivores 371–372
 - and plant biodiversity 378, 375–379 *see also* herbivory
 - plants 371
 - study site 371
 - top predators 372, 376, 380
 - see also* ant–hemipteran systems; biodiversity; mutualistic interactions; trophic cascades
- plant–animal interactions *see* ant–hemipteran systems; *Attalea maripa* study; biodiversity processes; herbivory; mutualistic interactions; *Piper* ant-shrub system experiments; seed dispersal; spatial distribution; trophic cascades
- plant–ant–herbivore communities *see* communities
- plant–microbe interactions 392 *see also* arbuscular mycorrhizal fungi; disease, plant; foliar endophytic fungi; mycorrhizal associations
- plant–plant interactions *see* ecological drift; life-history trade-offs; neighbourhood effects; resource capture; *and see below*
- plant–plant interactions, tropical forests, Costa Rica
 - biogeochemical interactions *see* resource-acquisition interactions
 - community change 20, 19–21
 - compensatory productivity 10–12
 - competitive dominance 10–12
 - complementarity 4, 10–12, 13, 15, 27
 - crop-growth facilitation 26
 - deciduousness 15, 17, 17
 - detritus fall 5
 - disturbance tolerance 23
 - epiphytes 6–7
 - experimental community 4, 5
 - experimental results 11, 11–12
 - fire tolerance 22–23
 - gap dynamics 21
 - global changes, future 22–23, 24
 - homogeneity, species distribution 24
 - individual change/development 17, 18, 16–19
 - management implications 24–27
 - net primary productivities (NPP) 11, 18, 20
 - outcomes 3, 4, 10–12
 - parasites 7
 - past legacies 21–22
 - physical interaction 5–8
 - plant history 21
 - resource substitution 13
 - resource-use complementarity 25–26
 - rooting depth 13–14
 - shade 6
 - soil modification 21–22
 - solar radiation 14–15
 - spatial separation 13–15
 - support 6
 - temporal differentiation 15, 16
 - time-dependent changes 15–16, 27
 - vine eradication 24–25
 - vine exploitation 26–27
 - vine interaction 7–8
- plasticity, phenotypic 464
- pollination 243
 - effects of habitat fragmentation 241, 249–251, 250
 - efficiency 241
 - exotic pollinators 446
 - improvements/unaffected 445–446
 - inbreeding depression 443
 - limitation 242–243
 - and plant density 248–249
 - and pollinator abundance 255–256

- and pollinator behaviour 252–254
- and pollinator response to distance model 256, 256–257
- pollinator resources 337
- reliance on pollinators 443–444
- response to fragmentation 444–445, 446–447
- selfing 445
- specificity of pollinator 444
- studies 445–446
- powdery mildews 147 *see also* disease, plant
- predation
 - direct/indirect effects 379–380 *see also* *Piper* ant-shrub system experiments
 - effects of habitat fragmentation *see below*
 - by herbivores 328, 329
 - of herbivores 330
 - insect 347, 361 *see also* herbivory
- predation, effects of habitat fragmentation 450–451, 451
 - changes 450–451
 - edge effects from surrounding lands 450
 - mesopredator release 450
 - see also* habitat fragmentation
- predator(s)
 - based (top-down) systems *see* top-down/bottom-up processes
 - top 372, 376, 380 *see also* *Piper* ant-shrub system experiments
- productivity
 - compensatory 10–12
 - net primary (NPP) 11, 18, 20
 - see also* plant–plant interactions
- protection of plants, by ants 388–390, 415
- Puerto Rico, alien/native species *see* alien/native species coexistence
- rarity/commonality 53–54
- refinement treatments 533, 540, 541 *see also* timber management
- regeneration/recruitment 537–541, 542, 544
 - gap-phase 56, 54–56
 - success trade-offs *see also* life-history trade-offs 65, 66–67, 76–80
- reproduction/growth trade-off 36, 57 *see also* resource capture
- resilience, ecological 543
- resource(s)
 - acquisition *see below*
 - availability *see below*
 - based (bottom-up) systems *see* top-down/bottom-up processes
 - capture, tropical tree seedlings, South America *see below*
 - partitioning 15, 16
 - pollinator 337
 - substitution 13
 - use complementarity 25–26
- resource acquisition
 - above/below ground 75–76 *see also* life-history trade-offs
 - allelochemicals 9–10
 - biogeochemical 8–10
 - detritus capture/recycling 8
 - light 6, 13, 14–15, 18–19
 - nitrogen fixation 8–9, 13
 - nutrients 337
 - phosphorus 9
 - South American study *see* resource capture
 - water 9, 15, 337
- resource availability
 - Bateman's principle 241
 - gradients 74, 72–74 *see also* life-history trade-offs; resource acquisition
 - hypothesis 462, 463 *see also* invasions, woody plant
- resource capture, tropical forest tree seedlings, South America
 - carbon-balance approach 37–38
 - commonality/rarity 53–54
 - competition 53–56
 - drought/shade tolerance trade-off 35–36
 - drought tolerance 52–53, 57
 - foraging capacity 57
 - gap-phase regeneration 56, 54–56
 - growth/reproduction trade-off 36, 57
 - herbivory/pathogen resistance 39–40, 57
 - hydraulic conductance/embolism resistance 53, 57
 - leaf display 41–43
 - leaf morphology 39, 38–40
 - light absorption efficiency 43
 - light adaptations 35, 36–44
 - light-tracking 43–44
 - photosynthetic efficiency 51, 50–52, 57
 - root morphology 48, 47–48
 - rooting depth 49, 48–50
 - seedling survival/distribution 46, 45–46
 - spatial/temporal gradients 37, 36–37, 44–45
 - tree architecture 40–41, 42, 57
 - water acquisition 47–50, 57
 - water-balance approach 47
 - water potential 52
 - water-stress adaptations 35, 38, 44–53
 - water-use efficiency 50–52, 57
 - wilting/leaf abscission 50
 - see also* resource acquisition
- root(ing)
 - competition 173
 - depth 13–14, 49, 48–50
 - morphology 48, 47–48
- rusts 147 *see also* disease, plant
- seasonal variation, arbuscular mycorrhizal fungi 214, 214–215
- seed-consumption data 271–274, 275
- seed deposition, woody plants, Barro Colorado Island, Panama 268, 279–284, 290
- clumping 279, 286–287, 290
- future-research recommendations 284, 285–286, 289–290
 - habitat specificity 279, 284–286
 - patterns 281–284, 285, 287–289
- seed diseases 145–146, 150 *see also* disease, plant
- seed dispersal 257–258, 332
 - Barro Colorado Island, Panama *see below*; *see also* spatial distribution, plant
 - and habitat fragmentation 447–449

- seed dispersal, woody plants, Barro Colorado Island, Panama
 - conservation implications 297–299
 - distance 279, 280–284
 - genetic-research methods 291–292
 - integration 299–300
 - modelling 293–296
 - research directions 290–299, 300
 - spatial measurements/analyses 292–293
 - understudied areas 296–297
 - strategies, diverse 267
 - vectors 271, 268–272 *see also* seed removal
 - see also* seed deposition
- seed germination/emergence trade-offs 67–68 *see also* life-history trade-offs
- seed number/seedling survival trade-off 76–77, 78 *see also* life-history trade-offs
- seed predation, effects of habitat fragmentation 447–449
- seed removal, woody plants, Barro Colorado Island, Panama 268–279
 - abiotic 267, 271
 - attraction/deterrence 276
 - ballistic/explosive 271
 - bats 271, 272, 277
 - birds 268, 271, 276–277
 - coevolution 274
 - effectiveness 275–276
 - fruit/seed-consumption data 271–274, 275
 - invertebrates 271, 278
 - mammals 268, 276
 - multiple dispersal 274–275
 - morphological classification 268–269
 - observational data 269
 - Shannon diversity index of visitors 278
 - specialization/generalization 274–279
 - species comparisons 267, 268, 269, 276–278
 - water 268, 271
 - wind 268, 271
- seed size
 - persistence trade-off 79, 78–80 *see also* life-history trade-offs
 - and vulnerability to predation 448–449
- seedlings
 - architecture/allometry 69–70
 - climatic gradients 358
 - colonization, and arbuscular mycorrhizal fungi 219–220
 - density/distance/frequency dependence 358
 - diseases 145–146, 150 *see also* disease, plant
 - environment and success 349, 357–360, 361
 - feeding guilds 358
 - seedling position/neighbour identity experiments 359, 358–360
 - recruitment-success equalization trade-offs 65, 66–67, 76–80
 - resource capture, tropical forest tree seedlings *see* resource capture
 - survival/distribution 46, 45–46
 - survival trade-off 76–77, 78 *see also* life-history trade-offs
- selection pressures 399–401 *see also* evolution; mutualistic interactions
- shade-tolerance 6, 468–471 *see also* light adaptations
- Shannon diversity index of visitors, seed dispersal 278
- silviculture *see* timber management
- smuts 147 *see also* disease, plant
- soil
 - damage, from logging 543
 - disturbance 533–534
 - modification 21–22
 - moisture gradients 75 *see also* water-stress adaptations
 - nutrient-availability gradients 74, 72–74 *see also* life-history trade-offs; resource acquisition
 - surface exploitation 190–191
- solar radiation 14–15 *see also* light
- South American
 - logging studies 531, 538–539
 - other studies *see* ant-hemipteran systems; resource capture
- spatial distribution, plant 241, 244–247
 - Allee effects 258, 259
 - Bateman's (resource availability) principle 241
 - extinction thresholds 258
 - habitat fragmentation/landscape changes 241, 250, 249–251
 - plant density 248–249
 - and pollination 241, 242–243
 - pollinator abundance 255–256
 - pollinator behaviour 252–254
 - pollinator response to distance model 256, 256–257
 - population size 251–252
 - seed dispersal 257–258
 - see also* species distribution
- spatial separation, and plant-plant interactions 13–15
- species composition
 - and logging 537, 540, 541–542
 - and mycorrhizal associations 167
 - neighbourhood effects 90, 100
 - spatial/temporal patterns 489–490, 502, 505, 506, 508, 509
 - stability over time 523, 527
 - see also* biodiversity; communities; succession
- species differentiation 65, 68 *see also* life-history trade-offs
- species distribution
 - and ectomycorrhizal associations 166, 185–190, 191
 - homogeneity 24
 - see also* spatial distribution
- species dominance *see* dominance
- species equivalence 131, 129–132 *see also* ecological equivalence
- strategies, seed dispersal 267
- spore(s), arbuscular mycorrhizal fungi
 - based sampling 207–208
 - root species comparisons 218–219
- succession
 - Barro Colorado Island, Panama 215, 216
 - continuous cyclic-succession model 124–125
 - cyclic-succession model 117, 119, 116–120, 122
 - disrupting 531, 536, 541–542, 543
- sunshine *see* light
- support, physical 6
- survival model 95, 98, 99, 98–99, 100, 102
- sustainability, logging 530, 532, 539

- symbiosis, plant-microbe *see* mutualism; plant-microbe interactions
- tapirs (*Tapirus terrestris*), herbivory 312–313
- temperate studies
 - herbivory 328
 - tropical-temperate diversity 210, 209–211
 - woody-plant invasion 460, 466–467
- temporal differentiation 15, 16
- timber management 24–27, 531–533, 543–544
 - crop-growth facilitation 26
 - forest-response variability 542–544
 - harvest intensity 531, 532, 538–539
 - light-demanding species 536
 - long-term research requirement 544
 - matching disturbance to species requirements 543–544
 - non-commercial species 536–537
 - polycyclic system 532, 539
 - Puerto Rico 484, 487, 492, 493
 - refinement treatments 533, 540, 541
 - resource-use complementarity 25–26
 - retention of seed trees 544
 - selective logging 530
 - soil damage 543
 - specific studies *see* logging studies
 - stand treatment 530
 - succession, disrupting 531, 536, 541–542, 543
 - sustainability 530, 532, 539
 - thresholds 543
 - vine-cutting 530, 533, 535–536, 539
 - vine eradication 24–25
 - vine exploitation 26–27
 - vine responses 535–536
 - see also* disturbance; logging studies; tree-community responses; weed responses
- time-dependent changes, plant-plant interactions 15–16, 27
- top-down (predator based)/bottom-up (resource-based) processes 367, 368, 387, 433 *see also* ant-hemipteran systems; mutualistic interactions; *Piper* ant-shrub system experiments; trophic cascades
- toxin resistance, and mycorrhizal associations 174–175
- trade-offs
 - Barro Colorado Island study *see* life-history trade-offs
 - competition/colonization (CC) 126, 127
 - competitive ability/resistance 330, 334, 338 *see also* herbivory, impact on diversity
 - drought/shade-tolerance 35–36 *see also* water stress adaptations
 - growth/defence 349, 349 *see also* herbivory, impact on growth
 - reproduction/growth 36, 57 *see also* resource capture
 - sexual/vegetative reproduction 526 *see also* forest dynamics, India
 - system cost-benefits 415 *see also* ant-hemipteran systems
- tree architecture, and resource capture 40–41, 42, 57
- tree communities, responses to logging 536–542
 - gap-dependent species 537
 - regeneration/recruitment 537–541, 542, 544
 - species composition and logging 537, 540, 541
 - species dominance 541–542
 - species richness 537
 - see also* communities; disturbance; logging studies; timber management; weed responses
- treehopper (*Guayaquila xiphias*)/ant system 416, 417–418
 - benefit to treehoppers 419, 420, 418–420
 - enhancement through treehopper behaviour 420–421
- trophic cascades 367–369, 380
 - Attalea maripa* study 310, 324
 - and biodiversity 369, 380
 - bottom-up (resource-based) 367, 368
 - classic theory 368
 - food webs 394–395
 - indirect effects 368, 380
 - and mutualistic interactions 387
 - top-down (predator-based) 367
 - see also* biodiversity; *Piper* ant-shrub system experiments; top-down/bottom-up processes
- trophic interactions *see* ant-hemipteran systems; biodiversity processes; *Piper* ant-shrub system experiments; trophic cascades
- urban forest, Puerto Rico 507
- vacant-niche hypothesis 463
- vectors, seed dispersal 271, 268–272 *see also* seed removal
- vines
 - cutting 530, 533, 535–536, 539
 - eradication 24–25
 - exploitation 26–27
 - interaction 7–8
 - responses 535–536
 - supports 536
- water
 - relations, mycorrhizal associations 176–177
 - resource capture/acquisition 9, 15, 47–50, 57, 337
 - seed dispersal 268, 271
 - soil moisture gradients 75
 - stress adaptations *see below*
- water-stress adaptations 35, 38, 44–53
 - drought tolerance 52–53, 57
 - hydraulic conductance/embolism resistance 53, 57
 - photosynthetic efficiency 51, 50–52, 57
 - root morphology 48, 47–48
 - rooting depth 49, 48–50
 - seedling survival/distribution 46, 45–46
 - spatial/temporal gradients 44–45
 - water-balance approach 47
 - water potential 52
 - water-use efficiency 50–52, 57
 - wilting/leaf abscission 50
- weed responses to timber management 533–535
 - canopy disturbance 534
 - exotics 533–540
 - gap size 534
 - large-stature native herbs 533
 - soil disturbance 533–534
 - see also* disturbance; logging studies; timber management; tree-community responses

564 INDEX

- wet forests
 - alien/native species coexistence, Puerto Rico 500–502
 - Costa Rica *see* biodiversity; *Piper* ant-shrub system
 - experiments; trophic cascades
- wilting/leaf abscission 50
- wilts/diebacks 146, 150–151 *see also* disease, plant
- wind, seed dispersal 268, 271
- wood-decay fungi 146–147, 151 *see also* disease, plant
- woody plants
 - invasions *see* invasions, woody plant
 - seed dispersal *see* seed dispersal, woody plants, Barro Colorado Island, Panama
 - see also* forest dynamics; timber management; tree communities
- zero-sum models 111–112, 113, 116