

Index

References to figures are in *italic* font, and reference to tables are in **bold**

- aberrations, 71–3, 164, 170
 - astigmatism, 71, 172
 - chromatic, 37, 72, 90, 124
 - reducing with filters, 124, 165
 - coma, 71–3, **73**
 - curvature of field, 71, 78, 82, 92, 112, 163
 - distortion, 71–2, 125–6
 - vs. effect of flat field, 123–4
 - mimicking field rotation, 134
 - spherical, 71–2, 90, 163, 172
- achromat, 72
- Adams, A., 196, 197, 200
- adaptive optics, 256
- ADC, 243, 252, 255
- afocal coupling, 40–4, 69, 75–7, 111–12
- Agfa, *see* films
- aircraft, 147
- Amberlith, 203
- analog-to-digital converter (ADC), 243, 252, 255
- Anderson, J., 46, 65
- angular size of celestial objects, 74
- animals, 147
- annular eclipse, *see* eclipses
- apochromat, 72
- arc-minutes, 74
- arc-seconds, 74
- artifacts, scanner, 224
- ASA, 179, 259
- asteroids, 19, 111
 - discovering, 111
- astigmatism, 71, 172
- Astrofilms, 16, 315
- Astrofocuser, 88, 155
- atmospheric turbulence, 95, 97–8
 - daytime, 100, 102
 - effect on guiding tolerance, 131
 - electronic correction, 256
- aurora borealis, 28
- autofocus, 152
- autoguiders, 135, 143
- automatic exposure, 152
- automobiles, 146
- B&K Astrofocuser, 88, 155, 313
- Babcock, T. A., 185
- back focus, 69–70
- Baily's beads, 61, 63
- baking film, 185
- Ballard, J., 120
- barn-door trackers, 120–1, *121*
- Barlow lens, *see* lenses
- Barnard, E. E., 113
- Bass, M., Plate 3.1
- batteries
 - 12-volt, for drive motor, 132–3
 - camera, 152, 154, 160
 - mercury, substitutes for, 154, 317
- Baumgardt, J., 36, 70, 211, Plate 11.2
- Bean, L. L., 145
- Beattie Intenscreen, 87, 112, 153, 314
- Berry, R., 242, 253, 260
- bias frames, bias error, 252
- binoculars, photography through, 40–3
- bit depth, 217, 222, 255
- bitmap graphics, 216–220
- bits per pixel, 217, **218**
- blind deconvolution, 240
- blooming, 247
- blur circle, 90
- BMP files, 222
- books, 5
- Boyer, C., 108
- Bradford, R. S., 289
- Brasch, K., 109, Plate 7.1
- brassing, 157
- brightness, *see* magnitude
- Brightscreen, 87, 153, 317
- Brooks, J. J., 96
- Brown, G. P., 187
- Brown, S., 76
- budget, 7, 169–72
- Buil, C., 242
- bulk loading, 193–4
- Burnham, Robert (1931–1993), 5, 75, 113
- Burnham, Robert (*of Astronomy*), 260
- byte, defined, 217
- C-41 process, 190, 197, 206–7
- C-mount, 243
- calibration frames, 251–3
- camcorders, 50, 63, 65
- cameras
 - all-sky, 33
 - Bronica, 161
 - CCD, *see* CCD imaging
 - choosing, 3, 12–14, 151–62
 - cold, 136, Plate 8.5
 - Contax, 91
 - digital, 243–4
 - Exakta, 19
 - features, **152, 153**
 - Hasselblad, 161
 - homebuilt, 161–2
 - Instamatic, 91
 - Leica, 161
 - Lubitel, 42, 161
 - medium-format (120 size), 40–3, 160–1
 - Mamiya, 161
 - Minolta, 152, 157
 - Miranda, 161
 - Nikon, 87, 89, **153**, 155–6, 157
 - Olympus, 62, 87–9, **153**, 154–5, 210
 - Pentax, **153**, 156–7, 161
 - "point-and-shoot", 160
 - Praktica, 161
 - repairing, 157–8, 317
 - Ricoh, 157
 - Schmidt, 143, Plate 10.1
 - secondhand, 157–8
 - sheet-film, 161
 - single-lens reflex (SLR), 40, 44, 86–8, *151*, 151–60
 - focusing accuracy, 88, 158
 - shutter vibration, 40–1, 96–7, 152–3
 - Taurus, 89, 161, 314
 - testing, 157–8
 - twin-lens reflex, 40, 42, 43
 - video, 50, 63, 65, 243
 - viewfinder magnification, 87, 155
 - Vixen, 157
 - Voigtländer, 160
 - Yashica, 157
- Capen, C. F., 93
- Cassegrain, *see* telescopes
- CCDs, 242–3; **255**
 - spectral response, 247
- CCD array, 242
- CCD autoguiders, 135, 143
- CCD imaging, 98, 146, 241–56
 - asteroids, 111
 - cameras, 244, 253–6
 - color, 255–6
 - deep-sky, 253
 - moon, 249–50
 - planets, 93, 249–50
- CD-ROM, 223
- central obstruction, 84–5, 88
- Ceravolo, P., 171
- changing films in mid-roll, 19

326 INDEX

- characteristic curve, of film, 177–9
 - affected by developer, 199–200
 - manipulating digitally, 225–9
- charge-coupled devices, *see* CCDs
- charge wells, 242
- Chesterton, G. K., 7
- Chou, B. R., 55–7
- Christou, J. C., 240
- chromatic aberration, *see* aberrations
- chromosphere, solar, 61
- Clark, R. N., 114, 260
- cleaning
 - cameras, 159
 - lenses, 172–3
 - internally, 169
- clock drive, *see* tracking
- clothing, warm, 144–5
- Coathanger star cluster, 127
- Cocozza, J. A., 137–8
- cold cameras, 136, Plate 8.5
- collimation, 72, 171–2
- color
 - indexed, 217
 - lateral/longitudinal, *see* aberrations, chromatic
 - manipulating digitally, 229–30
 - “true”, 218
- coma, 71–3
- combination printing, 107, 205
 - digital, 231
- comets, 21–3, 25
 - exposure table, **273**
- compression
 - of computer files, 220–2
 - of midtones, 225, 228
 - optical, 69, 82–4, 143, 246
- Conrad, C. M., 185
- contour maps, 228
- contact printing, 195
- contrast index, 177
- convolution, 233–40
- cooled-emulsion photography, 136, Plate 8.5
- corona, solar, 60–2
- $\cos^4$ law, 124–5
- Crawley, G., 91, 156
- crosshairs
 - for focusing, 89
 - for guiding, 131
- curvature of field, 71, 78, 82, 92, 112, 163
- Daniell, G. J., 240
- dark frames, 252
- darkroom, 195–6
- Dawes limit, 84
- deblurring, 239
 - see also* image processing
- declination, 10
- deconvolution, 239–40
 - see also* convolution
- deep-sky objects, 113–48, **115**
 - exposure tables, 273–5
- degrees
 - as measure of size of object, 74
 - in film speed notation, 179
- density, logarithmic, **56**, 177–8
- deuterium, 185
- developers, 174, 179, 196–200
 - Agfa Rodinal, 197, 199–200
 - compensating, 199–200
 - effect on film speed, 179
 - Ilford
 - Ilfotec HC, 197
 - Microphen, 179
 - Multigrade, 196
 - Perceptol, 186
 - Kodak
 - D-8, 196
 - D-19, 16, 45, 136, 185, 186, 196, 197, 200
 - D-76, 186
 - Dektol, 136, 185, 196, 200
 - DK-50, 186
 - Flexicolor C-41, 197
 - HC-110, 16, 45, 110, 185, 190, 197–8, **198**, **199**, 200
 - Microdol-X, 186
 - Technidol, 45, 197
 - T-Max, **199**, 198–200
 - Xtol, 179, 197, **199**
 - POTA, 197
 - preserving, 196
- developing agents, 179, 196–200
- development times, **199**
 - vs. temperature, 200
- dew, 98–100
- dew cap, 99–100
- diamond ring effect, 61
- Di Cicco, D., 83, 90, 111, 171, 240
- diffraction, 84–5
- digital images, 215–40
- DIN, 179
- disk space, *see* files
- dispersion, 72
- distortion, 71–2, 125–6
- Dobbins, T. A., 93
- dot pitch, 218
- Downing, D., 49, Plate 8.3
- Dragesco, J., 93, 98, 103, 161, 171
- draw programs, 217
- drift method (polar alignment), 120
- drive correctors, electronic, 132, 283–9
- drive motors, *see* tracking
- duplication
 - prints, 210–11
 - slides, 15, 207–10
- dust, interplanetary, 28–33
- dye couplers, 174
- dynamic range, 222–3
- E-6 process, 175, 206–7
- East, G., Plate 2.1, Plate 10.1
- eclipses, 46–65
 - lunar (moon), 46–52, **47**
 - exposure tables, 264–6
 - solar (sun), 52–65
 - annular, 56–60
 - exposure tables, 266–9
 - filters for viewing, *see* filters
 - partial, 56–60
 - safety, 54–7
 - total,
- Edberg, S. J., 26
- edge-finding, 236, 238–9
- effective focal length, *see* focal length
- enlargements and enlargers, 106, 195, 204–5
 - see also* prints
- en-prints, 195
- entropy, maximum, 239–40
- Ephemeris Time (ET), 47
- EPS files, 221–2
- equalization, histogram, 229
- equatorial mounts, 114, 118, 170
 - see also* polar alignment; tracking
- equipment, *see* cameras; telescopes
- error, periodic, *see* periodic error
- Eskin, M., 244, Plate 13.1
- Espenak, F., 46, 47, 65
- ESTAR, 174, 191
- etiquette, at observing sessions, 145
- Europe, total solar eclipse in, **64**, 65
- Everhart, E., 129
- exit pupil, 76
- expanding midtones, 225, 228
- exposure
 - automatic, 152
 - calculating, 38–9, 259–60
 - CCD, 247–8, **248**
 - effect of reciprocity failure, 180, 184
 - latitude, 44–5
 - multiple, 50, 51, 54, 160

Cambridge University Press

978-0-521-64133-3 - Astrophotography for the Amateur, Second Edition

Michael A. Covington

Index

[More information](#)

Index 327

- exposure tables, 259–74
 - comets, 273
 - deep-sky objects, 273–5
 - eclipses, 264–9
 - maximum without clock drive, 12, 39
 - moon, 38, 261–6
 - planets, 269–72
 - stars, fixed-tripod, 12
- eye injuries, 54–5
- eyepiece projection, *see* positive projection
- eyepieces, 76–7, 78, 170
- field flatness, *see* aberrations, curvature of field
- field of view, 73–5, **75**, **124**
 - CCD cameras, 244, 246
 - limited by aberrations, 143
 - limited by eyepiece tube, 70, 82, 160
- field rotation, 133–4, 276, 279–82
- files, computer
 - formats, 220–2
 - size, 218–22; **220**
- film flatness, 91
- film speed, 38–9, 179–80, 259
 - ratios, in “stops”, 39–40
 - see also* exposure; reciprocity failure
- films, 174–94, 183
 - Agfa, 206
 - Agfachrome, 175
 - Agfaortho 25, 176
 - Agfapan 400, 25
 - blue-sensitive, 175
 - changing in mid-roll, 19
 - choosing, 13, 44–5, 135–6, 187–92
 - chromogenic, 174, 186
 - color, 176–8, data sheets, 291–306, 186; *see also specific films*
 - Fuji, 136, 206
 - Astia, 61, 188, 209
 - Fujichrome 100, 188
 - Fujichrome 400, 175, 189
 - Provia, 188
 - Sensia, 188, 189, 209
 - Velvia, 111–12
 - Ilford
 - HP5 Plus, 180, 190
 - SFX 200, 191
 - XP2, 45, 62, 174, 190
 - infrared, 191–192
 - Kodak
 - Ektachrome (as a group), 175
 - Ektachrome Elite II 100, 135, 179, 187–8
 - Ektachrome Elite II 200, 189
 - Ektachrome Elite II 400, 135
 - Ektachrome P1600, 189
 - Ektachrome Professional E100S and E100SW, 136, 179, 188
 - Ektachrome Professional E200, 13, 15, 61, 136, 188–9
 - data sheets, 298–300
 - Ektachrome Professional Infrared, 191–2
 - Ektagraphic Slide Film, 176
 - Ektapress
 - data sheets, 301–6
 - Multispeed (PJM), 189
 - PJ400, 118, 136, 143, 189
 - PJ800, 189
 - Elite Chrome 100, 45, 111–12, 167, 187–8, 209
 - Elite Chrome 200, 19, 118, 136, 143, 188–9
 - Fine Grain Positive, 206
 - High Speed Infrared, 191
 - Kodachrome, 175
 - Kodalith Ortho, 176
 - Panatomic-X, 45, 189
 - Plus-X Pan, 25, 33
 - Pro 400 Professional Film (PPF), 189
 - Recording Film 2475, 26, 176
 - Spectroscopic (103a-O, 111a-J, etc.), 136, 137–8, 191
 - SO-115, 190
 - Technical Pan 2415/4415/6415, 45, 85, 91, 93, 102–3, 106, 110–12, 118, 136, 138, 161, 176, 185, 190–1, 200, 210
 - data sheets, 291–7
 - development, 200
 - see also* hypersensitization
 - T-Max 100, 20, 45, 57, 118, 136, 143, 180, 189–90, 200
 - T-Max 400, 180, 190
 - T-Max P3200, 26, 180, 190
 - T-Max T400 CN, 45, 62, 136, 174, 190
 - Tri-X Pan, 13, 26, 135, 180, 190
 - MTF curve, 187
 - Tri-X Pan Professional, 192, 200
 - Ultra Gold 400, 189
 - Verichrome Pan, 57
 - Vericolor Slide Film 5072, 210
 - long-toed, 45, 177–9
 - orthochromatic, 175–6
 - panchromatic (pan), 176
 - “professional,” 192
 - short-toed, 25, 177–9
 - spectral sensitivity, 175–7; *see also* hydrogen-alpha
 - testing, 181–4, 187
 - filter factors, 107
 - filters
 - detailed tables*, **307–10**
 - digital, *see* image processing
 - for comets, 25
 - for meteors, 26
 - for planets, 107–11
 - for viewing sun safely, 54–7, **56**, **57**, 266–7
 - Hoya, 165
 - hydrogen-alpha monochromatic, 102–3
 - hydrogen-alpha-passing, 137–8
 - interference, 102, 138
 - multicoated, 165
 - nebula, 138
 - neutral-density, 54–7, 181, 310
 - polarizing, 50, 310
 - skylight, 165
 - to change paper contrast, 201
 - to improve sharpness of telephoto lens, 37, 124, 165
 - to reduce sky fog, 137–8, **138**
 - tricolor, 211
 - ultraviolet-blocking, 165
 - ultraviolet-passing, 108
 - with CCDs, 250
 - finderscopes, 246
 - FITS files, 222
 - fixer, 174, 200, 204
 - flat-fielding, 250–1
 - flatness of field, *see* curvature of field
 - flatness of film, 91
 - flexure, 142
 - flip mirrors, 143, 246
 - floating elements, 163
 - flop, mirror, 153
 - foam rot, 157, 158
 - focal length
 - afocal setups, 43, 76
 - of negative lens, 80–2
 - negative projection, 80
 - positive projection, 77
 - prime focus, 69
 - vs. image size, *see* image size
 - focal reducers, *see* compression

Cambridge University Press

978-0-521-64133-3 - Astrophotography for the Amateur, Second Edition

Michael A. Covington

Index

[More information](#)**328 INDEX**

- focusing, 85–92
 - accuracy, 88, 90–2, **91**, 158
 - aerial-image, 89
- focusing (*cont.*)
 - afocal systems, 40–3
 - CCDs, 47
 - crosshairs, 89, 111–12
 - hand-telescope method (for afocal setups), 43
 - knife-edge, 89
 - magnifiers, 87–8, 154–5, 159
 - screens, 86–9, 111–12, 153, 157, 160
- forming gas, 136, 185
- formulae
 - symbols used in, xvi
 - using and understanding, 12
 - see also specific subjects*
- Foucault test, 90, 171
- Fourier transform, 232
- f-ratio
 - formulae, 69, 76, 77, 80
 - effect on stars vs. extended objects, 121, 123–4, 170–1
 - vs. coma, 73
 - vs. diffraction-limited resolution, 84–5
 - vs. required focusing accuracy, 90–1
- frame-transfer area, 242–3
- frequency, spatial, 232–3; *see also* modulation transfer function
- f-stops, 39–40
- Fuji film, *see* films
- Fujii, A., 51, 54, 116–17, Plate 8.5
- galaxies
 - brightness, seen from spaceship, 130
 - exposure tables, **274**
- gamma
 - electronic imaging, 225
 - film, 177
- Garcia, G., 101
- gas hypersensitization, *see* hypersensitization
- Gauss, K. F., 236
- gears, *see* periodic error
- Gegenschein, 30–1
- position of, **31**
- Gehret, E.-C., 206
- Gilliland, R. L., 240
- Global Positioning System (GPS), 47
- Gonzalez, R. C., 239
- Gordon, B., 260
- GOST, 179
- grain, of film, 174, 186–7, 224, 233
 - increased by overdevelopment, 45
 - less apparent with larger film, 160–1
 - reducing, in printing, 106–107, 233
- graphics, bitmap vs. vector, 216
- Greenwich Mean Time (GMT), 47–8
- guiders, off-axis, 142–4
- guidescopes, 142, 246
- guiding, 130–5, 142–4
 - automatic, 135, 143
 - tolerance, 131–2, **132**
 - with CCDs, 253
 - see also* tracking
- Gull, S. F., 140
- Haig, G. Y., 120
- Haig mounts, 120
- halation (reflection within film), 23
- Hamilton, J. F., 181, 185
- hand-telescope focusing, 43
- Hanisch, R. J., 240
- Harrington, P., 138
- "hat trick", 97
- heaters, to prevent dew, 99–100
- Herschel wedge, 57
- Hildebrand, E., Plate 12.3
- Hill, W., 289
- HIRF, 180
- Hirsch, E., 102–3, 313
- histograms, 229, 248
- Holm, J., 200
- Horowitz, P., 289
- Hurd, K., Plate 4.3
- Hyakutake, 22
- hydrogen-alpha wavelength (656.281 nm)
 - film response, 135–6, 175–8
 - filters, 137–8
 - nebulae, 130
 - sun, 102–3
- hydrogen gas, 185–6
- hypersensitization (hyperping), 16, 136, 184–6
- Ilford, *see* films
- image processing, 215–40
 - convolutions, 233–40
 - filters, 232–40
 - band-pass, 233
 - binomial, 236
 - edge-finding, 236, 238–9
 - embossing, 238–9
 - Gaussian, 234–8
 - isotropic, 234, 237
 - Laplacian, 236, 238
 - median, 236–7
 - sharpening, 230–1
 - sharpening (high-pass), 233, 235, 237–8
 - smoothing (low-pass), 233–7
- image size
 - of digital image (file size), 218–22
 - on film or CCD
 - enlarged at edge of field, 123–4
 - formulae, 35, 74, 106
 - Jupiter, **75**
 - moon, **35, 75**
- images, digital, *see* digital images
- infrared light, 54–7, 191–2, 247
- insect repellents, 146–7
- interpolation, 220–1
- ISO, 179, 259
- isophotes, 229
- Istock, T. H., 55
- Jähne, B., 236, 238
- Jefferies, S. M., 240
- JMI Motofocus, 91, 313
- JPEG files, 221
- Judge, N., 200
- Jupiter, 110–11
 - exposure table, **271**
 - opposition dates, **110**
- Kämmerer, J., 91
- Kanto, V., 255
- Karttunen, H., 5
- Kay, D. C., 222
- Keene, G. T., 187
- keeping warm, 144–5
- Keppler, H., 156
- kernel, convolution, 234
- kilobyte, defined, 219
- King, E. S., 288
- King rate, 288
- Kingslake, R., 259
- Kipling, R., 71
- Klotz, A., 242
- knife-edge focusing and testing, 89–90
- Kodak, *see* developers; films
- Kodama, D., 243
- Koolish, R. M., 289
- Kordylewski, K., 31–2
- Krailo, M. D., 55
- Krajci, T., 32
- Kreimer, E., 113
- Kronk, G. W., 26
- Kwik Focus, 88

Cambridge University Press

978-0-521-64133-3 - Astrophotography for the Amateur, Second Edition

Michael A. Covington

Index

[More information](#)

Index 329

- Lagrange, G. L., 31
 Laplacian operator, 236, 238
 Lau, P., Plate 3.3, Plate 5.1
 Leavitt, P. R., 61
 lens mounts, 165–6
 adapters, 166
 M42 (42-mm universal), 165
 see also T-adapters
 lenses
 achromatic, 72
 apochromatic, 72
 Barlow, 80, 142, 249
 choosing, 12–14, 121–30
 coated, 164–5
 compressor, *see* compression
 enlarger, 79, 106, 204
 fisheye, 125–6
 for deep-sky work, 121–30
 for medium-format cameras, 161
 macro, 163, 207–10
 microscope, 79
 mirror, 162, 165
 multicoated, 164–5
 negative (concave), 80–1
 Nikon, 90, 156, 164
 Olympus, 154, 165, 208
 normal, 162
 repairing, 169, 317
 Sigma, 163, 209
 Tamron, 164
 telephoto, 162
 for deep-sky work, 121–30
 for photographing moon, 35–7
 testing, 166–7
 Vivitar, 164
 wide-angle, 125–6, 162
 Zeiss, 157, 164
 zoom, 163, 169
 Leonids, 26
 Levine, J. R., 222
 Levy, D. H., 26
 libration points, 32
 light pollution, 137–42
 combatting, 139, 142
 see also sky fog
 Lightfoot, D., 95, 206
 Liller, W., 5, 111
 limb darkening, 102
 lines per millimeter, 164
 LIRF, 180
 Lodriguss, J., 186, 205, Plate 12.5,
 Plate 12.6
 Lowell, P., 98
 lubrication
 of cameras, 159
 of telescope focusing mechanism, 91
 Lucy–Richardson algorithm, 240
 Luginbuhl, C. B., 129
 Lumicon, 16, 73, 82, 103, 124, 136,
 137, 186, 315
 lunar, *see* moon
 lunar libration clouds, 31–3
 lunar rate, 103, 106, 288
 lunar transient phenomena (LTP), 103
 Lynxx, 255, 315
 magazines, 5
 magnitude, 19, 126–30
 B (blue), 175
 limits, **126**
 of extended objects, 22, 129–30
 of stars, 127–8
 per square arc-second, 129–30,
 259–60
 vs. number of stars, 126
 Maksutov–Cassegrain, *see* telescopes
 Malin, D., 20, 30, 114, 205, 206, 211
 Mallas, J. H., 13
 maps
 contour, 228
 solar eclipses, 53, 64
 stars, showing magnitudes, 127–8
 Marling, J. B., 186
 Mars, 108–110
 “canals”, 239
 exposure table, **270**
 opposition dates, **110**
 Martinez, P., 5, 103, 129, 242
 masking, unsharp, *see* unsharp masking
 matrix, *see* convolution
 Mauldin, E., 96
 maximum-entropy deconvolution, 239–40
 Mayer, B., 5
 McCamant, M., 251
 McDonald Observatory, 77
 megabyte, defined, 219
 Meinel, A. B., 77
 Meinel, E. S., 240
 Mercury, 107
 exposure table, **269**
 meteors, 25–8
 showers, **26**
 microscope objectives, as projection
 lenses, 79
 Milan, W., Plate 12.4
 Milewski, R. A., 6
 Milon, D., 27, 30
 mirror
 flop, 143
 lock, 152–3
 prefire, 152–3
 mirrors
 flip, 144
 wide-field, 33
 modulation transfer function (MTF), 164,
 187
 moon, 35–45, 103–6
 color, 103, 229, Plate 12.2
 exposure tables, 38, 261–6
 tracking, 103, 106
 Moore, P., 5
 Morris, S., 229
 mosaics, 245, 246
 mosquitoes, 146–7
 motors, 121
 mounts, equatorial, *see* equatorial
 mounts
 mounts, lens, *see* lens mounts
 MTF, 164, 187
 multicoating, 164–5
 multiple exposures, 50, 51, 54, 160
 Mungur, J., 255
 nebula filters, 138
 nebulae, 20, 113–14, 114, 130, 136,
 138
 CCD imaging, 248
 colors, 211
 exposure tables, **273–4**
 wavelengths emitted, 177
 see also deep-sky objects; hydrogen-
 alpha wavelength
 negative projection, 69, 83–4, 112, 249
 Nelson, L., 24
 Neptune, 111
 exposure table, **272**
 Newtonian, *see* telescopes
 noise
 thermal, 251
 vs. signal, 233
 Northern Lights, 28
 Norton, O. R., 192
 off-axis guiders, 142–3
 Olympus Varimag FINDER, 154–5, 159
see also cameras, Olympus
 oppositions of planets, **110**
 paint programs, 217
 partiality, zone of, 52
 Palomar Mountain, 73
 papers, photographic, 201–3

330 INDEX

- Parker, D. C., 93, 98
 Pasachoff, J. M., 46, 55, 65, Plate 5.6,
 Plate 5.8
 Paul, G. and A., 23
 Peltier devices, 244
 penumbra, 46–7
 periodic error, 95, 130, 134–5
 correction (PEC), 135
 measuring, 134–5
 Peterson, B. M., 156
 Phenidone, 179, 196–7
 Photo CD, 223
 piggy-backing, 3, 5, 114, 118
 Piini, E. W., 192
 pitch, scanner, 222
 pixels, 216
 “hot”, 236–7, 252
 per inch or mm, 218, **219**
 planets, 106–12
 opposition dates, **110**
 relative size, 106
 Platt, T., 256
 Pleiades star cluster, 128
 Pluto, 111
 point spread function (PSF), 239
 polar alignment, 114, 118, 120
 inaccurate, effect of, 133–4, 276
 procedure, 118, 120
 polar axis, 114
 polarizers, *see* filters, polarizing
 positive projection, 69, 77–9, 112
 posterization, 228
 PostScript files, 222
 preflashing, 16, 185
 prime focus photography, 40, 69–71
 printers, computer, 218, 231–2
 prints
 black-and-white, 16, 45, 201–3
 from color negatives, 203
 color, 14
 high-contrast, 204
 multiple images superimposed, 107,
 205
 vs. slides, 14, 137
 projection, *see* negative projection,
 positive projection
 prominences, solar, 61–2, 102
 Provin, R., 114, 120, 129, 142, 185,
 186, 190, 197
 Pulsar, 131, 314
 pupil, exit, 76
 push-processing, 15–16, 106, 179–80
 quantization error (quantization noise),
 233
 quantum efficiency, 247
 radians, 74
 radiant, of meteor shower, 25
 Ratledge, D., 242, 248
 Rayleigh limit, 84–85
 reciprocity failure, 13, 26, 83, 135–6,
 180–4, **183**
 formulae, 180
 methods of reducing, 136
 recordkeeping, 16–18
 Reeves, R., 181, 190
 reflections, within lenses, 164–5
 repair, *see* cameras; lenses
 rephotography, 210–11
 resampling (resizing), 220–1
 resolution (resolving power), 84–5
 in dots (pixels) per inch or mm,
 218–9
 interpolated, 220
 limited by atmospheric turbulence,
 95, 249
 limited by diffraction, **85**, 164, 249
 of astronomical photographs, 93
 of camera lenses, 164
 of CCD, 248–9
 of film, 186–7
 vs. apparent sharpness, 164
 reticles, illuminated, 131
 retouching, 224–5
 reversal, 175
 Richardson–Lucy algorithm, 240
 ringing, digital, 233
 RMS granularity, 186
 Romney, E., 159, 317
 Ronchi gratings, 89
 rotation (of image), *see* field rotation
 Rühl, A., 103
 Rutten, H., 73, 83
 safelights, 203
 safety
 at remote observing sites, 145–6
 viewing sun, 54–7
 Sanford, J., 190
 Saturn, 110–11
 opposition dates, **110**
 SBIG, 255, 256, 315
 scale, *see* image size
 scan pitch, 222
 scanners, 222–4
 Scheiner, C., 88
 Scheiner disk, 86, 88
 Schmidt cameras, 143
 Schmidt–Cassegrain, *see* telescopes
 Schultz, S., 29, Plate 3.4
 Schur, C., 33, 34
 Schwarzschild, K., 180
 Schwarzschild exponent, 180
 Scotch mounts, 120
 scratches, on film, 207
 screen, computer or video,
 photographing, 232
 SCT (Schmidt–Cassegrain telescope),
 see telescopes
 “seeing”, *see* atmospheric turbulence
 sensitivity frames, 252
 service bureaus, 223
 Sewell, M. H., 187
 shadow bands, 62
 sharpening, digital, 230–1
 Sheehan, W., 239
 sidereal rate, 288
 signal vs. noise, 233
 silver halide crystals, 174
 Simpson, J. W., 33
 Skiff, B. A., 129
 sky fog (skyglow), 9, 20, 130, 137–42
 exposure limit, **275**
 slides
 duplication, 15, 207–10
 processing, 14–15, 174–5, 206–7
 vs. prints, 14, 137
 SLR (single-lens reflex), *see* cameras
 Smith, A. G., 186
 Snook, M. 122, Plate 2.2
 software
 Adobe Illustrator, 217
 Adobe Photoshop, 217
 Corel Draw, 217
 Corel Photopaint, 217
 solar, *see* sun
 solar activity, *see* sunspot cycle
 solar rate, 288
 Solar-Skreen, 57, 266
 spanner wrench, 169
 speed, *see* film speed; f-ratio
 spherical aberration, *see* aberrations
 stacking negatives, 205
 digitally, 231
 star atlases, 19–20, 113
 star catalogues, 20, 129
 star testing, 171–2
 star trails, 8–14
 as lens test, 167–8

Cambridge University Press

978-0-521-64133-3 - Astrophotography for the Amateur, Second Edition

Michael A. Covington

Index

[More information](#)

Index 331

- stars
 colors of, 19–20
 fixed-camera photography, 8–20
 steadiness, *see* atmospheric turbulence
 Stensvold, M., 16
 stop bath, 200
 stops, as unit of exposure or film speed, 39–40
 streaks, in scanned image, 224
 Suiter, H. R., 84, 172
 sun, 100–3
 exposure tables, 266–9
 filters for viewing, *see* filters
 projection, 55–6
 sunspot cycle, 28, 100
 symbols used in formulae, xvi
- T-adapters, T-mounts, 71, 152, 243
 Taurus astrocamera, 89, 161, 314
 Taylor, P. O., 103
 Tele Vue, 73
 teleconverters, 35–7, 80–2, 83–4, 162–3
 tele-extender, 78
 vs. teleconverter, 162
 telephoto lenses, *see* lenses
 telescopes, 169–72
 Cassegrain, 70, 73, 169
 catadioptric, *see*
 Maksutov–Cassegrain,
 Schmidt–Cassegrain
 Celestron, 73, 170, 171, 246
 choosing, 3, 169–72, **169**
 computer-controlled, 5, 133, 246
 Dobsonian, 170
 Maksutov–Cassegrain, 40, 70, 73, 83, 143, 169
 Meade, 73, 133, 171, 246
 Newtonian, 70, 72, 90, 169, 172
 Questar, 73
 refractor, 70, 72, 83, 169, 170
 Schmidt–Cassegrain, 40, 70, 73, 82–3, 142–3, 169, 170, 246, 249
 focusing, 91–2, 112
 importance of collimating, 72, 171–2
 quality, 171
 testing, 90, 171–2
 Terrance, G., 94, 240, 241, 245, 246, 249, 250, 254, 255, Plate 13.2, Plate 13.3, Plate 13.4
 testing
 cameras, 157–8
 films, 181–4, 187
 lenses, 166–7
 safelights, 203
 telescopes, 90, 171–2
 thermal noise, 251
 Thousand Oaks filters, 57, 267
 threshold, adjusting, 225–6
 TIFF files, 221, 222
 time zones, 47–8, **47**
 Tirion, W., *see* star atlases
 toe shape, 25, 45, 177–9, 180
 Tomosy, T., 159, 169
 totality, zone of, 52
 trackers, barn-door, 120–1
 tracking, with clock drive, 94–6
 “flop” due to loose gears, 143
 King rate, 288
 lunar rate, 103, 106, 288
 sidereal rate, 288
 solar rate, 288
 see also equatorial mounts; guiding;
 periodic error
 transient lunar phenomena (TLP), 103
 tripods, 96
 turbulence, *see* atmospheric turbulence
 twilight, duration of, 29–30, **29**
- ultraviolet light, 108, 165
 umbra, 46–47
 Universal Time (UT), 47–8
- unsharp masking, 205–6
 digital, 231
 Uranus, 111
 exposure table, **272**
 University Optics, 255, 315
- van Venrooij, M., 73, 83
 Vanhoeff, L., 246
 Vaughn, C., 6, Plate 5.7
 vector graphics, 216
 Vehrenberg, H., 113
 Venus, 107–8, 270
 vibration, from camera shutter, 40–1, 96–7, 152–3
 video imaging
 of lunar eclipses, 50–2
 of solar eclipses, 63–4
 viewfinders, *see* cameras
 vignetting, 70, 82, 125, 164
see also cos⁴ law
 Volk, J., Plate 5.4, Plate 9.1
 voltage, battery, 132–3
- Wallis, B., 114, 120, 129, 142, 185, 186, 190, 197
 Watkins, B., 206
 weather, 97–100
 wells, charge, 242
 West, J. B., 289
 White, R. L., 240
 Wildi, E., 161
 Woods, R. E., 239
 World Wide Web addresses, 186, 311–17
 comets, 22
 eclipses, 46
 graphics file formats, 222
 patents, 186
 Wyckoff, C. W., 61
- Zealey, W. J., 206
 zodiacal light, 28–30
 Zussman, K., 145, 185, 200