

Author index

- Abbe, E., 178, 199, 250, 255, *Fig. 8.32*
 Abelès, F., 54, 59, 63, 70, 72, 756
 Adams, J. C., 217
 Agarwal, G. S., 588
 — and Wolf, E., 556
 Aggarwal, R. R., 680, 691
 Airy, G. B., 65, *Fig. 7.74*, 440, *Fig. 8.12*, *Fig. 8.46*, 821
 Ambrosini, D.,
 —, Schirripa Spagnolo, G., Paoletti, D. and Vicalvi, S., 580
 Amici, G. B., 283
 Anderson, J. A., 274, 306
 Anderson, W. C., 12
 Andrejewski, W.,
 Meixner, J. and —, 634
 Arago, D. F., **xxviii**, **xxix**, 289, 417
 Arley, N., 117
 Armstrong, J. T., Hutter, D. J., Johnson, K. and Mozurkewich, D., 308
 Avery, D. G., 745
 Avogadro, A., 93

 Babcock, H. D., *Fig. 7.66*, 455
 Babinet, A., 424, 821, *Fig. 15.18*
 Bachynski, M. P. and Bekefi, G., 489, 517
 Bacon, G. E., 705
 Baker, B. B. and Copson, E. T., 116, 418, 420, 422, 424, 500, 634, 648, 656, 670, 698
 Baker, J. G., *Fig. 6.23*
 Banerji, S., 500
 Barham, P. M.,
 Hopkins, H. H. and —, *Fig. 10.16*
 Barnes, M. D.,
 —, Kenyon, A. S., Zaiser, E. M. and La Mer, V. K., 786, 788
 — and La Mer, V. K., 786, 788
 Barrell, H., 410
 — and Sears, J. E., 409, 410
 Sears, J. E. and —, 410
 Barrett, H. H., 223
 Bartholinus, E., **xxvii**
 Bartlet, H.,
 Fercher, A. F., —, Becker, H. and Wiltshko, E., 715
 Bateman, H., 903
 Bates, W. J., *Fig. 7.52*, 351
 Becker, H.,
 Fercher, A. F., Bartlet, H. — and Wiltshko, E., 715
 Bekefi, G.,
 Bachynski, M. P. and —, 489, 517
 Benedict, E.,
 Senftleben, H. and —, 781
 Bennett, A. H., Jupnik, H., Osterberg, H. and Richards, O. W., 472, *Fig. 8.34*, *Fig. 8.35*
 Benoit, J. R., 325, 405
 —, Fabry, C. and Perot, A., 405, 409
 Michelson, A. A. and —, 336, 379, 409
 Beran, M. J. and Parrent, G. B., 614
 Berek, M., 489, 555, 823
 Bergmann, L., 674
 Bergstrand, E., 12
 Bernal, J. D., 702
 Berne, B. J.,
 — and Pecora, R., 729
 Berry, M., 127
 Nye, J. F. and —, 496
 Bershader, D.,
 Ladenburg, R. and —, 351
 Bertero, M. and DeMol, C., 703
 Bhatia, A. B.,
 Bhatia, A. B. and Noble, W. J., 682, 689, 690, 691
 — and Wolf, E., 905
 Bialynicki-Birula, I., 127
 Billet, F., *Fig. 7.8*
 Billington, C.,
 Greenland, K. M. and —, 388
 Biot, J. B., **xxvii**
 Biquard, P.,
 Lucas, R. and —, 676
 Birge, R. T., 12
 Black, G., 204
 — and Linfoot, E. H., *Fig. 9.15*
 Blaisse, R. S.,
 Kronig, R., — and Sande, J. J., v.d., 56
 Blanc-Lapierre, A., 543
 — and Dumontet, P., 556
 Blaschke, W., 156
 Bloembergen, N., 3
 — and Grivet, P., 556
 — and Pershan, P. S., 103
 Blumer, H., 781
 Bock, R. O.,
 Collins, J. R. and —, 745

- Bocko, M. F.,
 —, Douglass, D. H. and Knox, R. S., 588
 Boeder, P., 840
 Boegehold, H., 153, 159
 — and Herzberger, M., 159
 Boersch, H., 511, 881
 Boethe, W., 103
 Bohr, N., **xxi**, 880
 Boivin, A., 490
 —, Dow, J. and Wolf, E., 440, 490
 — and Wolf, E., 440, 490
 Boltzmann, L., 14
 Booker, H. G., 637
 Borgnis, F., 23
 Born, M., **ix**, **xxxi**, 64, 79, 84, 104, 422, 517, 700,
 748, 799, 906
 —, Heisenberg, W. and Jordan, P., **xxxi**
 — and Jordan, P., **xxxi**
 — and Kármán, Th. v., 693
 Börnstein, R.,
 Landolt, H. H. and —, 746
 Bortolotti, E., 127
 Bouguer, 130, *Fig. 3.5*
 Boutry, G. A., 261
 Bouwers, A., 285
 Bouwkamp, C. J., **xi**, 424, 498, 634, 671, 672, 789
 — and Casimir, H. B. G., 764
 Boyd, R. W., 3, 194
 Boyle, R., **xxvi**
 Bracewell, R. N., 227, 557
 — and Riddle, A. C., 227
 Bradley, J., **xxxii**, 12
 Bradley, L. C. and Kuhn, H., 405
 Bragg, W. H. and Bragg, W. L., *Fig. 13.6*, 705
 Bragg, W. L., 511, 706, 707, 708
 Bragg, W. H. and —, 705, *Fig. 13.6*
 — and Pippard, A. B., 539
 Braunbek, W., 120
 — and Laukien, G., 654, *Fig. 11.12*, *Fig. 11.13*,
 Fig. 11.14
 Breguet, L.,
 Fizeau, H. and —, **xxviii**
 Bremmer, H., 903
 Pol, B., van der and —, 777, 892, 896
 Brewster, D., *Fig. 1.11*, 834
 Brillouin, L., 19, 674, 679, 690, 722
 Brinkman, H. C.,
 Zernike, F. and —, 905
 Broer, L. J. F., 23
 Broglie, L., de, **xxxi**, 139, 700, 880
 Bromwich, T. J. I'A., 634, 759, 889
 Brossel, J., 391
 Brown, J., 153
 Brown, R., Hanbury, 576
 — and Twiss, R. Q., 308, 576
 Bruns, H., 119, 142, 153
 —, Klein, F. and Liebmann, H., 153
 Bryngdahl, O., 352
 Bucerius, H., 777
 Buchdahl, H. A., 233
 Buerger, M. J., 511
 Buisson, H.,
 Fabry, C. and —, 374, 408
 Bulmer, H., *Fig. 14.11*, 783
 Bunimovich, V. I., 558
 Bunn, C. W., 805
 Bunsen, R. and Kirchhoff, G., **xxxi**
 Burch, C. R., 284, *Fig. 6.30*
 Burckhardt, C. B.,
 Collier, R. J., — and Lin, L. H., 504
 Burridge, J. C., Kuhn, H. and Pery, A., *Fig. 7.61*
 Burtin, R., 440
 Butcher, P. N. and Cotter, D., 3
 Campbell, N., 354
 Carathéodory, C., 116, 137, 139, 142, 153, 157, 278
 Carlson, J. F. and Heins, A. E., 634, 669
 Carney, P. S.,
 Visser, T. D., — and Wolf, E., 106
 Carslaw, H. S., 634, 663, 665, 671
 Cartan, E., 135
 Carter, W. H., 715
 — and Ho, P. C., 715
 Casimir, H. B. G.,
 Bouwkamp, C. J. and —, 764
 Cassegrain, N., *Fig. 6.23*
 Cauchy, A. L., **xxix**, 100, 101
 Chabbal, R., 369, 370
 Chako, N., 238, 890
 Chalker, W. R.,
 Houghton, H. G. and —, 786
 Chander, M.,
 Kandpal, H. C., Vaishya, J. S., —, Saxena, K.,
 Mehta, D. S. and Joshi, K., 588
 Chandrasekhar, S., 630
 Chebyshev, P. L., 70, 71, 72
 Chester, C., Friedman, B. and Ursell, F., 888
 Chevalier, C., *Fig. 6.3*
 Chiao, R. Y., and Steinberg, A. M., 24
 Chwolson, O. D., *Fig. 1.12*, *Fig. 1.14*
 Cittert, P. H., van, 555, 572, 574
 Clausius, R., 92, 176, 178
 Clemmow, P. C., 670, 671, 712, 888
 Coker, E. G. and Filon, L. N. G., 837
 Collett, E. and Wolf, E., 489
 Collier, R. J., Burckhardt, C. B. and Lin, L. H., 504
 Collins, J. R. and Bock, R. O., 745
 Connes, P., 369
 Conrady, A. E., 204
 Cooke, T., *Fig. 6.5*
 Cope, T. D., 453
 Copson, E. T., 634, 672, 703, 904
 Baker, B. B. and —, 116, 418, 420, 422, 424, 500,
 634, 648, 656, 670, 698
 Cormack, A., 226
 Cornu, A., 480, *Fig. 8.37*
 Corput, J. G., van der, 889, 890
 Cotes, R., 176
 Cotter, D.,
 Butcher, P. N. and —, 3
 Couder, A.,
 Danjon, A. and —, 267
 Courant, R., 131, 480, 800, 871
 — and Hilbert, D., 468, 523, 525, 907, 908, 909,
 910
 Crowther, R. A.,
 —, DeRossier, D. J. and Klug, A., 227
 Klug, A. and —, 227

- Cullen, A. E.,
Mathews, P. A. and —, 489
Culshaw, W. and Jones, D. S., 50
Czapski, S. and Eppenstein, O., 153
- Daguerre, L. J. M., 228
Dallmeyer, J. H., 264
Danjon, A. and Couder, A., 267
Darwin, C. G., 103, 914
Davenport, W. B. and Root, W. L., 561
David, E., 679, 690
Davis, H. T.,
Hufford, M. E. and —, 489
De, M., *Fig. 9.16*
Deans, S. R., 221, 223
Debye, P., 484, 759, 777, 786, 883
— and Sears, F. W., 675
DeMol, C., de
Bertero, M. and —, 703
Dennison, D. M.,
Hadley, L. N. and —, 756
DeRossier, D. J.,
— and Klug, A., 227
Crowther, R. A., — and Klug, A., 227
Descartes, R., **xxv**
Devaney, A. J., 715
Dexter, D. L.,
Guinier, A. and —, 511, 705
Dingle, R. B., 650
Dirac, P. A. M., **xxxi**, **xxxii**, 881, 892, 893
Ditchburn, R. W., 745
Dogariu, A.,
Wang, L. J., Kuzmich, A. and —, 24
Doob, J. L., 561
Doppler, C., **xxxii**
Dorsey, N. E.,
Rosa, E. B., and —, 12
Dossier, B., *see* Roizen-Dossier, B.,
Dove, K., *Fig. 6.16*
Douglass, D. H.,
Bocko, M. F., — and Knox, R. S., 588
Dow, J.,
Boivin, A., — and Wolf, E., 440, 490
Dowell, J. H., 339, *Fig. 7.44*
Drew, R. L., 352
Driffield, V. C., *Fig. 8.51*
Drude, P., 745
— and Nernst, W., 312
Duboscq, J.,
— and Soleil, H., 823
Duffieux, P. M., 543
— and Lansraux, G., 543
Dufour, C., 368, 382, 388, 405
— and Herpin, A., 73
— and Picca, R., 396
Jacquinot, P. and —, 376
Dumontet, P., 545, 599
Blanc-Lapierre, A. and —, 556
Duncan, R. W. and Duncan, R. C., 746
Dupin, C., 139, 140
Dyson, J., 346, *Fig. 7.49*
- Eagle, A., 460, *Fig. 8.29*
Edsall, J. T., 840
- Ehrenberg, W. and Siday, R. E., 878
Einstein, A., **xxxi**, **xxxiii**, 567, 700
Emde, F.,
Jahnke, E. and —, 440, 441, 479
Empedocles, C., **xxv**
Eppenstein, O.,
Czapski, S. and —, 153
Epstein, D. W.,
Malloff, I. G. and —, 211
Erdélyi, A., 884
Esmarch, W., 103
Euclid, **xxv**
Euler, L., **xxvii**
Ewald, P. P., 106, 702
Extermann, R. and Wannier, G., 680
- Fabry, C.,
Fabry, C. and Buisson, H., 374, 408
— and Perot, A., 73, 366, *Fig. 7.59*, *Fig. 7.60*,
370, *Fig. 7.63*, *Fig. 7.64*, *Fig. 7.65*, *Fig. 7.66*,
379, *Fig. 7.71*
Benoit, J. R., — and Perot, A., 405, 409
Macé de Lépinay, J. and —, 325
Falkoff, D. L. and MacDonald, J. E., 630
Fano, U., 630
Faraday, M., **xxx**
Farnell, G. W., *Fig. 8.45*, 498
Fearn, H., James, D. F. V. and Miloni, P., 106
Feick, R., *Fig. 14.12*
Fellgett, P., 359
Fercher, A. F., Bartlett, H., Becker, H. and
Wiltshkoe, E., 715
Fermat, P., de, **xxiv**, 136, *Fig. 3.11*
Feussner, W. and Janicki, L., 329
Filon, L. N. G.,
Coker, E. G. and —, 837
Fizeau, H., **xxxii**, 12, 305, 323, *Fig. 7.30*, 356,
Fig. 7.74, *Fig. 7.76*, *Fig. 7.77*
— and Breguet, L., **xxviii**
Foucault, L. and —, 13
Fletcher, A. T., Murphy, T. and Young, A., 157
Fock, V. A., 117, 440
Focke, J., 233, 493, 519, 537, 889, 890
Foley, J. T.,
Wolf, E. and —, 729
Forrester, A. T., 579
Foucault, L., **xxviii**, 12
— and Fizeau, H., 13
Fourier, J. B. J., 19
Francia, Toraldo G., di 157, 424, 463
François, M., 472, 537
— and Mallick, S., 566
Frank, P. and Mises, R., 764
Franken, P. A., Hill, A. E., Peters, C. W. and
Weinrich, G., 3
Fraunhofer, J., **xxx**, 453, *Fig. 8.6*, *Fig. 8.9*,
Fig. 8.10, *Fig. 8.11*, *Fig. 8.12*, *Fig. 8.13*,
Fig. 8.14, *Fig. 8.15*, *Fig. 8.30*
Freeman, J. J., 556
Fresnel, A. J., **xxvii**, **xxviii**, **xix**, 53, *Fig. 1.16*,
Fig. 7.5, *Fig. 7.7*, *Fig. 7.10*, 289, *Fig. 7.11*,
Fig. 8.1, *Fig. 8.36*, *Fig. 8.38*, *Fig. 8.39*
— Kirchhoff, G., *Fig. 8.3*
Friberg, A. T. and Wolf, E., 587

- Friedlander, F. G., 117
 Friedman, B.,
 Chester, C., — and Ursell, F., 888
 Friedrich, W., Knipping, P. and Laue, M. von, 705
 Frocht, M. M., 837
 Fry, T. C.,
 Ives, H. E. and —, 312
 Fuks, B. A., 703
- Gabor, D., 504, *Fig. 8.50, Fig. 8.53*, 511, 556, 558
 Galileo, G., **xxv**
 Gamo, H., 556
 Gans, R., 781, 789
 Gantmacher, F. R., 911
 Garnett, J. C., Maxwell, 759
 Gauss, K. F., 1, 2
 Gehrcke, E.,
 — and Lau, E., 403
 Lummer, O. and —, 380, *Fig. 7.67, Fig. 7.69, Fig. 7.70*
 Gelius, L.-J.,
 Stamnes, J. J., —, Johansen, I. and Sponheim, N., 715
 Gergonne, J. D., 139
 Giacomo, P., 74, 366, *Fig. 7.61*
 — and Jacquinet, P., 388
 Glaser, W., 881
 Glauber, R. J., 556
 Glazebrook, R., (editor), 261
 Goede, J. de and Mazur, P., 106
 Goetz, C. P., 265
 Goldberg, B., *Fig. 14.13*
 Goldman, S., 561
 Gori, F., 635
 Santarsiero, M. and —, 588, *Fig. 10.11*
 Götz, F. W. P., 787
 Gouy, L. G., 498
 Gray, A., Mathews, G. B. and MacRobert, T. M., 487
 Green, A.,
 Twyman, F. and —, 338, *Fig. 7.41, Fig. 7.42*
 Green, G., **xxix**
 Green, H. S. and Wolf, E., 78
 Greenberg, J. M.,
 Montroll, E. W. and —, 789
 Greenland, K. M. and Billington, C., 388
 Greenstein, J. L., 786, 787
 Grey D. S., 285
 Grimaldi, F. M., **xxvi**
 Grivet, P.,
 Bloembergen, N. and —, 556
 Gröbner, W. and Hofreiter, N., 439
 Groosmuller, J. Th.,
 Lakeman, C. and —, 555
 Groschwitz, E. and Hönl, H., 670
 Grossmann, F.,
 Schaeffer, C. and —, 789
 Guinier, A. and Dexter, D. L., 511, 705
 Gumprecht, R. O. and Sliepcevich, C. M., 781
- Habashy, T. and Wolf, E., 703
 Haber, F. and Löwe, F., 300
 Hadley, L. N. and Dennison, D. M., 756
 Hagen, E. and Rubens, H., 746
 Haidinger, W., 816
- Hamilton, W. R., Sir, **xxviii**, 139, 142, 143, 144, 145, *Fig. 4.3*, 869
 — and Bruns, H., 142
 Hammer, K., 67, *Fig. 1.19, Fig. 14.5*
 Hanbury Brown, R., *see* Brown, R., Hanbury,
 Hannay, J. H.,
 Nye, J. F., — and Liang, W., 516
 Hanson, A. W., Lipson, H. and Taylor, C. A., 579
 Hanson, E. T., 129, 671
 Harden, B. N., 657
 Harihan, P., 504
 Harrison, G. R., 380, 453, 455
 Hart, R. W.,
 — and Montroll, E. W., 789
 Montroll, E. W. and —, 789
 Hartree, D. R., 110
 Heavens, O. S., 54, 756
 Heaviside, O., 892, 903
 Heins, A. E., 634, 664, 667, 668
 — and Silver, S., 672
 Carlson, J. F. and —, 634, 669
 Heisenberg, W., **xxx**
 Born, M., — and Jordan, P., **xxx**
 — and Jordan, P., **xxxi**
 Helmholtz, H., von, 108, *Fig. 4.17*, 178, 261, 418
 — and Kirchhoff, G., *Fig. 8.2*
 Herpin, A.,
 Dufour, C. and —, 73
 Herschel, J. F. W., *Fig. 4.18*, 178, 180
 Hertz, H., **xxx**, **xxxiii**, 12, 84
 Herzberger, M., 116, 159, 204, 233
 — and Hoadley, H. O., 214
 — and Synge, J. L., 142
 Boegehold, H. and —, 159
 Hilbert, D. R., **x**, 853
 Courant, R. and —, 468, 523, 525, 907, 908, 909, 910
 Hill, A. E.,
 Franken, P. A., —, Peters, C. W. and Weinrich, G., 3
 Hinde, R. M.,
 Taylor, C. A., — and Lipson, H., 579
 Hirayama, S.,
 Scheiner, J. and —, 443
 Ho, P. C.,
 Carter, W. H. and —, 715
 Hoadley, H. O.,
 Herzberger, M. and —, 214
 Hockin, C., 178
 Hoek, H., 103
 Hofreiter, N.,
 Gröbner, W. and —, 439
 Holden, J., 396
 Holl, H., 781, 786
 Hönl, H.,
 — and Zimmer, E., 670
 Groschwitz, E. and —, 670
 —, Maue, A. W. and Westpfahl, K., 634
 Hooke, R., **xxvi**
 Hoop, A. T., de, 725
 Hopf, E., 634
 Hopkins, H. H., 211, 440, 472, 543, *Fig. 9.13*, 556, 578, 599
 — and Barham, P. M., *Fig. 10.16*

- Hoppe, E., **xxv**
Horton, C. W. and Watson, R. B., 657
Houghton, H. G. and Chalker, W. R., 786
Hounsfield, G. N., *Fig. 4.50*, 227
Houston, W. V., 403
Hsü, Hsien-yü,
 Richartz, M. and —, 820
Hufford, M. E. and Davies, H. T., 489
Hughes, W. and Taylor, C. A., 579
Hulst, H. C., van de, 720, 759, 781, 786, 787,
 Fig. 14.15, 789
Hurter, F., *Fig. 8.51*
Hüttel, A., 12
Hutter, D. J.,
 Armstrong, J. T., —, Johnson, K. and
 Mozurkewich, D., 308
Huxley, L. G. H., 637, 664
Huygens, C., **xxvi**, 13, 141, 176
- Ignatowsky, W. S., 117, 440, 789
Illingworth, K. K., 336
Ingarden, R. S., 500
 — and Krzywicki, A., 117
Ives, H. E. and Fry, T. C., 312
Iwata, K. and Nagata, R., 715
- Jackson, C. V., 380
Jackson, J. D., 10
Jacobi, K. G., 119, 137, 143, 491, 867, 868,
 869
Jacobs, D. A., 261
Jacobson, D. L.,
 —, Werner, S. A. and Rauch, H., 588
Jacobsson, R., 62
Jacquinot, P., 377
 — and Dufour, C., 376
 Giacomo, P. and —, 388
 — and Roizen-Dossier, B., 464
Jahnke, E. and Emde, F., 440, 441, 479
James, D. F. V.,
 — and Wolf, E., 588, *Fig. 10.10*
 Fearn, H., — and Miloni, P., 106
 Wolf, E. and —, 588
James, G. L., 129
Jamin, J., 344, *Fig. 7.47*, 821
Janicki, L.,
 Feussner, W. and —, 329
Jánossy, L., 555
Jauch, J. M. and Rohrlich, F., 630
Jeffreys, B. S.,
 Jeffreys, H. and —, 694, 884, 888
Jeffreys, H. and Jeffreys, B. S., 694, 884, 888
Jerrard, H. G., 33, 820
Jobst, G., 787
Johansen, I.,
 Stamnes, J. J., Gelius, L.-J., — and Sponheim, N.,
 715
Johnson, I. and La Mer, V. K., 788
Johnson, K.,
 Armstrong, J. T., Hutter, D. J., — and
 Mozurkewich, D., 308
Jones, D. S., 672, 719, 722, 921
 — and Kline, M., 890
 Culshaw, W. and —, 50
- Jordan, P.,
 Born, M., Heisenberg, W. and —, **xxxi**
 Born, M. and —, **xxxi**
Joshi, K.,
 Kandpal, H. C., Vaishya, J. S., Chander, M.,
 Saxena, K., Mehta, D. S. and —, 588
Joule, J. P., 4, 10
Jupnik, H.,
 Bennett, A. H., —, Osterberg, H. and Richards,
 O. W., 472, *Fig. 8.34*, *Fig. 8.35*
- Kahn, F. D., 473
Kak, A. C., 225
 — and Slaney, M., 715
 Pan, S. X. and —, 715
Kalaschnikow, A., 500
Kampen, N. G., van, 518, 729, 890
Kandpal, H. C., Vaishya, J. S., Ch and er, M.,
 Saxena, K., Mehta, D. S. and Joshi, K., 588
Kanthack, R., 204, 250
Kármán, Th. v.,
 Born, M. and —, 693
Karolus, A. and Mittelstaedt, O., 12
Karp, S. N. and Russek, A., 670
Kathavate, Y. V., 443, 500
Kay, I. W.,
 — and Silverman, R., 616
 Kline, M. and —, 120, 125, 127, 890, 903, 904
Keller, J. B., 129, 729
Kelvin, Lord (Thomson, W.), **xxx**, 889
Kemble, E., 908
Kennedy, R. J., 336
Kenyon, A. S.,
 Barnes, M. D., —, Zaiser, E. M. and La Mer,
 V. K., 786, 788
Kharkevich, A. A., 616
Khinchine, A., 567
Kingslake, R., 267, 340, *Fig. 7.42*, *Fig. 9.7*
Kinosita, K., *Fig. 7.74*
Kirchhoff, G., **xxx**, **xxxi**, 108, 116, 412, 418
 Bunsen, R. and —, **xxi**
 Fresnel, A. J., —, *Fig. 8.3*
 Helmholtz, H., von —, *Fig. 8.2*
Klauder, J. R., and Sudarshan, E. C. G., 556
Klein, F., 142, 153, 157
 Bruns, H., — and Liebmann, H., 153
Kline, M., 120, 125, 903
 — and Kay, I. W., 120, 125, 127, 890, 903, 904
 Jones, D. S. and —, 890
Klug, A.,
 — and Crowther, R. A., 227
 Crowther, R. A., DeRossier, D. J. and —, 227
 DeRossier, D. J. and —, 227
Knipping, P.,
 Friedrich, W., — and Laue, M., von, 705
Knox, R. S.,
 Bocko, M. F., Douglass, D. H. and —, 588
Koch, J., 99
Kodis, R. D., 657
Köhler, A., 598, *Fig. 10.17*
Kohler, H., 279
Kohlrausch, R., **xxx**
 — and Weber, W., 12
Kohlschütter, A., 233

- König, H.,
 Runge, C. and — 217
 Kösters, W., 338, *Fig. 7.43*
 Kottler, F., 84, 418, 424, 500
 Kramers, H. A., 558
 Kranendonk, J., van and Sipe, J. E., 103
 Kronig, R., Blaisse, R. S. and Sande, J. J. v. d., 56
 Krzywicki, A.,
 Ingarden, R. S. and —, 117
 Kuhn, H.,
 — and Wilson, B. A., *Fig. 7.61*
 Bradley, L. C. and —, 405
 Burridge, J. C. — and Pery, A., *Fig. 7.61*
 Kundt, A., 739
 Kutta, M. W., 217
 Kuzmich, A.,
 Wang, L. J., — and Dogariu, A., 24

 Ladenburg, R. and Bershader, D., 351
 Lagrange, J. L., *Fig. 3.10*, 176
 Lakeman, C. and Groosmuller, J. Th., 555
 Lalor, E. and Wolf, E., 111
 Lamé, M. G., 812
 La Mer, V. K.,
 Barnes, M. D., Kenyon, A. S., Zaiser, E. M. and
 —, 786, 788
 Barnes, M. D. and —, 786, 788
 Johnson, I. and —, 788
 Land, E. H., 850
 — and West, C., *Fig. 15.32*, *Fig. 15.33*
 Landolt, H. H. and Börnstein, R., 746
 Lange, H., 746
 Lansraux, G.,
 Duffieux, P. M. and —, 543
 Laplace, P. S., de, **xxvii**
 Laporte, O. and Meixner, J., 500
 Lau, E.,
 Gehrcke, E. and —, 403
 Laue, M., von, 445, 555, 708
 Friedrich, W., Knipping, P. and —, 705
 Laukien, G.,
 Braunbek, W. and —, 654, *Fig. 11.12*, *Fig. 11.13*,
 Fig. 11.14
 Lax, M., 720
 Lee, H. W., 267
 Taylor, W. and —, 267
 Legendre, A. M., 144
 Leith, E. N. and Upatnieks, J., 508, *Fig. 8.54*
 Lenz, W., 156, 157
 Leonardo da Vinci, 412
 Leontovich, E. A.,
 Mayer, A. G. and —, 616
 Lépinay, J., Macé de, *see* Macé de Lépinay, J.,
 Leurgans, P. and Turner, A. F., 389
 Levi-Civita, T., 139, 903
 Levine, H. and Schwinger, J., 634
 Li, Y., 486
 — and Wolf, E., 486
 — and Platzter, H., 486
 Liang, W.,
 Nye, J. F., Hannay, J. H. and —, 516
 Liebisch, T. and Rubens, H., 792
 Liebmman, H., 153
 Bruns, H., Klein, F. and —, 153

 Lighthill, M. J., 892
 Lin, L. H.,
 Collier, R. J., Burckhardt, C. B. and —, 504
 Linfoot, E. H., 278, 279, 537
 — and Wolf, E., 490, *Fig. 8.41*, *Fig. 8.46*,
 Fig. 8.47, 497, 498
 Black, G. and —, *Fig. 9.15*
 Liouville, J., 156
 Lippmann, G., 312, *Fig. 7.19*
 Lipson, H.,
 — and Cochran, W.,
 —, Taylor, C. A. and Thompson, B. J., *Fig. 8.10*,
 Fig. 8.12, *Fig. 8.15*
 Hanson, A. W., — and Taylor, C. A., 579
 Taylor, C. A., Hinde, R. M. and —, 579
 Lissberger, P. H.,
 — and Ring, J., 388, 389
 Littleton, J. T., Jr., 746
 Littrow, O., *Fig. 8.25*
 Lloyd, H., **xxviii**, *Fig. 7.6*
 Lommel, E., 484
 Lorentz, H. A., **xxxiii**, 92, 95
 Lorenz, L., 92
 Loschmidt, J., 93
 Lotsch, H. K. V., 52
 Love, A. E. H., 903
 Löwe, F.,
 Haber, F. and —, 300
 Lowery, H. and Moore, R. L., 746
 Lucas, R. and Biquard, P., 676
 Lummer, O., 380
 — and Gehrcke, E., 380, *Fig. 7.67*, *Fig. 7.69*,
 Fig. 7.70
 — and Reiche, F., 467
 Lundblad, R., 103
 Luneburg, R. K., 120, 127, 157, 211, 463, 511, 903,
 904
 MacCullagh, J., **xxix**
 MacDonald, H. M., 634, 663, 665, 671
 MacDonald, J. E.,
 Falkoff, D. L. and —, 630
 Macé de Lépinay, J., 329
 — and Fabry, C., 325
 Mach, E., **xxv**, 116
 Mach, L., 348
 — Zehnder, L., *Fig. 7.50*, *Fig. 7.51*
 MacMaster, W. H., 554
 MacRobert, T. M.,
 Gray, A., Mathews, G. B. and —, 487
 Maey, E., 500
 Maggi, G. A., 500
 Magnus, W., 785
 — and Oberhettinger, F., 762
 Mahajan, V. N., 520, 522, 528
 Maiman, L. T. H., **xxxii**
 Mallick, S.,
 Françon, M. and —, 566
 Malloff, I. G. and Epstein, D. W., 211
 Malus, É L., **xxvii**, 139, 140
 Mandel, L., 559, 568, 576, 615
 — and Wolf, E., 194, 219, 556, 557, 566, 577,
 586, 588, 615, 711, 712, 888
 Maraldi, 417
 Marchand, E. W., 153

- Marchand, E. W., (cont.)
 — and Wolf, E., 500, 516
 Wolf, E. and —, 424
 Maréchal, A., 528, 537
 Margenau, H. and Murphy, G. M., 565
 Martin, L. C., 500, 819
 Massey, H. S. W. and Mohr, C. B. O., 722
 Mathews, G. B.,
 Gray, A., — and MacRobert, T. M., 487
 Mathews, P. A. and Cullen, A. E., 489
 Maue, A. W., 672
 Hönl, H., — and Westpfahl, K., 634
 Maxwell Garnett, J. C., *see* Garnett, J. C. Maxwell,
 Maxwell, J. C., **xxx**, 12, 153, *Fig. 4.7*, *Fig. 4.8*,
 840
 Mayer, A. G. and Leontovich, E. A., 616
 Mayer, H., 54, 64
 Mazur, P.,
 Goede, J., de and —, 106
 McCrea, W. H., 84
 McMaster, W. H., 630
 Mehta, D. S.,
 H. C., Kandpal, Vaishya, J. S., Chander, M.,
 Saxena, K., — and Joshi, K., 588
 Meier, W., 746
 Meissner, K. W., *Fig. 7.64*, *Fig. 7.65*
 Meixner, J., 672
 — and Andrejewski, W., 634
 Laporte, O. and —, 500
 Mercier, A., 12
 Merté, W.,
 —, Richter, R. and Rohr, M., von 267
 Merton, T., 455
 Meslin, G., *Fig. 7.9*, 296, 297, 328
 Messner, R., *Fig. 1.18*
 Methfessel, S., 54
 Meyer, C. F., 412
 Michelson, A. A., **xxxiii**, 12, 300, 305, *Fig. 7.15*,
 Fig. 7.16, 307, *Fig. 7.39*, 335, 336, *Fig. 7.40*,
 359, *Fig. 7.55*, 455, 555, *Fig. 8.22*
 — and Benoit, J. R., 379, 409
 — and Morley, E. W., **xxxii**, 336
 — and Pease, F. G., 307
 Middleton, D., 561
 Mie, G., 759, 781, *Fig. 14.10*, 782, 784
 Miles, J. W., 634
 Millar, R. F., 670
 Milonni, P.,
 Fearn, H., James, D. F. V. and —, 106
 Minor, R. S., 746
 Mises, R.,
 Frank, P. and —, 764
 Mitra, S. K., 500
 Mittelstaedt, O.,
 Karolus, A. and —, 12
 Miyamoto, K., 500, 543
 — and Wolf, E., 500
 Möglich, F., 789
 Mohr, C. B. O.,
 Massey, H. S. W. and —, 722
 Montroll, E. W.,
 — and Greenberg, J. M., 789
 — and Hart, R. W., 789
 Hart, R. W. and —, 789
 Mooney, R. L., 70
 Moore, R. L.,
 Lowery, H. and —, 746
 Morgan, J. M.,
 Thompson, A. R. — and Swenson, G. W., 308
 Morley, E. W.,
 Michelson, A. A. and —, **xxxiii**, 336
 Morse, P. M. and Rubenstein, P. J., 670
 Mossotti, O. F., 92
 Moullin, E. B. and Phillips, F. M., 670
 Mozurkewich, D.,
 Armstrong, J. T., Hutter, D. J., Johnson, K. and —,
 308
 Muchmore, R. B., 56
 Mukunda, N., 516
 Müller, C., 672
 Müller, R. and Westpfahl, K., 670, 671
 Murata, K., 553
 Murphy, G. M.,
 Margenau, H. and —, 565
 Murphy, T.,
 Fletcher, A. T., — and Young, A., 157
 Musset, A. and Thelen, A., 68
 Nagata, R.,
 Iwata, K. and —, 715
 Naik, Y. G.,
 Paranjpe, G. R. — and Vaidya, P. B., 781
 Nath, N. S. N., 680
 Raman, C. V. and —, 679
 Nathanson, J. B., 746
 Navier, C. L. M. H., **xxix**
 Nernst, W.,
 Drude, P. and —, 312
 Neumann, C., **xxx**
 Neumann, F., **xxix**
 Newton, I., **xxvi**, 274, *Fig. 7.28*, *Fig. 7.29*
 Newton, R. G., 720
 Nicol, W., 818, *Fig. 15.17*, *Fig. 15.24*
 Nienhuis, K., 517, *Fig. 9.4*, *Fig. 9.5*, *Fig. 9.8*,
 Fig. 9.9, *Fig. 9.10*, *Fig. 9.11*
 — and Nijboer, B. R. A., 517, *Fig. 9.6*
 Nijboer, B. R. A., 517, 525, *Fig. 9.6*, *Fig. 9.9*, 905
 Nienhuis, K. and —, 517, *Fig. 9.6*
 Zernike, F. and —, 490, 517, *Fig. 9.3*
 Nisbet, A., 84, 764
 — and Wolf, E., 38
 Noble, W. J., 682
 Bhatia, A. B. and —, 682, 689, 690, 691
 Nomoto, O., 692
 Nörrenberg, J. G. C., 48
 Nussenzveig, H. M., 558, 759
 Nye, J. F.,
 — and Berry, M. V., 496
 —, Hannay, J. H. and Liang, W., 516
 Oberhettinger, F.,
 Magnus, W. and —, 762
 Ohm, G. S., 3
 Oppitz, L. K., 746
 Oseen, C. W., 103, 106
 Oster, G., 781
 Wilkins, M. H. F., Stokes, A. R., Seeds, W. E. and
 —, 840

- Osterberg, H.,
— and Wilkins, J. E., 463
Bennett, A. H., Jupnik, H., — and Richards,
O. W., 472, *Fig. 8.34*, *Fig. 8.35*
Oswald, J. R., 558
Ott, H., 888
Oughstun, K. E. and Sherman, G. C., 19
- Pan, S. X., — and Kak, A. C., 715
Pancharatnam, S., 33, 557, 630
Paoletti, D.,
Ambrosini, D., Schirripa Spagnolo, G., — and
Vicalvi, S., 580
Paranjpe, G. R., Naik, Y. G. and Vaidya, P. B., 781
Parrent, G. B.,
— and Roman, P., 619
Beran, M. J. and —, 614
Parseval, M. A., 353, 429, 526
Parthasarathy, S., 691, *Fig. 12.3*
Paschen, F., 460, *Fig. 8.28*
Pattanayak, D. N., 108
— and Wolf, E., 106
Pauli, W., 888
Weyl, H. and —, 617
Pearcey, T., 479
Pease, F. G.,
Michelson, A. A. and —, 307
Pecora, R., 729
Berne, B. J. and —, 729
Pendorf, R., 786
Penselin, S. and Steudel, A., *Fig. 7.61*
Pérard, A., 359
Perot, A.,
Benoit, J. R., Fabry, C. and —, 405, 409
Fabry, C. and —, 73, 366, *Fig. 7.59*, *Fig. 7.60*,
370, *Fig. 7.63*, *Fig. 7.64*, *Fig. 7.65*, *Fig. 7.66*,
379, *Fig. 7.71*
Perrin, F., 557, 630
Pershan, P. S.,
Bloembergen, N. and —, 103
Pery, A.,
Burridge, J. C., Kuhn, H. and —, *Fig. 7.61*
Peters, C. W.,
Franken, P. A., Hill, A. E., — and Weinrich, G., 3
Petzval, J., 228, 253, *Fig. 6.3*
Phariseau, P., 691
Phillips, F. M.,
Moullin, E. B. and —, 670
Picca, R.,
Dufour, C. and —, 369, 396
Picht, J., 473, 475, 517
Pippard, A. B.,
Bragg, W. L. and —, 839
Planck, M., **xxxi**, 432, 700, 747
Platzer, H.,
Li, Y. and —, 486
Pockels, F., 419, 835
Poggendorff, J. G., 816
Poincaré, H., *Fig. 1.8*, 33, 135, 424, 498, 883
Poisson, S. D., **xxix**, 91, 417
Pol, B., van der Bremmer, H., 777, 892, 896
Porter, A. B., 467
Poynting, J. H., 25, 34, 35, 87, 122, 128
Preddy, W. S.,
Wolf, E. and —, 211
Priestley, J., **xxv**
Pringsheim, E., 345, 346, *Fig. 7.48*
Prins, J. A., 445
Prokhorov, A. M.,
Basov, N. G. and —, **xxxii**
Purcell, E. M., 576
Purkinje, J. E., 198
Pythagoras, 868
- Quetelet, A., 139
- Rabinovich, G. D., 229
Radon, J., 221
Ramachandran, G. N., 500
Raman, C. V. and Nath, N. S. N., 679
Ramsden, J., 270, 271
Rankin, R. A., 649
Ratcliffe, J. A., 557, 577
Rauch, H., 588
Jacobson, D. L., Werner, S. A. and —, 588
Rayces, J. L., 231
Rayleigh, Lord (Strutt, J. W.), **xxx**, 104, 176, 300,
Fig. 7.13, 359, 371, *Fig. 7.62*, 443, 467, 511, 517,
528, 634, 670, 679, 779, 839
— and Sommerfeld, A., 512 *et seq.*
Reiche, F., 498
Lummer, O. and —, 467
Rellich, F., 672
Ricci, G., 762
Rice, S. O., 354
Richards, B. and Wolf, E., 440
Richards, O. W.,
Bennett, A. H., Jupnik, H., Osterberg, H. and —,
472, *Fig. 8.34*, *Fig. 8.35*
Richartz, M. and Hsü, Hsien-Yü, 820
Richter, R., 527
Merté, W., — and Rohr, M., von, 267
Riddle, A. C.,
Bracewell, R. N. and —, 227
Righi, A., 84
Rinehart, R. F., 157
Ring, J.,
— and Wilcock, W. L., *Fig. 7.61*
Lissberger, P. H. and —, 388, 389
Rittenhouse, D., 453
Robinson, G.,
Whittaker, E. T. and —, 217
Rohr, M., von, 199, 204, 250, 269
Merté, W., Richter, R. and —, 267
Rohrlich, F.,
Jauch, J. M. and —, 630
Roizen-Dossier, B.,
Jacquinot, P. and —, 464
Rolt, F. H., 323
Roman, P., 622, 696
Parrent, G. B. and —, 619
— and Wolf, E., 568, 622
Römer, O., **xxvi**, 12
Röntgen, W. C., 9
Root, W. L.,
Davenport, W. B. and —, 561
Rosa, E. B. and Dorsey, N. E., 12
Ross, F. E., 274, 276

- Row, R. V., 657
 Rowl and, H. A., 453, 459, 460, 461, *Fig. 8.26*,
Fig. 8.27
 Rubens, H., 792
 Hagen, E. and —, 746
 Liebisch, T. and —, 792
 Rubenstein, P. J.,
 Morse, P. M. and —, 670
 Rubinowicz, A., 498, 500
 Rudolph, P., 265
 Rule, B., 274
 Runge, C. and König, H., 217
 Runge, J.,
 Sommerfeld, A. and —, 117, 132
 Russek, A.,
 Karp, S. N. and —, 670
 Rutherford, E., Lord, 880
 Rytov, S. M., 117, 127, 690, 726

 Sakai, H.,
 Vanasse, G. A. and —, 359
 Salmon, G., 815, 891
 Sande, J. J. v.d.,
 Kronig, R., Blaisse, R. S. and —, 56
 Santarsiero, M. and Gori, F., 588, *Fig. 10.11*
 Saunders, W. K., 672
 Savart, F., 830
 Savornin, J., 657
 Saxena, K.,
 Kandpal, H. C., Vaishya, J. S., Chander, M., —,
 Mehta, D. S. and Joshi, K., 588
 Schaeffer, C. and Grossmann, F., 789
 Schalén, C., 781, *Fig. 14.14*
 Schawlow, A. L. and Towns, C. H., **xxxii**
 Scheiner, J. and Hirayama, S., 443
 Schelkunoff, S. A., 78
 Schirrmann, M. A., 784
 Schirripa Spagnolo, G.,
 Ambrosini, D., —, Paoletti, D. and Vicalvi, S.,
 580
 Schmidt, B., 211, 276, *Fig. 6.20*, *Fig. 6.21*, *Fig. 6.23*
 Schopper, H., 758
 Schorr, R., 276
 Schröder, H., 68
 Schrödinger, E., **xxxi**, 880
 Schuster, A., 415
 Schuster, K., 56
 Schwartz, L., 892
 Schwarzschild, K., 211, 228, 229, 233, 257, 484,
 670, 772, 875, 876
 Schwerd, F. M., 440
 Schwinger, J.,
 Levine, H., and —, 634
 Searle, G. F. C., 329
 Sears, F. W.,
 Debye, P. and —, 675
 Sears, J. E., 410
 — and Barrell, H., 410
 Barrell, H. and —, 409
 Seeds, W. E.,
 Wilkins, M. H. F., Stokes, A. R., — and Oster, G.,
 840
 Seidel, L., 228, 233, 250
 Sein, J. J., 106

 Seitz, F., 789
 Sellmeier, W., 102
 Senftleben, H. and Benedict, E., 781
 Senior, T. B. A., 664, 672
 Sherman, G. C.,
 Oughstun, K. E. and —, 19
 Shewell, J. R.,
 Wolf, E. and —, 508
 Siday, R. E.,
 Ehrenberg, W. and —, 878
 Siegman, A. E., 417
 Silva, D. E.,
 Wang, J. Y. and —, 525
 Silver, S., 424
 Heins, A. E., and —, 672
 Silverman, R., 616
 Kay, I. and —, 616
 Simon, I., 745
 Sinclair, D., 722
 Sipe, J. E.,
 Kranendonk, J., van and —, 103
 Sirks, J. A., 345, *Fig. 7.48*
 Sitenko, A. G., 724
 Skavlem, S., 670
 Slaney, M.,
 Kak, A. C. and —, 715
 Slevogt, H., 279
 Sliepcevich, C. M.,
 Gumprecht, R. O. and —, 781
 Smith, R., *Fig. 4.17*, 176, 177, 179
 Smith, T., 159, 204, 274
 Sneddon, I. N., 429, 546
 Snell, W., (Snellius), **xxvi**, 40, 58, 133
 Soleil, H., *Fig. 15.19*, 823
 Duboscq, J. and —, 823
 Soleillet, P., 557, 630
 Sommerfeld, A., 7, 19, 116, 412, 419, 515, 633, 670,
 672, 747, 764, 766, 767
 — and Runge, J., 117, 132
 Rayleigh and —, 572 *et seq.*
 Sommerville, D. M. Y., 814
 Southall, J. P. C., 261
 Sponheim, N.,
 Stamnes, J. J., Gelius, L.-J., Johansen, I. and —,
 715
 Stamnes, J. J., 484
 — and Wedberg, T. C., 715
 —, Gelius, L.-J., Johansen, I. and Sponheim, N.,
 715
 Steel, W. H., *Fig. 9.14*
 Steinberg, A. M.,
 Chiao, R. Y. and —, 24
 Steinheil, H. A., 265
 Stettler, R., 157
 Steudel, A.,
 Penselin, S. and —, *Fig. 7.61*
 Steward, G. C., 238, *Fig. 8.30*, 517
 Stokes, A. R., 31
 Wilkins, M. H. F., —, Seeds, W. E. and Oster, G.,
 840
 Stokes, G. G., 132, 423, 557, 630, 650
 Stratton, J. A., 7, 660
 Straubel, R., 463
 Strehl, K., 520

- Stroke, G. W., 455
 Strömngren, B., 278
 Strutt, J. W., *see* Rayleigh, Lord
 -Struve, H., 484
 Suchy, K., 117
 Sudarshan, E. C. G., 556
 Klauder, J. R. and —, 556
 Svelto, O., 369
 Swenson, G. W.,
 Thompson, A. R., Morgan, J. M. and —, 308
 Sygne, J. L., 142
 Hertzberger, M. and —, 142
 Szivessy, G., 812, 835, 852
- Taylor, C. A., *Fig. 8.10, Fig. 8.12, Fig. 8.15*
 —, Hinde, R. M. and Lipson, H., 579
 — and Thompson, B. J., 489
 Hanson, A. W., Lipson, H. and —, 579
 Hughes, W. and —, 579
 Lipson, H., — and Thompson, B. J., *Fig. 8.10, Fig. 8.12, Fig. 8.15*
 Taylor, H. D., 266, 490
 Taylor, W.,
 — and Lee, H. W., 267
 Temple, G., 892
 Theimer, O., Wassermann, G. D. and Wolf, E., 430
 Thelen, A.,
 Musset, A. and —, 68
 Thompson, A. R., Morgan, J. M. and Swenson, G. W., 308
 Thompson, B. J., *Fig. 8.10, Fig. 8.12, Fig. 8.15*
 — and Wolf, E., 583, *Fig. 10.6*
 Lipson, H., Taylor, C. A. and —, *Fig. 8.10, Fig. 8.12, Fig. 8.15*
 Taylor, C. A. and —, 489
 Thomson, G. P., 880
 Thomson, W., *see* Kelvin, Lord
 Thorp, T., 455
 Titchmarsh, E. C., 558, 634, 635, 642, 668
 Tolansky, S., 374, 397, 400, 756
 — and Wilcock, W. L., 400, *Fig. 7.79*
 Toll, J. S., 558
 Townes, C. H.,
 Schawlow, A. L. and —, **xxii**
 Tranter, C. J., 670, 671
 Trowbridge, A. and Wood, R. W., 454
 Turner, A. F., 389, 390
 Leurgans, P. and —, 389
 Twiss, R. Q.,
 Brown, R., Hanbury and —, 308, 576
 Twyman, F., 317, 338
 — and Green, A., 338, *Fig. 7.41, Fig. 7.42*
- Upatnieks, J.,
 Leith, E. N. and —, 508, *Fig. 8.54*
 Ursell, F.,
 Chester, C., Friedman, B. and —, 888
- Vaidya, P. B.,
 Paranjpe, G. R., Naik, Y. G. and —, 781
 Vainstein, L. A., 667
 Vaishya, J. S.,
 Kandpal, H. C., —, Chander, M., Saxena, K.,
 Mehta, D. S. and Joshi, K., 588
- Vanasse, G. A. and Sakai, H., 359
 Vaskas, E. M., 214
 Verdet, E., 555, 576
 Vicalvi, S.,
 Ambrosini, D., Schirripa Spagnolo, G., Paoletti, D. and —, 580
 Ville, J., 558
 Vinci, Leonardo da, 412
 Visser, T. D.,
 — and Wolf, E., 106
 —, Carney, P. S. and Wolf, E., 106
 Voigt, W., 816
 Volosov, D. S., 214
 Volterra, V., 812
- Wadsworth, F. L. O., 461
 Waerden, B. L., van der, 888
 Wagner, E. H., 680
 Walker, J., 487, 498
 Walker, M. J., 33, 630
 Wallace, R. J., 455
 Walsh, J. W. T., 194
 Wang, J. Y. and Silva, D. E., 525
 Wang, L. J., Kuzmich, A. and Dogariu, A., 24
 Wannier, G.,
 Extermann, R. and —, 680
 Wassermann, G. D.,
 — and Wolf, E., 214
 Theimer, O., — and Wolf, E., 430
 Watson, G. N., 440, 479, 487, 491, 534, 767, 884, 888
 Whittaker, E. T. and —, 440, 441, 536, 639, 644, 680
 Watson, R. B.,
 Horton, C. W. and —, 657
 Weatherburn, C. E., 134, 181
 Webb, S., 227
 Weber, W., **xxx**
 Kohlrausch, R. and —, 12
 Wedberg, T. C.,
 — and Wedberg, W. C., 715, *Fig. 13.11, Fig. 13.12*
 Stamnes, J. J. and —, 715
 Wedberg, W. C.,
 Wedberg, T. C. and —, 715, 717
 Weierstrass, K., 864, 865, 866, 872, 907
 Weinrich, G.,
 Franken, P. A., Hill, A. E., Peters, C. W. and —, 3
 Weinstein, W., 70, 204
 Welford, W. T., 461
 Wentzel, G., 10, 918
 Werner, S. A.,
 Jacobson, D. L., — and Rauch, H., 588
 West, C. D.,
 Land, E. H. and —, *Fig. 15.32, Fig. 15.33*
 Westpfahl, K.,
 Hönl, H., Maue, A. W. and —, 634
 Müller, R. and —, 670, 671
 Weyl, H., 617, 665, 711, 913
 — and Pauli, W., 617
 Wheatstone, C., 12
 Whipple, F. L., 279
 Whittaker, E. T., **xxv**, 153, 808
 — and Robinson, G., 217

- Whittaker, E. T., (cont).
 — and Watson, G. N., 440, 441, 536, 639, 644, 680
 Wien, W., 500
 Wiener, N., 557, 630, 634
 Wiener, O., *Fig. 7.18*, 311, 313, 839
 Wilcock, W. L., 398, *Fig. 7.76*, *Fig. 7.77*
 Ring, J. and —, *Fig. 7.61*
 Tolansky, S. and —, 400, *Fig. 7.79*
 Wilkins, J. E.,
 Osterberg, H. and —, 463
 Wilkins, M. H. F., Stokes, A. R. Seeds, W. E. and Oster, G., 840
 Willard, G. W., 676
 Williams, W. E., 457, 664
 Wilson, B. A.,
 Kuhn, H. and —, *Fig. 7.61*
 Wilson, R. N., 274, 785
 Wiltschko, E.,
 Fercher, A. F., Bartlet, H., Becker, H. and —, 715
 Wolf, E., 194, 211, 213, 231, 359, 430, 463, 493, 494, *Fig. 8.43*, *Fig. 8.44*, 517, 556, 557, 558, 561, 577, 586, 587, *Fig. 10.12*, 610, 616, 622, 629, 630, 715
 — and Foley, J. T., 729
 — and James, D. F. V., 588
 — and Marchand, E. W., 424
 — and Preddy, W. S., 211
 — and Shewell, J. R., 508
 Agarwal, G. S. and —, 556
 Bhatia, A. B., and —, 905
 Boivin, A., Dow, J. and —, 440, 490
 Boivin, A. and —, 440, 490
 Collett, E. and —, 489
 Friberg, A. T. and —, 587
 Green, H. S. and —, 78
 Habashy, T. and —, 703
 James, D. F. V. and —, 588, *Fig. 10.10*
 Lalor, É and —, 111
 Li, Y. and —, 486
 Linfoot, E. H. and —, *Fig. 8.41*, *Fig. 8.46*, 490, 497, 498, *Fig. 8.47*
 Mandel, L. and —, 194, 219, 556, 557, 566, 577, 586, 588, 615, 711, 712, 888
 Marchand, E. W. and —, 500, 516
 Miyamota, K. and —, 500
 Nisbet, A. and —, 38
 Pattanayak, D. N. and —, 106
 Richards, B. and —, 440
 Roman, P. and —, 568, 622
 Theimer, O., Wassermann, G. D. and —, 430
 Thompson, B. J. and —, 583, *Fig. 10.6*
 Visser, T. D.,
 —, Carney, P. S. and Wolf, E., 106
 — and Wolf, E., 106
 Wassermann, G. D. and —, 214
 Wolfsohn, G., 634, 657
 Wollaston, W. H., xxx
 Wood, R. W., 454, 455, 786, 819
 Trowbridge, A. and —, 454
 Woods, B. D., 664
 Wynne, C. G., 159, 267
 Yaglom, A. M., 561, 567
 Young, A.,
 Fletcher, A. T., Murphy, T. and —, 157
 Young, T., xxv, *Fig. 7.2*, *Fig. 7.4*, *Fig. 7.12*, 499, *Fig. 10.10*, *Fig. 10.11*
 Zaiser, E. M.,
 Barnes, M. D., Kenyon, A. S., — and La Mer, V. K., 786, 788
 Zanichelli, N., 558
 Zeeman, P., 455
 Zehnder, L., 348
 Mach, L., —, *Fig. 7.50*, *Fig. 7.51*
 Zeiss, C., 265, *Fig. 6.5*
 Zernike, F., 472, 475, 507, 523, 555, 572, 574, 581, 596, 905
 — and Brinkman, H. C., 905
 — and Nijboer, B. R. A., 490, 517, 525, *Fig. 9.3*
 Zimmer, E.,
 Hönl, H. and —, 670

Subject index

- Abbe invariant of lens, 255
 reflection, 171
 refraction, 169, 208
 Abbe theory of image formation in microscope, 467–472
 aberration
 balancing, 526–527
 chromatic, 186–189, 257–260
 diffraction theory of, 517 *et seq.*
 fifth-order, 233
 fixed stars, 12
 geometrical (wave and ray aberrations), 228 *et seq.*
 order of, 232
 primary, 232, 236 *et seq.*, 527 *et seq.*
 chromatic, 257–260
 coefficients of centred system, 236 *et seq.*, 246 *et seq.*, 529 *et seq.*
 diffraction focus, 520, 530–532
 diffraction patterns, 532–543
 frequency response curves, 549 *et seq.*
 frequency response function, 546
 of thin lens, 254–257
 tolerances, 527–532
 aberration curves, 238
 aberration function, 231–233, 235 *et seq.*, 518 *et seq.*
 absolute instrument, 153 *et seq.*
 absorbing crystal, 840–852
 Fresnel equation, 841 *et seq.*
 interference figures, 846–849
 light propagation in, 840–846
 absorbing films, *see* metallic films
 absorbing medium, 218–219
 absorption coefficient, 219, 221, 738
 absorption cross-section, 720, 734, 788
 absorption curves for weakly absorbing spheres, 788
 absorption frequency, 96 *et seq.*
 absorption index, 218–219
 absorptive power, 747
 achromat, 271
 achromatic doublet, 188, 264
 achromatic fringe, 302
 achromatic microscope objective, 284
 achromatic system, 188–189
 achromatization, 188–189, 260
 acuity, visual, 263
 advanced potential, 79
 aether, xxv, xxvi, xxviii, xxix
 affine collineation (transformation), 161, 164
 Airy formula
 for diffraction at circular aperture, 440
 for multiple-beam interference with plane-parallel plate, 65, 361–362
 Airy pattern, 442
 alkali metals, 751–752
 allied Fourier integral, 558
 Amici ('roof-type') prism, 272
 amplitude, 17
 complex, 18
 scattering, 699, 713, 720
 forward, 720
 amplitude division, 286, 313–359
 amplitude object, 447
 amplitude vectors, 125 *et seq.*
 analytic signal, 558 *et seq.*
 analyzer, 49, 819
 anastigmatic lens (anastigmat), 265
 angle
 of collection, 280
 of deviation, 190
 of diffraction, 414
 polarizing, 45, 48
 quasi-polarizing, 743
 of restored polarization, 742
 angle characteristic, 146–152
 ångström, 378, 410–411
 angular aperture, 199
 angular dimensions of sources (astronomical objects), determination of, 302–308, 576
 angular dispersion, 192, 454
 of grating, 454
 of prism, 192
 angular field of view, 201
 angular frequency, 17
 angular magnification, 164
 angular spectrum of plane waves, 639–642, 711–713
 anisotropic medium, *see* crystals
 anisotropy, electrical, 790
 annular aperture, 462 *et seq.*, 490
 anomalous dispersion, 19, 98
 anomaly, phase, 498–499
 antinode, 311
 antireflection film, 54, 67
 aperture
 angular, 199

- aperture (contd)
 numerical (NA), 200, 282, 466
 relative, 200
 see also diffraction
 aperture stop, 199–201
 aplanat, 264
 aplanatic pair of points, 180
 of lens, 256
 of spherical surface, 160
 aplanatic telescope objective, 211, 275
 aplanatism, attainment with aspheric surfaces, 214–217
 apodization, 464
 area (region of) coherence, 554, 555, 576
 aspheric surfaces, design of, 211–217
 associated function, 558
 associated Legendre polynomials, 766, 772, 785
 associated monochromatic source in coherence theory, 578
 astigmatic focal distance, 182
 astigmatic focal line, photograph of, *Fig. 9.11*
 astigmatic pencils, 181–186
 astigmatism, 239, 240 *et seq.*, 262, 531–532, 552
 astronomical telescope
 reflecting, 274–279
 refracting, 267–274
 asymptotic approximation to integrals, 883–891
 asymptotic behaviour of diffraction integrals, 429
 asymptotic expansion, definition and properties of, 883 *et seq.*
 asymptotic series for field vectors, 120
 atomic refractivity, 93, 95
 attenuation index, 218–219, 737
 autocorrelation function, 548, 564
 Aviar lens, 265
 Avogadro number, 93
 axes
 dielectric, 792, 806
 dispersion of, 792
 optic, of crystal, 801, 805 *et seq.*
 determination of location, 833
 axial stigmatism, attainment with aspheric surfaces, 211–214
 azimuth of vibration, 47–48
- Babinet's compensator, 821–823
 Babinet's principle,
 electromagnetic form, 636–637
 for scalar wave, 424
 back-projection algorithm, 226, 715
 Baker Super-Schmidt camera, 279
 balancing of aberrations, 526–527
 barrel distortion, 243–244
 Bates wave-front shearing interferometer, *Fig. 7.52*, 351–352
 Bauer's formula, 534, 768
 beam propagation in absorbing medium, 218
 beam-splitter, 54
 Beer's law, 219
 Berek's compensator, 823
 Berry phase, 127
 Bessel equation, 766–767
 Bessel functions, 767
 beta function, 910
- biaxial crystal, 805, 806
 absorbing, 844, 848–849
 interference figures from biaxial crystal plates, 831–833, 848–849
 normal surface, 808–809
 ray surface, 811
 surface of constant phase difference, 832
 Billet's split lens, 293–294, 296, 299
 binocular, 269
 biprism, Fresnel's, 293–294, 296, 299
 birefringence, 812
 form, 837–840
 stress, 834–837
 black body, 748
 black obstacle, 633
 black screen, 424
 blazed grating, 455
 bloomed surfaces, 68
 blue sun, 785
 Born's approximation
 first-order, 504, 699–703, 707, 708
 relation to Rytov approximation, 729
 second-order, 708, 710, 711
 Bouger's formula, 130, 131
 boundary conditions
 at discontinuity surface, 4–7
 Kirchhoff's, 422, 424–425
 at perfect conductor, 635–636
 boundary diffraction wave, 499–503
 Bragg's law, 706, 707
 Brewster angle, 45, 68
 Brewster fringes, 344
 Brewster law, 45
 brightness, 194, 195, 201–202, 227
 de Broglie wavelength of a particle, 879–880
 Brown–Twiss intensity interferometer, 308, 576–577
 Burch reflecting microscope, 284
- calculus of variations, 853–872
 camera, photographic, 263 *et seq.*
 see also Schmidt camera, Schmidt–Cassegrain camera, Baker Super-Schmidt camera
 Campbell's theorem, 354
 candela, 199
 candle, international, 198
 candle power, 198
 canonical equations (Hamilton's), 860–861
 Carathéodory's theorem for absolute instrument, 157
 cardinal planes, 162
 cardinal points, 162
 Cassegrain telescope, 274–275
 Cauchy's dispersion formula, 100–101
 CAT scan, 218
 causality, 558
 caustic surface, 135, 138–139, 181, 868, 870
 Celor lens, 265
 central dark ground method, 472, 476
 central plane of astigmatic image, 539
 central (or principal) ray, 182
 centred system, 161
 aberration coefficients, 237 *et seq.*, 246–254, 529
 et seq.
 power of, 169

- channelled spectrum, 296
characteristic curves, 238
characteristic functions of Hamilton, 142–152, 869
characteristic matrix of stratified medium, 60–63, 64
characteristics, equation of, 119
charge density, 2 *et seq.*, 736
 free, 80
 surface, 5
Chebyshev polynomials, 71
Chevalier lens, 264
chief (or reference) ray, 199
chromatic aberration, 186–189, 257–260
chromatic change in
 magnification, 260
 position of image, 258
circle of least confusion, 238
circle polynomials of Zernike, 523–525, 905–910
circular polarization, 30–31, 37
classification (optical) of crystals, 805–806
coherence, 286, 554 *et seq.*, 566
 area of, 576
 complex degree of (coherence factor), 564 *et seq.*
 between components of electric field, 621 *et seq.*
 for quasi-monochromatic light, 570, 572
 in image, 590–595
 microscope resolution, coherence theory of, 595–599
 mutual, *see* Mutual coherence,
 partial, 554 *et seq.*, 566
 region (area) of, 554, 555, 576
 relation to visibility fringes, 570
 rigorous theory of, 610 *et seq.*
 self-coherence, 564
coherence length, 356
coherence time, 356, 554, 571, 615–619
coherency matrix, 621 *et seq.*
coherent background, 504, 506
coincidences, method of, 379
collection, angle of, 280
collineation, 160–167
colour, 12
colour photography, 312
coma, 180, *Fig. 5.3(b)*, 238, *Fig. 5.5*, 530, 532, 538–539
compensator, 820–823
 Babinet's, 821–823
 Berek's, 823
 Soleil's, 823
completeness (complete set), 523
complex amplitude, 18
complex degree of coherence (coherence factor), 564 *et seq.*
complex dielectric constant, 737, 750, 840 *et seq.*
complex half-range function, 559
complex phase velocity 737
complex refractive index, 98, 737
complex representation,
 of monochromatic wave, 18 *et seq.*
 of polychromatic wave, 557 *et seq.*
complex vector, 34
complex velocity, 737, 841
complex wave-number, 737
computerized (computed) tomography (CT, CAT), 217–227, *Fig. 4.50*, 710
concave grating, 454, 459–461
concurrent transformation (imaging), 165
condenser, influence on resolution in microscope, 595–599
condenser lenses, 280–281
conduction current, 3, 9
conductivity, 735 *et seq.*, 749–750
 specific, 3
 tensor, 840
conductor (conducting medium), 3, 735 *et seq.*
 perfect, 633, 635, 739
 stratified, wave-propagation in, 752–758
 wave propagation in, 735–739
 see also metal
cones, 262
conformal transformation, 156
confusion, circle of least, 238
congruences
 in electron optics, 878
 of light rays, 134–135, 139
conical refraction, 813–818
conjugate function, 558
conjugate object, 507–508
conjugate point, 138, 152, 161, 868
conjugate wave, 507
constitutive relations, 3
continuity, equation of, 2
contracurrent transformation (imaging), 165
contrast factor, 368
contravariant component of a vector, 762
convection current, 3, 9
convection of light by moving bodies, **xxxii**
convergence ratio, 164–165
convergent transformation (imaging), 165
convolution (resultant, *Faltung*), 546, 548
Cooke triplet, 266
cophasal surface, 18
 near focus, 495–498
copper, penetration depth, 739
cornea, 262
Cornu spiral, 481, *Fig. 8.37*
corpuscular theory, **xxvi**, **xxviii**
corrector plate of Schmidt camera, 276–279
correlation between vibrations, 554 *et seq.*
correlation factors of light disturbances, 555
correlation functions of light beams, 556, 562 *et seq.*
cosine law
 of illumination, 196
 Lambert's, 195
Coudé focusing, 275
covariant component of a vector, 762
critical illumination, 595–597
critical point, 429, 890–891
cross-coefficient, transmission, 604–606
cross-correlation function, 564
cross-grating, 453
cross-power spectrum, 567
cross-section
 absorption, 720, 734
 differential, 721
 extinction, 720, 721, 722, 724, 734
 geometrical, 721
 scattering, 720, 721, 734
 see also optical (cross-section) theorem,

- cross-spectral density, 567
- crystal (anisotropic medium),
absorbing, *see* absorbing crystals
biaxial, *see* biaxial crystal
energy propagation in, 793–795, 805
light propagation in, 795 *et seq.*, 806–811
optical classification, 805–806
optically isotropic, 805–806
optics of, 790–852
orthorombic, 705
refraction in, 811–818
refractive indices, determination of, 833–834
triclinic, 706
uniaxial, *see* uniaxial crystal,
- crystal axes, determination of location, 833
- crystal plates, interference with, 823–833, 846–849
- CT scan, 218, *Fig. 4.50*
- current
conduction, 3, 9
convection, 3, 9
free current density, 80
sheet, discontinuities at, 635
surface current density, 5, 635
- curent density, electric, 1
- curvature
of field, *Fig. 5.3(d)*, 240 *et seq.*, 530, 532
Gaussian (second), 124, 891
lines of, 181
principal radii of, 181
vector of a ray, 131
- cylindrical functions, 767, 773–774
- Dagor lens, 265
- damped wave, 735
- damping force, 749
- dark-ground method of observation, 472, 476
- Debye integral, 485
- Debye's potential, 764
- decay time, 749
- defect of focus, *Fig. 9.13*, *Fig. 9.14*, 552–553
see also tolerance, focal
- definition (Strehl intensity), 520
- deformation coefficient
of lens, 255
of surface, 148
- degree of coherence (coherence factor), 555, 564
et seq.
between components of electric field, 621
in image, 590–595
for quasi-monochromatic light, 570–572
- degree of polarization, 46, 628–629
- delta function (Dirac's), 892–897
- density
charge, 2 *et seq.*, 5, 80, 736
of electric current, 1
free current, 80
mutual spectral, 567
of photographic plate, 505
spectral, 562
- deviation,
angle of, 190
minimum, 191–193
- diamagnetic substance, 3
- diaphragm, 199
- dichroic polarizer, 849–852
- dichroism, 49, 843
- dielectric, 3
- dielectric axes, 792, 806
- dielectric constant, 3
complex, 737, 750, 840 *et seq.*
- dielectric susceptibility, 730
frequency-dependent, 97
of metal, 750–751
principal, 792
static, 97
- dielectric film, 61, 64–70
- dielectric susceptibility, 89
- dielectric tensor of an anisotropic medium, 790–792
- differential cross-section, 721
- diffracted ray, 129, 427, 507
- diffracted wave, 427, 504
- diffraction, 412 *et seq.*
angle of, 414
at annular aperture, 462–464, 490
by a black screen, 424
boundary value treatment, 633 *et seq.*
boundary wave, 499–503
by complementary screen, 424
by concentric arrays of ring shaped apertures, 490
by conducting sphere, 759–789
electron, 880–882
- Fraunhofer
at annular aperture, 462–464
at aperture, 426–430, 436–446
at circular aperture, 439–443, 461–464
at elliptical aperture, 444
from large number of apertures, 444–446
in optical instruments, 446–476
at rectangular aperture, 436–439
at slit, from line source, 439
- Fresnel, 426, 430
effects near geometrical focus, 491–499
at straight edge, 476–484
- Huygens–Fresnel theory, 412 *et seq.*
- Kirchhoff's theory, 421 *et seq.*, 881
- rigorous theory, 633 *et seq.*
half-plane, 412, 499, 643–659
from localized source, 659–667
infinite stack of half-planes, 669–670
slit, 670
sphere, 759–789
strip, 670–671
two parallel half-planes, 667–669
- theory of aberrations, 517 *et seq.*
- tomography, 710–716
basic theorem, 713–715
by ultrasonic waves, 674–694
uniqueness of solutions, 672–673
- X-ray, 453, 511–512, 880
- Young's theory, 499
- diffraction focus, 520, 530–532
- diffraction fringes, 116
- diffraction gratings, 446–461
- diffraction image, general properties, 535
- diffraction integrals, 430
asymptotic behaviour (approximation), 883 *et seq.*
expansion of, 533 *et seq.*
in presence of aberrations, 518 *et seq.*

- diffraction patterns, *Fig. 8.13*, 532–543
 diffractometer, 579, *Fig. 10.4*
 diffuse emission, 195
 diffuse reflection, 195
 diopetre, 169
 dioptric imaging, 165
 dipole, electric
 field of, 85–88, 778–779
 potentials, 83
 dipole, magnetic, 84
 Dirac delta function (impulse function), 892–897
 discontinuities in field, 4–7, 119, 635, 901–904
 dispersion, xxviii, 21, 95–103
 angular, of grating, 454
 angular, of prism, 192, 193
 anomalous, 19, 98
 of axes, 792
 in a metal, 749 *et seq.*
 normal, 97
 of polarization, 784
 by prism, 190–193
 relations, 558
 dispersion curves, 98
 of glass, *Fig. 4.24*
 dispersion formula,
 Cauchy's, 100–101
 Koch's, 99
 Sellmeier's, 102
 dispersive power, 187
 displacement, electric, 1
 displacement theorem, relating to diffraction
 images, 520–522
 distortion, *Fig. 5.3(e)*, 243–244, 530, 532
 distributions, 892
 disturbance (wave), secondary, 413, 416, 504
 divergent transformation (imaging), 165, 166
 Doppler effect, 355
 double anastigmat, 265
 double Protar, 265
 double refraction, 811–813
 doublet, achromatic, *Fig. 4.25*, 264
 Dove prism, 272, *Fig. 6.16*
 Dowell end-gauge interferometer, 339, *Fig. 7.44*
 dry objective, 284
 dual integral equations, 635, 642–643
 duality rule in crystal optics, 797
 dynamic scattering, 729
 Dyson interferometer microscope, 346–347

 Eagle's mounting, 460
 echelette, 454
 echelle, 455
 echelon, 455 *et seq.*
 edge, singularity, 672
 Edser–Butler fringes, 400
 effective field, 90–91
 effective number of beams, 372
 effective spectral width, 615–618
 eikonal, 119, 142
 of Schwarzschild (Seidel-), 233–236
 eikonal equation, 119, 869, 904
 Einstein–de Broglie relations, 700
 elastic aether theory, xxv, xxvi, xxviii, xxix
 electric current density, 1
 electric dipole, 83, 85–88, 778–779
 electric displacement, 1
 electric energy density 8, 34, 791–792, 794–795
 in geometrical optics, 120–121
 electric polarization, 75, 80
 electric scalar potential, 77, 80 *et seq.*
 electric vector, 1
 electric wave, 763
 see also transverse electric wave
 electrical anisotropy, 790
 electromagnetic field, 1 *et seq.*
 in material medium; integral equation for, 104–105
 transversality, 24
 two-dimensional, scalar nature of, 638
 electromagnetic scattering theory, 729–734
 integro-differential equations, 730
 far field, 730–732
 optical cross-section theorem, 734
 electromagnetic waves, 24 *et seq.*
 velocity of, xxx, 11 *et seq.*
 electron, 96
 free, wave-mechanics of, 879–881
 relativistic, 876
 electron diffraction, 880
 electron optics, 873
 electron theory of optical constants of metals, 749–752
 ellipsoid
 index, 799
 ray, 802
 reciprocal, 799
 of wave normals, 799 *et seq.*
 elliptic polarization, 25 *et seq.*, 35 *et seq.*
 elongation, formula of Maxwell, 177
 emission
 diffuse, 195
 line spectrum, 352
 emission theory, xxvi, xxvii
 emissive power, 747
 emmetropic eye, 262
 energy
 conservation law in scalar fields, 718 *et seq.*, 791, 918–920
 conservation law in electromagnetic fields, 7–10
 luminous, 198
 propagation in crystal, 793–795, 805
 energy density, 8, 34, 791, 794–795, 918, 919
 in geometrical optics, 120–121
 energy dissipation, 733
 energy flow (flux) vector, 10, 24–25, 35, 717 *et seq.*, 732–733, 794, 918, 919
 energy index, 795
 energy law, 7–10, 791
 energy (ray) velocity, 793, 794, 805
 entrance pupil, 199, 201, *Fig. 4.33*
 entrance window, 201, *Fig. 4.33*
 envelope of
 extremals, 868
 signal, 559
E-polarization, 55, 638, 678
 equal optical path, principle of, 141
 ergodicity, 561
 etalon, Fabry–Perot, 367
 Euler's equations, 854, 860–861

- Euler's integral, 910
 evanescent wave, 641
 evolve, 181
 Ewald sphere
 of reflection, 701, 702
 limiting, 701, 702, 703, 715
 Ewald–Oseen extinction theorem, 75–76, 106–108
 excess fractions, method of, 325, 378
 excess function of Weierstrass, 864, 865
 exit pupil, 199, *Fig. 4.33*
 exit window, 201, *Fig. 4.33*
 exposure, 505
 extended objects, imaging of, 543–553, 599–606
 exterior problem, 698
 external conical refraction, 816–818
 extinction coefficient, 737
 extinction cross-section, 720, 721, 722, 724, 734
 extinction curves, 787–789
 extinction theorem, 75–76, 106–108
 extraordinary wave, 807
 extrapolation, 703
 extremal, 854–855
 determination of, 858–860
 envelope of, 868
 field of, 856–858
 eye, 261–263
 see also resolution, visibility curve, visibility factor
 eye lens, 271
 eye relief, 270
 eyepiece, 267, 270–271, 282

 Fabry–Perot etalon, 367
 Fabry–Perot fringes, *Fig. 7.60, Fig. 7.64, Fig. 7.65, Fig. 7.66*
 Fabry–Perot interferometer, 366 *et seq.*
 application to comparison of wavelengths, 377–380
 application to study of fine structure of spectral lines, 370–377
Faltung, see convolution
 fan-beam projection, 220
 Fermat's principle, xxvi, 136–139, 853, 876
 ferromagnetic substance, 4
 field
 curvature, *Fig. 5.3(d)*, 240 *et seq.*, 530–532
 effective, 90, 108
 electromagnetic, 1 *et seq.*
 of extremals, 856–858
 of an instrument, 152
 limit of, 868
 mean (observed), 90
 quantization, xxxii
 static, 2
 stationary, 2, 561
 of view, angular, 201
 field angle, 201
 field lens, 271
 field stop, 200
 fifth-order aberrations, 233
 film
 antireflection, 54, 67
 dielectric, 61, 64–70
 fringes with thin films, 318 *et seq.*, 391–401
 metallic, 752–758
 quarter-wave, *Fig. 1.19*, 73
 filtered back-propagation algorithm, 715
 filters, 70, 386–390; *see also* linear filter
 finesse, 364, 369, 385–386
 first variation, 854
 fish-eye of Maxwell, 157–159
 fixation, 262
 Fizeau fringes, 323, 394, 397, *Fig. 7.76, Fig. 7.77*
 Fizeau interferometer, 323, *Fig. 7.30*
 Fizeau method for determining angular dimensions of astronomical objects, 305
 flatness of field, 253
 flint-in-front objective (Steinheil), 270
 flow (flux) of energy, 10, 25, 35
 fluctuations, 286, 554
 F number, 200, 267
 focal distance, astigmatic, 182
 focal length, 163 *et seq.*
 focal line, 182, 183, 185, 241
 focal plane, 135, 161, 162 *et seq.*, 181, 182
 focal ratio, nominal, 200
 focal sphere, 281
 focal surface, 135, 241
 focal tolerance, 491
 focus
 of congruence, 135
 defect of, *Fig. 9.13, Fig. 9.14*, 552–553
 diffraction, 520, 528 *et seq.*
 light distribution near, 484–499
 marginal, 238
 primary, 183, 185
 principal, 162
 sagittal, 183
 secondary, 183, 186
 tangential, 183
 foot-candle, 199
 form birefringence, 837–840
 forward scattering amplitude, 720
 Fourier slice theorem, 225
 fovea, 262
 fractional order, 315
 Fraunhofer diffraction, *see* diffraction
 Fraunhofer objective, 270
 free charge density, 80
 free current density, 80
 free spectral range, 457
 frequency, 17
 absorption, 96 *et seq.*
 angular, 17
 resonance, 96 *et seq.*
 spatial, 946
 of visible light, 12
 frequency response function (transmission factor), coherent illumination, 546–547, 601–602
 incoherent illumination, 549 *et seq.*, 601–602
 partially coherent illumination, 601–602
 Fresnel bi-prism, 293, *Fig. 7.7*, 296, 299
 Fresnel diffraction, *see* diffraction
 Fresnel equation of wave normals, 796, 841 *et seq.*
 Fresnel formulae
 for light propagation in crystals, 745–799, 841 *et seq.*
 refraction and reflection, 42–43, 114–115, 741
 total reflection, 50 *et seq.*

- Fresnel integrals, 478–481, 647, 649, 650, 651
 Fresnel–Kirchhoff diffraction formula, 422–423
 Fresnel mirrors 292, *Fig. 7.5*, 296, 297, 299, 328
 Fresnel number, 417, 486
 Fresnel ray equation, 797
 Fresnel rhomb, 53, *Fig. 1.16*
 Fresnel zone construction, *Fig. 8.1*, 414 *et seq.*
 fringes
 achromatic, 302
 Brewster's, 344
 multiple-beam, 408
 diffraction, 116
 Edser–Butler, 400
 of equal chromatic order, 400
 of equal inclination, 315
 multiple-beam, 362 *et seq.*, *Fig. 7.81*
 of equal thickness, 320 *et seq.*
 Fabry–Perot, *Fig. 7.60*, *Fig. 7.64*, *Fig. 7.65*, *Fig. 7.66*
 Fizeau, 323
 multiple-beam, *Fig. 7.74*, 347, *Fig. 7.76*, *Fig. 7.77*
 interference, 292
 localization, 315 *et seq.*, 325–334
 with Lummer–Gehrke interferometer, 384
 nonlocalized, 294, 326, 328
 with plane-parallel plate, 313–318
 multiple-beam, 360–366
 with quasi-monochromatic light, 295–296
 of superposition, 405–409
 with thin films, 318 *et seq.*
 multiple-beam, 391–401
 with two plane-parallel plates, 341 *et seq.*
 multiple-beam, 401 *et seq.*
 visibility, 298
 from a wedge, 329–334
 with white light, 295–296
 Young's, *Fig. 7.4*
- Gabor's method of imaging by reconstructed wave-fronts, 504–512
 Galilean telescope, 268
 gauge-measuring interferometer, 323–325
 gauge transformation for
 Hertz vectors, 84, 85
 vector and scalar potentials, 77
 Gaussian curvature, 124, 891
 Gaussian optics, 167–177
 Gaussian reference sphere, 229, 231, 518 *et seq.*
 Gaussian units, 1
 generalized harmonic analysis, 560
 geometrical aberration, *see* aberration
 geometrical cross-section, 721
 geometrical optics, 116 *et seq.*
 eikonal equation, 119, 869, 904
 extension of, 129
 intensity law, 123–125, 128
 law of refraction (Snell's law), 133
 limits of validity, 128–129
 transport equations for amplitude vectors, 125–127
 geometrical wave-front (wave surface), 119
 ghosts, 454
 glass, dispersion curves, *Fig. 4.24*
 Goos–Hänchen effect, 52
- gram-molecule, 93
 gratings, 446–461
 angular dispersion, 454
 one-dimensional (line gratings), 705
 overlapping of spectral orders, 457
 resolving power, 452–453
 spectrograph, 458–461
 three-dimensional (space gratings), 705
 two-dimensional (cross gratings), 705
 types, 453 *et seq.*
 Green's function of Helmholtz operator, 697
 outgoing free-space, 698
 Green's theorem, 418, 697, 725
 Gregorian telescope, 275
 group velocity, 22–24
 group of waves, 20 *et seq.*
- Hale telescope, 274, 275
 half-intensity width, 364
 half-plane, diffraction by, rigorous, 312, 499, 633, 643–657
 half-range function, complex, 559
 half-width, 364, 387–388
 Hamilton canonical equations, 860–861
 Hamilton characteristic functions, 142–152, 869
 Hamilton–Jacobi equation, 119, 856, 870, 871
 Hamilton principle, 870
 Hamiltonian, 870
 Hamiltonian analogy between geometrical optics and mechanics, 139, 873 *et seq.*
 Hanbury Brown–Twiss interferometer, 308, 576–577
 Hankel functions, 660, 767
 harmonic analysis, generalized, 560
 harmonic wave, 16–19
 of arbitrary form, 33–38
 plane, 25–33
 heat
 Joule's, 10
 radiation; Kirchhoff's law, 747
 Heaviside unit function (step function), 895
 Helmholtz equation, 418, 696
 Helmholtz Green's function, 697
 Helmholtz–Kirchhoff integral theorem, 419
 Helmholtz reciprocity (reversion) theorem, 423
 see also Smith–Helmholtz invariant
 Hermitian matrix, 620
 Herschel condition, 178, 180
 Hertz vectors (polarization potentials), 84–85, 730, 731
 far field, 731
 radial, 764
 Hilbert independence integral, 855
 Hilbert transform, 558, 561
 hologram, 504 *et seq.*
 volume, 708
 holography, 504 *et seq.*
 homocentric pencil, 139, 181
 homogeneous plane wave, 639
 see also plane wave
 Hopkins' formula, 577–578
 generalization, 608
H-polarization, 55, 638
 Hurter–Driffeld curve, 505, *Fig. 8.51*

- Huygenian eyepiece, 271, *Fig. 6.14(a)*
Huygens' construction, 141, 812
Huygens–Fresnel diffraction theory, 412 *et seq.*
Huygens–Fresnel principle, 141, 413–417, 421, 423
hypergeometric polynomials, 907–908
hypergon, 265
hypermetropia, 262
hyperplane, 221, 222
hysteresis, 4
- illumination, 195, 196, 198, 202–203
critical, 595–597
Köhler's, 598–599
instruments of, 279–281
radiometric, 195 *et seq.*
- image
chromatic change in position, 258
stigmatic (sharp), 152
of transilluminated object, 602–606
see also aberration, diffraction image, diffraction patterns, imaging
- image field angle, 201
- image formation in microscope (Abbe's theory), 467–472
- image forming instruments, 261–285
- image reconstruction from projection (computerized tomography, CAT), 217–227
- image resolving power, 461–465
- image point, graphical determination of, 164, *Fig. 4.11*
- image space, 152, 175
- imaging
concurrent (dioptric), 165, 166
contracurrent (katoptric), 165, 166
convergent, 165, 166
divergent, 165, 166
of extended objects, 543–553, 599–606
perfect, 152 *et seq.*
by reconstructed wave-fronts, 504–512
stigmatic, 159–160, 178
of three-dimensional objects, 217
of two-dimensional objects, 217
see also axial stigmatism
- impulse function (Dirac delta function), 892–897
- inclination factor, 413, 423
- incoherence, 127, 286, 555, 566, *Fig. 10.2(c)*, 573
- independence integral, Hilbert's, 855
- index ellipsoid, 799
- indicatrix, optical, 799
- induced surface currents, 635
- induction, magnetic, 1
- inhomogeneous wave, 18, 639
- instrument
absolute, 153 *et seq.*
field of, 152
of illumination, 279–281
image-forming, 261–285
- insulator, 3
- integral equation
dual, 635, 642–643
for electromagnetic field in material medium, 104–105
- integral invariant, 135–136, 872
- integral of potential scattering, 698
- intensity
near focus in terms of wave deformation, 522
of light, 10
luminous, 198
mutual, 572 *et seq.*
radiant, 195
specific, 195
Strehl (definition), 520
- intensity interferometer, of Hanbury Brown and Twiss, 308, 576–577
- intensity law of geometrical optics, 123–125, 128
- interference, 286 *et seq.*, 554 *et seq.*
with broadband light, 585–590
multiple-beam, 287, 359–409; *see also* fringes
order of, 292, 449
principle of, xxvii
rays reflected from lattice planes, 707
spectral interference law, 587, 588
two-beam,
division of amplitude, 286, 313–359
of wave-front, 286, 290–308
of two monochromatic waves, 287–290, 308–313
- interference figures from crystal plates, 823–833, 846–849
- interference filter, 386–390
- interference fringes, *see* fringes
- interference function, *Fig. 8.19*
- interference law for stationary optical fields, 564, 565
- quasi-monochromatic form, 571
- interference term, 288
- interior problem, 698
- interferometer
Bates, wave-front shearing, 351–352
Dowell end-gauge, 339 *et seq.*
Dyson interferometer microscope, 346–347
Fabry–Perot, 366 *et seq.*
Fizeau, 323–324
gauge-measuring, 323–325
Hanbury Brown–Twiss intensity, 308, 576–577
Jamin, 344–345, 348–349
Kösters, 338, *Fig. 7.43*
Lummer–Gehrke, 380–386
Mach–Zehnder, 348–351
Michelson, 334–336, *Fig. 7.40*, 338
Michelson, stellar, 307–308, 576
radio, 308
Rayleigh, 300–302, 345
resolution, 370 *et seq.*
Sirks–Pringsheim, 345–346
spectral range, 373
Twyman–Green, 338–340
- internal conical refraction, 816
- international candle, 198
- International Prototype Metre, 409
- invariance in form, 905
- invariant
Abbe's, 169, 171, 208, 255
Lagrange's, 135–136, 872
Poincaré's, 135, 872
Smith–Helmholtz, 176–177
- inverse square law, 124, 196
- inverse surface of wave-normals, 812
- involute, 181

- iris, 262
 isochromate, 826, 830, 833, 849
 isochromatic surface, 828
 isogy, 826, 830, 832–833, 847, 849
 isophotes (lines of equal intensity),
 aberration-free image, focal region, 489, *Fig. 8.41*
 for primary astigmatism, 542
 for primary coma, 539, *Fig. 9.6*, *Fig. 9.7*
 for primary spherical aberration, 537
 isoplanatic region, 545, 547
 isotropic crystal, 805, 806
 isotropic material, 3
 isotropic radiation, 195
- Jacobi criterion for a minimum, 867–868
 Jacobi identities, 491–492, 533
 Jacobi polynomials, 907–908
 see also Hamilton–Jacobi equation
 Jamin interferometer, 344–345, 348–349
 Jones lemma, 719, 921, 923
 Joule's heat, 10
- katoptric imaging, 165, 166
 Kellner eyepiece, *Fig. 6.14(b)*
 Kirchhoff
 boundary conditions, 422, 424
 diffraction integral, Rubinowicz' representation,
 503
 diffraction theory, 421 *et seq.*, 881–882
 in electron optics, 881–882
 integral theorem, 417, 419, 420
 law of radiation 747
 Koch's dispersion formula, 99
 Köhler's illumination, 598–599
 König erecting prism, 269, *Fig. 6.10*
 Kösters interferometer, 338, *Fig. 7.43*
- Lagrange equation of motion, 871
 Lagrange invariant, 135–136, 872
 Lagrange method of undetermined multipliers, 800
 Lagrangian, 870, 876
 Lambert's (cosine) law, 195
 landscape lens, 264
 Laplace's equation, 419
 lateral chromatic aberration, 186, *Fig. 4.23*
 lateral magnification, 163, 208
 lattice plane, 707
 Laue (von) equations, 706
 least action, principle of, 872, 877
 least confusion, circle of, 238
 least time, principle of, *see* Fermat's principle
 Legendre associated functions, 766, 772–773, 785
 Legendre condition for a weak minimum, 866
 Legendre polynomials, 525
 Legendre transformation, 144, 860
 length (path), optical, 121–122, 141
- lens
 Abbe's invariant, 255
 anastigmatic, 265
 aplanatic points, 256; *see also* aplanatic pair
 coma-free, 256, *Fig. 5.10*
 condenser, *Fig. 6.25*, 281
 deformation coefficient, 255
 of eye, 262
 eye-lens, 271
 field, 271
 Luneburg, 147
 photographic, types of, 263 *et seq.*
 testing by Michelson's method, 300
 thick, 171–174
 thin, 174–175
 aberrations, 254–257, 260
 types of, *Fig. 4.15*, 263–267, 269 *et seq.*, 280,
 281, 293–294, 296, 299
- light
 disturbances, probability distribution, 554, 555
 monochromatic, *see* monochromatic light
 natural, 45–46, 430, 432, 624–626, 628, 780
 partially polarized, 557, 619, 628
 polarized, 619
 quasi-monochromatic, *see* quasi-monochromatic
 light
 sum, 505
 unpolarized, 619, 624–626, 628; *see also* natural
 light
 vibrations,
 coherent, 555, 566
 incoherent, 555, 566
 partially coherent, 555, 566
 visible, frequency of, 12
- light intensity, 10
 light ray, 116, 121 *et seq.*, 869–870
 light velocity, xxx, xxxii, 10 *et seq.*
 line grating *Fig. 8.20*
 linear filter representation of action of optical
 system, 546, 548, 601, 602
 linear polarization, 30, 31, 37
 lines of
 curvature, 181
 equal intensity, *see* isophotes
 Liouville's theorem on conformal transformation,
 156
 Lippman's colour photography, 312
 Littrow's mounting, 458
 Lloyd's mirror, 293, 296, 299, 309
 localization of fringes, 315 *et seq.*, 325–334
 Lommel functions, 487
 longitudinal chromatic aberration, 186
 longitudinal magnification, 163
 Lorentz condition, 77
 Lorentz law (force), 8
 Lorentz–Lorenz formula, 75, 92, 108
 Loschmidt's number, 93
 low-pass filtered approximation, 702
 lumen, 199
 luminance, 198
 luminous energy, 198
 luminous intensity, 198
 Lummer–Gehrke interferometer, 380–386
 Luneburg lens, 157
 lux, 199
- Mach–Zehnder interferometer, 348–351
 magnetic dipole, 84
 magnetic energy density, 8, 34, 791
 in geometrical optics, 120–121
 magnetic induction, 1
 magnetic permeability, 3, 730

- magnetic polarization, 75, 80
 magnetic potential, 77, 80 *et seq.*
 magnetic substance, 3
 magnetic susceptibility, 89
 magnetic vector, 1
 magnetic wave, 763; *see also* transverse magnetic wave
 magnetization, 75, 80 *et seq.*, 730
 magnification
 angular, 164–165
 chromatic change in, 260
 lateral, 163, 208
 longitudinal, 163
 magnifier, *Fig. 6.26*, 282
 magnifying power, 268, 281, 282
 Malus–Dupin theorem, 139–140, 878
 converse of, 139
 marginal focus, 238
 material equations, 2–4
 matrix, 58 *et seq.*, 620 *et seq.*
 Maupertuis’ principle, 853, 862, 872
 Maxwell elongation formula, 177
 Maxwell equations, 1–2, 58, 75, 105, 117, 633, 638, 677, 680–692, 736–737
 Maxwell ‘fish-eye’, 157–159
 Maxwell formula, 14
 Maxwell theorem for absolute instrument, 153 *et seq.*
 Mean field, 90
 mean polarizability, 92
 meniscus, *Fig. 4.15(c)*, *Fig. 4.15(f)*
 meridional plane, 161, 204
 meridional ray, 204
 Meslin’s experiment, 294, *Fig. 7.9*, 296, 328
 metal, 735
 alkali, 751–752
 dielectric constant, 750–751
 Fresnel’s formulae, 741
 optical constants,
 electron theory of, 749–752
 general relations, 737 *et seq.*
 values of, 746, *Fig. 14.3*
 optics of, 735–789
 reflection at metal surface, 739 *et seq.*
 refraction at metal surface, 739 *et seq.*
 see also conductor
 metallic films, 752–758
 metre, 377, 409–411
 metre-candle, 199
 Michelson interferometer, 334–337
 Michelson stellar interferometer, 305–308, 576
 Michelson’s method for
 determining angular dimensions of astronomical objects, 302–308
 determining fine structure of spectral lines 356–359, 570–571
 for lens testing, 300
 microscope, 281–284
 Abbe’s theory, 467–472
 Burch reflecting, 284
 Dyson interferometer, 346–347
 polarizing, 833
 Rayleigh’s theory, 467
 X-ray, 511
 Zernike’s phase contrast method, 472–476
 microscope images, 467 *et seq.*, *Fig. 8.34*, *Fig. 8.35*
 microscope resolution, 466, 471
 effect of condenser on, 565–599
 Mie effect, 782
 Mie’s theory, *see* diffraction by conducting sphere
 Miller indices, 707
 minimum
 Jacobi’s criterion, 867–868
 strong, Weierstrass’ condition, 865
 weak, Legendre’s condition, 866
 minimum deviation, 191 *et seq.*
 mixed characteristic, 144–146
 mode representation of wave fields, 712; *see also* angular spectrum representation
 molar refractivity, 93–95
 mole, 93
 molecule, 90, 92, 95
 monochromatic wave (light), 20, 25 *et seq.*, 287, 354, 573, 577, 578, 624–625
 momentum transfer equation, 700, 704
 multilayer, 54, 70 *et seq.*
 multiple-beam fringes, *see* fringes
 multiple-beam interference, 287, 359–409
 multiple scattering, 708–710
 mutual coherence, 564
 calculation of, 606–608
 propagation of, 609–610, 612–615
 spectral representation, 566–568
 wave-equations, 610–612
 mutual coherence time, 615–619
 mutual effective spectral width, 615–619
 mutual intensity, 572 *et seq.*
 calculation of, 572 *et seq.*
 propagation of, 581–585, 611
 transmission of, 599 *et seq.*
 mutual spectral density, 567
 myopia, 262

 NA, *see* numerical aperture
 natural component of vector, 762
 natural light, 45–46, 430, 432, 624–626, 628, 780
 negative uniaxial crystal, 807
 Neumann functions, 767
 Newton colours, 323
 Newton equation, 163, 164
 Newton rings, 321, *Fig. 7.28*, *Fig. 7.29*
 Newtonian telescope, 274, *Fig. 6.18*
 Nicol prism, 818–819
 nit, 199
 nodal point, *Fig. 4.10*, 164
 node, 311
 nominal focal ratio, 200
 nonlocalized fringes, 294, 326, 328
 nonnegative definite quadratic form, 911
 nonpolar molecule, 92, 96
 normal congruence, 134–135, 139–141, 878
 normal surface, 803–805, 807, 808–811
 normal dispersion, 97
 Nörrenberg’s reflecting polariscope, 48–49
 nucleus, 95
 number density, 90
 numerical aperture (NA), 200, 282, 466

- object, transmission function of, 447
 object function, 224
 object space, 152, 175
 objective
 dry, 284
 flint-in-front (Steinheil), 270
 Fraunhofer, 270
 oil-immersion, 284
 microscope, 282 *et seq.*
 photo-visual, 270
 telescope, 211, 267 *et seq.*
 oblique meridional ray trace, 204–207
 obstacle, black, 633
 Ohm's law, 3
 oil-immersion objective, 284
 ophthalmics, 262
 optic axis of wave normals, 801, 806 *et seq.*, 811
 optic ray axis, 801
 optical constants of metal, *see* metal
 optical cross-section theorem, 716, 720, 734
 generalized, 722, 723, 724
 optical indicatrix, 799
 optical length, 121, 141
 optical parallelism, 141
 optical path, 121, 141
 optical resonance, 786
 optical system as linear filter, 546, 548, 601, 602
 orthorhombic crystals, 705
 optics
 of crystals, 790–852
 Gaussian, 167–177
 geometrical, *see* geometrical optics
 of metals, 735–789
 order of
 aberration, 232
 interference, 292, 449
 orders
 overlapping, 375, 457
 spectral, 451
 ordinary wave, 807
 out-of-focus images of a point source, 484–499
 overlapping of orders, 373, 457

 parallel projection, 220, 224, 226
 parallelism, optical, 141
 paramagnetic substance, 3
 paraxial ray trace, 207–208
 Parseval's theorem, 429
 partial coherence, 554–632
 rigorous theory, 610 *et seq.*
 partial polarization, 557, 619, 628
 partial waves in Mie's theory, 774–775, *Fig. 14.9*
 Paschen's mounting, 460
 path length, 17, 122, 140
 peak-transmission, 368, *Fig. 7.61*, 387
 pencil of rays
 astigmatic, 181, 186
 homocentric, 139, 181
 penetration depth, 738
 for copper, 739
 perfect conductor (reflector), 633, 635, 739
 perfect imaging, 152 *et seq.*
 period, 17
 periodically stratified media, 70–74

 periodogram, 561
 periscope, 271–272
 permeability, magnetic, 3
 permittivity, 3, 792
 perturbation eikonal, 233–236
 perturbation expansion, 710
 Petzval's condition, 253
 Petzval's portrait lens, 264
 Petzval's surface, 253
 Petzval's theorem, 253
 phase 17
 behaviour near focus, 498–499
 contrast method, 472–475
 object, 447, 472
 slowness, 19
 stationary, method of, 429, 888–891
 surface of constant phase difference, 828, 829,
 Fig. 15.23, 832
 phase anomaly, 498–499
 phase change on
 reflection, 64, 756
 transmission, 64, 756
 phase plate, 473
 phase velocity, 16–19, 23, 793–794, 799, 801, 810
 complex, 737
 photochemical action, 312
 photoelastic effect, 834
 photoelasticity, 837
 photoelectric effect, xxxii, 196
 photographic camera, 263 *et seq.*; *see also* Schmidt
 camera, Schmidt–Cassegrain camera, Baker
 Super-Schmidt camera
 photographic lenses, 263 *et seq.*
 photographic plate, transmission factor of, 505–506
 photographic response, *Fig. 8.51*
 photography, colour, 312
 photoheliograph, 266
 photometric, 195
 photometry, 194
 photons, xxi
 photovisual objective, 270, *Fig. 6.12*
 pincushion distortion, 243, *Fig. 5.8*
 planar lens, 265, *Fig. 6.5*
 Plancherel–Polya theorem, 703
 plane of
 incidence, 39
 observation, 780
 polarization, 29
 vibration, 29
 plane wave, 15–16, 17 *et seq.*, 24 *et seq.*, 639 *et seq.*
 plane-polarized wave, 30
 plate, quarter wave, 820–821
 pleochroism, 843
 Poincaré invariant, 135, 872
 Poincaré sphere, representation of state of
 polarization, *Fig. 1.8*, 33
 point characteristic, 142–144, *Fig. 4.3*, 869
 polar diagrams for scattering by a sphere, 781–782
 polar molecule, 95–96
 polariscope, 48–49, 830
 polarizability, 92, 97
 polarization, xxvi, xxvii, 25 *et seq.*, 36–38, 80 *et*
 seq., 730
 complete, 628

- polarization (cont.)
 degree of, 46–47, 628–629, 630, 780, 793
 direction of, 29
 dispersion of, 784
 electric, 75, 80
 elliptic, circular, linear, 25 *et seq.*, 29 *et seq.*, 35–38
 left-handed, right-handed, 29 *et seq.*
 magnetic, 75, 80
 partial, 557, 619, 628
 plane of, 29
 properties of quasi-monochromatic light, 619–632
 properties of waves of arbitrary form, 33–38
 by reflection, xxvii, 45 *et seq.*
 by scattering, 780–784
 polarization ellipse, 27, 36
 polarization potentials (Hertz vectors), 84–85, 730
 polarized proportion, 47
 polarizer, 49, 68, 819, 849–852
 polarizing (Brewster) angle, 45
 polarizing microscope, 833
 polaroid, 49, 850
 pole (critical point), 429, 890–891
 pole (of a surface), 147
 polychroism, 784
 polychromatic field, 557 *et seq.*
 Porro prism, 269
 portrait lens, Petzval's, 264
 positive uniaxial crystal, 807
 potential
 advanced, 79
 Debye's, 764
 Hertz, 730
 of an electric dipole, 82–84
 electric scalar, 77, 80 *et seq.*
 magnetic vector, 77, 80 *et seq.*
 polarization (Hertz vector), 84–85
 retarded, 79
 scattering, 696
 integral equation, 698
 power
 absorptive, 747–748
 of centred system, 169
 dispersive, 187
 emissive, 747–748
 magnifying, 268, 281, 282
 of refracting surface, 169
 spectrum, 562
 Poynting vector, 10, 25, 35, 717, 733, 791
 in geometrical optics, 120–122, 128
 primary (Seidel) aberration, 232, 236 *et seq.*, 527 *et seq.*
 chromatic, 257–260
 coefficients of centred lens system, 236 *et seq.*, 246–257, 527–532
 diffraction focus, 528 *et seq.*
 diffraction patterns, 532–543
 frequency response curves, *Fig. 9.13*, *Fig. 9.14*, *Fig. 9.15*, *Fig. 9.16*
 of thin lens, 254–257
 tolerances, 527–532
 primary focal line, 182, 183, 241
 primary focus, 183, 185
 principal angle of incidence, 742
 principal dielectric axes, 792
 principal dielectric constants, 792
 principal focus, 162
 principal isochromate, 826
 principal isogyre, 826, 830, 833, 849
 principal permittivity, 792
 principal plane, 163, 181, 807
 principal point, 163, 164
 principal radius of curvature, 181
 principal (or central) ray, 182, 199
 principal velocity, 796, 801
 prism
 Amici ('roof type'), 272
 Dove, 272
 König, erecting, 269, *Fig. 6.10*
 Nicol, 818–819
 Porro, 269
see also dispersion, resolving power
 probability distribution for light disturbances, 554, 555
 projection, 220, 221, 222
 back, 226, 715
 fan-beam, 220
 parallel, 220, 224, 226
 projection angle, 199
 projection slice theorem, 225
 projective transformation, 160–167
 propagation vector, 17
 proportion
 polarized, 47
 unpolarized, 780
 Protar lens, 265
 prototype metre, 409
 pupil, 199, 200
 pupil function, 428, 463, 545
 Purkinje effect, 198
 quantum, xxxi
 quantum theory, xxxi
 quantization of field, xxxii
 quarter-wave film, *Fig. 1.19*, 73
 quarter-wave plate, 820–821
 quarter wavelength rule of Rayleigh, 528
 quasi-monochromatic light, 295
 imaging with, 599–606
 interference and diffraction with, 295–296, 569–585
 interference law, 571
 polarization properties of, 619–632
 quasi-polarizing angle, 743
 radial Hertz vectors, 764
 radial polynomials, 523 *et seq.*, 906 *et seq.*
 radiance, 195
 radiant intensity, 195
 radiation
 isotropic, 195
 Kirchhoff's law, 747
 radiation zone, 87, 774
 radio interferometer, 308
 radiometric illumination, 195 *et seq.*
 radiometry, 194–199

- Radon transform, 221–223, 224
 scaling law, 222
 two-dimensional, 224
- Ramsden eyepiece, 270, *Fig. 6.13(b)*
- Rapid-Rectilinear lens, 264
- ray, 116, 121 *et seq.*, 129 *et seq.*, 869
 central (or principal), 182
 chief (or reference), 199
 diffracted, 129, 427, 507
 equation of, 129–132, 868–870
 Fresnel's, 797
 generalization in calculus of variation, 857–858
 integral, 219–220
 meridional, 204
 paraxial, 207–208
 principal (or central), 182
 reference (or chief), 199
 regular neighbourhood of, 136
 residual, 748
 in spherically symmetrical medium, 130–131
- ray aberration, 228 *et seq.*
- ray axis, optic, 801, 811
- ray component, 143
- ray congruence, 134–135, 139, 878–879
- ray ellipsoid, 802
- ray index, 795
- ray surface, 803–805, 811
- ray tracing, 204 *et seq.*
- ray vector in
 crystal optics (Poynting vector), 791
 geometrical optics, 132, 143
- ray velocity, 793, 794, 805
- Rayleigh criterion for resolution, 371 *et seq.*, 462, 597
- Rayleigh diffraction integrals, 512–514
- Rayleigh formula for total energy in diffraction pattern, 442–443, 492–494
- Rayleigh interferometer, 300–302, 345
- Rayleigh quarter wavelength rule, 528
- Rayleigh scatterer, 505
- Rayleigh scattering, 104, 780, 783, 785
- Rayleigh–Sommerfeld diffraction integrals, 512 *et seq.*
- Rayleigh theory of image formation in microscope, 467
- rays, thin pencil of, 181
- real portion of object (image) space, 175
- reciprocal ellipsoid, 799
- reciprocal lattice, 702
- reciprocity inequality, 912
- reciprocity relation, 724–726
- reciprocity theorem of Helmholtz, 423
- reconstructed wave-fronts, 504–512
- rectilinear congruence, 134
- reduced wavelength, 17
- reference (or chief) ray, 199
- reference sphere, Gaussian, 229, 230, 518 *et seq.*
- reflecting microscope, 284
- reflecting polariscope, 48–49
- reflecting telescope, 274–279
- reflection
 diffuse, 195
 of rays at lattice planes, 707
 Fresnel formulae, 42–43, 115, 741
 law of, 39, 114
 in geometrical optics, 133
 variational analogue, 864
 at metal surface, 741 *et seq.*, 753 *et seq.*
 of normal congruence, 139
 phase change on, 64, 756
 polarization by, xxvii, 45 *et seq.*
 at surface of revolution, 170–171
 total, 49–53
- reflection coefficient
 dielectric film, 65
 metal/dielectric interface, 741 *et seq.*, 753 *et seq.*
 metallic film, 755
 stratified medium, 63–64
- reflection function, 447
- reflection invariant of Abbe, 171
- reflectivity, 43 *et seq.*
 of dielectric film, 65–70
 of dielectric film multilayer, 73–74
 enhancement by thin films, 54, 68–69
 of metallic film, 755–758
 selective, 748
- reflector, perfect, 633, 635, 739
- refracting telescope 267
- refraction
 conical, xxviii, 813–818
 in crystals, 811–818
 double, 811–813
 Fresnel formulae, 42, 114
 at metal surface, 739 *et seq.*, 752 *et seq.*
 of normal congruence, 139
 at spherical surface, 159–160
 at surface of revolution, 167–170
 of thin pencil, 182–186
- refraction equation, 205–209
- refraction invariant of Abbe, 169, 208
- refraction law (Snell's law), xxvi, 40, 113
 for anisotropic medium, 813
 for conducting medium, 740–741
 in geometrical optics, 133
 for stratified medium, 58
 variational analogue, 863
- refractive index, 13
 absolute, 13, 14
 of air, 101
 complex, 98, 218, 737
 of crystal, determination of, 833–834
 dependence on
 density, 97 *et seq.*
 frequency, 97 *et seq.*
 in electron optics, 878
- refractivity
 atomic, 93, 94–95
 molar, 93 *et seq.*
- refractometer, 53
- region (area) of coherence, 554, 555, 576
- regular neighbourhood of a ray, 136
- relative aperture, 200
- relative visibility curve of eye, 197
- relative visibility factor of eye, 198
- relativity, xxxiii
- relaxation time, 736, 749
- replica of grating, 455
- residual ray, 748

- resolution limit
 with annular and with circular aperture, comparison of, 462–464
 of eye, 462
 of interferometer, 371 *et seq.*
 of microscope,
 coherent illumination, 471, 597
 incoherent illumination, 465–466, 597
 partially coherent illumination (effect of condenser), 595–599
 Rayleigh's criterion, 371 *et seq.*, 461, 597
 of telescope, 461
 see also resolving power
 resolving power, 371, 461–465
 of diffraction grating, 452
 of echelon, 455
 of eye, 263, 462
 of prism, 452–453
 see also resolution limit
 resonance frequency, 96 *et seq.*
 resonance, optical 786
 response function, *see* frequency response function,
 response, photographic, *Fig. 8.51*
 restored polarization, angle of, 742
 resultant, *see* convolution
 retarded potential, 79
 retina, 261
 reversion theorem of Helmholtz, 423
 Riccati equation, 727
 rods, 262
 roof type prism (Amici), 272
 Rowland's circle and Rowland's mounting for concave grating, 459–460
 Rubinowicz' representation of Kirchhoff's diffraction integral, 503
 ruled grating, 454 *et seq.*
 Rytov series (expansion), 726–729
 approximation, 715, 729
 relation to Born approximation, 729

 saddle-point, 885
 saddle-point method, 886 *et seq.*
 sagittal field curvature, 243
 sagittal focal line, 241
 sagittal focal surface, 241
 sagittal focus, 183
 saltus problem, 424
 Savart's plate, 830–831
 scalar nature of two-dimensional electromagnetic field, 368
 scalar potential, electric, 77, 80 *et seq.*
 scalar representation of optical fields, 430–436
 scalar waves, 14 *et seq.*
 scaling law for Radon transform, 222
 scattered light
 degree of polarization, 780
 unpolarized proportion, 780
 scattering
 amplitude, 699, 713, 720
 forward, 720, 721, 734
 cross-section, 720, 721, 734
 double, 710, *Fig. 13.7(b)*
 dynamic, 729
 electromagnetic theory, 729–734
 far field (zone), 730–732
 integral equation, 698
 integro-differential equation, 730
 multiple, 708–710
 by nonspherical particles, 789
 polarization by, 780–784
 potential, 696–701, 714, 715
 periodic, 703–708
 Rayleigh, 104, 779, 780, 783, 785
 reciprocity relation, 724–726
 scalar theory, 695–729
 selective, 785
 single, 709, *Fig. 13.7(a)*
 by sphere (diffraction by) 759–789
 static, 695, 729
 total, from
 body of arbitrary shape, 720
 sphere, 758 *et seq.*
 very small particles, 785, *Fig. 14.12*
 unitary relation, 724
 see also Born approximation, optical cross-section theorem, Rytov approximation
 scattering index, 682
 Schlieren method, 472
 Schmidt camera, 211, 276–279
 Schmidt–Cassegrain camera, 279
 Schmidt–corrector plate, 276
 Schrödinger's equation, 696, 880
 Schwarzschild's aplanatic telescope, 211, 275
 Schwarzschild, eikonal, 233–236
 screen, black, 424
 second curvature, *see* curvature,
 secondary disturbance (wave), 413, 416, 504
 secondary focal line, 183
 secondary focus, 183, 186
 secondary spectrum, 188
 Seidel aberration, *see* aberration, primary
 Seidel eikonal, 233–236
 Seidel formulae,
 in terms of
 one paraxial ray, 251–252
 two paraxial rays, 246–251
 Seidel variables, 233–235, 543
 selective reflectivity, 748
 selective scattering, 785
 self-coherence, 564
 Sellmeier's dispersion formula, 102
 semiconductor, 3
 shadow, 116, 491–492, 493, 494
 sifting property, 893
 sign convention in Gaussian optics, 167
 signal, analytic, 558 *et seq.*
 sinc(x) function, 704
 sine condition, 178, 179–180
 singularity at edge, 672
 Sirks–Pringsheim interferometer, 345–346
 skew congruence, 134, 878
 skew ray trace, 208–211
 skin effect, 738
 slit, *see* diffraction, Fraunhofer, and diffraction,
 rigorous theory
 slit source, use of, 296 *et seq.*
 slope function, 857
 Smith–Helmholtz formula (invariant), 176–177

- Snell's law, *see* refraction, law,
 Soleil's compensator, 823
 Sommerfeld's diffraction problem, 412, 499–500,
 633, 643–657
 Sonnar lens, 266
 spatial frequencies, 546
 spatial spectra, 547–548
 specific conductivity, 3
 spectral amplitude, 714
 spectral changes, correlation-induced, 588, 590
 spectral degree of coherence, 586, 587, 588, 911
 spectral intensity, 195
 mutual, 567
 spectral interference law, 587, 588
 spectral line, structure determination by Michelson's
 method, 356–359, 570
 spectral modulation, 588
 spectral orders, 451
 spectral range
 free, 457
 of an interferometer, 373
 spectral width
 effective, 616
 mutual effective, 618
 spectrograph, grating, 458–461
 spectroscopic wave number, 17
 spectroscopy, xxxi
 spectrum
 channelled, 296
 cross-power, 567
 emission line, 352
 of plane waves, angular, 639–642
 power, 562
 secondary, 188
 spatial, 547–548
 speed of lens, 200
 sphere
 diffraction (scattering) by, 759–789
 extinction cross-section, 784–789
 focal, 281
 Gaussian, reference, 229, 231, 518 *et seq.*
 Poincaré's, *Fig. 1.8*, 33
 spherical aberration, 238, *Fig. 5.3(a)*, 530–531,
 536–538, *Fig. 9.15*
 spherical wave, 16
 Weyl representation, 711
 spherically symmetric medium, rays in, 130–131
 standing wave, 308–313
 static field, 2
 static scattering, 695, 729
 stationary field 2, 561
 stationary phase, method of, 429, 888–890
 steepest descent method of, 883–890
 Steinheil (flint-in-front) objective, 270
 step function (Heaviside unit function), 895
 stigmatic imaging, 159–160, 178 *et seq.*; *see also*
 axial stigmatism
 stilb, 199
 Stokes parameters
 of monochromatic wave, 31–33
 of quasi-monochromatic wave, 630–632
 Stokes phenomenon, 650
 stops, 199–201
 strain-optical constants, 835 *et seq.*
 strain tensor, 835
 stratified medium, 54–74, 752–758
 characteristic matrix, 58–63
 periodic, 70–74
 reflection coefficient, 63–64
 transmission coefficient, 63–64
 Strehl intensity (definition), 520
 Strehl ratio, 520
 stress birefringence, 834–837
 stress optical constants, 834 *et seq.*
 stress pattern, 837
 stress tensor, 835
 strip, diffraction by, *see* diffraction
 surface
 aspheric, design of, 211–217
 caustic, 135, 138, *Fig. 3.13*, 181–182, 868, 870
 of constant phase, *see* co-phasal surface
 of constant phase difference, 828, *Fig. 15.23*, 832
 focal, 135, 241
 inverse surface of wave normals, 812
 isochromatic, 828
 ray, 803–805, 811
 wave, 18
 of wave normals (normal surface), 803–805, 807,
 808 *et seq.*
 surface charge density, 5
 surface current density, 5, 635
 super-resolution, 703
 susceptibility
 dielectric, 89
 magnetic, 89
 tangential curve in the field of an instrument, 154
 tangential field curvature, 243
 tangential focal line, 241
 tangential focal surface, 241
 tangential focus, 183
 TE wave, *see* transverse electric wave
 telecentric system, 200
 telephoto lens, 266
 telescope, 267 *et seq.*
 Baker Super-Schmidt camera, 279
 binocular, 269
 Cassegrain, 274–275
 Galilean, 268
 Gregorian, 275
 Hale, 274–275
 Newtonian, 274, *Fig. 6.18*
 reflecting, 274–279
 refracting, 267
 resolution limit, 461
 Schmidt camera, 211, 276–279
 Schmidt–Cassegrain, 279
 Schwarzschild's aplanatic, 211, 275
 terrestrial, 269, *Fig. 6.11*
 telescopic collineation (transformation), 161,
 164–165
 tensor
 dielectric, 790–792
 strain, 835
 stress, 835
 tensor, conductivity, 840
 terrestrial telescope, 269, *Fig. 6.11*
 Tessar lens, 265

- thick lens, 171–174
thin films, fringes with, 318 *et seq.*, 391–401
thin lens, 174–175
 aberrations, 254–257, 260
 Gaussian optics, 174–175
third-order aberration, *see* primary aberration
Thomson angle, 783
time average, 34, 562
 of electric and magnetic energy densities, 34–35, 120
 of Poynting vector, 35, 120
TM wave, *see* transverse magnetic wave
tolerance, focal, 491
tolerances for primary aberrations, 527–532
tomography
 back-projection, 715
 back-propagation, 715
 computerized (or computed), 217–227, 710
 diffraction, 710–717
Topogon lens, *Fig. 6.3(d)*, 265
total reflection, 49–53
total scattering, *see* scattering
tracing of rays, 204 *et seq.*
transfer function, *see* frequency response function
transfer equations, 205, 209–210
transformation
 affine, 161, 164
 concurrent (dioptric), 165
 conformal, 156
 contracurrent (katoptric), 165
 convergent, 165
 divergent, 165, 166
 gauge, for,
 Hertz vectors, 84, 85
 vector and scalar potentials, 77
 Legendre's, 144, 860
 projective, 160–167
 classification of, 165–166
 combination of, 166–167
 telescopic, 161, 164–165
transilluminated objects, images of, 602–606
transillumination, 285, 595
transmission coefficient of
 dielectric film, 65
 metal/dielectric interface, 754–756
 metallic film, 755–756
 stratified medium, 63–64
transmission cross-coefficient, 604–606
transmission factor of
 optical system, *see* frequency response function,
 photographic plate, 505, 506
transmission function of
 medium, 577
 object, 446–447
transmission phase change on, 64, 756
transmissivity, 43 *et seq.*
 of dielectric film, 65 *et seq.*
 of metallic film, 756
transparency region of metal, 751
transparent substance, 4
transport equation for amplitude vectors in
 geometrical optics, 125–127
transversality of electromagnetic field, 24
transverse electric wave (TE wave), 55 *et seq.*, 763
transverse magnetic wave (TM wave), 55 *et seq.*,
 763
trichroism, 843
triclinic crystals, 706
triple protar, 265
triplet, Cooke, 266
Twiss, *see* Hanbury Brown–Twiss interferometer
two-beam interference, *see* interference
two-dimensional electromagnetic field
 scalar nature of, 638
Twyman–Green interferometer, 338–340
ultrasonic waves, 453, 674 *et seq.*, 710–711
 diffraction of light by, 674–694
undetermined multipliers, Lagrange's method of,
 800
uniaxial crystal, 805, 806
 absorbing, 840–852
 direction of vibration, 807
 interference figures from uniaxial crystal plates,
 829–831, 847–848
 negative, positive, 807
 normal surface, 807
 ordinary and extraordinary waves, 807
 principal plane, 807
 surfaces of constant phase difference, 829–830
unifocal lens, 265
uniqueness of solutions in rigorous diffraction
 theory, 672–673
unit cell, 705
unit function of Heaviside, 895
unit plane, 163 *et seq.*
unit point, 163 *et seq.*
unitary relation, 724
unpolarized light (wave), 619, 624
unpolarized proportion of scattered light, 780–781
van Cittert–Zernike theorem, 574, 579
variation, first, 854
variational methods in rigorous diffraction theory,
 634
variations, calculus of, 853–872
vector,
 complex, 34
 Hertz, 84–85, 764
 Poynting, 10, 25, 35, 120–122, 128, 791, 794
vector potential, 77, 80 *et seq.*
vector waves, 24–28
velocity
 complex, 737, 841
 of electromagnetic waves, xxx, 11 *et seq.*
 energy, 793, 794, 805
 group, 22–24
 of light, xxx, xxxii, 11 *et seq.*
 phase, 16–19, 23, 737, 793–794, 799, 801,
 810
 principal, 796, 801
 ray, 793, 794, 805
 wave–normal, 793
vibration
 azimuth of, 47–48
 direction of, 29, 807
 plane of, 29
 see also light vibrations

- vignetting, 201
 virtual portion of object (image) space, 175
 visibility
 curve of eye, 197
 curves from sources of different geometry, 298, *Fig. 7.11*, *Fig. 7.15*
 spectral distributions, 356 *et seq.*
 factor of eye, relative, 197 *et seq.*
 of fringes (Michelson's), 298
 relation to
 coherence time, 617
 degree of coherence, 570
 mutual coherence time, 618–619
 visual acuity, 263
 vitreous humour, 262
 volume hologram, 708
 von Laue equations, 706
- Watson's lemma, 884
- Wave
 boundary diffraction, 499–503
 conjugate, 507
 damped, 735
 diffracted, 427, 504
 electric, 763
 electromagnetic, xxx, 24 *et seq.*
 E-polarized, 55, 638, 678
 evanescent, 641, 712, 713, 714
 extraordinary, 807
 H-polarized, 55, 638
 harmonic, *see* harmonic wave
 homogeneous, 639, 712, 713, 714; *see also* plane wave
 inhomogeneous, 18, 639
 magnetic, 763; *see also* transverse magnetic wave
 monochromatic (light), 20, 25 *et seq.*, 287, 354, 573, 577, 578, 624–625
 ordinary, 807
 partial, in Mie's theory, 774–775, *Fig. 14.9*
 plane, 15–16, 17 *et seq.*, 24 *et seq.*, 639 *et seq.*
 plane-polarized, 30
 polarized, 25 *et seq.*, 628
 elliptically, circularly, linearly, 25 *et seq.*, 35–38
 partially, 557, 619, 628
 reconstructed, 504–512
 scalar, 14 *et seq.*
 secondary, (disturbance), 413, 416, 504
 spherical, 16
 Weyl representation, 711
 standing, 308–313
 transverse electric (TE wave), 55 *et seq.*, 763
 transverse magnetic (TM wave), 55 *et seq.*, 763
 ultrasonic, 453, 674 *et seq.*
 unpolarized, 619, 624
 vector wave, 24–28
 wave aberration, 229 *et seq.*, *Fig. 5.3*
 wave equation, 11, 610–615
 wave-front
 deformation, influence on intensity at focus, 526
 division, 286, 290–308
 generalization in calculus of variations, 857
 geometrical, 119
 reconstructed, 504–512
 shearing interferometer, 351–352
 wave group, 20 *et seq.*
 wave mechanics of free electrons, 879–881
 wave normal velocity, 793
 wave normals,
 ellipsoid of, 799 *et seq.*
 Fresnel's equation of, 796, 841 *et seq.*
 inverse surface of, 812
 optic axes of, 801, 806 *et seq.*, 811
 surface of, *see* normal surface
 wave number, 17, 737
 complex, 737
 spectroscopic, 17
 wave packet, 19–24
 wave surface, 18
 geometrical, 119
 wave theory, xxvi, xxvii, xxviii, 141
 wave train, 353 *et seq.*, 618
 wave vector, 17
 wave zone, 87, 774
 wavelength, 17
 comparison, with
 Fabry–Perot interferometer, 377–380
 standard metre, 409–411
 of particle, de Broglie, 879–880
 reduced, 17
 Weierstrass condition for a strong minimum, 865
 Weierstrass $\mathcal{E}$ function, 864–865
 Weyl representation of spherical wave, 711
 wide-angle pencils, imaging with, 178–182
 Wiener–Hopf method, 634
 Wiener–Khinchine theorem, 567
 Wiener's experiment on standing waves, 311–313
 window, entrance, exit, 201
- X-ray diffraction (scattering), 453, 511, 702, 705, 706, 708, 880–881
 Bragg's law, 706
 von Laue equations, 706
 X-ray microscope, 511
- Young's diffraction theory, 499
 Young's interference experiment, 290–292, 296, 297, 299
- Zeiss Biotar lens, 266
 Zernike's circle polynomials, 523–525, 905–910
 Zernike's phase contrast method, 472–475
 zone construction, 413 *et seq.*