

## Index

- acousto-optical deflector 125
- acousto-optical scanner 125, 128
- acousto-optical spectrum analyzer 125, 129
- adiabatic transition 138, 140, 141
- air mode 83, 89
- amplification 181, 198, 239
- amplifier gain 198, 240
- anti-symmetric mode 136
  
- band gap energy 216
- band gap energy discontinuity 225
- basis function 153
- blackbody radiation 202
- boundary condition 4, 8, 99, 101
- Bragg condition 122, 127, 233
- Bragg reflector 235
- buried hetero-structure (BH) 232
  
- carrier density 218, 223, 228
- carrier leakage reduction 236
- cavities of VCSEL 234
- cavity
  - edge emitting laser 229
  - solid state and gas lasers, *see* laser cavity
- channel guided wave mode 100, 103, 116, 130
- channel waveguide 98, 103
- characteristic equation 78, 108, 109, 145
- chirping 239
- cleaved cavity 232
- commutator 152
- complete set 41, 116
- confocal resonator 36, 37, 38, 39, 47
- convolution 26, 27
- coupled mode equation 115, 123, 125, 132
- coupling of modes 120, 131, 134
- current confinement 236
- cut-off 80, 87, 108
  
- density matrix 162, 163, 164, 165, 166
- density of states 215, 226
- diagonal matrix 154, 155
- diffraction loss 43, 48, 49, 53
  
- diode laser 213
- direct modulation 237
- direct transition 219
- directional coupler 133
- directional coupler modulator 135
- dispersion 110
- distributed Bragg reflector (DBR) 234
- distributed feedback (DFB) laser 234
- double hetero-structure 232, 236
- dynamic observable 150
  
- edge emitting laser 229, 230
- effective index 91, 99, 102, 108, 116
  - analysis 98, 100, 102
- eigen function 151
- eigen value 151
- electric dipole transition 159
- electric permittivity 162
- electric quadrupole transition 159
- electron density 216
- electron state 225
- energy band diagram 218
- energy eigen state 152, 215, 225
- energy eigen value 152
- equation of motion 151, 155, 164
- equivalent circuit 207, 209
- equivalent confocal resonator 50
- equivalent negative temperature 208
- even modes 79
- expectation value 151
- external quantum efficiency 223
  
- far field 13, 17, 46
- Fermi distribution 216
- Fermi level 216, 228
- Fourier transform 13, 18, 20, 26, 38
- Fraunhofer diffraction 13, 15, 18, 26, 94
- Fresnel diffraction 13
- Fresnel lens 28
  
- gas laser 179
- Gaussian beam 34, 54, 56, 57, 58, 61, 62, 64, 66, 111, 203

246

Gaussian beam (*cont.*)  
 matrix transformation 58, 59, 62  
 waist 46  
 Gaussian mode 34, 42, 43, 46, 49  
 Gaussian mode matching 67  
 grating 120, 233  
 grating passband 124  
 Green's function 5, 6, 7, 9, 11, 93  
 guided wave mode excitation 111

Hamiltonian operator 150  
 heavy hole 225  
 Helmholtz equation 4, 91  
 Hermite polynomial 42  
 hole burning 178, 186  
 hole density 216  
 homogeneous broadening 171, 184, 196

impulse response 12  
 induced current 17  
 induced (stimulated) absorption 160  
 induced (stimulated) emission 161, 212, 218  
 induced transition probability 156, 160, 161, 162  
 inhomogeneous broadening 171, 173, 186, 193, 219  
 injected current 222  
 integral equation of optical resonators 24  
 interaction Hamiltonian 157, 159  
 internal quantum efficiency 236

Kirchhoff's diffraction 5, 7, 10, 11, 24, 25, 36, 45  
 Kramers–Kronig relation 168

laser cavity 34  
 complex 68  
 ring 69  
 lens 18, 21, 23, 58, 61, 95, 111, 129  
 line source 92  
 light emitting diode (LED) 223  
 light hole 225  
 line shape 161  
 line width 206, 209, 243  
 line width enhancement 210  
 longitudinal relaxation time 165  
 Lorentz line shape 162

Mach–Zehnder interferometer 142  
 Mach–Zehnder modulator 143  
 magnetic dipole transition 159  
 matrix representation 153, 154  
 Maxwell's vector wave equations 1, 3, 54, 74, 107, 115  
 method of images 9  
 mode decay time 188  
 mode locking 192, 194, 196  
 multimode interference coupler 144

noise 182, 200, 242  
 noise figure 205  
 noise power 205  
 noise source 208, 209

Index

non-confocal cavity 48, 52, 53  
 normalization 83, 88, 117

odd mode 79  
 optical confinement 232, 236  
 optical fiber 106, 110  
 cladding mode 111  
 guided mode 109  
 optical filling factor 222, 232  
 optimum coupling 183, 187  
 orthogonality 41, 82, 88, 116  
 oscillation frequency 182, 183  
 overlap integral 112

paraxial approximation 11  
 passive mode locking 197  
 Pauli's exclusion principle 212  
 peak power 191, 193  
 perturbation analysis 115, 117, 119  
 PHASAR demultiplexer 103  
 phase matching 122, 125, 127, 128  
 photons in oscillating mode ( $\phi$ ) 188  
 planar generalized guided mode 90, 91  
 planar guided mode 75, 77, 78, 81, 85, 86, 87, 91  
 planar guided mode diffraction 93, 94  
 planar waveguide 74, 76, 77  
 polarization 163  
 population inversion 179, 214, 221  
 at threshold 189  
 power output of lasers 185, 187, 191, 223, 224  
 power transfer efficiency 98, 113, 124, 128, 135, 143  
 probability density 151  
 pulse width 191, 193  
 pumping 179

$Q$  factor 44, 207, 209  
 $Q$  switching 188  
 quantum mechanics 150  
 quantum well  
 quasi-Fermi level 216

radiation (continuous) mode 75, 83, 85, 89, 119, 139  
 rate equation 179, 237, 242  
 rectangular waveguide 98  
 relative frequency response 239  
 relative intensity noise (RIN) 205, 210, 242  
 relaxation resonance frequency 239  
 resonance frequency 40, 53, 182  
 resonant mode 34, 35, 38, 39, 47, 48, 49, 53, 228  
 stability 51

saturable absorber 197  
 saturation 171, 173, 175, 176, 184, 187, 199, 222, 241  
 scalar function  $U$  3  
 scalar wave equation 2, 3, 4, 92  
 Schrödinger equation 150, 156  
 semiconductor laser 212, 213  
 solid state laser 179

- spontaneous emission 200, 202, 205
  - lifetime 202
  - per mode 202, 205
  - probability 201
- spot size 43, 46, 129
- star coupler 95, 103
- strained quantum well 228
- substrate mode 83, 89
- super-mode 136, 137, 141, 143
- superposition 25
- susceptibility  $\chi$  162, 167, 168, 169, 172, 173, 174, 175, 176, 213, 219, 224, 227, 231
- symmetric mode 136
  
- thermal noise 208
- threshold, of laser oscillation 181, 182, 200, 221
- threshold injection current density 222
  
- time dependent perturbation 156, 159
- transparency condition 221
- transverse electric and magnetic (TEM) wave 1, 2, 3, 4, 13, 21, 39, 41, 46, 234
- transverse electric (TE) mode 76, 77, 81, 83, 86, 91, 109, 126
- transverse magnetic (TM) mode 76, 77, 85, 87, 89, 109
- transverse relaxation time 165
  
- vertical cavity 234
- vertical cavity surface emitting laser (VCSEL) 229, 235
  
- waveguide 72
- weakly guiding fiber 109
  
- Y-branch 138, 139, 141