
Index

- κ , defined, 40
- κ_r , defined, 55
- Abelian theorem, 82, 90, 107
- allied function, 46
- angular frequency
 - defined, 9
- angular-spectrum; *see* plane-wave, 24
- asymptotic approximation of integrals, 86–96
 - end point contribution, 95
 - Fresnel integral, 119
 - integration by parts, 87
 - stationary phase, 94–95
 - contour, 92
 - waveguide modes, 136
 - steepest descents, 90–94
 - branch cut contribution, 99
 - contour, 91, 98
 - pole contribution, 99
 - Stokes' phenomenon, 119
 - uniform, 108
 - Watson's lemma, 82, 87–90
 - wavefront approximation, 82, 95
- asymptotic power series, 30
- asymptotic ray expansion, 28–34, 112
 - compressional, 29
 - shear, 33
- average
 - for a closed waveguide mode, 126
 - Lagrangian density, 126
 - time average for a plane wave, 23
- boundary layer; *see* matched asymptotic expansion, 109
- branch cuts, defining, 52–55
- buried harmonic line of compression, 82–86, 96–101
 - asymptotic approximation of the scattered compressional wave, 98
 - asymptotic approximation of the scattered shear wave, 99
- Cagniard–deHoop technique, 77–82
 - contour, 81
 - inversion, 79–82
- caustic, 31, 85, 100
- center of compression
 - three-dimensional, 61
 - two-dimensional, 62
- complex unit vector, 23
- compressional wave, defined, 5
- critical angle
 - incidence, 43
 - reflection, 44
 - refraction, 43
- cut-off frequency, 125, 133
- cylindrical wave, 34
- diffraction at an edge, 101–119
 - diffracted wave, 108
 - diffraction coefficient, 110
 - diffraction integral, 108; *see* Fresnel integral
 - geometrical theory, 110
- dispersion; *see* velocity, group, 13
 - and stationary phase, 136
- anisotropic medium, 128
- anomalous, 138
 - causes of, 150
- closed waveguide, 122, 125
 - from the poles of an integral representation, 144
- geometrical, 150
- microstructure, 150

- dispersion (*cont.*)
 - open waveguide, 130, 131
 - periodic structure, 18
- eigenvalue problem, 122
 - eigenfunction
 - continuous expansion, 139
 - discrete or mode expansion, 134
 - eigenvalues, 123
 - discrete and continuous, 145
 - eigenvalues and eigenfunctions
 - discrete, 122
 - discrete and continuous, 131
- eikonal equation, 30, 148
- energy relations, 5
 - kinetic energy density, defined, 6
 - averaged for a closed waveguide mode, 126
 - averaged for a plane wave, 23
 - conservation law, 6, 127
 - energy flux during critical refraction, 45
 - energy flux during reflection, 41
 - energy flux, defined, 6
 - energy in a band of frequencies, 156
 - equipartition of energy, 126
 - for a transient plane wave, 22
 - for the flexural motion equation, 128
 - for the Klein–Gordon equation, 128
 - internal energy density, defined, 6
- equations of motion, 1–6
 - boundary conditions, 2
 - dilatational motion, 2
 - one-dimensional, 3
 - rotational motion, 2
 - two-dimensional, 4
 - antiplane motion, 4
 - inplane motion, 4
- extinction theorem, 75
- farfield
 - compact source, 61, 65
 - of an edge, 114
- Fermat's principle, 101
- flexural motion equation, 48, 127, 157
- Fourier transform
 - space, 10
 - three-dimensional, 58
 - time, 7
- frequency
 - defined, 9
 - local, 155
- Fresnel integral, 109, 116–119
- gamma function, 87
- Gaussian beam; *see* plane-wave representations, 25
- geometrical theory of diffraction; *see* diffraction at an edge, 111
- Green's function, 60, 62
 - method of images, 68
- Green's tensor, 58, 62
 - correct and incorrect, 66
 - elastic fluid, 74
 - stress, 60
 - three-dimensional, 58
- guided waves; *see* waveguide, 121
- Helmholtz theorem, 5
- initial value problem, 157
- inner expansion; *see* matched asymptotic expansion, 71
- integral equations, 67, 76
- integral representation
 - scattering problem, 65–67
 - source problem, 64–65
- JWKB asymptotic expansion
 - eigenvalue problem, 148
 - rays and modes, 147
- Klein–Gordon equation, 127, 150, 157
- Lagrangian density, 126
- Lamb's problem; *see* buried harmonic line of compression, 82
- Laplace transform
 - time, 7
 - two-sided, 78
- leaky wave; *see* waveguide, open, 146
- limiting absorption, principle of, 62–63, 65, 135
 - and the Wiener–Hopf method, 104–108
 - outgoing wave, 58, 59, 79
- line of compression; *see* center of compression, 83
- longitudinal wave; *see* compressional, 22
- Love wave; *see* waveguide, open, 131
- matched asymptotic expansion, 112–116
 - boundary layer, 109, 111, 113
 - inner, outer coordinates, 71, 114
 - inner, outer expansion, 71, 114
 - matching, 115
 - Schrodinger equation, 114
 - stretching transformation, 114
- nearfield of an edge, 72, 104, 110, 113
- outer expansion; *see* matched asymptotic expansion, 71
- outgoing wave; *see* limiting absorption, 59
- partial waves, 17, 123, 140, 145
- periodic structure, 15–18
 - effective wavenumber, 18

- phase matching, 39–40
- phase, its meaning, 29
- plane wave
 - homogeneous, 22
 - inhomogeneous or evanescent, 22, 43, 96
 - time-dependent, 20
 - time-harmonic, 22
- plane-wave representations, 24–28
 - cylindrical wave, 28, 140
 - Gaussian beam, 24
 - in an open waveguide, 142, 146
 - spherical wave, 27, 28
 - waves scattered from a surface, 84
- Poisson summation formula, 11
- polarization
 - change in a ray expansion, 33
 - defined, 20
- potentials, displacement, 5
 - scalar potential, 5
 - vector potential, 5
- propagation matrix, 16
- radiation conditions, 65; *see* limiting absorption, 65
- ray; *see* asymptotic ray expansion, 30
 - defined, 30
 - fan of diffracted rays, 110
 - ray tube, 33
 - rays and modes, 146
- Rayleigh wave, 48–52, 96, 101
 - Rayleigh function, 51
 - Rayleigh equation, 49
 - time-harmonic, 49
 - transient, 50
 - two-sided wave, 51
- reciprocity, 57
- reflection
 - antiplane shear coefficient, 44
 - antiplane shear wave, 42
 - compressional coefficient, 40
 - compressional wave, 38
 - from a layer, 133
 - from a plate in a fluid, 47
 - inplane shear coefficient, 40
 - inplane shear wave, 38
- refraction
 - antiplane shear coefficient, 44
 - antiplane shear wave, 42
 - interfacial wave, 45
 - two-sided wave, 46
- scalar potential; *see* potentials, displacement, 5
- scattering
 - Bragg, 17
 - from a lumped mass, 13
 - from a strip, 67
 - from an elastic inclusion, 72
 - scattering matrix, 14
- shear wave, defined, 5
- signaling problem, 151–157
 - defined, 24
- slowness
 - defined, 20
 - surface, 39, 44
 - vector, 20, 39
- Sommerfeld transformation, 27, 59, 84, 96, 142
- spherical wave, 34
- standing wave, defined, 9
- stationary phase; *see* asymptotic approximation of integrals, 94
- steepest descents; *see* asymptotic approximation of integrals, 90
- strain tensor, defined, 2
- stress tensor, defined, 1
- surface wave; *see* Rayleigh wave, 51
 - guided by an impedance boundary, 51
- Tauberian theorem; *see* Abelian theorem, 82
- traction, defined, 1
- transforms, Fourier and Laplace; *see* Fourier transform, Laplace transform, 6
 - defined, 6–10
- transmission coefficient; *see* refraction, 44
- transmission matrix, 15
- transport equation, 30, 149
- transverse resonance principle, 124
- transverse wave; *see* shear, 22
- uniqueness in an unbounded region, 63, 68–72
 - edge conditions, 69, 104, 107
 - no edges, 68
- vector potential; *see* potentials, displacement, 5
- velocity
 - energy transport, 22, 24, 125
 - fastest, 137
 - group; *see* dispersion, 18
 - and stationary phase, 137
 - group lines, 155
 - kinematic theory, 154
 - kinetic theory, 156
 - periodic structure, 18
 - propagation of angular frequencies, 153–157
 - propagation of information, 151
 - propagation of wavenumbers, 153
 - waveguide mode, 125
- phase
 - local, 155
 - phase lines, 155
 - waveguide mode, 125
- vibration, not a wave, 11

Watson’s lemma; <i>see</i> asymptotic approximation	excitation, 139–146
of integrals, 87	leaky modes, 146
wave kinematics, defined, 20	modal representation, 144
wavefront	plane-wave representation, 142, 146
curvature, 32	ray representation, 141, 145
defined, 30	wavelength, defined, 9
plane, spherical, etc., 20	wavenumber
waveguide	complex, 22
closed, 121	defined, 8
evanescent mode, 135	effective, periodic structure, 18
excitation, 134–139	lateral, 122
harmonic excitation, 134	local, 155
mode expansion, 134	transverse, 122
transient excitation, 135	wavevector
laterally inhomogeneous, 146	defined, 22
mode, 122	real and complex, 22
open, 129	Wiener–Hopf method, 104–108