

## INDEX

.....

- absorbed dose, 3
- absorption coefficient, 19
- accelerators, 6 *et seq.*
- activity, 3
- adiabatic light guides, 124, 125
- age determination, 2
- AGS, 6, 8
- air core magnet, 189
- ALEPH, 88, 218
- $\alpha$ -radiation, 1
- alternating gradient, 6
- analogue-to-digital converter, 42
- anode wire, 69
- anthracene, 122
- antineutrino, 2
- Apollo 16 mission, 203
- argon detector (liquid), 57, 171, 173
- ARGUS, 80
- artificial radioactivity, 4
- astrophysics, 230
- ATLAS, 225
- avalanche, 51, 53
- avalanche formation, 69
- Avogadro constant, 26
  
- BBQ, 125
  - decay time, 129
- becquerel (unit), 3
- Becquerel, 1
- bending magnet, 189
- bending radius, 23, 188, 190
- $\beta$ -radiation, 1
- BGO ( $\text{Bi}_4\text{Ge}_3\text{O}_{12}$ ), 170, 173
- bi-alkali cathode, 113, 115
- Borex, 232
- boron neutron counter, 133
- Bq, becquerel, 3
- Bremsstrahlung, 23, 165
- Brookhaven National Laboratory, 6, 8
  
- bubble chamber, 93
- bubble chamber liquids, 94
- bubble density, 93
- bubble radius, 97
  
- C magnet, 189
- calcium fluoride window, 150
- calibration of calorimeters, 185
- calibration of drift chambers, 89
- calorimeter, electromagnetic
  - accordion, 171
  - homogeneous, 169
  - liquid argon, 171
  - liquid krypton, 171
  - resolution (energy), 173
  - resolution (spatial), 173
  - sampling, 170
- calorimeter, hadronic
  - calibration, 185
  - compensation, 179
  - containment, 175
  - electron/hadron ratio, 177, 180, 181
  - leakage, 176
  - length, 175
  - linearity, 175, 180
  - longitudinal centre of gravity, 175, 177
  - longitudinal shower profile, 176
  - resolution (energy), 178, 180, 183
  - response, 177
  - sampling fluctuation, 178
  - transverse extension, 175, 179
  - uranium, 179
  - visible energy, 175, 177, 180
- carbon dating, 2
- cascade,
  - electromagnetic, 165
  - hadronic, 175
- cathode pad, 84, 85
- cathode readout, 73

**242**     *Index*

- cathode segment, 84, 85  
cathode sensitivity, 114  
CCD detector, 107  
central tracking detectors, 194  
centre-of-gravity method, 127  
CERN, 6 *et seq.*  
charge-coupled device (CCD), 107  
charmed particle production, 94  
Charpak, 71  
Cherenkov  
  angle, 138  
  counter (differential), 143  
  counter (length), 142, 145  
  counter (ring imaging), 147 *et seq.*  
  counter (threshold), 140  
  DIRC, 150  
  effect, 10  
  photons per path length, 140  
  radiation, 10, 11, 12, 137  
  radiators, 140  
  refractive index, 140  
  RICH, 147  
  ring image, 148  
  threshold velocity, 10, 139  
chlorine detector, 231  
cluster counting, 153 *et seq.*  
collection time, 47, 59  
collision,  
  electron–positron, 214 *et seq.*  
  ion–atom, 205  
compression wave, 103  
Compton edge, 21  
Compton effect, 21  
conduction band, 61, 63, 119  
Conversi chamber, 100  
conversion, internal, 4  
conversion electron, 4  
cosmic radiation, 1  
cosmic ray nuclei, 205 *et seq.*  
Coulomb barrier, 1  
counting gases, 72  
Courant, 6  
critical energy, 25  
curie (unit), 3  
cyclotron, 6  
cyclotron frequency, 34  
daughter nucleus, 4, 5  
deadtime  
  non-paralysable detector, 44  
  paralysable detector, 44  
  position detectors, 111  
decay constant, 3  
decay law, 3  
DELPHI, 219  
 $\delta$ -electrons, 17  
density  
  bubble chamber liquids, 94  
  gases, 12  
  liquid noble gases, 59  
  scintillating crystals, 120  
density effect, 12  
depletion layer, 62  
DESY, 7, 8, 222  
detection  
  of charged particles, 9, 69 *et seq.*, 119,  
  137  
  of electrons, 165 *et seq.*  
  of hadrons, 174 *et seq.*  
  of neutrinos, 9, 211, 230  
  of neutrons, 132  
  of photons, 19, 165 *et seq.*  
dielectric constant, 10, 12  
diffusion, 26  
  in magnetic and electric fields, 35  
dipole magnet, 189  
DIRC counter, 150  
DISC counter, 143  
dispersion relation, 10  
donor impurities, 63  
drift cell, 76  
drift chambers, 74  
  calibration of, 89  
  cylindrical, 78  
  planar, 74  
drift velocity, 30, 75  
effective ionization potential, 14, 15  
efficiency, 44  
  of proportional chambers, 73  
electron attachment, 28  
electron capture, 28  
electrostatic instability in proportional  
  chamber, 72  
endpoint energy, 2, 5  
energy  
  centre-of-mass, 7  
  critical, 25, 165  
  cut-off in, 166  
  deposition, 166, 176, 177  
  endpoint, 2, 5  
  measurement of, 165 *et seq.*, 174 *et seq.*  
  units of, 2  
energy dose, 3  
energy leaking, 167  
energy loss  
  minimum ionizing particles, 14  
  per ion pair,  $W_i$ , 15  
  of thin layer, 16  
energy loss distribution, 18  
energy resolution  
  electrons and photons, 167 *et seq.*  
  hadrons, 178 *et seq.*  
  semiconductor detectors, 68  
equivalent dose, 3  
eV (unit), 2  
excitation energy, 15  
exposure, 3

- Fabjan, 151  
Fano effect, 43, 67  
Fermi level, 62  
Fermilab, 6  
fibre detector, 108 *et seq.*  
field integral, magnetic, 188  
fission, 180  
flash chamber, 100  
flux of particles, 2  
focussing, strong, 6  
Frejus, 229  
Frisch grid, 48, 209
- GALLEX, 232  
gallium detector, 232  
 $\gamma$ -radiation, 1, 2, 5  
Garibian, 151  
Garwin, 125  
gas amplification, 51  
gases, 15  
  density, 15  
  effective ionization potential, 15  
  energy loss per ion pair, 15  
  excitation energy, 15  
Ge(Li) detector, 67  
Geiger–Mueller counter, 55  
geophysical applications, 200  
Glückstern formula, 191  
gradient, alternating, 6  
gray (unit), 3  
GSI, 8
- H magnet, 189  
hadron calorimeter, 174  
half-life, 3, 5  
heavy ion reactions, 207  
helium-3 neutron detector, 132  
HERA-B, 210  
Higgs, 225  
high-voltage plateau, 72  
holographic bubble chamber, 95  
Homestake chlorine detector, 231  
H1 detector, 222
- identification, 132  
IMB detector, 228  
interaction region, 193  
interactions  
  electromagnetic, 9  
  inelastic, 9, 174  
  of charged particles, 9, 69, 137  
  of electrons, 165  
  of hadrons, 174  
  of neutrinos, 9, 211  
  of neutrons, 132  
  of photons, 19  
  strong, 9, 174  
  weak, 9, 211
- inverse  $\beta$ -decay, 232  
iodine, 198  
ion  
  accelerator, 8  
  dose, 3  
  mobility, 27  
  range in silicon, 67  
ionization, 9  
  in liquids, 57  
  relativistic increase in, 11  
ionization chamber, 46  
  current mode, 49  
  cylindrical, 48  
  parallel-plate, 46  
iron core magnet, 189  
isotope, 3
- JADE detector, 81, 196  
junction (n–p), 62
- K capture, 4  
K-edge, 20  
K-shell, 20  
Kamiokande detector, 228, 230  
KEK, 7, 8  
Klein–Nishina cross-section, 22  
krypton detector (liquid), 58, 59, 173
- L3, 219  
Landau distribution, 17  
Landau fluctuation, 169  
Landau tail, 17  
Langevin equation, 34  
Large Magellanic Cloud, 230  
lasers  
  calibration of, 89, 185  
  for holography, 95  
  for track simulation (UV), 89  
leakage of showers, 167  
LEP, 7, 218  
LHC-B, 227  
lifetime, mean, 3  
light guides, 124  
limited proportionality, 56  
linearity, 43  
Liouville theorem, 125  
liquid argon detector, 57  
liquid ionization chambers, 57, 171  
liquid krypton detector, 171  
liquid noble gases, 19, 57, 171  
lithium iodide (LiI) crystal, 120, 133  
lithium radiator (TRD), 151  
long counter (neutrons), 134  
longitudinal shower profile  
  electromagnetic, 166  
  hadronic, 176  
Lorentz angle, 35, 82  
luminosity, 192

**244**     *Index*

- magnet
  - air core, 189
  - C magnet, 189
  - H magnet, 189
  - iron core toroid, 190
  - volume of return yoke, 190
- magnet shapes, 190
- magnetic field
  - dipole, 189, 193
  - homogeneous, 188
  - solenoidal, 192
  - toroidal, 190, 192
- magnetostrictive readout, 103
- mass absorption coefficient, 19
- mean free path, 26
- mean value, 41
- microstrip gas chambers, 90
- minimum ionizing particle, 14
- mobility
  - electrons in gas, 28
  - electrons in liquid noble gas, 58
  - electrons in silicon, 65
  - ions in gas, 25
- Molière radius, 166, 168
- momentum
  - change by magnet, 188
  - measurement of, 188
  - resolution in, 189, 191, 194
  - units for, 2
- monitoring of calorimeters, 185
- moon's surface, 203
- MSB, 122
- MSGC, 90
- multiple ionization measurement, 154
- multiple scattering
  - electrons, 166
  - muons in iron, 195
- multiwire proportional chamber, 69
- naphthalene, 122
- natural radioactivity, 1, 2
- Nd-YAG laser, 90
- neutrino detector, 211
- neutrino activation, 132
- neutron counter, 132
- neutron elastic scattering, 135
- neutron inelastic scattering, 174
- nitrogen laser, 90
- non-paralysable detector, 44
- nuclear emulsion, 103
- oil in porous beds, 202
- OPAL, 221
- pair creation, 22, 165
- paralysable detector, 45
- particle accelerators, 8
- particle flux, 2
- particle identification
  - Cherenkov counters, 137
  - comparison, 164
  - length of detectors, 142, 162
  - momentum range, 144
  - multiple ionization measurement, 154
  - neutrons, 132
  - time-of-flight, 137
  - transition radiation, 150
- path length, 166
- PBD, 122
- PET, 199
- PETRA, 7, 8, 81
- photoabsorption model, 12, 18
- photoelectric absorption, 20
- photoelectric effect, 20
- photoionization gas, 148
- photomultiplier tube, 113
  - cathode sensitivity, 114
  - jitter, 115
  - time resolution, 117
  - transit time, 113, 117
  - windows, 114
- photosensitive gas, 148
- planar spark counters, 129
- plasma frequency, 13
- Poisson distribution, 17
- polyvinyltoluene, 121
- POPOP, 122
- positron emission tomography, 199
- proportional chamber, 69
- proportional counter, 46
- proportional region, 51
- proton decay detector, 229
- pulse formation in proportional chamber, 69
- pulse height spectrum, 41
- pulse mode, 40, 46
- quartz fibres, 186
- quenching, 57
- rad (unit), 3
- radiation belts, 1, 202
- radiation length, 23, 59, 120
- radiator, 140
- radioactive source, 4, 5
- radioactivity
  - artificial, 4
  - natural, 2
- radionuclides, 5, 198
- Ramsauer effect, 29, 38
- range (in silicon), 67
- readout time, 111
- recombination, 27
- refractive index, 137, 140
- relativistic rise of ionization energy loss, 154, 160
- Rem (unit), 4

*Index*

245

- resolution, 42, 111
  - of ionization energy loss measurement, 156, 158, 159
  - space, 111, 196
  - time, 111, 117, 126
- rest mass, 2
- reverse bias, 63
- RICH counter, 147
- roentgen (unit), 4
  
- SAGE, 232
- sampling fluctuation, 167
- sampling method, 168
- sampling thickness, 168
- saturation field strength, 189
- scanner, 198
- scattering
  - Compton, 21
  - electron–positron, 7, 8, 214, 218
  - electron–proton, 8, 9, 222
  - neutrino, 211
  - proton–antiproton, 6, 8, 214
- scintillating fibre detector, 108
- scintillator, 119
  - absorption spectra, 127
  - collection of light, 124
  - crystals, 120
  - decay time, 120
  - emission spectra, 127
  - fluorescent components, 122
  - inorganic, 119
  - organic, 121
  - self-absorption, 121
  - wavelength shifter, 121
  - wavelength shifter readout, 125
- self-quenching counters, 57
- semiconductor counter, 61
- sensitive time, 111
- separation
  - pion–electron, 137, 152, 155, 161
  - pion–kaon, 137, 156, 157, 161, 162
- Serpukhov, 6
- shower
  - electromagnetic, 165
  - hadronic, 174
  - leakage of, 167
- shower counter
  - accordion, 172
  - comparison, 173
  - homogeneous, 169
  - liquid argon, 171
  - liquid krypton, 171
  - resolution (energy), 173
  - resolution (spatial), 173
  - sampling, 170
- shower maximum, 166
- Si(Li) detector, 65
- sievert (unit), 4
- silicon strip detector, 104
- silicon surface barrier counter, 65
- SLAC, 8
- SLC, 8
- SNO neutrino observatory, 232
- solar neutrino detectors
  - Borex, 232
  - Gallex, 232
  - SAGE, 232
  - SNO, 232
- solar wind, 1
- solenoid magnet, 194
- source, radioactive, 6
- space sciences, 202
- spallation, 181
- spark chamber, 101
- spark counters, 129
  - time resolution of, 130
- spectral sensitivity, 114
- SPS, 8
- Snyder, 6
- standard deviation, 42
- stochastic force, 34
- streamer chamber, 97
- strip detector
  - microstrip gas chamber, 90
  - silicon strip detector, 104
- strong focussing, 6
- SU(5) symmetry, 228
- sunflares, 1
- supernova, 230
- surface barrier counter, 65
- Sv (unit), 4
- synchrotron, 8
  
- TASSO, 79
- TEA gas, 148
- technetium, 198
- terphenyl, 122
- tesla, 188
- Tevatron, 8
- thermal neutrons, 133
- thermal velocity, 26
- Thomas–Fermi model, 14
- Thomson formula, 21
- thyroid gland, 198
- time projection chamber (TPC), 84
- time
  - deadtime, 44
  - measurement of, 113
  - readout time, 111
  - sensitive time, 111
- time-of-flight
  - difference, 137
  - distance, 137
  - momentum range, 137
- time structure, 39
- TMAE gas, 148
- toroid magnet, 190
- townsend (unit), 37

**246**     *Index*

- Townsend avalanche, 51
- Townsend coefficient, 51
- transition radiation, 13
  - charge measurement, 155
  - cluster counting, 153
  - detector, 151
  - electron efficiency, 155
  - emission angle, 151
  - photon mean energy, 153
  - pion rejection, 155
  - principle, 13
  - radiator, 153
  - xenon chamber, 151
  - X-ray detector, 151
- transverse shower profile
  - electromagnetic, 168
  - hadronic, 179
- truncation, 156
- tumour, 200
- tunnelling, 1
  
- two-photon absorption, 90
  
- UA 1 detector, 214
- UNILAC, 8
- uranium prospecting, 202
- UV laser, 90
  
- valence band, 62
- van Allen belts, 202
- variance, 42
- visible path length, 166
  
- Walenta, 75
- wavelength shifter, 121, 125
- Willis, 151
  
- xenon chamber, 151
  
- Zeus detector, 222