

## Index

- activation enthalpy  
 of creep, 180–3  
 of diffusion, 162–73
- activation volume  
 of creep, **182–4**  
 of diffusion, **170–4**
- Adams and Williamson equation, 225–7
- adiabatic gradient, 217, **232**, 233, 241
- age of the Earth, 161–2
- aluminum, 82, 116, 129, 143, 211, 212, 230, 251, 257
- amorphization, 118–20
- Anderson–Grüneisen parameter, 26, 61
- anharmonicity, **58–59**
- Arrhenius  
 law, 162, 185, 203, 206  
 plot, 162, 163, 165, 200, 204, 205, 208, 209
- band, **190–4**
- bêta-phase ( $\beta$ -Mg<sub>2</sub>SiO<sub>4</sub>) *see* wadsleyite
- Birch's law, **79–82**, 227
- Bragg–Williams theory, 133
- Brillouin zone, 30, 33, 35, 36, 190–1
- Brunt–Väisälä frequency, 233
- bulk Earth composition, **259–61**
- bulk modulus, 6, 10, **14**, 17, 19, 32, 47, 63, 64, 70, 72  
 adiabatic, 10, **20–3**, 224  
 isothermal, 10, **20–3**, 224  
 of NaCl, 32  
 pressure derivative of the, 48, 71, 73, 77, 79, 226
- bulk sound velocity, 82, 84, 86, 87, 101
- Bullen parameter, **226–7**, 233, 236, 241
- Burgers vector, 140, 179
- Cauchy solid, 15
- cheese, 81
- chondrite, chondritic, 252, 260–2
- Clapeyron slope, 240, 246, 249, 255
- Clausius–Clapeyron relation, 115, 122, 124, 129, 142, 137, 245
- climb, 180–1
- coesite (SiO<sub>2</sub>), 119
- compensation law, **168–70**, 171, 172
- compliance, 5, 8, 10, 22
- convection, **231–6**, 269  
 in the mantle, **236–41**
- copper, 40, 116, 129, 219
- core, 82, 102, 103, 146, 148, 152, 153, 184, 189, 212, 228, 231, 241  
 inner, **269–70**  
 outer, **267–9**
- core–mantle boundary, 72, 217, 218, **265–7**
- corundum (Al<sub>2</sub>O<sub>3</sub>), 40, 43, 56, 94, 248
- creep, **174–84**  
 dislocation, **177–81**  
 diffusion, 175–7  
 power-law, 181
- D" layer, 266
- Darcy's equation, 157
- Debye  
 approximation, **36–44**, 45, 51, 127  
 frequency, **36–7**, 42, 43, 128, 197  
 function, 41  
 temperature, **38–9**, 41, 42, 124, 129, 131, 212, 216, 217
- density, 10, 55, 79–85, 103  
 in the Earth, **223–7**, 228, 260  
 of states, **33–235**, 44
- diamond, 40, 94, 219, 238  
 anvil cell, 73, 94, 145, 147, 149, 208, 211, 212, 219, **247**, 253, 259
- diffusion, 157  
 coefficient, 158, 160  
 in ionic crystals, 164–7  
 in liquid metals, **184–9**  
 in solids, 162–74  
 of heat, 160–1

## 310

of matter, **158–9**  
 of momentum, 159  
 dipside, 114, 116, 130, 168, 172, 251  
 dislocation, 139, 177–81  
   creep, **177–81**  
   mediated melting, **139–43**  
 dispersion relation, **27–33**  
 Drude's formula, 196, 218  
 Dulong and Petit limit, 41, 53  
 earthquakes, 237  
 Einstein  
   approximation, 38, 51, 127  
   frequency, 126  
   relation, 159, 164, 189  
 elastic constants, **13–20**, 36, 39, 64, 128  
 elastic moduli, 5, **13–20**, 23, 63, 227, 260  
 electrical conductivity, 157, **189–203**  
   of metals, **196–7**  
   of mantle minerals, **203–12**  
   of the core, **212–13**  
 electron, 102–6, **190–9**, 212, 218, 219  
   microscopy, 252, 253, 255, 259  
 Emden's equation, 224  
 enstatite ( $\text{MgSiO}_3$ ), 40, 73, 114, 116, 247  
 equation of state (EOS), 6, **63–109**, 224–5  
   *ab-initio* quantum mechanical, **107–9**  
   Birch–Murnagan, 18, **66–74**, 77, 79, 83,  
   88, 101, 106, 107, 225  
   derived from interatomic potentials, 77–9  
   isothermal, 63, 92, 100  
   logarithmic, 74–7, 78  
   Mie–Grüneisen, 25, **44–6**, 91, 92, 100, 101,  
   120, 130  
   polytropic, 65  
   seismic, 81, 85, 88, 89, 101, 216  
   shock wave, **94–102**  
   thermal, **90–4**  
   Thomas–Fermi, **102–7**  
   Vinet, 78–79  
 error function, 161  
 fayalite ( $\text{Fe}_2\text{SiO}_4$ ), 113, 116, 130, 204, 205,  
 251  
 Fermi–Dirac statistics, 102, 103, 198, 200  
 Fermi level, 190, 191, 194, 196, 197, 218  
 Fick's equation, 158, 159, 177  
 fluorides, 81, 89, 118, 124, 125, 130, 131, 211  
 forsterite ( $\alpha\text{-Mg}_2\text{SiO}_4$ ), 18, 40, 61, 73, 112,  
 114, 116, 130, 172, 204, 218, 251  
 Fourier's equation, 160  
 free energy  
   Helmholtz, 6, 44, 69, 136, 141  
   Gibbs, 6, 115, 163, 170, 245, 246  
 free volume, 51, 185  
   gamma, 51–3  
   theory, 51, 185

## Index

fusion *see* melting  
 gamma *see* Grüneisen parameter  
 gap, 190–4  
 geoid, 240, 265  
 geotherm, **241–4**, 259  
 Grüneisen parameter, 25, **46–56**, 71, 120,  
 122, 124, 131, 140, 150, 214, 217, 218  
   acoustic, 49, 50, 54, 241  
   Debye, 47, 50, 54, 84, 197, 212  
   Debye–Brillouin, 50, 54  
   Dugdale–McDonald, 53, 54, 67, 101  
   high-temperature, 49, 54  
   mode, 47, 54  
   Slater, **48–9**, 52, 54, 77, 78, 88, 101, 31,  
   141, 172  
   thermodynamic, **21**, 47, 52, 54, 55, 57, 92,  
   98, 101, 117, 215, 233  
   Vaschenko–Zubarev (free-volume), **51–3**,  
   54, 92  
 halite ( $\text{NaCl}$ ), 32, 40, 42, 91, 94, 126, 129,  
 218  
 harmonic approximation, 28, 57  
 Hashin–Shtrikman bounds, 18, 19, 56  
 heat flux, 214, 230, 231, 233, 242  
 hole, 193, 198, 199, 201, 202  
 Hooke's law, 5, 6, **13**  
 hopping conduction, 193, **201–3**, 205, 207,  
 209  
 Hugoniot, 94–101, 267  
   elastic limit, 95, 100  
 hydrostatic pressure, 13, 19, 64, 71, 170–4,  
 182–4, 188–9  
 ice, 116, 118, 119, 182  
 ilmenite, 40, 248  
 impurities, 165, 194, 199  
 insulator, 191–3, 204, 216  
 iron, 40, 56, 61, 82, 94, 99, 103, 106, 107, 112,  
 116, 143, 187, 189, 226, 244, 256, 257,  
 266, 270  
   electrical conductivity of, 212–13  
   melting of, 116, 121, 122, **146–51**, 244  
   phase diagram of, **146–55**  
 isokinetic effect *see* compensation law  
 Kraut–Kennedy equation **121–3**, 128, 132  
 Lamé constants, 13, 64  
 Laplace, 65, 225  
 Legendre transformation, 7  
 Lennard–Jones–Devonshire model, 120,  
 128, **132–8**  
 Lewis number, 162  
 Lindemann law, 120, 121, 124, **126–32**, 138,  
 142, 143, 144, 145, 150, 173

- Lorentz number, 219
- Madelung constant, 32
- magnesiowüstite, 55, 94, 145, 146, 166, 207–8, 251, 255, 257, 267
- magnetite ( $\text{Fe}_3\text{O}_4$ ), 202, 207
- majorite ( $\text{MgSiO}_3$ ), 64, 248, 262
- mantle, 181, 227, 231, 234, 249  
 convection, **236–41**  
 models, **259–65**  
 viscosity, 182, 237, 238, 239
- Matthiessen's rule, 196
- Maxwell's relations, 8, 9, 117
- mean atomic mass, 79, 80, 83–7
- melting, **110–44**  
 curve, 110, 121, 184, 189  
 entropy, **115–18**, 141, 173, 231  
 of lower-mantle minerals, 144–6  
 of metals, 116, 143, 167  
 latent heat of, 231  
 partial, 114  
 volume, **115–18**, 141, 173  
 metastable, 118–20
- mercury, 121, 189
- Mie's potential, 57, 77, 78
- Mott transition, 194, 208
- Nabarro–Herring creep, 175–7
- Navier–Stokes equation, 160, 235
- Nernst–Einstein relation, 202–3
- Newton's relation, 160
- nickel, 40, 211, 267
- Nusselt number, 235
- Ohm's law, 157, 180, 194–5
- olivine, 18, 19, 26, 43, 73, 113, 118, 167, 168, 172, 181, 182, 204–7, 211, 218, 251  
 electrical conductivity of, **204–7**  
 –spinel transition, 231, **252–5**
- opacity, 219, 231
- Orowan's equation, 179
- oxygen, 153, 269  
 diffusion of, 167, 168, 170, 189  
 partial pressure, 166, 181, 207, 208
- partition function, 52, 133–5
- Peierls stress, 180
- periclase ( $\text{MgO}$ ), 20, 40, 43, 56, 61, 73, 82, 99, 108, 145, 207, 218, 251
- peridotite, 115, 130, 241, 260, 262
- perovskite, 40, 94, 130, 131, 145  
 $\text{CaSiO}_3$ , 121, 251, 262  
 $\text{CaTiO}_3$ , 40, 211  
 $\text{SrTiO}_3$ , 56, 211  
 $\text{MgSiO}_3$  and  $(\text{Mg,Fe})\text{SiO}_3$ , 40, 43, 44, 55, 61, 73, 87, 94, 108, 109, 208–11, **249–51**, 257, 260, 262, 267  
 structure, 81, 85, 87, 130, 131, 208–11, 249  
 phase diagram, **110–14**, 241, 245  
 of iron, **146–55**  
 of  $\text{MgSiO}_3$ , **247–51**  
 of  $\text{Mg}_2\text{SiO}_4$ , **251–9**  
 phase rule, 244  
 phase transition, 237, 239, 241, 242, **244–59**  
 phonon, 27, 38, 43, 44, 45, 201, 202, 214, 215  
 piclogite, 263–5  
 Poisson's equation, 103, 224  
 Poisson's ratio, **14–15**, 47–50, 128, 131, 228, 229, 263  
 polaron, 202, 205, 208  
 potassium, 93, 116, 143, 231, 268  
 Prandtl number, 162  
 PREM, 222, **227–30**  
 premelting, 114, 129  
 pyrolite, 262–5  
 pyrope, ( $\text{Mg}_3\text{Al}_2\text{Si}_3\text{O}_{12}$ ), 40, 116, 248, 249  
 pyroxene, 73, 85, 241
- quartz ( $\text{SiO}_2$ ), 43, 99, 116, 118, 119, 121, 167, 168, 173, 218  
 quasi-harmonic approximation, 60, 124, 128
- radiative transfer, 213, 214, 219–20, 231
- radioactive elements, 230
- random walk, 163–4
- Rankine–Hugoniot equations, **96–100**
- Rayleigh line, 95, 100
- Rayleigh number, 234, 235, 237
- Reuss bound, 17, 18
- ringwoodite ( $\gamma\text{-Mg}_2\text{SiO}_4$ ), 207, 252, 254, 259
- Schmidt number, 162
- seismic parameter, **16–17**, 83, 88, 89, 132, 216, 224, 226, 228, 233
- seismic discontinuities, 227, 237, 239, 242, 263
- seismic velocities, 80–7, 228
- semi-conductor, 193, 194, **197–201**
- semi-metal, 194
- shear instability, **123–5**
- shear modulus, 14, 17, 19, 23, 24, 124, 141, 172
- shock wave, 82, **94–102**, 207, 213
- silicon, 40, 116, 167, 168, 173, 201, 213, 260, 268
- Simon equation, **120–1**, 123, 128
- slip, 178–80
- specific heat, 10, **39–41**, 214, 216
- spinel  
 $\text{MgAl}_2\text{O}_4$ , 56, 218  
 $\gamma\text{-Mg}_2\text{SiO}_4$ , 40, 61, 73, 252, 256  
 stiffness, 6, 8, 10, 22
- Stirling's approximation, 135
- stishovite ( $\text{SiO}_2$ ), 40, 43, 121, 251, 255

312

Stokes–Einstein relation, 184, 185, 189  
 strain  
   Eulerian, 67, 68, 74, 75  
   finite, 64, **66–9**, 75, 124  
   Hencky, 74–5  
   infinitesimal, 11, 12, 67, 68  
   Lagrangian, 67, 68, 74, 75  
 stress tensor, 12, 13  
 sulfur, 112, 153, 187, 268  
 Sutherland relation, 125, 126  
 synchrotron radiation, 93, 129, 147, 151,  
   208, 262  
  
 thermal boundary layer, 236, 237, 239, 242,  
   266  
 thermal conductivity, 160, **213–20**, 233, 242  
 thermal diffusivity, 160, 16  
 thermal expansion, 10, 19, 26, **58–62**, 227  
 thermal pressure, 19, **25–26**, 52, 59, 91

*Index*

thermoelastic coupling, 10, **20–5**, 27  
  
 vacancies, 139, 163–7, 175–7  
 van Liempt relation, 167, 170, 182  
 velocity–density systematics, **79–90**, 267  
 velocity of elastic waves, 15, 16, 31, 216  
 viscosity, 156, 159, 160, 234, 237  
   of liquid metals, **184–9**  
   of outer core, 269  
   of solids, **174–84**  
   of the mantle, 182, 237, 238, 239  
 Voigt bound, 17, 18  
 Voigt–Reuss–Hill average, 17, 36, 56  
  
 wadsleyite ( $\beta$ - $\text{Mg}_2\text{SiO}_4$ ) 18, 40, 73, 207, 252,  
   254  
 Weertman's relation, 182  
 Wiedemann–Franz law, 219  
 wüstite ( $\text{Fe}_{1-x}\text{O}$ ), 207, 208