

Index

- $\alpha\omega$ dynamo 34, 126, 159, 164, 286
 α^2 dynamo 34, 149–53, 156, 286
 $\alpha^2\omega$ dynamo 34, 152
 α effect 33–4, 150–2, 158
 Africa 164–5, 191, 197, 284
 Agno batholith, Luzon Island,
 Philippines 146, 148
 Albuquerque volcanoes, New Mexico 92
 Amsterdam Island, Indian Ocean 211
 Antarctic 4, 59, 96, 185, 227, 268, 270,
 290
 antiferromagnetism 36–7, 50
 Arctic 262
 Arroya el Mimbral, Mexico 277
 Asio, Mount, Japan 52
 astronomical calibration of magnetic polarity
 boundaries 236–8, 240, 247, 249,
 260–4
 astronomical climate index (ACLIN) 263
 Atlantic Ocean 62, 77–8, 105, 108, 116,
 188, 190, 194, 196, 198–203, 209,
 212–5, 245–9, 252, 266
 Australia/New Zealand 180, 185, 208,
 211–5, 219, 243–4, 267, 271–2

 Baffin Bay, Canada 107
 Bergell Massif, Switzerland 51
 Beryllium,¹⁰ Be 73
 Bessette Creek, British Columbia,
 Canada 98, 100
 Big Lost Event, Snake River, Idaho,
 USA 113–16, 240
 Bishop Tuff, California, USA 182, 237
 Blake event 11, 79, 87, 107–110, 114–17,
 196, 205, 240, 267–70
 Blekinge, Sweden 88
 Blocking temperature 38, 39, 41, 44, 47
 Bolivia 45
 Boso Peninsula, Japan 40, 181, 190, 212,
 222
 Bosumtwi crater, Ghana 271
 Brastad, Sweden 105–6
 Bresica, Italy 252

 Brunhes chron 59, 63, 68–9, 73, 77–9,
 110–15, 117, 119, 146, 154–6, 181,
 185–92, 199–206, 208, 211–12, 222,
 230, 236–40, 245, 268–73
 Bucks batholith, California, USA 47

 Calabria, Italy 118, 208–9, 238
 Canary Islands 56
 canting 36–7, 50
 Carboniferous 55, 254–7, 290
 Caribbean 107, 114, 197, 266
 Carson Sink, Nevada, USA 98–101, 103
 Celebes (and Sulu) Seas, Philippines 201
 Cenozoic 25, 65, 81, 128, 168, 171, 175,
 211, 214, 219, 232–5, 244–6, 249,
 251, 259, 277–9, 290
 chaos 136–44, 176, 259
 Chegan event, ponto-Caspian
 region 114–15
 chemical remanent magnetism
 (CRM) 41–6, 72, 210, 216
 Chicxulub crater, Yucatan, Mexico 277
 chron 62, 230–2
 Chugwater Formation, Wyoming, USA 44,
 71
 Clear Lake, California, USA 96–8, 100,
 117
 climate 55, 114, 119, 121, 236, 244,
 258–71, 278, 291
 clustering (of virtual geomagnetic poles) 78,
 110, 190, 192, 204, 211–16
 Cobb Mountain, California, USA 115–18,
 165, 186–7, 198–202, 205, 212, 238,
 240–1
 Cochiti event 45, 63, 209, 238, 241, 245
 Columbia River Basalt Group, USA 55, 218
 component reversals 149–51, 156
 Contessa gorge, Gubbio, Italy 232–4,
 254
 core–mantle boundary (CMB) 7, 13, 24, 32,
 64, 66, 95, 100, 117, 140, 152, 162–5,
 179, 203, 211–15, 221, 267, 272,
 278–86, 288–9

342 *Index*

- Coso Range, California, USA 116
- Cretaceous 42–3, 81–2, 154, 176, 229, 232–5, 244–53, 259–60, 265, 272, 276, 282, 285, 290
- Cretaceous normal superchron 25, 57, 80, 83, 86, 119, 140, 154, 159, 162, 164, 175, 178, 232, 257, 282–8, 293
- Cretaceous–Tertiary boundary (K/T boundary) 271, 277, 282
- Crete 118, 148, 158, 165, 182–3, 194, 205, 216, 225, 264
- Crostolo sediment, Po Valley, Italy 195
- Curie point, temperature 36, 38–42, 45, 48, 50–6, 67
- D', I' space 60–1
- D" layer 163, 210, 279–84, 286, 288
- Dabusan Lake, Qaidam Basin, Central Asia 99, 106
- dacite pumice 49, 51–4, 58
- Deccan traps, India 277, 282, 284
- declination 1–5, 9, 27, 42, 46, 67–8, 75, 77, 87–8, 96–106, 111, 113, 116, 119–23, 156–7, 181–2, 185, 191–6, 200, 201–2, 206, 209, 223
- deep-sea sediments 4, 27, 40–1, 54, 59, 64, 87, 110, 112, 116, 120, 156–7, 183, 185, 188, 192–3, 197, 199–203, 216, 226–7, 230, 236, 238, 240, 266–71, 277–8
- Definitive International Geomagnetic Reference Field (DGRF) 17–23
- depositional remanent magnetism (DRM) 39, 40, 43–4, 71, 123, 180
- Devil's Hole, Nevada, USA 265
- Devil's Park, Colorado, USA 100
- Devonian 47, 65
- diamagnetism 36
- dipole family 27, 158–9, 190, 212–4
- dipole field 7–11, 16, 56–7, 60–1, 64–5, 73–7, 94–5, 99, 102–3, 109, 117, 119, 121, 124–131, 144–5, 148, 150–6, 160, 165, 176, 179–81, 186, 190, 196, 203, 206, 212–17, 249, 279, 289
- direction of magnetic field 59, 66–8, 71–9, 154–7, 160, 171, 176, 186, 191–2, 196, 197, 209–11, 217, 219, 221–4, 266, 292
- disc dynamo 124, 131–45
- Rikitake 126, 132–4, 136, 138–9
- Easter Island, Pacific Ocean 8
- eccentricity 114, 236, 259–66, 269–70
- Elk Lake, Minnesota, USA 8
- Emperor event 114–16, 240
- Eocene 246–9, 251
- Erieau excursion, Lake Erie, USA 112
- Étoilles, France 105
- Etna, Mount 53
- excursions 8, 11, 53, 62, 87–123, 141, 143, 175, 186, 208–9, 219, 240, 267–72
- extinctions 271–8
- Fargher Lake, Washington, USA 98, 100
- far-sided poles 18, 61, 76, 145–8, 152, 181, 188, 196, 206, 220
- ferrimagnetism 36, 50
- ferromagnetism 36, 41, 42, 55
- Fisher index 67
- flooding model of magnetic field 71, 124, 145–9, 152, 156, 164, 183, 187, 192, 196, 208, 217
- Fortaliza, Brazil 292
- frequency of reversals 79–86, 128, 140, 154, 255, 278–86, 288, 290
- frozen flux fields 30–1, 219, 225
- full reversals 149–53
- Galapagos Islands, Pacific Ocean 8
- gamma distribution 169–73, 176
- Gauss chron 59, 63, 78, 117, 119, 212, 216, 230, 236–40, 242, 245–7, 249, 269
- Gauss coefficients 13–15, 18, 24–8, 126, 154–9, 163, 190, 196, 197, 213, 215
- geodynamo 29–33, 66, 80, 87, 99, 124–32, 136–40, 144, 152, 158–64, 167, 169–72, 210, 212, 264, 271, 278–84, 288
- geomagnetic poles 7
- Gilbert chron 59, 63, 119, 216, 227–30, 238–42, 245–7
- Gilsa event 63, 117–18, 187, 205, 237–8
- Gioia Tauro, Italy 108, 110–11, 268–9
- Gothenburg 'flip' 92, 103–7, 112, 269–71
- Grand Pile, S. Vosges, France 95, 99
- Greater Antilles 107
- Gubbio, Italy 27, 229, 243–6, 252, 277, 290
- Gulf of California 8, 88–9, 92, 100–1
- Gulf of Mexico 92, 112–3
- Hadar Formation, Ethiopia 237–8
- Haiti 277
- Haruna, Mount, Japan 49, 52, 54, 58
- Hawaii, USA 8, 56–7, 61, 71, 73, 148–9, 158, 187, 192, 212–13, 217, 237–8, 252, 254, 281
- helicity 33–4, 149–53, 156
- hematite 35–8, 43–4, 47, 52
- Hokkaido, Japan 42
- Huahine Island, French Polynesia 186, 213
- ice ages/sheets 260–1, 265, 267–72
- Iceland 4, 55–6, 62, 69–74, 76, 79–80, 91–3, 125, 238–9, 242, 245, 249

- Illawara reversal, Australia 256
 ilmenite 35–6
 ilmenoematite 49–51
 impacts 271–8
 Imuruk Lake, Alaska, USA 121
 inclination 1–5, 7, 9, 16, 25–7, 42, 46,
 67–8, 75, 87–91, 93, 96–104, 106–7,
 110–12, 116–17, 120, 122–3, 145,
 154–5, 181–2, 185, 188, 191–202,
 209, 212, 223, 238–9, 268
 inclination anomaly 26–7, 64, 163
 Indian Ocean 10–11, 27, 67, 74, 76, 92,
 107, 151, 188, 194, 200, 208, 247,
 261–2, 271, 277
 Indonesia 164, 271–2
 inner core 13, 32, 126, 152, 162–4, 279,
 288
 inner core boundary 32, 152, 162, 272
 intensity of magnetic field 3, 7–11, 24,
 41–4, 56, 65–78, 91–94, 101–7, 111,
 114, 116, 118–19, 121, 125, 127,
 148–9, 152, 154–63, 171, 176, 180,
 184, 186–7, 191–196, 197, 201–2,
 207, 210, 212, 217, 222–5, 252–4,
 266, 272–3, 286, 292
 International Geomagnetic Reference Field
 (IGRF) 17–23, 126, 215
 isoclinics 1, 3
 isodynamics 1
 isogonics 1–2
 isopors, isoporic foci 4, 16
 isothermal remanent magnetism
 (IRM) 40–1, 52
 Israel 154
 Ivory Coast 271
- Jamaica event 114–15, 240
 Jaramillo subchron 59, 63, 67–9, 76–7, 87,
 113–19, 154, 156, 183, 186, 192, 197,
 200, 201, 205, 212, 227, 236–41, 271
 Jiuzhoutai, China 87–8
 Jurassic 86, 234–5, 252–4, 260, 276
- Kaena event 63, 117, 207–8, 237–42, 245
 Kamikatsura event 115, 117, 240
 Kasuri Ash, Osaka Group, Japan 111
 Kawajiri, Japan 56
 Keno, Japan 107
 Keweenaw lavas, Lake Superior,
 Canada 64
 Kiaman, *see* Permian reversed superchron
 (Kiaman)
 Kogashira, Japan 107
 Kylan Lake, Minnesota, USA 112
- Lac du Bouchet, La Chaîne des Puys,
 France 93
 Laguna basalt, Bondera Field, New Mexico,
 USA 108, 115
- Lake Biwa, Japan 92, 107, 110–12,
 114–15, 117, 240, 267–270
 Lake Erie, Canada 112
 Lake Lahontan, Carson Sink, Nevada,
 USA 98, 101
 Lake Michigan, USA 71
 Lake Mungo, Australia 72, 92, 94–6,
 112–13, 269–70
 Lake St Croix, Minnesota, USA 8, 100, 112
 Lake Tahoe, California–Nevada,
 USA 98–100
 Lake Tecopa, California, USA 78, 181, 185,
 189–90
 Lanzhou, China 197
 Laschamp excursion, *see* Olby–Laschamp
 Lavas, La Chaîne des Puys, France
 Laurel Hill, Mount Rainier, Washington,
 USA 67
 Levantine event 114–15
 Level Mountain, British Columbia,
 Canada 119
 Liverpool volcano, New South Wales,
 Australia 211
 Lochuan, Shanxi Province, China 119
 locking-in depth 40, 71, 93
 Lodève Basin, France 44–5
 longitude confinement of VGP paths 78,
 108–10, 124, 131, 164, 180–1,
 188–91, 194, 196, 197, 202–11, 214,
 216, 222, 225
 Long Valley caldera, California, USA 107
 looping (of VGP path) 76–7, 101, 108,
 158, 176, 186, 190, 192, 196, 200, 205,
 217, 219
 Louchadière lava flows, La Chaîne des Puys,
 France 91
 Lousetown Creek, Nevada, USA 72
- M² models 159–60
 Macherado, Zakynthos Island, Greece 194,
 222, 223–5
 maghemite 35–6, 47, 52
 magnetotactic bacteria 291–3
 magnetic domains 37, 41, 51, 53–4
 single 38, 41, 45, 291
 multi 38
 magnetic domain walls 37–8
 magnetic Reynolds number 30–1, 152, 288
 magnetite 35–6, 38, 43–7, 209–10, 291–2
Magsat 17
 Maiolica Formation, Italy 265
 Mamainse Point, Lake Superior,
 Canada 64–5
 Mammoth event 59, 63, 237–9, 241–2, 245
 Manson crater, Iowa, USA 277
 Maringouin Formation, New Brunswick,
 Canada 255, 257
 marls 120, 180, 207–9, 216, 238
 Marsangy, France 105

344 *Index*

- Matuyama chron 59, 61, 63, 68–9, 73, 77–9, 113–19, 146, 154–6, 181, 185–92, 197, 199–204, 206, 208, 212, 222, 230, 236–40, 242, 245, 247, 249, 268–73
- Mauch Churk Formation, Pottsville, Pennsylvania, USA 257
- mean-field electrodynamics 33–4
- Mediterranean 10–11, 107–10, 114, 180, 235, 236, 254
- Melanesia Basin 68–9, 116
- Mesozoic 65, 75, 154, 171, 234, 244, 279, 290
- Milankovitch (orbital climatic theory) 259–66
- Mill Creek, Mono Basin, California, USA 101–2
- Miocene 25, 42, 44, 55–6, 62, 69, 72, 77, 95, 118, 148, 186, 194, 211–2, 215–18, 222, 228, 246–7, 251, 264
- Moenkopj Formation, Colorado Plateau, USA 43–4
- Moltemyr, Sweden 105–6
- Mono Lake, California, USA 8, 68, 87, 89, 96–103, 112–13, 117, 205
- Moorea, Society Islands, Pacific Ocean 214
- Moyokerto, East Java 117
- Mull, Scotland 47, 55
- Nammal gorge, Salt Range, Pakistan 255–6
- Natib, Mount, Philippines 51
- natural remanent magnetisation 35, 38, 40–1, 44, 51–4, 69, 93–4, 99, 106, 208, 266, 293
- near-sided poles 76, 145, 148, 152, 181, 188, 210, 220
- Néel temperature 36
- Neogene 228, 230, 247, 249, 251
- Nevado del Ruiz volcano, Columbia 53
- non-dipole field 7–8, 16–17, 24–8, 60, 64, 66, 68, 73–9, 95–7, 100, 107, 119, 121, 124–31, 144–5, 152, 154, 156, 158, 160–1, 179, 181, 184, 186, 188–9, 205–6, 210, 215, 217
- normal and reversed fields, differences between 125, 162, 171–5
- Nunivak event 45–6, 63, 208–9, 238, 241, 245
- obliquity 236, 258–63
- octupole 13, 25–8, 145–9, 152, 156, 159, 186–8, 190
- Olby–Laschamp lavas, La Chaîne de Puys, France 11, 51, 63, 87, 89–94, 96, 112–13, 115, 205, 240
- Old Crow tephra, Yukon, Canada 114–15
- Olduvai subchron 59, 61, 63, 68, 79, 117–19, 156–7, 183, 187, 192–8, 201, 203, 212, 214, 216, 227, 236–42
- Oligocene 27, 53, 246–7, 249, 251
- Ologesailie Formation, Central Kenya rift 237
- Ontong Java 1 and 2 events 187
- origin of earth's magnetic field 28–32
- Osaka Group, Japan 116–17
- outer core 13, 29, 32, 55, 66, 86, 95, 100, 124–30, 139–41, 144–5, 148–52, 158, 160, 162–4, 167, 169, 171, 176, 202–4, 212–14, 219, 278–84, 286, 288
- oxygen isotope ratio ($\delta^{18}\text{O}$) 236, 261–7, 269–73
- Pacific Ocean 4, 8, 27, 54, 57, 62, 74–9, 106, 110–11, 116, 118–19, 165, 186–7, 190, 192–4, 196, 198, 201, 203, 210, 212, 227–8, 247, 262–3, 284, 290
- Palaeocene 65–6, 228, 244–9, 251–2
- Palaeozoic 257, 279, 290
- paramagnetism 36
- periodicity (in occurrence of reversals) 81–6, 274–6, 278, 282
- Permian 44, 55, 120, 254–6, 275–6, 285, 288, 290
- Permian reversed superchron (Kiaman) 55, 86, 154, 175, 254–7, 272, 288, 293
- Phanerozoic 65, 128, 290
- Pinatubo, Mount, Philippines 54
- Pleistocene 26–7, 92, 96, 101, 105–6, 111, 114, 116, 118–9, 212–13, 236–8, 240, 260, 262–3, 265
- Pliocene 25–7, 56, 69, 111, 119, 148, 207–9, 212–13, 228, 236–8, 240, 244, 264, 267
- Poisson distribution 166–72, 176
- polarity bias 65–6
- polarity epoch 62, 227, 229–30
- polarity event 61, 227, 230
- polarity timescale 233–57
- Berggren *et al.* (BKFC) 84–5, 246–9
- Cande and Kent 247–9
- Harland *et al.* (GTS) 83–4, 172, 175, 178, 230–2, 234, 246–9, 276, 287
- Heirtzler *et al.* (HDHPL) 245–6
- LaBrecque *et al.* (LKC) 81–6, 173–5, 246
- Lowrie and Alvarez (LA) 81–5, 246
- Ness 246
- Polavento Section, Bresica, Italy 252, 254
- poloidal field 34, 126–30, 145, 149–51, 163
- Polynesia 73–4, 186, 205
- post-depositional remanent magnetism (PDRM) 39, 40, 44, 71, 93, 180
- Potamida, Crete 181–2
- Po Valley Italy 194, 196
- Precambrian 55, 64, 68, 120

- precession 236, 258–62
 Pringle Falls, Oregon, USA 107–9
 Pyramid Lake, Nevada, USA 97–8, 100–1, 104
 pyrrhotite 41, 45–6, 52

 quadrupole 13, 16, 25–28, 126, 145–9, 156, 186–90, 196, 197
 quadrupole family 27, 190, 212–14
 Quaternary 18, 24–5, 69, 99, 119, 123, 227, 228, 234, 236, 244, 260–1, 263

 red beds 35, 41, 43–45
 relaxation time 38, 41–2
 Réunion event 9, 69, 117–19, 237–42, 282
 Royat lava flows, La Chaîne des Puys, France 91
 Rubjerg, Denmark 113, 123

 Saale–Dnieper glaciation 114–15
 Sangiran, central Java 117
 Santa Rosa Range, Nevada, USA 95, 219
 Searles Valley, California, USA 78, 212, 238–9
 secular variation 4–8, 16–18, 28, 39, 41, 66, 68, 76, 87, 93, 95, 99, 100, 128, 159, 162, 167, 175–6, 179, 184, 197, 206–7, 210, 222, 286
 self-reversal 46–58, 93–4
 Senzeilles, Belgium 277
 Shepody Formation, New Brunswick, Canada 257
 short polarity events (tiny wiggles) 11, 167–8, 171–2, 175, 232, 249
 Sicily 43, 45, 118, 207–9, 216, 264
 Sidufjall event, Iceland 208, 239, 241, 245
 Sigulagava, North Sumatra 107
 Silurian 47, 65
 Siwalik, Pakistan 44
 Skalamælifell, Iceland 91–3
 Skjonghelleren, Valdørøj, West Norway 94–5
 Skouloudhiana, Crete 181–3
 Snake River, Idaho, USA 113, 115, 269
 Society Islands, Pacific Ocean 8, 212–14
 Sokoto, Japan 52
 Solberga, Sweden 105–6
 Southern Ocean 119, 278
 SPECMAP 263
 spherical harmonic analysis 11–28
 standing field 124, 145, 148, 156, 163, 181, 183, 187, 192, 208, 214, 217
 Stark Formation, Great Slave Lake, Canada 68–9, 120
 Starno event, Blekinge, Sweden 88
 statistical analyses 165–78
 Steens Mountain, Oregon, USA 42, 62, 72, 77, 108, 151, 183, 186, 203, 208, 211, 216–22

 Steinheim, Germany 94
 Stilleryd, Sweden 88
 Stormberg volcanics, Africa 66
 St Séverin chondrite 293
 subchron 62, 230–2
 Summer Lake, Nevada, USA 89, 100–1, 112, 114
 superchron 230, 233, 254–7, 286, 289
 superparamagnetism 41

 Tahiti 186, 190, 200, 201, 212
 Takashima Formation, Kobiwako Group, Japan 110
 Tatoosh intrusion, Mount Rainier, Washington, USA 67, 95, 154–5
 tektites 40, 271–3, 277
 Tertiary 18, 24–7, 47, 55–6, 69, 73, 76, 79, 119, 234, 244, 246–7, 257, 265, 276, 290
 thermoremanent magnetism (TRM) 38–41, 45–6, 49–54
 partial (PTRM) 57, 93, 219, 221
 Thvera event, Iceland 208–9, 239, 241, 245
 titanium 50, 55
 titanohematite 41, 53–4
 titanomaghemite 43, 53
 titanomagnetite 35, 41, 45, 49, 51, 53, 94
 toroidal field 34, 126–30, 144, 149–53, 163
 Torreberga Basin, south Sweden 106
 transient variations 4
 transition fields 154–8, 160, 165, 179–225
 Triassic 43, 55, 65, 69, 71, 86, 254–7, 260
 true dipole moment 60, 160–1, 172
 Tule Lake, California, USA 114, 117
 Turkana Basin, East Africa 240–2
 Turkmenia 77

 ulvospinel 36
 Umbrian Apennines, Italy 232, 248, 252
 Ureki event 114–15

 Valles Caldera, New Mexico, USA 237
 virtual dipole moment (VDM) 60, 71–2, 79, 91, 96, 105, 121, 152–4, 160–1, 164–5, 172–3, 286
 virtual geomagnetic pole (VGP) 60, 71, 73–9, 87, 94–5, 97, 101, 105–12, 116, 120–1, 139, 145, 147–8, 152, 154, 158–60, 164–5, 172, 176, 180–3, 188–94, 195–200, 201–6, 208–16, 222, 224
 viscous remanent magnetism (VRM) 41, 45, 219, 221, 293

 Warm Springs, Mono Basin, California, USA 101–2

Cambridge University Press

0521675561 - Reversals of the Earth's Magnetic Field, Second Edition

J. A. Jacobs

Index

[More information](#)

346

*Index*westward drift 7, 8, 16–17, 77, 95–7,
213–14Wilson Creek, ash bed, Mono Basin,
California, USA 98–9, 102

Wrangell Mountains, Alaska, USA 119

Xian, China 240

Xifeng, China 190–1

Xining, China 110–11

Yarraman Creek, Liverpool Range,
Australia 53

Yolida Clay, Denmark 113

Yushe basin, Shanxi, China 196