

Index

A

- Absolute risk, 43
- Acid alcohol-fast bacillus (AAFB), 112
- Acinetobacter* spp., 283
- Acquired immunodeficiency syndrome (AIDS), 104
 - See also* HIV infection
- Actinomycosis, 104
- Air borne precautions, 96–97
- Air borne transmission, 5
- Air conditioning, 23
- Air fluidized beds, 301
- Airways and endotracheal tube, 81
- Alcohol, 59, 62, 63
- Alcoholic hand rub, 99
- Aldehydes
 - formaldehyde, 66
 - glutaraldehyde, 66
- Amoebiasis, 104
- Ampoule, 81
- Anesthetic tubing
 - See* ventilatory tubing
- Anthrax, 104
- Antibiotic
 - lock therapy, 269
 - prophylaxis surgical, 250–251
- Antibiotic associated diarrhoea
 - See Clostridium difficile* infection
- Antiseptics, 56
 - alcohols, 59, 62
 - antimicrobial activity (*Table*), 62
 - chlorhexidine, 62, 64
 - hexachlorophane, 62, 65
 - iodine compounds
 - iodophores, 62, 64

- quaternary ammonia compounds, 62, 64
- triclosan, 62, 65
- Aprons and gowns, 100, 141–142
- Arm splint, 81
- Ascariasis, 104
- Aspergillosis, 24, 104
- Attack rate, 43
- Auroscope tips, 81
- Auto-infection, 2
- Autoclave, 56–57

B

- Baby feeding bottles and teats, 81
- Bacillus cereus*, 156
- Barrier precautions, 7, 8
- Bath water, 81
- Baths, 81
- BCG (Bacilli Calmette-Guérin) vaccine, 144–145
- Bed-frames, 82
- Bedpans and urinals, 82, 101
- Bedpan washers, 101
- Beds, 20
 - See also* Linen
- Bias
 - information bias, 45
 - selection bias, 44
- Bilharziasis, 111
- Biological agents
 - categorisation of, 178
- Birthing pool, 82
- Bladder irrigation, 280
- Bleach
 - See* Chlorine-based disinfectant

Manual of Infection Control Procedures

- Blinds, 19
 - Blood-borne (viral) infections
 - infection control precaution, 191
 - procedure after death, 199
 - protection to newborn, 198
 - responsibility of health care, 193
 - risk of acquiring, 206–207
 - risk to HCWs from patients, 192
 - risk to patients from HCWs, 192
 - routes of transmission, 190
 - surgical procedures, 194–198
 - Blood and body fluids
 - precautions, 78
 - Blood spills
 - management of, 77
 - Bloodstream infection, 28
 - Bone marrow transplant patients, 21
 - Botulism, 104, 156
 - Bowls, 82
 - Breast pump, 82
 - Brucellosis, 104
 - Building work, 24
-
- C**
-
- Campylobacter gastroenteritis, 104, 158
 - Candidiasis, 104
 - Carpets, 19, 83
 - Case-control studies, 40–41
 - Catering services
 - cook-chill food production systems, 292
 - causes of food poisoning, 295
 - food handlers, 294
 - food trolleys, 293
 - general rules of food hygiene, 293
 - HACCP, 291
 - hospital kitchen, 294
 - ice machines, 284, 295–296
 - inspection, 294
 - refrigerators, 294
 - staff health/hygiene, 292
 - texture modified products, 293
 - ward kitchens, 295
 - Cardiac monitor, 83
 - Cefotaxime, 161
 - Ceftriaxone, 162
 - Ceilings, 18
 - Central venous catheter
 - See* Intravenous catheters
 - Chain of infection
 - causative agent, 1
 - mode of transmission, 5
 - portal of entry, 6
 - portal of exit, 4
 - reservoir of infection, 3
 - susceptible host, 6
 - Chlorine-based disinfectants, 59–60, 63
 - Cheatle forceps, 83
 - Chemical disinfectants
 - See* Disinfectants
 - Chickenpox, 165
 - See also* Varicella/herpes zoster
 - Chi-square test, 49
 - Chlamydia trachomatis*, 104
 - Chlorhexidine, 62, 64, 125
 - Chlorine-based disinfectants, 59–60, 63
 - Cholera, 104
 - Ciprofloxacin, 161
 - Cleaning, 55
 - See also* Environmental cleaning
 - Clinical waste
 - categorization, 304
 - definition, 303
 - disposal of sharps, 305
 - handling of clinical waste, 304–305
 - safe handling of sharps, 305
 - sharps boxes, 307
 - treatment methods, 308
 - Clostridium botulinum*, 115, 156
 - Clostridium difficile* infection, 105, 157
 - clinical features, 147
 - control of antibiotic usage, 148
 - infection control measures, 148–149
 - management, 147
 - patients discharge, 149
 - risk factors, 147
 - Clostridium perfringens*, 105, 156
 - Cohort studies, 39–40
 - Commodes, 83
 - Confidence intervals, 51–52
 - Confounders, 45
 - Conjunctivitis, 105
 - Construction and renovation, 24
 - Contact isolation, 96
 - Contact precautions, 97, 102
 - Contact transmission, 5
 - Cooling towers, 23–24
 - Coxiella burnetti* (Q fever), 111
 - Creutzfeldt-Jakob Disease, 105, 169–172

- childbirth, 173
 - clinical manifestations, 169
 - diagnosis, 170
 - distribution of tissue infectivity in the body, 171
 - infection control precautions, 170
 - methods of decontamination, 171–172
 - mode of transmission, 169
 - occupational exposure, 173
 - post-mortem, 172
 - surgical procedures, 170
 - Critical items, 57
 - Cross-infection, 3
 - Cross sectional studies, 41–42
 - Crockery and cutlery, 83, 100
 - Cryptococcus, 105
 - Cryptosporidiosis, 105
 - Curtains & blinds, 19
 - Cytomegalovirus, 105, 212, 218, 219
-
- D**
-
- Decontamination procedure
 - airways and endotracheal tube, 81
 - ampoules, 81
 - arm splint, 81
 - arthroscope, 84
 - auroscope tip, 81
 - babies feeding bottles and teats, 81
 - bath water, 81
 - baths, 81
 - bed frames, 82
 - bedpans and urinals, 82
 - beds and cots, 82
 - birthing pool, 82
 - bowls, 82
 - breast pumps, 82
 - cardiac monitors, 83
 - carpets, 83
 - cheatle forceps, 83
 - cleaning equipment, 83
 - commodes, 83
 - crockery and cutlery, 83
 - drains, 84
 - drip stands, 84
 - duvets, 84
 - enuresis monitors, 81
 - endoscopes, 84
 - See also* Endoscopes
 - enteral feeding lines, 84
 - fixtures and fittings, 84
 - floors, 84
 - furniture and ledges, 85
 - haemodialysis machines, 85
 - hoist, 85
 - humidifiers, 85
 - hydrotherapy pools, 85
 - infants incubators, 85
 - laryngoscope blade, 86
 - lockers top, 86
 - mattresses and pillows, 86
 - methods prior to inspection, service and repair, 70
 - mops, 86
 - nail brushes, 86
 - neurological test pin, 86
 - nebulizers, 86
 - oxygen tents, 86
 - pillows, 86
 - proctoscope, 86
 - razors, 87
 - rhino/laryngoscope, 87
 - scissors, 87
 - shaving brushes, 87
 - sheepskins, 87
 - sigmoidoscope, 84
 - splints and walking frames, 87
 - speculae, 87
 - stethoscope, 87
 - suction equipment, 80, 88
 - thermometers, 88
 - toilet seats, 88
 - tooth mugs, 88
 - toys, 88
 - trolleys, 89
 - tubing, anaesthetic/ventilator, 89
 - ultrasound, 89
 - urinals, 89
 - ventilators, 89
 - wash hand basins/sink, 89
 - wheel chairs, 89
 - X-ray equipment, 89
 - Diarrhoea, 105
 - See also* Gastrointestinal infection
 - Diphtheria, 105, 220, 224
 - Disinfection, 55
 - Disinfection procedure, 81
 - See also* Decontamination procedure

Manual of Infection Control Procedures

Disinfectants (chemical)
 alcohols, 59, 62–63
 aldehydes, 66
 antimicrobial activity, 63
 chlorine-based, 59–60, 63
 formaldehyde, 66
 glutataldehyde, 63, 67
 hydrogen peroxide, 67–68
 ortho-phthalaldehyde, 67–69
 peracetic acid, 63, 66–68
 peroxygen compounds, 63
 phenolic, 60–64
 properties and use, 58–59
 Drains
 surgical, 130, 247, 249, 255
 Drip stands, 84
 Droplets precautions, 97, 102
 Droplets transmission, 5
 Duvets, 84
 Dysentery
 amoebic, 106
 bacillary, 106

E

Ebola virus, 106
See also Viral haemorrhagic fevers
 Echinococcosis, 106
 Ectoparasites
 fleas, 181
 lice, 180–181
 scabies, 181–182
 Encephalitis & encephalomyelitis, 106
 Endogenous infection, 2
 Endoscopes, 69
 arthroscope, 69, 84
 automatic washer/reprocessor system, 72–73
 cleaning and disinfection, 71–72
 cystoscopes, 69
 endoscopic unit, 70
 laparoscope, 69
 microbiological quality of water, 73
 problems due to inadequate decontaminations, 72
 proctoscope, 84
 renewal of disinfectant, 73
 sigmoidoscope, 84

Endoscopic Unit, 70
 Endogenous infection, 2
 Enteric (typhoid) fever,
 paratyphoid, 106
 typhoid, 106
 Enteric pathogens
See Gastrointestinal infections
Enterobacter spp., 261
 Epidemiology
 case-control study, 40
 epidemic curve, 33–34
 experimental study, 39
 cohort study, 39–40
 nosocomial infection, 42
 risk ratio & odds ratio, 43–44
 surveillance, 39
 Environment cleaning, 73–76, 78, 101
 cleaning equipment, 83, 86
 terminal cleaning of room, 75
 Epidemic curve, 34
 Epiglottis, 106
 Epi info, 45–46, 321
 Equipment
 cleaning and disinfect in, 78–79
 decontamination prior to service and repair, 79
 Error
 type I (alpha) error, 49
 type II (beta) error, 49
Escherichia coli 0157, 157
 Ethylene oxide, 69
 Exogenous infection, 2–3
 Exposure prone procedures, 193–194
 Exogenous infection, 2, 3
 Experimental studies, 39
 Eye wear, 240

F

Face mask
See Mask
 Fibreoptic endoscopes
See Endoscopes
 Fisher exact test, 49–50
 Fixtures and fittings, 19, 84
 Fleas, 181
 Floors, 18–19, 84
 Food handlers, 294

Food and catering service

See Catering services

Food poisoning, 155–159

Formaldehyde, 66

Furniture, 19

G

Gas gangrene, 106

Gastrointestinal infections, 155–159

incubation periods, 155

infection control precautions, 155

notification, 155

risk groups, 155

German measles, 106

Glandular fever, 108

Gloves, 100, 237–239

donning technique, 236

glove materials, 237

glove removal technique, 236

latex allergy, 237

types of gloves, 240

Glutaraldehyde, 63, 66–67

Gonococcal infections, 107

Gowns

See Aprons and gowns

Gram-negative bacilli, multi-resistant

risk factors for colonisation, 134

infection control measures, 134–135

Glycopeptide resistant enterococci

See Vancomycin resistant enterococci

Gut decontamination

See Selective gut decontamination**H***Haemophilus influenzae*, 109, 115

Hand hygiene

areas most frequently missed, 26

compliance, 234

facilities, 20

hand care products, 234

hand cleaning preparations, 232

hand drying, 231

hygienic hand disinfection, 230

hygienic hand rub, 230–231

methods of hand decontamination, 228

nail brushes, 233

parts frequently missed, 231

routine handwashing, 228

surgical (scrub) and disinfection, 231,

254–255

technique, 229

wash hand basin, 20, 231

Health Care Workers

health status, 205

immunization against hepatitis, 72,

107

measures to protect, 204

occupational risks, 206

post-exposure counselling, 213

post exposure prophylaxis, 213

diphtheria, 223

hepatitis A virus, 222

hepatitis B virus, 210, 212

hepatitis C virus, 213

human immunodeficiency virus,

210–211

meningococcal infection, 162, 223

pertussis, 223

varicella zoster, 222

pre-employment assessment, 204

pregnant staff,

cytomegalovirus, 216

hepatitis B, 216

parvovirus B18, 218

rubella, 215

varicella-zoster, chickenpox, 217

protection against tuberculosis, 213

responsibility of HCW, 193

restrictions of work, 219–222

screening for tuberculosis, 214

Heat sterilization, 56

Hepatitis B immunoglobulin (HBIG),

198

Hepatitis viral

hepatitis A, 107

hepatitis B, 107, 185–187

hepatitis C, 107, 186–188

hepatitis D, 187–188

hepatitis E, 107

hepatitis G, 188

incubation periods, 114

infection control precautions, 191

interpretation of serological makers,

187

protection of newborn, 198

risk to health care worker from, 192

Manual of Infection Control Procedures

- Hepatitis viral (continued)
 risk to patients from health care worker, 192–193
 routes of transmission, 190
- Herpes simplex, 107
- Herpes zoster (shingles), 107
- Hexachlorophane, 62, 65, 125
- Hoist, 85
- Hookworm, 108
- Hospital waste
See Clinical Waste
- Host defense mechanisms, 6–7
- Human immunodeficiency virus (HIV)
 infection
 clinical features, 188–189
 consent & pre-test discussion, 189–190
 infected health-care worker, 192–193
 infection control precautions, 107, 191
 laboratory diagnosis
 CD4 count, 190
 HIV serology, 190
 HIV viral load, 190
 post exposure prophylaxis, 210
 routes of transmission, 190
 window period, 190
- Humidifiers, 85, 287, 298
- Hydrogen peroxide, 67, 68
- Hydrotherapy pool, 85
- Hypochlorite
See Chlorine-based disinfectant
- Hypothesis
 error of hypothesis testing, 49
 testing, 49
-
- I
-
- Ice machines, 295–296
- Impetigo, 108
- Incidence rates, 42
- Incubation periods, 114–118
- Incubators, infants, 85
- Immunocompromized patients, 96–97
- Infection control
 link nurses, 12
 risk assessment, 18
 risk management, 14
 strategies to control, 7
- Infection Control Committee, 11
- Infection Control Doctor, 9
- Infection Control Link Nurse, 12
- Infection Control Manual, 13
- Infection Control Nurse, 10
- Infection Control Team, 11
- Infectious mononucleosis, 108
- Infestation
 with ectoparasites, 180–182
- Influenza, 108
 virus, 97, 116
- Internet resources, 315–316
- Intravenous catheter
 anticoagulant flush solutions, 269
 antimicrobial prophylaxis, 269
 aseptic techniques, 265
 catheter dressing regimens, 268
 dressing, 268
 education and training, 263
 guidewire exchange, 270
 in-line filters, 268
 monitoring and surveillance, 263
 pathogenesis, 262
 parenteral solutions, 264
 points of access for microbial contamination, 262
 procedure for insertion of central venous catheter, 267
 procedure for insertion of peripheral line, 266
 replacement of catheters, 269
 selection of catheter type, 264
 selection of insertion site, 265
 sources of infection, 261–262
 sources of microbial contamination, 263
 surveillance, 263
- Iodine & Iodophors, 62, 64
- Isolation
 categories of, 95–96, 102
 precautions
 airborne isolation, 96–97, 102
 droplets, 97, 102
 protective isolation, 87, 95
 source isolation, 95
 standard isolation, 96
 rooms, 20
 protective isolation room, 21
 source isolation room, 20–21
- Isopropyl alcohol (isopropanol), 59
See also Alcohol

K

Kitchen, Food and Catering Service
See Catering Service
Klebsiella spp., 228

L

Laboratory specimens, 102–103
 Laryngoscope blades, 86
 Lassa fever, 108
See also Viral Haemorrhagic Fever
 Latex allergy, 237
 Laundry Services
See Linen and Laundry Service
 Legionnaires' disease
 case definition, 152
 clinical features, 151
 cooling towers, 23–24
 diagnosis, 152
 incubation period, 151
 investigation, 153
 prevention, 152–154
 risk factors, 151
 source of infection, 151
 surveillance and notification, 154
 Leprosy, 108
 Leptospirosis, 108
 Lice (Pediculosis)
 body louse, 180
 control measures, 180–181
 head louse, 180
 pubic or crab louse, 180
 Linen and laundry service
 air-fluidized beds, 301
 dry cleaning, 300
 general principles to prevent infection, 298
 high temperature wash, 299
 infectious linen, 298
 laundry bags, 299
 laundry contract, 299
 laundry process, 299
 laundry staff, 298
 low temperature wash, 300
 mattresses and pillows, 301
 microbiological sampling, 300
 staff uniforms, 300–301
 transport of linen, 299

Link Nurse, 12
 Listeriosis, 108
 Locker top, 86
 Look back investigations, 35
 Lyme disease, 108

M

Malaria, 108
 Marburg disease, 108
See also Viral Haemorrhagic Fever (VHF)
 Mask, 100, 241
 Mattresses and pillows, 86
 Measles, 108
 Measures of association, 43–44
 Measures of central tendency, 46
 Measures of disease frequency, 42
 Measures of dispersion, 48
 Meningitis, 109
 coliforms, 109
 Haemophilus influenzae type b, 109
 Listeria monocytogenes, 109
 meningococcal (*Neisseria meningitidis*), 109
 pneumococcal, 109
 tuberculous, 109
 viral, 109
 Meningococcal disease, 109, 160–164
 chemoprophylaxis, 161
 clinical symptoms, 160
 diagnosis, 161
 emergency action by medical practitioner, 160
 health care worker, 162
 household contact, 162
 immunization of contacts, 163
 incubation period, 160
 management in hospital, 161
 management of contacts, 162–163
 notification, 161
 transmission, 160
 Methicillin resistant *Staph. aureus* (MRSA), 109, 121
 ambulance transportation, 126
 clearance of carriage, 126
 decolonization therapy, 125
 health care worker, 127

Manual of Infection Control Procedures

Methicillin resistant *Staph. aureus* (MRSA)
(continued)

infection control measures, 109, 122–124
microbiological clearance, 126
mode of transmission, 122
screening, 126
source of infection, 121–122
transfer of patients, 124, 126
treatment of carriage, 125
visit to other department, 124

Mops, 86

MRSA

See Methicillin resistant *Staph. aureus*

Multi-resistant Gram-negative bacilli

See Gram-negative bacilli

Mumps, 109

Mupirocin (*Bactroban*), 125

Mycobacterium spp., 73

atypical, 73

M. chelonei, 91

M. tuberculosis, 61, 78

Mycoplasma, 110

N

NaDCC (Sodium dichloroisocyanurate), 59

Nail brushes, 233

Nebulizers, 86, 288–289

Needlestick injury

See Sharps injuries

Neurological test pins, 86

Nocardia, 110

Non-critical items, 58

Nosocomial pneumonia

See Pneumonia, nosocomial

Nosocomial infections

bloodstream infections, 28

incidence of (various), 27

respiratory tract infections, 27

surgical site infections, 28

surveillance, 28–29

urinary tract infection, 27

O

Observational studies, 39

Occupational Health Department

pre-employment screening, 204

role and responsibility, 203

Odds Ratio, 44

Operating Theatres

conventional ventilated theatre, 22
environmental cleaning, 257
microbiological monitoring, 256
staff movement, 255
theatre wear, 253
ultra clean theatre, 22–23

Operation, surgical

pre-operative shaving, 251
skin disinfection, 254
surgical technique, 255

Operative patient care, 248

antibiotic prophylaxis, 250

patient's risk factor, 249

pre-operative hospitalization, 251

pre-operative showers, 248

pre-operative shaving, 251

Orf, 110

Ortho-phthalaldehyde, 67, 69–70

Outbreak control

communication, 34

definition, 30

management, 30, 32

outbreak control plan, 34

recognition, 32

summary of outbreak investigation, 33

Overshoes, 240

Oxygen tents, 86

P

P value, 50

Parovirus B19, 219

Pathology specimens, transport of, 103

Patient isolation

See Isolation of patients

Pediculosis (Lice infestation), 180–181

Peracetic acid, 63, 66, 67–68

Peroxygen compounds, 63

Personal protective equipment

aprons & gowns, 100, 102, 196,
239–240

face protection, 102, 196, 239

footwear, 196

gloves, 100, 237–239

masks, 196, 241

overshoes, 240

theatre wear, 253

Pertussis (Whooping cough), 110
 Pest control, 312
 Pharaoh's ants, 312
 Phenolics, 60–62, 64
 Pillows, 86
 Pinworm infection, 110
 Plague, 110
 Plastic overshoes, 240
 Pneumonia, nosocomial
 factors influencing colonization, 285
 humidification with heat and moisture exchangers, 286
 pathogenesis, 285–286
 postural changes, 286
 respiratory filter, 286
 risk factors, 286
 strategy for prevention, 285–287
 suction catheters, 286
 Pneumonias, 110
Pneumocystis carinii, 116
 Poliomyelitis, 110
 Pontaic fever, 151
 Post exposure prophylaxis (PEP)
 diphtheria, 223
 hepatitis A virus, 222
 hepatitis B virus, 210, 212
 hepatitis C virus, 213
 human immunodeficiency virus, 210–211
 meningococcal infection, 223
 pertussis, 223
 varicella zoster, 222
 Povidone iodine
 See Iodine and Iodophores
 Predictive value, 52
 Pre-employment screening, 204
 Pregnant health care workers
 cytomegalovirus, 216
 hepatitis B, 216
 parvovirus, 218
 rubella, 216
 varicella-zoster virus (chickenpox and shingles), 217
 Pre-operative skin disinfection, 254
 Prevalence rate, 42
 Prevalence survey, 41–42
 Prion diseases
 See Creutzfelt-Jakob disease
 Proctoscope, 84

Protective isolation, 96
 Pseudomembranous colitis, 147
Pseudomonas aeruginosa, 61, 73
 Psittacosis (Q fever), 111
 Pulmonary tuberculosis
 See Tuberculosis

Q

Q fever, 111
 Quaternary ammonium compounds, 62, 64–65

R

Rabies, 111, 179
 Razors, 87
 Relative risk, 43
 Resident organisms, 227
 Resistant organisms, 109, 119
 Rhino/laryngoscope, 87
 Rifampicin, 106, 109
 Ringworm, 111
 Risk management, 14
 Risk ratio, 43
 Rubella, 106, 111

S

Salmonellosis, 111, 158
 Scabies, 111, 181–182
 Schistosomiasis, 111
 Scissors, 87
 Selective decontamination therapy, 289
 Semi-critical items, 57
 Sensitivity and specificity, 52
 Sharps
 injury and management, 205–209
 boxes, 307
 safe handling and disposal, 307
 Shaving brushes, 87
 Sheepskins, 87
 Shigellosis, 111, 158
 Shingles
 See herpes zoster
 Sigmoidoscope, 84
 Soap, 234

Manual of Infection Control Procedures

Sodium dichlorocyanurate
(NaDCC), 59

Source isolation, 95

Sources of infection, 4

Spillages

- management of blood spills, 77
- management of infectious spills, 78

Staff health

- See* Health Care Workers

Standard precautions, 96

Staphylococcal infection

- food poisoning, 111, 156
- See also* MRSA

Sterilizer, 56–57

Sterilization

- dry heat, 56
- moist heat, 56

Stethoscope, 87

Streptococcal (β haemolytic) infection, 111

Suction catheter, 80, 286

Suction equipment, 80

Surgical hand scrub, 252–253

Surgical prophylaxis, 250

Surgical site infection

- definitions, 246–247
- incidence, 28
- microbiology, 248
- operative factors

 - draping, 255–256
 - duration of operation, 255
 - skin disinfection, 254
 - staff movement, 255
 - surgical hand scrub, 252, 253
 - surgical technique, 255
 - theatre wear, 254–255
 - wound drains, 255

- pre-operative factors

 - risk factors, 248

- postoperative factors

 - antibiotic prophylaxis, 251
 - pre-operative shaving, 251
 - pre-operative showers, 248
 - wound dressing, 256
 - surveillance of SSI, 245
 - wound classification, 249

Surveillance

- advantages and disadvantages, 31
- methods, 29, 31

Syphilis, 111

T

Tacky mats, 256

Terminal cleaning of room, 75

Tetanus, 112

Theatre

- See* operating theatre

Theatre wear, 253

Thermometers, 88

Threadworms, 112

Toilet seats, 88

Toxocara, 112

Toxoplasmosis, 112

Toys, 88

Tooth mugs, 88

Transplant patients

- infection in, 98, 114

Transient microorganisms, 229–230

Transmission

- mode of

 - airborne transmission, 5, 96
 - contact transmission, 5, 97
 - droplet transmission, 5, 97

Trichomoniasis, 112

Trichuriasis, 112

Triclosan, 62, 65, 125

Trolleys, 89

Tuberculosis, 112

- atypical mycobacteria, isolation, 141
- clinical manifestations, 137
- contact tracing, 144–145
- duration of isolation, 140
- incubation period, 139
- infection control precautions, 140–142
- mode of transmission, 138
- multi-drug resistant tuberculosis, 143
- negative pressure isolation room, 21
- pre-employment screening, 213–215
- risk factors, 139
- treatment, 139

Tubing, anaesthetic/ventilator, 89

Two-by-two contingency table, 44

Typhoid and paratyphoid fever, 112

U

Ultrasound equipment, 89

Urinals, 89

Index

Urinary catheterization
 antibiotic, prophylactic and treatment, 279
 bladder irrigation, 278
 catheter material, 274
 catheter size, 274
 drainage bag, 274
 emptying the drainage bag, 276
 incidence of, 27
 mental care, 274
 policy and staff training, 279
 prevention of bacterial colonization, 277
 procedure for urinary catheterization, 275
 removal of catheter, 278
 specimen collection, 278
 use of antimicrobial agents, 278–279

V

Vancomycin resistant enterococci (VRE)
 infection control measures, 130–131
 mode of transmission, 130
 risk factors, 130
 screening of patients, 132
 source of infection, 130
 Varicella\herpes zoster
 clinical features, 165
 infection control measures, 166
 neonates, 167
 period of infectivity, 165
 pregnant women, 167
 pregnant staff, 217–218
 susceptible patients, 166–167
 transmission, 165
 Varicella zoster immunoglobulin (VZIG), 166–167
 Ventilation and air conditioning, 23
 Ventilators, 89, 289
Vibrio cholerae, 157
Vibrio parahaemolyticus, 157
 Vincent's angina, 112

Viral haemorrhagic fevers, 175
 clinical manifestations, 175
 diagnosis, 175
 incubation period, 176
 infection control precautions, 177
 laboratory investigation, 177
 management, 177
 mode of transmission, 177
 notification, 175–176
 risk categories, 176
 source of infection, 176
 Viral hepatitis
See Hepatitis

W

Walls and ceilings, 18
 Ward kitchen, 295
 Wash basin/sink, 89
 Waste disposal
See Clinical waste
 Wheel chairs, 89
 Whipworm, 112
 Whooping cough, 112
 Wound infection
See surgical site infection

X

X-ray equipment, 89

Y

Yellow fever, 112, 118
Yersinia enterocolitica, 115

Z

Z score, 49
Ziehl-Nielsen Stain, 139