

Index

- abrupt climate change 106, 117
 aerodynamic resistance 211, 212, 260, 262, 264, 265, 266, 432
 aerosols 15, 120
 biomass burning 352, 447
 mineral 118, 400, 507–8
 sulfate 118–19, 124, 503
 afforestation 451, 497, 510
 air density 33
 air pressure 32, 33, 51 *see also* surface pressure
 albedo 199–200, 203, 218 *see also* climate feedback
 planetary 49
 snow 257, 338, 352, 422, 476, 508
 urban 526, 530
 vegetation 256, 257, 422, 432, 437, 439, 447, 448, 452, 454, 459, 476
 allocation 278–81, 282, 283, 285, 288, 309, 310, 340, 370
 Anglo–Brazilian Amazonian Climate Observation Study (ABRACOS) 197, 403, 447
 Arctic front 481
 asynchronous vegetation coupling 409, 472, 474, 478
 Atlanta, Georgia 535
 atmosphere composition 15
 atmosphere mass 52
 atmospheric boundary layer 214, 215, 218, 222, 420, 432, 433, 439, 448, 449, 456, 458
 soil water feedback 218, 222, 418–22
 atmospheric circulation
 surface wind 54, 57
 three-cell structure 56–7
 azimuth angle 44

 Basel, Switzerland 532
 biogeochemical model 379–84, 501, 502, 504,
 biogeochemistry 3, 508, 509, 510
 biogeography 18–19, 364–8, 409
 biogeophysics 3, 508, 509, 510
 BIOME model 473, 474, 478, 500
 BIOME-BGC model 381
 Biosphere–Atmosphere Transfer Scheme (BATS) 397, 400, 401, 445

 black body 29
 Blackhawk Island, Wisconsin 315
 Boltzmann constant 29
 boreal forest 365 *see also* Bowen ratio, evaporative fraction, evapotranspiration, succession, surface energy balance
 carbon cycle 306–7, 309, 311, 316–19, 489, 494
 climate feedback 435, 476–81, 508, 510
 fire 351
 Boundary Waters Canoe Area, Minnesota 350
 Bowen ratio 194
 boreal forest 197, 477
 grassland 198, 218
 green/desert planet 434
 leaf emergence 269, 338, 425
 Sahel 473
 soil water 218, 420
 Sonoran Desert 199
 tropical forest 197, 449
 urban 526, 532, 534
 buoyancy 33, 205, 209
 bucket model 166, 178, 396
 Budyko, M. I. 194, 195, 366

 C₃ photosynthetic pathway 238, 242, 243, 296, 364, 368, 494, 495
 C₄ photosynthetic pathway 240, 242, 243, 296, 364, 368, 494, 495
 Cabauw, Netherlands 407
 calcium cycle 311–12, 313
 Calvin cycle 238, 240
 canopy, plant
 evaporative resistance 260, 261, 264, 265, 477
 radiative transfer 253–7
 storage 266
 wind profile 262
 carbon cycle 112–16, 143, 489–92 *see also* climate feedback
 climate model simulation 502–7, 508
 fire 351, 352, 492, 498, 499
 fossil fuel emission 35, 117, 490, 507
 global carbon balance 34–6, 368, 373, 490
 land use flux 35, 491, 497–500, 501

546 Index

- carbon cycle (cont.)
 residual sink 36, 491, 492, 494, 495, 498, 500
 United States carbon balance 498, 499
- carbon dioxide (CO₂)
 atmospheric mass 52
 concentration 15, 34, 116, 489, 490, 492
 plant canopy 267
 Mauna Loa 36, 491, 536
 Vostok ice core 105, 116
- carbon dioxide (CO₂) fertilization 242, 443, 459, 481, 482, 494–6,
 497, 500, 501, 502, 504, 507
- carbonic acid 115, 143
- Carnegie–Ames–Stanford Approach (CASA) model
 380, 504
- carrying capacity 326
- cation exchange capacity 147
- CENTURY model 381
- Charney, Jule 439
- chlorophyll 237, 238, 246, 247, 259
- clay particles 131, 141, 143
- climate feedback
 albedo 124, 432, 439, 470, 472, 474, 477, 478, 479,
 482, 483, 508, 510
 carbon cycle 500, 501, 502–7,
 clouds 124
 leaf area index 432
 roughness length 432
 water vapor 124
- climate vegetation coupling 5, 470
- climate zones 1, 16, 68–71, 364, 434
- climax community 338, 339, 347
- CLIMBER-2 model 474, 508, 509
- Columbia, Maryland 7, 522
- Coriolis force 54
- communities, plant 296–301, 338
 superorganism school 297, 303, 338, 339
 individualistic school 297, 303, 338, 339
- Community Climate System Model (CCSM) 402, 403,
 405, 504
- Community Land Model (CLM) 402, 403, 408, 454
- competitor plant 286, 341
- conduction 30, 132, 193, 201
- constant final yield 327
- convection 31, 192
- convergence 56, 419, 439
- counter-gradient flux 262, 263, 267
- Coweeta, North Carolina 172,
- crassulacean acid metabolism (CAM) 240, 242, 243, 365
- Cretaceous 109, 477
- cropland 21, 352, 353, 355, 356, 455, 456, 461, 497, 498,
 499, 509
 vegetation model 409
- Daisyworld 470–1
- Darcy's law 138, 160, 177
- daylength 45, 278
- declination angle 42–4
- decomposition 144, 145, 146, 311, 313, 373, 502, 503
- deforestation 21, 333, 497, 501, 508, 509, 510 *see also* land use
 climate forcing
 Australia 441–4,
 Europe 353–5, 449–50
 Mediterranean 353, 450
 tropical 359–60, 497 *see also* tropical forest
 United States 355–9, 450–6 *see also* temperate forest
- desertification 436, 438, 440
- dew-point temperature 34
- displacement height 208
- diurnal cycle 215–17, 220
 precipitation 216
 surface energy fluxes 196–9, 267, 526
 temperature 215
- diurnal temperature range 216, 425, 452, 458, 523, 536
- divergence 56, 419
- drag coefficient 211
- drought 88–9, 421, 438, 440, 475, 492, 508
- Duke Forest, North Carolina 381, 495
- dynamic global vegetation model 379, 384–5, 409, 470,
 494, 500, 501, 502, 504,
 climate simulation 473, 475, 478, 479, 480, 482
- Earth energy budget 49, 193–4
- ecological climatology 1–5,
 ecological design 5–8,
 ecosystem 4–5, 303–4, 338
- eddy covariance 207
- eddy diffusivity 210, 262
- electromagnetic radiation 29–30
- El Niño/Southern Oscillation (ENSO) 89–98, 492
- emissivity 29, 49, 200
- evaporation 31, 156, 158, 192 *see also* evapotranspiration
- evaporative fraction
 boreal forest 197, 477
 grassland 198, 220
 Sonoran Desert 199
 tropical forest 197
 urban 526, 527
- evapotranspiration 158, 159, 192, 284, 371, 397, 434,
 437, 446, 447, 452, 454, 455 *see also* Bowen ratio,
 evaporation, evaporative fraction, latent heat flux,
 transpiration
- biogeography 365, 366
- boreal forest 158, 197, 267, 268, 338
- decomposition 373
- deforestation 172, 333
- equilibrium rate 234, 265
- forest floor 268, 269
- grassland 158, 198
- net primary production 370
- temperate deciduous forest 269

- tropical forest 158, 197, 448, 449
 urban 526
 watershed study 170, 171, 172,
 Everglades, Florida 458
 excess resistance 265
 extinction coefficient 254, 255
- Ferrel cell 57
 field capacity 136, 137
 fire 336, 337, 347, 350–2, 483, 510 *see also* carbon cycle
 fire cycle 350, 351
 First ISLSCP Field Experiment (FIFE) 198, 217,
 218, 221
 first law of thermodynamics 31
 flood 88, 184, 336, 421
 foliage water potential 159
 force-restore 396
 forest dynamics models 301, 384
 forest gap dynamics 327, 347–9, 384
 forest microclimate 83–5,
 free-air CO₂ enrichment (FACE) 494, 495, 496, 497
 friction velocity 207
- geostrophic wind 54
 glaciation 105, 375, 478, 479, 500, 508
 biogeography 353, 373–9
 global warming 119–23
 gravitational potential 137, 138
 Gravity Recovery and Climate Experiment (GRACE) 187
 Great Smoky Mountains 297,
 greenhouse effect 15, 49, 192
 greenhouse gases 15, 120
 gross primary production 305, 320, 321
 groundwater 156
- Hadley circulation 57
 HAPEX-MOBILHY 407
 Harvard Forest, Massachusetts 319, 357, 494
 heat capacity 31, 80, 133, 134, 135, 458
 Holdridge life zones 366, 409
 hour angle 41
 Hubbard Brook, New Hampshire 143, 170, 172, 304, 311,
 313, 314, 333, 335, 348, 349
 humus 146, 148
 hydraulic conductivity 138–9, 161, 182
 hydraulic lift 166, 449
 hydrologic cycle 4, 16–17, 32, 155–7, 187, 397, 434, 505
 human appropriation 22–5
 hydrostatic equation 51
- IBIS model 479, 480, 482, 504
 ice core 105, 112, 116, 118
 ideal gas law 31, 33, 52
 impervious area 21, 527, 531, 532, 534, 537, 538, 539
 incidence angle 73
- infiltration 156
 Green–Ampt equation 160–1
 Philip equation 161
 infiltration capacity 160, 161, 162, 177, 178, 179, 180, 181
 interception 155, 157–8
 Intergovernmental Panel on Climate Change (IPCC) 122, 460,
 502, 509, 510
 intermediate complexity model 474, 508, 510
 intertropical convergence zone 57, 65, 68, 445, 449
 inverse analysis 491
 irrigation 456–7
- jet stream 65
- kinetic energy 28
 K-selection 285, 326, 342
- lakes 80–2, 400
 land surface models 267, 434, 470
 first generation 395–6
 fractional vegetation cover 397, 401, 402
 irrigation 457
 land cover 400, 401,
 leaf area 397, 400, 401, 402, 426
 runoff 181, 184
 second generation 396–8
 spin-up 407
 stomatal conductance 241, 246, 397, 398, 399, 402
 third generation 398–400
 validation 402–8
 vegetation dynamics 409–10
 land-use climate forcing 458, 459, 460, 508, 509
 lapse rate 75
 Large-Scale Biosphere-Atmosphere Experiment in Amazonia
 (LBA) 448, 449
 latent heat
 fusion 34, 135, 423
 sublimation 34
 vaporization 34, 158, 192
 latent heat flux 207, 211, 217, 338, 425 *see also*
 evapotranspiration
 Earth energy budget 193, 194, 195
 leaf 229, 232
 plant canopy 264, 266
 resistance formulation 201
 leaf area 253, 256, 258, 261, 262, 283, 284, 426, 432
 evapotranspiration 268, 269, 284, 338, 371
 sunlit 255, 259
 leaf boundary layer resistance 229, 230, 231, 234, 237,
 240, 264, 266
 leaf energy budget 229, 232
 leaf form 234–5
 coordinated traits 247, 248, 249, 282, 288
 leaf phenology 276–8, 381, 424–7, 524
 leaf temperature 232, 265, 266

548 Index

- life history patterns 281–7, 295, 340, 341, 342, 343 *see also* plant functional type
- litter quality 144, 145, 332, 337
- litterfall 310, 311, 373
- Little Ice Age 107, 117, 118,
- Łódź, Poland 532
- logarithmic profile 207, 208, 209
- logistic growth equation 326
- longwave radiation 30, 200, 527
 Earth energy budget 47, 193
- Lund–Potsdam–Jena (LPJ) dynamic vegetation model 384, 494, 501
- macronutrients 146
- matric potential 137, 138
- Medieval warm period 107
- mesoscale circulation 222, 447, 456, 457, 458
- methane (CH₄) 36, 116, 117
- micronutrients 147
- mid-Holocene 376, 479
- migration 377, 379, 409
- Milankovitch cycles 111–12, 472, 479
- mineralization 145–6
- Mirror Lake, New Hampshire 82
- mixing ratio 33
- momentum flux 207, 208, 211
- Monin–Obukhov similarity theory 208–10
- monsoon
 African 472, 473, 475
 Asian 65, 111, 424
 Australian 445
 North American 424
- montane cloud forest 446
- mountains 59
 solar radiation 72–4, 278
 species dispersion 297
 temperature 74–80, 277
- mulch 135, 203
- net biome production 306
- net ecosystem exchange 268 *see also* net ecosystem production
- net ecosystem production 3, 304, 305, 319, 335, 489, 496
- net primary production 3, 304, 305, 380, 381
 environmental controls 307–10, 314–19, 335, 369–70, 492, 494, 495, 502, 505
 global 35, 385, 386
 human appropriation 21–2
- net radiation 3
 Earth energy budget 49, 195
- niche 292–6
- nitrogen cycle 312–13,
 deposition 312, 496
 fertilization 22, 296, 307, 496–7
 fixation 312, 330, 332, 341
- nitrous oxide (N₂O) 37, 116, 117, 312
- North Africa
 climate feedback 376, 472–5 *see also* Sahel
 mineral aerosol 507, 508
- North Atlantic Oscillation 98–9, 492
- Northern Hemisphere greening 494
- normalized difference vegetation index 257, 278, 370, 380, 386, 492, 494
- ocean circulation 61 *see also* thermohaline circulation
- optical air mass 47
- overland flow *see* runoff
- Panama isthmus 110
- Pangea 109
- Penman–Monteith 160, 202–3, 235–4, 261, 265
- permafrost 18, 74, 316, 319, 336, 365, 372, 384, 407
- pH 148
- phase change 135
- Phoenix, Arizona 537
- photon 238
- photorespiration 240
- photosynthesis 234, 237, 240, 241–2, 245, 258, 287, 309, 398, 399, 402, 495 *see also* CO₂ fertilization
 canopy scaling 258, 259, 282, 400
 dark reactions 238–40
 diffuse radiation 268, 321, 494
 light compensation 242
 light reactions 212, 237–8
 light use efficiency 246, 258
- photosynthetically active radiation 238, 258, 259, 268
- Planck's constant 29
- Planck's law 29
- plant functional type 254, 261, 287–9, 384, 402, 409, 495
 annual plant 282
 roadleaf tree 248, 285, 287, 288, 316, 365
 deciduous tree 247, 278, 288
 evergreen tree 247, 248, 278, 288, 365
 needleleaf tree 285, 287, 288, 316, 365
 perennial plant 282
 trees 283–5, 286
- population dynamics 326–9
- porosity 132, 136, 139
- potential energy 28
- potential temperature 207
- precipitation 155, 439, 446 *see also* climate zones
 biogeography 365, 366
 decomposition 373
 El Niño 92–3, 94, 95
 global geography 57, 65
 lake effect 83
 La Niña 93, 94, 96
 mesoscale circulations 222–4

- net primary production 370
 North Atlantic Oscillation 98
 soil water feedback 218, 221–2, 418, 419, 420, 421, 440
 spatial variability 173–6,
 urban 535, 536
 vegetation feedback 472, 473, 474,
 pressure gradient force 52–4
 Prince Albert National Park, Canada 306
 production efficiency model 258, 370, 379, 385, 492
 Project for Intercomparison of Land-surface Parameterization
 Schemes (PILPS) 405–7
 psychrometric constant 201
- radiative forcing 120–1
 radius vector 45
 realized niche 294
 reforestation 355, 356, 358, 454, 459, 460, 497, 498, 501,
 509, 510
 regeneration waves 349
 relative humidity 33
 resistance
 parallel 229
 series 229
 respiration 241, 305, 306
 growth 275
 heterotrophic 306
 maintenance 275
 Richards equation 138, 397
 riverflow 170, 171, 172, 184–5, 405, 407
 rooting depth 371–3, 434, 446, 448, 449,
 roughness length 201, 208, 210, 212, 265, 432
r-selection 285, 326, 342
 rubisco 239, 246, 247, 259
 ruderal plant 286, 341
 runoff 156, 163, 396, 434 *see also* urban
 deforestation 172, 333
 infiltration-excess 173, 177, 178
 Rational formula 163
 saturation-excess 173, 177, 178, 182
 Soil Conservation Service 163, 537, 538
- Sahel 421, 438–41, 508 *see also* North Africa
 sapwood area 283, 284
 sea breeze 82
 seed bank 326, 327, 340
 seed dispersal 280, 285
 seed bank 326, 327, 340
 seed dispersal 280, 285
 seed size 280
 self-thinning 329, 348
 sensible heat flux 31, 207, 211, 217
 Earth energy budget 193, 194, 195
 leaf 229, 232
 plant canopy 263, 266
 resistance formulation 200, 201
- shade tolerance 287, 294, 340, 342, 349
 shifting mosaic steady state 348, 349
 silt particles 131, 141
 similarity functions 209, 210
 Simple Biosphere Model (SiB) 397, 400, 401
 size hierarchy 329
 SLAVE model 501, 504
 snow 423, 424 *see also* albedo
 geographic extent 18, 422
 thermal conductivity 423
 soil classification 19–20, 151–2
 soil formation 149–51
 soil–plant–atmosphere continuum 159, 284
 soil solution 143, 147
 soil temperature 132, 133, 134
 soil texture 131, 139, 433
 soil water 164, 165, 175
 solar constant 45, 117
 solar radiation *see also* Milankovitch cycles
 annual cycle 45–6
 atmospheric attenuation 47
 diffuse 46, 47, 73, 257, 268
 direct beam 47, 257
 diurnal cycle 45
 Earth energy budget 47, 193
 near-infrared waveband 30, 238, 255, 257
 sloped surfaces 73
 top of atmosphere 45
 visible waveband 30, 255, 257
 Sonoran Desert 199, 437 *see also* Bowen ratio, evaporative
 fraction, surface energy balance
 Southern Oscillation Index 92, 93
 Special Report on Emission Scenarios (SRES) 122, 460, 502,
 509, 510
 specific humidity 33
 St. Louis, Missouri 7, 523, 535
 Stefan–Boltzmann constant 29
 Stefan–Boltzmann law 29
 stemflow 155, 157
 stomata 158, 229, 231, 234, 240, 244, 259, 264, 495 *see also* CO₂
 fertilization
 resistance model 241, 246
 stress tolerator plant 286, 341
 succession 329–43, 347
 allogenic 330
 autogenic 330, 340, 341
 boreal forest 335–8, 384
 early successional species 287, 293, 340, 342, 347
 Glacier Bay, Alaska 330–2, 342
 Lake Michigan sand dune 330
 late successional species 287, 293, 340, 342, 347
 northern hardwood forest 333–5, 343, 349
 old-field 332–3, 342
 primary 330,
 secondary 330, 353

550 Index

- sunspot 118
 surface energy balance 3, 193, 195, 395
 boreal forest 197, 267, 268, 337, 338, 403, 477
 diurnal cycle 267, 403
 grassland 198
 lake 80–1
 Sonoran desert 199, 437
 temperate deciduous forest 269
 tropical forest 197, 403, 448, 449
 urban 526, 532, 534
 surface pressure 57, 59, 65
 surface temperature 201, 202, 203, 265, 395
 planetary 49
 survivorship 327
 Swiss Plateau 457
 synchronous vegetation coupling 409, 473, 478
- Tethys Sea 109, 110
 temperate forest *see also* deforestation, evapotranspiration, succession, surface energy balance
 climate feedbacks 435, 451–4, 455, 508
 temperature *see also* climate zones, global warming, urban
 heat island
 biogeography 365, 366
 central England 88
 decomposition 373
 elevation 75–7
 ENSO 94, 95, 96
 global geography 57, 62
 leaf emergence 425, 426
 NAO 98
 net primary production 369
 snow 423
 water bodies 80
 Terrestrial Ecosystem Model (TEM) 381
 thermal conductivity 30, 132, 133, 135, 201, 336, 423, 458
 thermohaline circulation 61–2, 110, 117, 124
 Thornthwaite, C. W. 159–60, 166, 365
 throughfall 155, 157
 Tibetan Plateau 111
 TOPMODEL 182–4
 trade wind 57
 translocation 313, 314
 transpiration 156, 158, 284 *see also* evapotranspiration
 tree height 284
 TRIFFID model 502, 504
 tropical forest *see also* Bowen ratio, deforestation, evaporative fraction, evapotranspiration, surface energy balance
 climate feedbacks 435, 445–9, 459, 503, 504, 508
 mineral aerosols 508
 turbulence 205–7
 two-stream radiative transfer 256
- urban 21
 canyon 527, 528, 529, 530, 535
 energy balance model 400, 534–5
 forest 520–1
 heat island 521–6, 527, 534, 536
 parks 531–4
 runoff 537–9
- Valdai, Russia 407
 Vancouver, British Columbia 526, 531
 vapor pressure 33
 saturation 33, 201, 202
 vapor pressure deficit 34, 201, 229
 variable contributing area 173, 182
 variable infiltration capacity 178–81
 vegetation continuous fields 402, 454
 view factor 73, 84, 527, 530, 532
 vital attributes 289, 341
 volcanoes 118
 Pinatubo 119, 493, 494
 Tambora 119
 volumetric water content 135–6
- Walker Branch, Tennessee 172, 313, 314, 381
 Walker circulation 57, 89, 92, 93
 water holding capacity 137, 138
 water table 182, 183
 water use efficiency 244, 268, 368
 watershed 170, 400
 weathering 115
 chemical 143, 149
 physical 141, 149
 wetland drainage 457–8
 wheat 352, 455, 456
 Wien's law 30
 wilting point 136, 137
- Younger Dryas 106, 117
 zenith angle 41, 44–5, 254