

Cambridge University Press

978-0-521-69474-2 - Analgesia, Anaesthesia and Pregnancy: A Practical Guide, Second Edition

Edited by Steve Yentis, Anne May and Surbhi Malhotra

Index

[More information](#)

Index

Note: page numbers in *italics* refer to figures and tables

- abdominal pregnancy 9
- aciclovir 304–5
- acidosis
 - maternal 55
 - neonatal 91
 - see also* fetal acidosis
- activated protein C resistance 238
- acupuncture 77–8
- acute abdomen 12
- acute lung injury (ALI) 289–90
 - intensive care of mother 322
- acute respiratory distress syndrome (ARDS)
 - 289–90
- Addison's disease 311
- adrenal disease 228–9
- adrenaline
 - addition to lidocaine 45
 - allergic reactions 205
 - epidural anaesthesia for Caesarean section 88
 - epidural analgesia 57–8
 - epidural test doses 62–3
 - retained placenta removal 108
- β_2 -adrenergic agonists 150–1
- adrenocortical insufficiency 311
- adrenocorticotropic hormone (ACTH) 115
- AIDS 305–6
 - see also* HIV infection
- air embolism 144–6
- airway
 - assessment in cord prolapse 167
 - general anaesthesia 94–6, 194
- airway management
 - cardiopulmonary resuscitation 181
 - collapse on labour ward 179
- connective tissue diseases 299
- maternal deaths 202
- total spinal block 119
- airway obstruction
 - aspiration of gastric contents 138
 - asthma 283–4
 - tracheal extubation 104
- alcohol
 - abuse 313
 - withdrawal 314
- alfentanil 2
 - pain in Caesarean section 93
 - systemic 75
 - termination of pregnancy 17
- allergic reactions 204–6
 - cross-reactions 204
 - features 205
 - history 205
 - management 205–6
 - see also* latex allergy
- American Society of Anesthesiologists 361
- amides, allergic reactions 204
- amitriptyline 259
- amniotic fluid embolism 182–3
 - placental abruption 166
 - presentation 204
 - signs 182
- amniotic fluid index 46
- amphetamines 314
- anaemia 232, 233
 - aplastic 233
 - intensive care of mother 322
 - management 233–4
 - pernicious 233
 - thalassaemia 251

376 Index

- anaesthetic agents
breastfeeding 337–8
crossing placenta 41
fetal stage 5–6
licensing issues 39
pharmacodynamics 38
- anaesthetic equipment, problems in awareness 142–3
- anaesthetists
consultant 349
duty 350
professional development 352
role in labour ward 349
teaching role 351–2
- analgesia
breastfeeding 338
CSE technique 64–5
instrumental delivery 80
non-pharmacological 77–9
post-laparoscopy 3
termination of pregnancy 17
see also post-Caesarean section analgesia
- anaphylactic reactions 204
latex allergy in Caesarean section 205
- anaphylactoid reactions 204
- aneurysms
berry 270
circle of Willis 216, 217
- angiotensin converting enzyme (ACE) inhibitors 192
- ankylosing spondylitis 254, 297
- antacids 88, 96
aspiration of gastric contents prevention 139
awake tracheal intubation 104
obesity 294
see also H2-blockers
- antenatal care
education 345–7, 354
psychiatric disease 291–2
research 366
- antenatal classes 346
- antiarrhythmics 211
- antibiotics
allergic reactions 204
premature rupture of membranes 153–4
prosthetic heart valves 220
pyrexia during labour 295
sepsis 309–10
- antibodies, connective tissue disorders 298
- anticardiolipin antibodies 238–9, 298
- anticholinesterase inhibitors 276–8
dosage 277
- anticoagulants
breast milk 338
coagulopathy 240–1
congenital heart disease 222
myocardial infarction 227
- anticonvulsants 282
breast milk 339
- antidepressants 292
breast milk 338–9
- antiemetics 199–200
breast milk 338
- antihistamines 184
- antihypertensives 339
- antiphospholipid syndrome 238, 239
- antipsychotic drugs 291
contraindications 291
- anti-Ro antibodies 298
- antithrombin III deficiency 238
- aorta, coarctation 216, 217
- aortic valve replacement 219
- aortocaval compression 31–3
air embolism 146
avoidance in allergic reactions 205
- cardiac arrest 181
collapse on labour ward 179
- convulsions 281
- epidural anaesthesia 87
- intensive care of mother 322
- major obstetric haemorrhage 174
- positioning in labour 30–1
- pregnancy 28
- prevention
cardiopulmonary resuscitation 180–1
extensive regional block 121
- spinal anaesthesia 90
- spinal block 119
- Apgar system 327, 327
- arachnoid mater 22
- arachnoiditis 132–4
- aromatherapy 78
- arrhythmias 210–11
cannabis abuse 314
cocaine abuse 313–15
management 211

- arterial pressure monitoring, direct 325
- arteriovenous malformation 270
- artery of Adamkiewicz 23–4
- artificial rupture of membranes 148
 - placental abruption 166
- aspiration *see* pulmonary aspiration of gastric contents
- aspirin
 - rheumatoid arthritis 253
 - systemic lupus erythematosus 297
- assisted conception 1–3
 - laparoscopy 2
 - management options 2–3
 - multiple pregnancy 157–8
 - risks 2
 - techniques 1
- Association of Anaesthetists of Great Britain and Ireland 360
- asthma 283–5
- atenolol 339
- atosiban 151
- atrial fibrillation 210
- atropine 277–8
- audiotapes 346
- audit 347–8
 - risk reduction 363
- autonomic hyperreflexia 266
 - epidural analgesia 266
- autonomic neuropathy 231–2
- awareness
 - anaesthetic equipment problems 142–3
 - during general anaesthesia 95, 141–4
 - management 142–4
- azathioprine 319
- β-agonists 212
- β-blockers 211, 214
 - breast milk 339
- back pain, low 257–60
- backache 124–6
 - epidural abscess 131
 - labour 78
 - negligence claims 356
 - TENS use 78
- bacterial infection, sepsis 308–10
- Bart's hydrops 250
- battery 353
- Bell's palsy 126
- benzodiazepines
 - breast milk 338
 - cocaine abuse 314–15
- birth partners 78
- birthing pools 78
- Bishop score 147–8
- bleomycin 287
- blood
 - autotransfusion in labour 29
 - fetal sampling 53
- blood flow
 - Doppler measurement 46
 - umbilical artery 46
 - uterine 46
 - uteroplacental 41, 55
- blood loss
 - anaemia 233
 - increased 240
 - presentation 165
 - retained placenta 107–8
 - uterine inversion 172
 - see also* haemorrhage, major obstetric; placenta praevia
- blood pressure
 - measurement 190
 - see also* hypertension
- blood transfusion, thalassaemia 251
- blood vessels, defects 240
- blood volume
 - maternal drug concentration 40
 - pre-eclampsia 191
 - pregnancy 28
 - third stage of labour 35
- blood-brain barrier, neonates 330
- bloody tap 110–11
- Bolam principle 353
- bone marrow rescue 248
- brain lesions, focal in HIV infection 306–7
- breast milk
 - collection in intensive care of mother 322–3
- breastfeeding 337–9
- breech presentation 155
 - cord prolapse 155, 166
 - delivery 156
 - Premature rupture of membranes 153
- Bromage score for motor power assessment 59
- bronchiectasis, cystic fibrosis 285
- bronchoalveolar lavage 140
- bronchospasm 284

378 Index

- bupivacaine 44
congenital heart disease 222
crossing placenta 41
CSE technique 64–5
epidural anaesthesia for Caesarean section 88
epidural analgesia 57–8
epidural test doses 62–3
fentanyl combination 70
nerve block 45
pelvic block 81
retained placenta removal 108
safety margin 45
spinal anaesthesia for Caesarean section 92–3
spinal analgesia 68
subarachnoid block 61
Burkholderia cepacia 285
- Caesarean section 82–6
air embolism 144–5
anaesthetic problems 85
anaesthetic technique choice 86
analgesia follow-up 340
audit 348
awareness 141–4
breech presentation 155
cardiac arrest 181
cerebrovascular accident 271–2
classification 82–3, 83
coarctation of the aorta 217
congenital heart disease 222
consent for anaesthesia 354
conversion to 81
cord prolapse 155, 156, 167–8
CSE technique 65
cystic fibrosis 286
data quality 348
decision-to-delivery interval 83
delivery time 82–3
epidural anaesthesia 86–90, 106
extensive regional block 119–20
fetal distress 169
general anaesthesia 86, 94–8, 105–6
HELLP syndrome 188
hepatitis 303
herpes simplex virus 305
HIV infection 307
hypertension 193–4
hypnosis 77
- inadequate regional analgesia 124
incidence 141
indications 83, 84
intensive care of mother 322–3
intracranial tumour 269
low back pain 259
major obstetric haemorrhage 174
multiple pregnancy 158–9
multiple sclerosis 275–6
myasthenia gravis 278
obesity 294
oxytocic drugs 149
pain 85, 87, 90–3, 356
perimortem 181
peripartum cardiomyopathy 215
placenta accreta 163
placenta praevia 163, 164
placental abruption 166
positioning 92, 146
postoperative problems 85
pre-eclampsia 193–4
premature rupture of membranes 153–4
preoperative preparation 88
procedure 83–5
regional analgesia 106–7
sarcoidosis 288
spina bifida 279, 280
spinal anaesthesia 88, 90–4
steroids 312
subarachnoid haemorrhage 271–2
surgical problems 85
thromboprophylaxis 236, 236
transplantation 320–1
transverse lie 155
trauma in pregnancy 316
trial of scar 159
unsuccessful labour induction 148
see also post-Caesarean section analgesia
caffeine, postdural puncture headache 115
calf vein thrombosis 234
cannabis 314
carbamazepine 291
carbon dioxide
 pneumoperitoneum 2
 tension measurement 53
carbon dioxide partial pressure (P_aCO_2)
 labour 30
 pregnancy 29
carboprost 150

- cardiac arrest
 management 181
- cardiac failure
 care of women 212
- congenital heart disease 221
- sepsis 310
- cardiac function in sarcoidosis 288
- cardiac massage 332
- cardiac output
 delivery 29
- epidural analgesia 29
- intensive care of mother 322
- labour 29
- maternal drug concentration 40
- neonatal 331
- pregnancy 28
- pulmonary hypertension 223–4
- cardiomyopathy 213–15
 dilated 214, 215
- hypertrophic obstructive 213–14
 management 214
- pulmonary artery catheterisation 325
- see also* peripartum cardiomyopathy
- cardiopulmonary resuscitation
 fetus presence 180–1
- maternal 180–1
- training 181
- cardiorespiratory arrest 350
- cardiotocography (CTG) 34, 47, 51–3
 fetal distress diagnosis 168–9
- fetal electrocardiography combination 53
- pattern categories 52
- UK guidance 169
- cardiovascular disease 206–9
 see also ischaemic heart disease
- cardiovascular monitoring 212
- cardiovascular system
 delivery 29
- labour 29
- neonatal resuscitation 331
- pregnancy 28
- support in extensive regional block 121
- catastrophes, debriefing 364
- catecholamines, inadequate anaesthesia 142
- catheters, regional analgesia 122
- cauda equina syndrome 134–5
 arachnoiditis differential diagnosis 133, 133
- spinal catheters 67–8
- caudal analgesia 69
- CD4 cell counts 306
- cell cleavage, anaesthetic agent effects 2
- cell salvage, intra-operative 174
- central nervous system (CNS), HIV seeding risk
 307
- central neurological lesions 128
- central venous pressure
 delivery 29
- labour 29
- central venous pressure monitoring 194–5, 217,
 324
- congenital heart disease 222
 management 324–5
- cerclage *see* cervical (uterine) suture
- cerebral palsy 83
- cerebral thrombosis 270–1
- cerebral vasospasm, eclampsia/pre-eclampsia
 197
- cerebrospinal fluid (CSF)
 contamination in spinal anaesthesia 91
- dural puncture 112, 114–15
- HIV infection 307
- meningitis 263
- opioids 70
- raised pressure 267
- cerebrovascular accident 270–2
 diagnosis 271
- management 271–2
- previous history 271–2
- cervical (uterine) dilatation 33, 34
- cervical spine
 disorders 254–5
- rheumatoid arthritis 253, 254, 298
- vertebrae 19
- cervical (uterine) suture 7–8
- chemotherapy
 gestational trophoblastic neoplasia 318
- haematological malignancies 248
- myocardial damage 287
- pregnancy 317–18
- toxicity 248
- chlorphenamine 71
 allergic reactions 205
- cholestasis of pregnancy 183–4
- cholestyramine 184
- chorioamnionitis
 premature rupture of membranes 153–4
- pyrexia during labour 296
- regional anaesthesia 310

380 Index

- choriocarcinoma 318
circle of Willis aneurysms 216, 217
clonidine, epidural analgesia 57–8
coagulation factors, placenta praevia 164
coagulation studies
 regional anaesthesia/analgesia 240
 thrombocytopenia 247
coagulopathy 240–1
 hepatitis 303
 intrauterine death 171
 major obstetric haemorrhage 174
management 240–1
placental abruption 165, 166
postpartum haemorrhage 178
 see also disseminated intravascular coagulation (DIC)
coarctation of the aorta 216–17
cocaine abuse 313
 management 314–15
 myocardial infarction 226
collagen vascular diseases 297
collapse on labour ward 179–80
 causes 179
combined spinal–epidural analgesia and anaesthesia (CSE) 63–6
complications 65–6
communication 145
 labour ward 350
 maternity units 365
compression stockings, obesity 294
computed tomography (CT), trauma in pregnancy 316
conception, anaesthesia before 5–6
conduction disorders 210
Confidential Enquiries into Maternal Deaths/Maternal and Child Health 347–8, 370
congenital heart disease 206–7, 220–3
 coarctation of the aorta 216
 cyanotic 220, 221
 delivery 222
 fetus risk 221, 221
 management 222
 pregnancy counselling 219
 prosthetic heart valves 218
congenital malformations, diabetes mellitus 230
connective tissue disorders 297–9
consent 352–4
psychiatric disease 292
regional anaesthesia/analgesia 356
research 367
signed 354
validity 355–6
convulsions 280–2
 causes 281
 diagnosis 280
 differential diagnosis 281–2
 dural puncture 112
 eclampsia 192–3
 management 273, 281–2
 physiological effects 281
 pre-eclampsia 191
 pregnancy 273
 see also epilepsy
cord prolapse 155, 166–8
coronary artery disease 293
cortical vein thrombosis 270–1
counselling 364, 65
counselling, preconception 364, 365
 congenital heart disease 219
 connective tissue disorders 298
 diabetes mellitus 230
 HIV infection 306
 multiple sclerosis 275
 neurological disease 261
Couvelaire uterus 166
cranial nerve palsy 126–7
 dural puncture 112
cricoarytenoid arthritis 253
cricoid pressure 98–9
 aspiration of gastric contents treatment 140
cardiopulmonary resuscitation 181
general anaesthesia induction 96, 101
two-handed 98–9
crises 364–5
critical incident reporting 350
cryoprecipitate 243, 245
CSE *see* combined spinalepidural
cyclizine 199–200
cyclosporin 319
cystic fibrosis 285–6
 incidence 285
cytotoxic drugs, pregnancy 317–18
DC cardioversion 211
debriefing, catastrophes 364

- deep vein thrombosis (DVT) 234–7
 - diagnosis 234–5
 - intensive care of mother 322
 - management 235–6
- dehydration, hyperemesis gravidarum 199, 200
- delivery
 - cardiovascular changes 29
 - cerebrovascular accident 271
 - consent 353–4
 - Doppler studies 47
 - extensive regional block 121
 - gastrointestinal changes 30
 - haemodynamics 29
 - painful experience follow-up 340
 - pre-eclampsia 191–2
 - premature rupture of membranes 153
 - psychiatric disease 292
 - pulmonary hypertension 224
 - rapid for cord prolapse 167
 - respiratory changes 29–30
 - spinal cord injuries 266
- dementia, HIV infection 306–7
- depression 292
 - postnatal 290
- dermatomes, innervation 24–6
- desflurane 143
 - breast milk 337–8
- desmopressin (DDAVP) 242, 243
- dextran infusions, postdural puncture
 - headache 115
- dextrose, intravenous in labour 36
- diabetes, gestational 229–30
- diabetes mellitus 229–32
 - risk with obesity 293
- diamorphine
 - Caesarean section 105–6
 - dosage 75
 - epidural anaesthesia 106
 - epidural analgesia 70
 - intra-operative analgesia 69–70
 - post-Caesarean section 89
 - post-operative analgesia 69–70
 - respiratory depression 71
 - spinal anaesthesia for Caesarean section 92–3
 - spinal analgesia 70
 - subarachnoid 106
 - systemic 74
- diazepam 193, 282
 - breast milk 338
- diclofenac 97
- Caesarean section 105–6
- post-laparoscopy analgesia 3
- dinoprostone 147–8, 150
- disc prolapse, acute 258
- dissatisfaction, maternal 342
- disseminated intravascular coagulation (DIC) 243–5
- HELLP syndrome 187
- intensive care of mother 322
- intrauterine death 170, 171
- major obstetric haemorrhage 174
- placenta praevia 164
- Doppler techniques
 - air embolism 144, 145
 - placenta praevia 163–4
 - serial flow studies 46–7
- doulas 78
- drugs
 - absorption 37
 - administration by midwives 42–4
 - anaesthetic effects on neonates 327–8, 328
 - breastfeeding 337–9
 - concentration gradient of transfer 40
 - connective tissue diseases 297
 - distribution 37–8
 - elimination 38
 - epidural anaesthesia for Caesarean section 88
 - epidural analgesia 57–8
 - fetal effects 38
 - licensing for use in pregnancy 39
 - lipid solubility 39–40
 - maternal concentration 40
 - metabolism 38
 - migraine 274
 - molecular weight 39–40
 - placental factors 40
 - placental transfer 39–41
 - pregnancy 37–9
 - prescription by midwives 42–3
 - psychiatric disease 291
 - rheumatoid arthritis 253
 - spinal anaesthesia for Caesarean section 92–3
- ductus arteriosus
 - patent 153
 - premature closure 259
- dura mater 22

382 Index

- dural puncture 111–13
audit 348
cerebrovascular accident 272
cranial nerve palsies 126–7
epidural needle 120
headache 356
spina bifida 279
dural tear, epidural catheter migration 63
- early neonatal neurobehavioural scale (ENNS) 327
eclampsia 190
convulsions 192–3, 282
magnesium sulphate 196
pre-eclampsia postoperative management 195
Ecstasy abuse 314
ectopic pregnancy 2, 8–10
education, antenatal 345–7, 354
content 346
information retention 345
social deprivation 347
Ehlers–Danlos syndrome 297, 298
Eisenmenger's syndrome 223
electrocardiography, fetal 53
electrocardiography (ECG), myocardial infarction 227
embryonic phase, anaesthetic agents 5–6
emergencies, outcome 350
encephalitis, spinal anaesthesia 91
encephalopathy
hepatic 302
HIV infection 306–7
neonatal 228
pyrexia during labour 295
Wernicke's 199
endocrine disease 228–9
neurological 229
enteral nutrition, hyperemesis gravidarum 200
Entonox 72, 73
with isoflurane 72–3
pollutant effects 73
ephedrine
arrhythmia risk 211
hypotension prevention 92
pre-eclampsia 194
psychiatric disease 292
retained placenta removal 108
transplant recipients 321
- epidermolysis bullosa 298
epidural abscess 125
back pain 131
epidural anaesthesia
aortocaval compression 87
audit 348
benign intracranial hypertension 267
Caesarean section 86–90, 106
cervical suture 7–8
cord prolapse 168
cranial nerve palsies 126–7
extensive regional block 119–20
herpes simplex virus 304
HIV contraindication 307
Horner's syndrome 126–7
hypotension 87
laparoscopy 2–3
multiple sclerosis 275–6
poorly functioning 88
re-siting 124
subarachnoid block 120
subdural block 120
top-up 89
epidural analgesia
audit 348
autonomic hyperreflexia 266
backache 125
benign intracranial hypertension 267
cardiac output 29
caudal 69
cervical spine disorders 254–5
cholestasis of pregnancy 184
complications 59
congenital heart disease 222
consent 354
dose fractionation 62–3
drugs 57–8
dural puncture with epidural needle 120
equipment 56
extensive regional block 119–20
Ferguson's reflex effects 34
gastric emptying 59
infusions 58
intrauterine death labour 171
labour 56–60
induction 148
outcome 59–60
pyrexia 296
second stage 34

- low back pain 259
 maternal temperature increase 137
 motor power assessment 59
 musculoskeletal trauma risk 30
 myocardial infarction 227
 obesity 294
 patient-controlled 58
primagravidae 345
 pulmonary hypertension 224
 pyrexia during labour 296
 respiratory changes 30
 retained placenta removal 108
 rheumatoid arthritis 253–4
 safety 61
 sepsis 309
 shivering 137
 side effects 58–9
 spina bifida 280
 subarachnoid block 120
 subarachnoid puncture 61
 subdural block 120
 technique 56
 thrombophilia 239
 top-ups
 instrumental/Caesarean delivery 119–20
 by midwives 42–3
 transplant recipients 321
 trial of scar 160
 epidural blood patch 116–18
 cranial nerve palsies 127
 postdural puncture headache 115, 356
 prophylactic 112, 116–17
 epidural catheter
 CSE technique 63–4
 dural puncture 111–13
 inadequate regional analgesia 123
 intravenous placement 62
 migration 61, 63, 87
 placement 60–1
 epidural needle
 CSE technique 63–4
 dural puncture 111–12, 120
 kyphoscoliosis 256
 needle-through-needle technique 64
 epidural solutions, warming 137
 epidural space 20–2
 benign intracranial hypertension 267
 opioid uptake 70
 epidural test doses 60–3
 epidural veins, accidental catheterisation 61
 epidural vessel cannulation 110
 epilepsy 272–3
 see also convulsions
 episiotomy
 instrumental delivery 81–2
 pain 81
 ergometrine 149–50
 congenital heart disease 221–2
 evacuation of retained products of conception 11
 myocardial infarction 227
 esmolol 214
 ethics, research 366
 evacuation of retained products of conception (ERCP) 10–12
 termination of pregnancy 17
 EVE (epidural volume extension) technique 65
 evidence-based decisions 366
 external cephalic version 155–7
- factor V 238
 factor V Leiden 238
 factor VII 238
 factor VII, recombinant activated (rFVIIa) 174
 postpartum haemorrhage 178
 factor VIII 242–4
 factor IX 242–4
 failed intubation drill 101–3
 Fallopian tube, ectopic pregnancy 8–9
 family, intensive care of mother 322
 fat malabsorption, cholestasis of pregnancy 184
 feeding in labour 36
 Felty's syndrome 253
 fentanyl
 administration 75
 bupivacaine combination 70
 CSE technique 64–5
 dosage 75
 epidural anaesthesia 106
 Caesarean section 88, 89
 epidural analgesia 57–8, 70
 epidural test doses 62
 labour analgesia 69–70
 opioid-induced pruritis 135–6
 pain in Caesarean section 93
 psychiatric disease 292
 respiratory depression 71
 retained placenta removal 108

384 Index

- fentanyl (cont.)
spinal anaesthesia for Caesarean section 92–3
spinal analgesia 70
subarachnoid 106
systemic 75
termination of pregnancy 17
Ferguson's reflex 34
fertilisation, anaesthetic agent effects 2
fetal acidosis 34, 40, 53
labour pain association 55
fetal distress 168–70
aortocaval compression 32–3
premature rupture of membranes 153–4
fetal heart rate 51–3
monitoring 34, 299
continuous 51–2
intermittent 51
pyrexia during labour 295
fetal loss risk with intrauterine surgery 15
fetal monitoring
antenatal 46–7
convulsions 282
incidental surgery in pregnancy 14
intrapartum 51–3
pre-eclampsia 194–5
serial ultrasonography 46
trauma in pregnancy 316
- fetus
amphetamine abuse 314
anaesthetic agents 5–6
blood sampling 53
consideration in consent 353
distress 151
drug concentration 40
drug effects 38
gas tension measurement 53
growth retardation 46
infection risk 309
intensive care of mother 322, 360
maternal cocaine use 313
maternal renal disease 300
maternal surgery risks 13
maturity assessment 153
morbidity with cannabis use 314
opioid effects 75–6
oximetry 53
physiological stress 364–5
placental transfer of drugs 40
- pre-eclampsia effects 191
rights 292
fibrin degradation products 244
fluid management
diabetes mellitus 232
pre-eclampsia 195
follow-up of women 339–41
forceps delivery 80
fresh frozen plasma (FFP) 243, 245
functional residual capacity 29
fundus, uterine 28
- gamete intrafallopian transfer (GIFT) 1
gas tension, fetal 53
gastric emptying
epidural analgesia 59
labour 35–6
opioids 72, 76
gastrin, placental 35
gastroesophageal barrier 30
gastroesophageal reflux 36
gastrointestinal system 30
Gemeprost 150
general anaesthesia
airway difficulty 94–5
analgesia follow-up 340
aortocaval compression 32–3
aspiration of gastric contents 31
prevention 139–40
asthma 284
avoidance 140
Caesarean section 86, 94–8, 105–6
history 373
induction 96–8
management options 95–8
preoperative assessment 95–6
cervical spine disorders 255
cervical suture 8
coarctation of the aorta 217
cocaine abuse 314–15
cord prolapse 167–8
cricoid pressure 96, 101
cystic fibrosis 286
diabetes mellitus 231–2
evacuation of retained products of conception 11
fetal 15–16
 H_2 -blockers 96
HELLP syndrome 188

- history 373
incidental surgery in pregnancy 13–14
induction 96–8
intracranial tumour 269
intrauterine surgery 15–16
labour 31
maternal 15–16
musculoskeletal trauma risk 30
myasthenia gravis 277
myocardial infarction 227
obesity 294
patient observation 143
pre-eclampsia 194
preoxygenation 96, 101
pulmonary hypertension 224–5
rapid sequence induction 96
regurgitation prevention 139–40
retained placenta removal 108
rheumatoid arthritis 254
spina bifida 280
spinal cord lesions 266
technique 101
termination of pregnancy 17
tracheal intubation 100–1
uterine inversion 108
ventilation 97
- genital tract trauma
 major obstetric haemorrhage 174
 postpartum haemorrhage 177
gestational trophoblastic neoplasia 318
glucose tolerance test (GTT) 229–30
glyceryltrinitrate 151
 cocaine abuse 314–15
 intravenous resuscitation 169–70
goitre 228
granulomatous diseases 297
growth retardation, fetal 46
guidelines 359–62
Guillain–Barré syndrome 264–5
- H₂-blockers 36, 76, 88
aspiration of gastric contents prevention
 139
awake tracheal intubation 104
general anaesthesia 96
 obesity 294
haematocrit, maternal in congenital heart
 disease 221
haematological malignancies *see* leukaemia;
- haematoma 125
spinal cord compression 131
- haemodynamics
 coarctation of the aorta 217
 delivery 29
 labour 29
 pre-eclampsia 191
 pregnancy 28
 pulmonary hypertension 223–4
- haemoglobin, fetal 330
haemoglobin S 249–50
haemoglobinopathies 249–52
haemophilia 242
 management 243
- haemorrhage, antepartum in hydrops fetalis
 250
- haemorrhage, major obstetric 173–6
haemorrhage, postpartum (PPH) 176–8
 hydrops fetalis 250
 intensive care of mother 322–3
- halothane, breast milk 337–8
- Harrington rods 256
- Hartmann's solution, intravenous in labour 36
- head injuries 265
 acute traumatic 316
- headache
 medicolegal aspects 356
 postpartum 115
 see also epidural blood patch; migraine;
 postdural puncture headache (PDPH)
- heart disease, cyanotic 233
- heart rate
 neonatal 330, 331
 pregnancy 28
 see also fetal heart rate
- heart transplantation 215, 320
- heart valves, prosthetic 218–20
- heart-lung transplantation 215, 320
- HELLP syndrome 187–8, 245
 acute renal failure 300–1
 pre-eclampsia 190, 246–7
 postoperative management 195
- heparin 98
 breast milk 338
 low molecular weight 235
 obesity 294
 polycythaemia 234
 prophylactic 240–1
 prosthetic heart valves 218–20

386 Index

- heparin (cont.)
 systemic lupus erythematosus 297
thromboembolism treatment in pregnancy
 235
thromboprophylaxis following Caesarean
 section 236
hepatitis 302–3
herpes simplex labialis 71
herpes simplex virus (HSV) 304–5
 primary infection 304
highly active antiretroviral therapy (HAART)
 306–7
historical aspects of obstetric analgesia/
 anaesthesia 371–3
HIV infection 305–8
Horner's syndrome 126–7
human chorionic gonadotrophin (hCG)
 measurement 27
 ectopic pregnancy 9
 ovarian hyperstimulation syndrome 3, 4
 pregnancy diagnosis 27
human chorionic somatomammotrophin 27
human T cell leukaemia/lymphoma virus
 (HTLV) 306
hydatidiform mole 318
hydralazine 192, 193
hydrocortisone 311–12
 allergic reactions 205
hydrops fetalis 250
hyperemesis gravidarum 198–200
hypertension
 analgesia for labour 193
 Caesarean section 193–4
 chronic 189
 coarctation of the aorta 216
 cocaine abuse 314–15
 gestational 189
 pregnancy 189
 risk with obesity 293
 tracheal intubation 194
 treatment 192
 see also intracranial hypertension, benign;
 pre-eclampsia
hyperventilation in labour 29
hypnosis 77
hypotension
 aortocaval compression 32–3
 extensive regional block 119
 spinal anaesthesia 90
hypovolaemia
 general anaesthesia 95
 major obstetric haemorrhage 174
 retained placenta removal 108
hypoxaemia
 acute lung injury 289
 neonatal 332
hypoxia, tracheal intubation difficulties
 100
hysterectomy
 gestational trophoblastic neoplasia 318
 major obstetric haemorrhage 174
 postpartum haemorrhage 178
iliac crests 19
iliofemoral thrombosis 234
ilioinguinal block
 Caesarean section 106
 post-Caesarean section 97–8
immune thrombocytopenic purpura (ITP) 246
immunosuppressive therapy, transplantation
 319–20
in vitro fertilisation (IVF) 1
induction of anaesthesia 143
 emergency availability of drugs 167
infant mortality rate 334
infections
 control precautions 303
 fetal risk 309
 immunosuppressive therapy 319
 pyrexia during labour 295, 296
 sepsis 308–10
 transplantation 321
 universal precautions 307–8
 see also named organisms
information for patients 353, 355–6
inhalational agents 72–4
 evacuation of retained products of
 conception 11
 history 372
instrumental delivery 80–2
 epidural analgesia top up 119–20
 episiotomy 81–2
 kyphoscoliosis 256
 pudendal block 81–2
 spinal anaesthesia 81
insulin
 labour 231, 231
 requirements after delivery 231

- intensive care 321–3
 acute lung injury 290
 invasive monitoring 324
- internal iliac artery occlusion/ligation
 major obstetric haemorrhage 174
 postpartum haemorrhage 178
- interpreters 353–4
- intra-arterial pressure monitoring,
 myocardial infarction 227
- intracerebral haemorrhage 270
- intracranial haemorrhage, dural puncture
 112
- intracranial hypertension, benign
 267–8
- intracranial pressure, raised 268
 intracranial tumour 268–9
- intracranial tumour 268–70
- intracytoplasmic sperm injection (ICSI) 1
- intrathecal catheter 67–8
- intrauterine death 170–2
- intrauterine growth restriction (IUGR)
 amphetamine abuse 314
 pre-eclampsia effects 191
 thalassaemia 251
- intrauterine surgery 14–16
- intravascular balloon catheters, postpartum
 haemorrhage 178
- intravenous agents 2
 administration by midwives 43
 breast milk 337–8
 evacuation of retained products of
 conception 11
 laparoscopy 2
 intravenous solutions, warming 137
 intraventricular shunt, spina bifida 279
- invasive monitoring 323–5
- ion trapping 40
- ischaemic heart disease 206–7, 226–8
- isoflurane
 breast milk 337–8
 with Entonox 72–3
- isoprenaline, epidural test doses 62
- itching, opioid-induced 71, 135–6
- jaundice
 acute fatty liver of pregnancy 186
 cholestasis of pregnancy 184
- Jehovah's Witnesses 233–4
- joints, rheumatoid arthritis 252–3
- Klippel Feil syndrome 254
- kyphoscoliosis 255–7
 correction 256
 spina bifida 279
- labetalol
 cocaine abuse 314–15
 hypertension 192, 193
- labour
 artificial rupture of membranes 148
 augmentation 55, 148
 cardiovascular changes 29
 charting 48
 consent 353–4
 epidural analgesia 56–60
 feeding 36
 first stage 33–4
 gastric function 35–7
 gastrointestinal changes 30
 haemodynamics 29
 inadequate regional analgesia 122–4
 induction 147–8
 intrauterine death 171
 termination of pregnancy 17
- normal 33–5
- pain 54–5, 77
 physical factors 55
 physiological factors 55
 psychological factors 54–5
- positioning 30–1
- premature 152–4
- pyrexia 295–6
- respiratory changes 29–30
- second stage 34
- somatic pain 54
- surgical induction 148
- third stage 34–5
- labour ward
 guidelines 350
 management 349–50
 organisation 349–50
 protocols 350
 research 366–8
 risk management 362–3
- language barriers 353–4
- laparoscopy
 anaesthesia 2
 assisted conception 2
 ectopic pregnancy 9

388 Index

- laryngeal oedema 194
latex allergy 204, 206
Caesarean section 205
spina bifida 279
lecithin–sphingomyelin (LS) ratio 153
leukaemia 248–9
levobupivacaine 44
epidural anaesthesia for Caesarean section 88
lidocaine 44
safety margin 45
adrenaline addition 45
cauda equina syndrome 134
crossing placenta 41
dosage in hepatitis 303
epidural anaesthesia for Caesarean section 88
epidural test doses 62
retained placenta removal 108
subarachnoid block 61
lie 154–5
liquor
colour 51
column 46
volume 46
lithium 291
litigation 355, 357
maternity care 349
pain during Caesarean section 356
record keeping 357–8
risk minimising 356–7
time period 359
liver, acute fatty of pregnancy 185–7
local anaesthetics 44–6
crossing placenta 41
opioid synergy 70
long-chain-3-hydroxyacyl-CoA dehydrogenase (LCHAD) deficiency 185
lorazepam 338
loss-of-resistance (LOR) technique 56, 57
lumbar plexus 24
lumbar puncture, benign intracranial hypertension 267
lumboperitoneal shunts, benign intracranial hypertension 267
lungs
neonatal 330–2
surfactant 330
see also pulmonary entries; respiratory entries
lupus antibodies 238–9
macrosomia, diabetes mellitus 230
magnesium sulphate 151, 196–8
convulsions 192–3, 282
dose 197–8
monitoring 198
myasthenia gravis 277
side effects 197
site of action 196–7
toxicity 197
magnetic resonance imaging (MRI)
placenta praevia 163–4
trauma in pregnancy 316
malaria protection 250
malignancies 317–18
Mallampati score 101
malnutrition, hyperemesis gravidarum 199
malposition 154–6
malpresentation 154–6
see also breech presentation
manic–depressive illness 291
maternal age, advanced 161–2
maternal monitoring, pre-eclampsia 194–5
maternal mortality 173, 201–2, 365
acute fatty liver of pregnancy 186
amniotic fluid embolism 183
anaesthesia 202
cardiovascular disease 208
causes 201
classification 201–2
definition 201
intensive care 322
myocardial infarction 226
pre-eclampsia 190
rate 201
substandard care 202
maternal physiological stress 364–5
maternal satisfaction 341–3
maternity care, litigation 349
maternity units 365
meconium
fetal distress diagnosis 168–9
in liquor 51
medical protection organisation 365
medicolegal aspects 355–7
guidelines and protocols 361–2
membranes *see* artificial rupture of membranes; premature rupture of membranes (PROM)
Mendelson's syndrome 138–9

- meninges 22
meningitis 262–3
HIV infection 306–7
spinal anaesthesia 91
menstrual pain, labour pain correlation 55
methadone 338
methotrexate, ectopic pregnancy management 10
methoxyflurane 72–3
methyldopa 192
metoclopramide 96, 139
hyperemesis gravidarum 199–200
midwives
constant presence during labour 78
drug prescription/administration 42–3
registration 352
role 349
training 351–2
migraine 274–5
mineral supplements, hyperemesis gravidarum 200
minimum local analgesic concentration/dose (MLAC/D) 44–5
miscarriage
anticardiolipin antibodies 298
cocaine 313
recurrent 239
misoprostol 147–8, 150
mitral valve replacement 219
molar pregnancy 318
mole, invasive 318
monoamine oxidase inhibitors 291, 292
morphine
Caesarean section 105–6
epidural anaesthesia 106
epidural analgesia 69–70
opioid-induced pruritis 135–6
post-Caesarean section analgesia 97
psychiatric disease 292
spinal anaesthesia for Caesarean section 92–3
spinal analgesia 70
subarachnoid 106
motor block, Guillain–Barré syndrome 265
multiple endocrine neoplasia syndrome (MEN)
228–9
multiple pregnancy 2
multiple sclerosis 275–6
musculoskeletal system, connective tissue disorders 298
musculoskeletal trauma, risk in labour 30
myasthenia gravis 276–8
myopathy, HIV infection 306–7
myocardial infarction 226–8
cocaine 313
myopathy, HIV infection 306–7
naloxone 71
opioid-induced pruritis treatment 136
respiratory depression reversal 71, 75
nausea in pregnancy 198–9
neck flexibility 254
connective tissue disorders 298
necrotising enterocolitis 153
needlestick injury, HIV infection 307–8
needle-through-needle technique 64
negligence claims 353, 355
backache 356
record keeping 357–8
neonates
acidosis 91
anaesthetic drug effects 327–8, 328
assessment 326–8
circulatory system 329–30
encephalopathy 228
pyrexia during labour 295
herpes simplex virus transmission 304–5
HIV transmission 306, 307
lungs 332
maternal cardiac arrest 181
maternal smoking 313
neurobehavioural status 327
neurological system 330
opioid withdrawal 313–14
pharmacology 330–1
physiological status measures 326–7
physiology 329–31
premature rupture of membranes 153
respiratory depression 75
respiratory system 330, 332
resuscitation 331–3, 333
nerve conduction studies 130
nerve root damage 128, 129
neurobehavioural assessment score (NBAS)
327
neurofibromatosis 255
neurological and adaptive capacity score (NACS) 327

390 Index

- neurological deficit
cerebrovascular accident 271
spina bifida 279
- neurological disease 260–2, 261
- neurological system, neonates 330
- neurological trauma, past history 265–6
- neuromuscular blockade
obesity 294
reversal 97
- neuromuscular blocking drugs 101
non-depolarising 97, 277
- neuropathy, HIV infection 306–7
- neuropraxia, recovery 130
- New York Heart Association (NYHA)
classification 207–8
- nifedipine 192, 193
- nitroprusside 192
- nitrous oxide 2
efficacy 73
incidental surgery in pregnancy 13
in oxygen 97
pregnancy 6
termination of pregnancy 17
- non-steroidal anti-inflammatory drugs (NSAIDs)
allergic reactions 204
breast milk 338
Caesarean section 105–6
connective tissue disorders 297, 299
low back pain 259
post-Caesarean section analgesia 97–8, 105,
107
postdural puncture headache 115
post-laparoscopy analgesia 3
rheumatoid arthritis 253
- norpethidine 76
- Nursing and Midwifery Council (NMC) 42
midwife registration 352
- obesity 293–5
- obstetric anaesthetic organisations 368–9
- Obstetric Anaesthetist's Association (OAA) 360,
368–9
- obstetric cholestasis *see* cholestasis of
pregnancy
- occipito-posterior position, labour pain 55
- oesophageal varices 303
- oesophagitis 200
- oestrogens
cholestasis of pregnancy 183–4
placental secretion 27
pregnancy changes 29
- Office of National Statistics 370
- oligohydramnios 46
- omeprazole 96
- ondansetron
hyperemesis gravidarum 199–200
opioid-induced itching reduction 71
- oocyte extraction 1
- opioid antagonists 313–14
- opioid-induced pruritis 71, 135–6
- opioids
abuse 313–15
administration 74–5
awareness in general anaesthesia 142
breast milk 338
Caesarean section 105–6
cerebrospinal fluid 70
congenital heart disease 222
crossing placenta 41
dosage 74–5
epidural analgesia 57–8, 69–72
fetal effects 75–6
heart rate 52
gastric emptying 76
delay 72
in labour 30, 35–6
- intramuscular 76
- intrauterine death labour 171
- local anaesthetic synergy 70
- low back pain 259
- patient-controlled 76, 193
- placental transfer 72
- post-Caesarean section analgesia 105, 143
- psychiatric disorders 292
- pulmonary hypertension 224–5
- respiratory depression 69–71, 75
- shivering prevention 137
- side effects 69–72, 75–6
- site of action 70
- spinal 69–72
- systemic 74–6
- withdrawal 313–14
- optic nerve sheath decompression 267
- outcome measures, maternal satisfaction
341–3

- ovarian hyperstimulation syndrome 3–5
 - clinical manifestations 3–4
 - management options 4–5
- oximetry, fetal 53
- oxygen
 - administration
 - awareness in general anaesthesia 142
 - extensive regional block 121
 - labour 31
 - pulmonary oedema 213
 - consumption in pregnancy 29
 - intensive care of mother 322
 - oxygen tension measurement 53
 - pulmonary hypertension 224
- oxytocic drugs 149–50
 - Caesarean section 149
 - delivery of anterior shoulder 34, 149
 - evacuation of retained products of conception 11
 - labour induction 148
 - labour pain 55
 - myocardial infarction 227
 - placenta delivery 34–5
 - retained placenta 108
 - uterus replacement 173
- oxytocin 149
 - after Caesarean section 84–5, 97
 - allergic reactions 204
 - arrhythmia risk 211
 - congenital heart disease 221–2
 - evacuation of retained products of conception 11
 - myocardial infarction 227
 - second stage of labour 34
 - side effects 149
 - termination of pregnancy 17
- oxytocin analogues 149
- oxytocin antagonists 151
- pain**
 - Caesarean section 85, 87, 90–3, 356
 - episiotomy 81
 - hypnosis 77
 - labour 54–5, 77
 - induction 148
 - modification 54–5
 - menstrual 55
 - uterine rupture 160
- pain pathways 54
- pancreatic insufficiency 285
- paracervical block for cervical suture 8
- paracetamol
 - allergic reactions 204
 - low back pain 259
 - post-Caesarean section analgesia 97, 107
 - postdural puncture headache 115
- paraesthesia, regional anaesthesia 128–9
- parenteral nutrition, hyperemesis gravidarum 200
- partner
 - consent issues 353–4
 - intensive care of mother 322
 - partogram 33–4, 48
- patient-controlled analgesia
 - epidural 58
 - opioids 76, 193
- pelvic block
 - bupivacaine 81
 - instrumental delivery 80
- pelvic distortion, spina bifida 279
- pelvic girdle pain 258
- pelvic ultrasonography, ectopic pregnancy 9
- pemphigus 298
- pericardial effusions, connective tissue disorders 297
- perinatal mortality 334, 334–5
- peripartum cardiomyopathy 213, 214
- peripheral nerves
 - lesions
 - obstetric factors 128, 129
 - regional anaesthesia 128–30
 - lower body 24–6
- peripheral neuropathy, acute post-infective 264–5
- pethidine
 - administration 74–5
 - asthma 284
 - crossing placenta 41
 - dosage 74–5
 - metabolite 76
 - promethazine/promazine combination 75
 - psychiatric disease 292
 - systemic 74
- phaeochromocytoma 228–9
- cocaine use differential diagnosis 313
- pharmacodynamics, drugs in pregnancy 38

392 Index

- pharmacokinetics, drugs in pregnancy 37–8
phenylephrine
 hypotension prevention 92
 psychiatric disease 292
phenytoin 282
phospholipid antibodies 239
physiological stress 364–5
pia mater 22
placenta
 accreta 85, 163
 delivery 34, 188
 drug transfer 39–41
 opioids 72
 function studies 46–7
 low-lying 162
 malignant disease 318
 physiological shunting 40
 praevia 162–4
 major obstetric haemorrhage 174
 retained
 hydrops fetalis 250
 postpartum haemorrhage 177
 removal 107–9
placental abruption 165–6
 amphetamine abuse 314
 cocaine 313
 HELLP syndrome 187
 major obstetric haemorrhage 174
 trauma in pregnancy 316
placental hormones 27
platelet concentrates 245
platelets
 counts in hypertension 193
 defects 240
 level monitoring 247
 low 245
 tests of function 247
pleural effusions, connective tissue disorders 297–8
pneumonitis, aspiration/chemical 138–9
pneumoperitoneum, carbon dioxide 2
polycythaemia 232–4
polyhydramnios, placental abruption 165
position of fetus 154–5
positioning, maternal
 aortocaval compression avoidance 32–3
 Caesarean section 92, 146
 cardiopulmonary resuscitation 180–1
 cord prolapse 167
labour 30–1
spinal anaesthesia for Caesarean section 92
post-Caesarean section analgesia 97–8, 104–7
 obesity 294
post-crisis management 364–5
postdural puncture headache (PDPH) 112–16
 advice to mother 356
 cranial nerve palsies 126–7
 migraine differential diagnosis 274
 obesity 294
 spinal anaesthesia 91
 see also epidural blood patch
postnatal depression 290
PPH *see* haemorrhage, postpartum (PPH)
prayer sign 231–2
prednisolone 311
pre-eclampsia 189–91
 acute fatty liver of pregnancy 186, 187
 analgesia for labour 193
 Caesarean section 193–4
 cocaine use differential diagnosis 313
 HELLP syndrome 190, 246–7
 hydrops fetalis 250
 magnesium sulphate 196
 migraine differential diagnosis 274
 monitoring 194–5
 placental abruption 165
 postoperative management 195
 pulmonary artery catheterisation 325
 renal disease 300
 subarachnoid haemorrhage risk 271
 thrombocytopenia 246–7
 transplantation 319
pre-embryonic phase, anaesthetic agents 5–6
pregnancy
 advanced maternal age 161–2
 anaesthesia before confirmation 5–6
 aspiration of gastric contents risk 138–9
 cardiovascular changes 28
 concealed 161
 diagnosis 27
 drugs 37–9
 gastrointestinal changes 30
 haemodynamic changes 28
 high-risk 51
 hormonal changes 27
 incidental surgery 12–4
 low-risk 51
 mechanical changes 28

- molar 318
multiple 157–9
nausea 198–9
physiology 27–31
respiratory changes 29, 283
thromboprophylaxis 235–6
under-age 161–2
 adult support 161–2
 decision-making 161–2
vomiting 198–9, 200
 see also termination of pregnancy
premature rupture of membranes (PROM)
 152–4
 trauma in pregnancy 316
prematurity 152
 pyrexia during labour 295
presentation 154–5
primagravidae, epidural analgesia 345
procyclorperazine, hyperemesis gravidarum
 199–200
progesterone
 labour 35
 labour pain 55
pharmacodynamics of anaesthetic agents 38
placental secretion 27
post-labour levels 36
pregnancy changes 27, 29
promazine/promethazine, pethidine
 combination 75
propofol 2
 with alfentanil 2
breast milk 337–8
evacuation of retained products of
 conception 11
general anaesthesia induction 96
opioid-induced itching reduction 71
termination of pregnancy 17
prostacyclin, endothelial 197
prostaglandin(s) 150
prostaglandin analogues
 evacuation of retained products of
 conception 11
 termination of pregnancy 17
prostaglandin E₁ 150
prostaglandin E₂ 147–8, 150
prostitutes, hepatitis B 302
protein C deficiency 238
protein S deficiency 238
protocols 359–62, 360
- pruritis
 cholestasis of pregnancy 183–4
 opioid-induced 71, 135–6
pseudotumour cerebri 267–8
psychiatric disease 290–3
psychological issues
 arachnoiditis 134
 awareness in general anaesthesia 142
 cancer diagnosis 249
 cauda equina syndrome 135
 intrauterine death 170–2
 post-Caesarean section analgesia 104–5
psychoprophylaxis 77
psychosis, postnatal 290
pudendal block
 cervical suture 8
 instrumental delivery 81–2
pulmonary artery
 catheterisation 325
 pressure 223
pulmonary aspiration of gastric contents 31, 36,
 138–41
awake tracheal intubation 103–4
cardiopulmonary resuscitation 181
collapse on labour ward 179
diagnosis 140
general anaesthesia 95
intensive care of mother 322
mortality/morbidity 138–9
pregnancy factors 138–9
prevention 139–40
scleroderma 298
treatment 140
pulmonary embolism 234–7
pulmonary fibrosis 287
pulmonary function
 radiotherapy for malignancy 287
 sarcoidosis 288
pulmonary hypertension 223–5
 cystic fibrosis 286
pulmonary insufficiency, cystic fibrosis 286
pulmonary oedema 212–13
 acute renal failure 301
pulmonary reserve, cystic fibrosis 285, 286
pulse oximetry
 myocardial infarction 227
 respiratory disease 283
pushing, second stage of labour 34
pyrexia during labour 295–6

394 Index

- quadruplets
Caesarean section 159
- radiotherapy
haematological malignancies 248
pregnancy 317–18
pulmonary fibrosis 287
- randomized controlled trials (RCT) 366, 367
- ranitidine 36, 96
aspiration of gastric contents prevention 139
- record keeping 357–9
- records 358–9
crisis management 365
- rectus sheath block, Caesarean section 106
- red cell mass 232
- reflexology 78
- regional anaesthesia
administration 128–9
aortocaval compression 32–3
Caesarean section 85, 86
coagulation studies 240
consent 356
extensive 118–21
follow-up 340
kyphoscoliosis 256
meningitis 262
paraesthesia 128–9
peripheral nerve lesions 128–30
sepsis 310
shivering 136–7
spina bifida 279, 280
spinal cord lesions 130–2, 266
- regional analgesia
Caesarean section 106–7
catheter types 122
coagulation studies 240
consent 354, 356
follow-up 340
history 373
inadequate in labour 122–4
inadequate spread 122, 123
instrumental delivery 81
kyphoscoliosis 256
limited unilateral spread 122, 123
management 123–4
paramedian approach 123
shivering 136–7
spina bifida 279
- trial of scar 160
unilateral block 122, 123
- rehydration, hyperemesis gravidarum 200
- relaxation techniques 77
- relaxin 258
placental secretion 27
- remifentanil, systemic 75
- renal blood flow 28
- renal failure 300–1
- renal function in transplantation 320
- reporting schemes 370–1
- research 366–8
- respiration, time to sustained 326–7
- respiratory depression
neonatal 75
opioids 69–71, 75
- respiratory disease 282–3
cystic fibrosis 285
see also acute lung injury (ALI)
- respiratory distress syndrome, premature
rupture of membranes 152, 153
- respiratory function
connective tissue disorders 297–8
Guillain–Barré syndrome 264–5
kyphoscoliosis 256
spinal cord injuries 266
- respiratory support, acute lung injury 290
- respiratory system
delivery 29–30
labour 29–30
neonatal 330, 332
pregnancy 29, 283
- resuscitation
air embolism 146
amniotic fluid embolism 183
collapse on labour ward 179–80
extensive regional block 121
intrauterine 151, 169–70
major obstetric haemorrhage 174
maternal cardiopulmonary 180–1
neonatal 331–3, 333
placenta praevia 164
placental abruption 165–6
postpartum haemorrhage 177
premature rupture of membranes 153
principles 332
trauma in pregnancy 316
uterine inversion 173

- retained products of conception
 - postpartum haemorrhage 177
 - see also* evacuation of retained products of conception (ERCP)
- rheumatoid arthritis 252–4, 297
- risk management 362–3
- ritodrine 150–1
- rocuronium 97, 101
- ropivacaine 44
 - crossing placenta 41
 - differential block 45
 - epidural anaesthesia for Caesarean section 88
 - epidural analgesia 58
 - safety margin 45
- Royal Colleges of Midwives/Obstetricians and Gynaecologists 361
- sacral canal, anatomy 19–20
- sacral plexus 24
- sacral sparing, epidural anaesthesia for Caesarean section 89
- sacrococcygeal membrane 19–20
- sacroiliac joint instability 258
- sacroiliac pain 257
- safety, post-Caesarean section analgesia 105
- salbutamol 150–1
 - intrauterine resuscitation 169–70
- saline infusions
 - intravenous in labour 36
 - postdural puncture headache 115
- sarcoidosis 287–8
- satisfaction scales 342
- scar, trial of 159–60
- schizophrenia 291
- sciatic pain 257
- scleroderma 297, 298
- seizures, types 280
- self-hypnosis 77
- Sellick's manoeuvre 98
- sepsis 308–10
 - intrauterine death 172
- septal defects, corrected 221
- sevoflurane 72–3, 143
 - breast milk 337–8
- sexually transmitted diseases (STDs), hepatitis 302
- Sheehan's syndrome 229
- shivering 136–7
- sickle cell disease 249–50
- sinus tachycardia 210
- Sjögren's syndrome 253
- smoking 313
- social deprivation, antenatal education 347
- Society for Obstetric Anesthesia and Perinatology (SOAP) 369
- spina bifida 278–80
- spinal anaesthesia
 - administration 92
 - aortocaval compression 90
 - block level 90–1
 - Caesarean section 88, 90–4
 - cervical suture 7–8
 - cord prolapse 168
 - cranial spread 93
 - CSF contamination 91
 - extensive regional block 120–1
 - hypotension 90
 - inadequate regional analgesia 124
 - instrumental delivery 81
 - intravenous access 92
 - low back pain 260
 - PDPH 91
 - spina bifida 280
 - vasodilatation 90
- spinal analgesia 67–8
 - continuous 67–8
 - kyphoscoliosis 256–7
 - low back pain 260
 - sepsis 309
 - single-shot 67
- spinal arteries 23
- spinal cord
 - anatomy 22–4
 - compression 131
 - surgical decompression 132
 - injuries 266
- spinal cord lesions
 - causes 131
 - diagnosis 130–1
 - radiology 316
 - regional anaesthesia 130–2
- spinal cord tumours 258
- spinal needle
 - CSE technique 63–4
 - kyphoscoliosis 256–7
 - needle-through-needle technique 64
- ST waveform analysis 53

396 Index

- staff
 conscientious objection to termination of pregnancy 16
 stress 364
 standards 360
 medicolegal aspects 361–2
 minimum 359–62
 national 360–1
 statistical significance 368
 status epilepticus 281
 steroids
 allergic reactions 205
 arachnoiditis 134
 cauda equina syndrome 135
 HELLP syndrome 188
 hyperemesis gravidarum 199–200
 low back pain 259
 management 311–12
 PROM 153–4
 side effects 311
 supplementation 311
 therapy 310–12
 transplantation 319, 320
 stiff joint syndrome 231–2
 stomach emptying, aspiration of gastric contents prevention 139
 stress, counselling 364
 stroke volume, pregnancy 28
 subarachnoid block 61 *see* spinal; combined spinalepidural
 subarachnoid haemorrhage 270, 271
 subarachnoid puncture 61
 subdural block, epidural anaesthesia/analgesia 120
 subdural catheterisation 61
 subdural haemorrhage, dural puncture 112
 substance abuse 312–15
 hepatitis B 302
 psychiatric disease 291, 292
 suction cup *see* ventouse delivery
 sufentanil
 CSE technique 64–5
 epidural analgesia 57–8, 70
 opioid-induced pruritis 135–6
 sugar, blood levels 230
 suicide 290
 sumatriptan, postdural puncture headache 115
 supraventricular tachycardia, paroxysmal 210
 surfactant, lungs 330
 surgery, incidental in pregnancy 12–14
 suxamethonium 101
 allergic reactions 204
 emergency availability 167
 general anaesthesia induction 96
 hepatitis 303
 induction of anaesthesia 143
 resistance in myasthenia gravis 277
Syntocinon *see* oxytocic drugs
 system-based errors 362–3
 systemic analgesia 372
 systemic arterial pressure monitoring 217
 congenital heart disease 222
 systemic drugs 74–6
 systemic lupus erythematosus (SLE) 297
 antibody formation 298
 systemic vascular resistance 28
 systolic murmur 226
 systolic:diastolic flow velocity ratio (SD ratio) 46–7
 temazepam 338
 temperature, maternal rise after epidural analgesia 137
 temporomandibular joint, rheumatoid arthritis 253
 teratogens 5
 risks of maternal surgery 13
 terbutaline 150–1
 intrauterine resuscitation 169–70
 termination of pregnancy 16–17
 acute fatty liver of pregnancy 185
 fetal abnormality/death 17
 maternal indications 17
 thalassaemias 250–1
 thiamine supplements, hyperemesis gravidarum 200
 thiopental
 breast milk 337–8
 convulsions 282
 emergency availability 167
 induction of anaesthesia 96, 143
 thrombocythaemia 233
 thalassaemia 251
 thrombocytopenia 233, 245–7
 thalassaemia 251
 thromboelastography 247
 thromboembolism 250
 thrombophilia 237–9

- thromboprophylaxis
Caesarean section 236, 236
Guillain–Barré syndrome 264–5
obesity 294
pregnancy 235–6
thrombosis, pre-existing thrombophilia 237
thrombotic thrombocytopenic purpura 245, 246
thromboxane–prostacyclin imbalance 197
thyroid disease 228
time to sustained respiration (TSR) 326–7
tissue fragility 298
tobacco use 313
tocolytic drugs 150–1
 incidental surgery in pregnancy 13–14
 intrauterine resuscitation 169–70
 premature rupture of membranes 153
tracheal intubation
 airway obstruction 104
 aspiration of gastric contents
 treatment 140
 awake 103–4, 255
 cervical spine disorders 254, 255
 cricoid pressure interference 99
 difficult 99–103
 extensive regional block 121
 extubation 104
 failed 97, 99–103
 drill 101–3
 fibreoptic 104, 255
 general anaesthesia 100–1
 hypertension 194
 nasal 103–4
 obstetric population 94–5
 oral 103–4
 prediction of difficult 101
 problem incidence 100
 rheumatoid arthritis 254
training
 midwives 351–2
 obstetric anaesthetic 202
transcutaneous electrical nerve stimulation (TENS) 77, 78
 low back pain 259
transplantation 319–21
trauma
 cervical spine 254
 genital tract
 major obstetric haemorrhage 174
 postpartum haemorrhage 177
neurological past history 265–6
pregnancy 315–16
trial of scar 159–60
trichloroethylene 72–3
triplets
 Caesarean section 158–9
 incidence 157–8
trophoblastic tumour, placental site 318
troponin I 85, 226
Tuffier's line 19
twins
 delivery 158–9
 incidence 157–8
 intrauterine death of one twin 172
 placental abruption 165
- UDOR 2
- ultrasonography
 air embolism 145
 diagnostic for retained products of conception 11
 pelvic in ectopic pregnancy 9
 serial 46
 see also Doppler techniques
- umbilical venous catheter 332
- universal precautions, HIV infection 307–8
- urinary catheter, pre-eclampsia 195
- ursodeoxycholic acid 184
- uterine artery occlusion/ligation
 major obstetric haemorrhage 174
 postpartum haemorrhage 178
- uterine contractions
 monitoring 34
 second stage of labour 34
- uteroplacental blood flow 41
 pre-eclampsia effects 191
- uterus
 atony
 major obstetric haemorrhage 174
 postpartum haemorrhage 177
 checking after Caesarean section 85
 Coulvelaire 166
 displacement 32
 evacuation in gestational trophoblastic neoplasia 318
 expansion during pregnancy 28
 incision for Caesarean section 84
 time to delivery 84

398 Index

- uterus (cont.)
 - inversion 107–8, 172–3
 - incidence 172
- oxytocin receptors 151
- relaxation with volatile anaesthetic agents 74
- replacement 173
- rupture with major obstetric haemorrhage
 - 174
- scar rupture 159–60
- vaginal delivery
 - after Caesarean section 159
- Valsalva manoeuvre 121
 - labour 29
- vasa praevia 163
- vasculitis, pulmonary 297–8
- vasodilatation, spinal anaesthesia 90
- vaso-occlusive conditions, sickle cell disease
 - 250
- vasovagal syncope, aortocaval compression 31
- vasulitides 297
- vecuronium 97
- ventilation
 - controlled 332
 - failed 97
 - general anaesthesia 97
- ventouse delivery 80
- ventricular ectopic beats 210
- ventricular hypertrophy 223
- ventricular tachycardia/fibrillation 210
- vertebrae 18–9
- vertebral column curves 18
- vertebral ligaments, anatomy 20
- videos 346–7
- vital statistics 370, 370–1
- vitamin K 184
- vitamin supplements, hyperemesis gravidarum
 - 200
- volatile agents 2
 - alveolar–inspired equilibrium 143
 - cervical suture 8
 - pregnancy 6
 - termination of pregnancy 17
- vomiting in pregnancy 198–9, 200
- von Willebrand factor 241–2
- von Willebrand's disease 240–2
- warfarin
 - breast milk 338
 - fetal effects 6, 218–19, 236
 - prosthetic heart valves 218–19
- water, intravenous in labour 36
- water births 78
- Wernicke's encephalopathy 199
- written information 346–7
- zidovudine 307
- zygote intrafallopian transfer (ZIFT) 1