

# INDEX

abandonment, feelings of, during family conferences, 84-85 agenda setting, for communication, 11-20, 145-146 breakdowns in, 18 clarification of roles in, 18-19 conflicts in, 18 establishing rapport and, 17 feedback for, 15 patient anxiety and, 18 patient-centered, 13-14, 15 physicians' goals in, 14, 15 welcoming statements in, 14-15 apologies, during conflict, 102 avoiders, among physicians, 51 Baile, Walter, 28 biomedical technology, decision making influenced by, 3 "breaking bad news." See "talking about serious news" Brody, Howard, 143 Buckman, Rob, 28 cardiopulmonary resuscitation (CPR), 123 caregiving

chronic illness, physician/patient communication during, 67-76, 147 clinical experience for, 69-70 emotional impact of, 69-70 patients' perspective on, 69 reinvesting in future with, 74-75 therapy completion for, 70-72 therapy side effects of, 72-74 cognitive data, 7 emotion v., 25 communication skills, 1-10. See also agenda setting, for communication; chronic illness, physician/patient communication during; conflict, communication skills and; conflict resolution; emotion data; end of life care discussions, transition to; evidence-based discussions, for treatment options; family conferences; prognosis, discussions about; "talking about serious news" agenda setting and, 11-20, 145-146 benefits of, 2-3, 4-5

during family conferences, 82

stress of, 84

153



# 154

## INDEX

communication skills (cont.)	emotion data during, 101
for chronic illness, 67-76	"establishing a safe space" with,
cognitive data and, 7	100-101
conflict and, 93-104, 148	between physicians, 100-101
as congruence, 143	power hierarchy as influence on, 100
debriefing on, 9-10	recognition of, 94
for DNR orders, 123-130, 149	resolution of, 95
emotion data and, 7	uncivil behavior and, 102-103
for end of life care transition, 107-118,	unresolved, 97-98, 103-104
148-149	unsuccessful, 102
establishing rapport and, 17	conflict resolution, 95
in evidence-based discussions, 39-47,	definition of conflict in, 95-96
146	listening skills for, 96
during family conferences, 79-90, 148	nonjudgmental starting points for, 96
feedback on, 9, 10	options for, 97
importance of, 2–3	shared interests in, 97
Internet access and, 3	congruence, 143
listening as, 96	CPR. See cardiopulmonary resuscitation
maximization of, 8–10	•
medical errors and, 35	death. See good deaths
nonverbal, 27-28	debriefing, on communication skills,
for outpatient chronic illness,	9-10
67, 147	decision making
patience with, 10	aids for, 46
patient-centered, 5, 13–14, 15	biomedical technology and, 3
personal stories as part of, 137–138	patient-led, 43
of physicians, 3–4	patients' role in, 41-43
poor, disadvantages of, 2, 3	physician-led, 43
practice of, 9	shared, 5
as presence, 143	for treatments, 39-47
principles of, 6–7, 145	diagnosis, "talking about serious news"
for prognosis discussions,	after, 21
49-65, 147	DNR orders. See "do not resuscitate"
recordings for, 8-9	orders, communication about
relationship-centered, 5	"do not resuscitate" (DNR) orders,
role of emotion in, 7	communication about, 123-130,
routine patterns of, 3-4	149
for talking about dying, 121-135	abandonment concerns with,
for "talking about serious news," 21-37,	127
146	CPR as assault during, 123-125
for therapy completion, for chronic	emotion data of patients/family,
illness, 70–72	physician response to, 127
for transition to end of life care,	informed consent for, 124, 125
107-118	medical treatment option conflict with,
conflict, communication skills and,	124
93–104, 148	need for discussion about,
in agenda setting, 18	125-126
apologies and, 102	as part of care plan, 126–127
DNR orders and, 124	patient perception of, 126



INDEX 155

dying. See talking about dying, medical ethicists and, 40 communication skills for medical information in, 40-41 emotional intelligence, 122 patient comprehension of, 43 medical training and, 141 patient-led, 43 of physicians, 140-141 physician-led, 43 emotion data, 7 visit preparation for, 42 cognitive v., 25 during conflict, 101 family conferences, 79-90, 148 abandonment feelings during, during DNR orders, of patients/family, 84-85 127 caregiving in, 82, 84 empathy and, 26, 33 in information negotiation, challenges of, 80, 81-82 53-54 clinical information description during, nonverbal communication and, 27-28 concerns/questions for physician from patients who want prognosis during, 86-87 final-decision makers during, 83-84 information, 53-54, 147 in physicians, 101, 139-140 follow-up plans after, 87-88 physicians' response to, 7-8, 26, 32-33 guilt feelings of, during, 84 during talking about dying, 122 individual roles in, 80-81 "talking about serious news" and, interpersonal relationships as influence 22 - 25,30on, 81-82 emotion, use of in communication skills, 7 knowledge assessment during, of family empathy, 26, 33 members, 86 neurobiology of, 33 life-sustaining treatment decisions end of life care discussions, transition to, during, 83 107-118, 148-149 physician neutrality in, 82 acceptance of, 116 preparation for, 85 definition of, 107-110 purpose-setting for, 85-86 denial of medical assessment in, treatment goals during, 87 117 - 118VALUE skills during, 90 feedback for, 113-114 family members. See also talking about negotiation in, 116-117 dying, communication skills for patient goals/values and, 110-112 DNR orders and, emotional response patient readiness assessment in, 110 to. 127 nondisclosure influenced by, 33 patient response to, 116-117 preparation for, 110 talking about dying with, 121-135 as "talking about serious news," 110 "talking about serious news" and, treatment recommendations in, influence on, 33-35 feedback 112 - 113Epstein, Ron, 122 on communication skills, 9 evidence-based discussions, for treatment in end of life care discussions, options, 39-47, 146 See also medical 113-114 information in evidence-based discussions, for aids for, 46 treatment options, 43 decision clarification in, 42 positive, 10 explicit preferences in, 42-43 for setting communication agendas, 15 feedback in, 43 "flight or fight," 22



### 156

#### INDEX

Goleman, Daniel, 122 goodbyes to patients, by physicians, 130-134, 149 abandonment issues in, 132-133 acknowledgment of closure in, 131 as appreciation of relationship, 131-132 avoidance of, 130 patient response to, 131-132 personal reflection after, 132-133 positive effects of, 131 setting/time for, 131 good deaths, 122 Groopman, Jerome, 142 guilt, feelings of, during family conferences, 84

information negotiation, for prognosis discussions, 51-65. See also patients who don't want information, in prognosis discussions; patients who want information, in prognosis discussions conflicts in, between patient and family, 64-65 for content, 52-53 detail levels in, 52 emotional data from patients/family and, 53-54 patient comprehension in, 54 for patients who are ambivalent, 62-64, 147 for patients who don't want information, 57-62, 147 for patients who want information, 52-57, 147 rate of information in, 53 informed consent, 124, 125 Internet, access to communication skills and, 3 medical information and, 40-41

listening skills, 96

medical errors, 35 medical ethicists, 40 medical information, 40–41 informing v. overwhelming for, 41 on Internet, 40–41 medical training, emotional intelligence and, 141

New York Times, 4 nondisclosure, 33 nonverbal communication, 27–28 SOLER acronym for, 28

Oncology Clinic, 34 optimists, among physicians, 51 outpatient serious illness. *See* chronic illness, physician/patient communication during

patient(s) See also end of life care discussions, transition to; talking about dying, communication skills for; "talking about serious news" anxiety of, 18 chronic illness and, physician communication during, 67-76 decision making by, 41-43 denial of medical assessment by, 117-118 DNR orders for, perception of, 126, 127 end of life care discussions with, transition to, 110-112, 116-118 goodbyes from physicians to, 131-132 medical information for, 40-41 with outpatient serious illness, 67 rapport between physician and, 17 talking about dying with, 121–135 patient-centered communication, 5 medical ethicists and, 40 in setting a communication agenda, 13-14, 15 patient-led decision making, 43 patients' denial, of medical assessment, 116-117 patients who are ambivalent, in prognosis discussions, 62-64, 147 physician empathy for, 63 patients who don't want information, in prognosis discussions, 57-62, 147 physicians' assessment of, 59 reasons for, 58 patients who want information, in prognosis discussions, 52-57, 147



INDEX 157

emotional data from patients/family presence, 143 and, 53-54, 147 prognosis, discussions about, 49-65, 147. patient comprehension in, 54 See also information negotiation, for rate of information in, 53 prognosis discussions personal stories, as part of avoiders and, 51 communication skills, 137-138 contradictory impulses in, 49-50 physician-led decision making, 43 information negotiation for, 51-65 physicians. See also conflict, optimists and, 51 communication skills and: conflict realists and, 51 resolution; "do not resuscitate" (DNR) orders, communication rapport, between physician and patient, about; end of life care discussions, 17 transition to; goodbyes to patients, by realists, among physicians, 51 physicians reassurance failure, 25 ambivalent patients and, empathy for, 63 recognition/response to emotion, by avoiders among, 51 physicians, 7-8, 26 chronic illness and, patient framework for, 26-27 communication during, 67-76 nonverbal communication and, 27-28 clinical experience of, for chronic recordings, for communication skills, illness, 69-70 communication agenda goals for, 14, 15 relationship-centered communication, 5 communication skills of, 3-4 Remen, Rachel, 122, 138, 143 conflicts between, 100-101 Rogers, Carl, 143 emotional intelligence of, 140-141 emotion data and, response to, 7-8, 26, Schon, Donald, 122 32 - 33setup, perception, invitation, knowledge, emotion data of, 101, 139-140 emotion, summarize. See SPIKES empathy of, 26 shared decision making, 5 end of life care discussions by, Smith, Tom, 46 107 - 110social intelligence, 141 evidence-based discussions with, SOLER acronym, for nonverbal 39 - 47communication, 28 in family conferences, neutrality during, SPIKES (setup, perception, invitation, knowledge, emotion, summarize), goodbyes to patients by, 130-134, 149 39.60 informed consent for, 124, 125 Stone, Douglas, 96 medical errors and, 35 medical information from, 40-41 talking about dying, communication skills for, 121-135. See also "do not optimists among, 51 outpatient serious illness and, longresuscitate" orders, communication about; goodbyes to patients, by term communication with, 67 patient-centered communication for, physicians DNR orders and, 123-130 5.13 - 14patients who don't want information in emotion data during, 122 prognosis discussions and, 59, 147 existential questions during, 122-123 prognosis discussions by, 49-65 goodbyes to patients, 130-134 rapport between patient and, 17 good deaths and, 122 realist, 51 outcome assessment in, 122 reassurance failure by, 25 patient resistance to, 122



### 158

#### INDEX

"talking about serious news," 21–37, 146
cognitive map for, 28–32
diagnosis of illness and, 21
discussion summary after, 30
emotional data and, 22–25, 30
end of life care discussions as, 110
family member influence on,
33–35
"flight or fight" and, 22
invitation to, 29
medical errors and, 35
nondisclosure and, 33
patient perception assessment for, 29
preparation for, 28–29
reassurance failure with, 25

SPIKES for, 28–32 straightforward disclosure in, 29–30 training. See medical training, emotional intelligence and treatment options decision making for, 39–47 evidence discussion for, 39–47 medical information for, 40–41

uncivil behavior, during conflicts, 102-103

VALUE skills, during family conferences, 90

welcoming statements, 14