

Index

- 5-factor model, personality 337, 391
- abnormal bereavement 379–380
- Abrams, R. 207
- activity, disturbances in 154–157
- acute anxiety 216–217
- acute mania 206–209
- “addictive” personality 361–362
- adhesive personality 358
- adventitious motor overflow 157–158
- affect, definition of 198
- age, influence on diagnostic issues 135–136
- agitation 155–156
- agoraphobia 219–220
- Ahern, G.L. 143
- akathesia 156
- akinetie mutism 161
- alcohol abuse
  - assessment of 127–128
  - personality changes associated with 362
  - traits of early and late onset alcoholics 361
- Alexander, J. 335
- alexithymia 204
- Alice in Wonderland syndrome 267
- alien hand syndrome 187–188
- alienation experiences 57, 260, 278–279
- allodynia 264
- Alzheimer’s disease
  - assessing for early 324
  - behavioral warning signs of 324
  - eliminating in diagnosis 312–313
- ambitendency, catatonic patients 164
- American Psychiatric Association (APA)
  - origins of 39
  - re-formulation of DSM 44–46
- amnesia
  - amnesic disorders
    - assessment of 325–328
    - patterns of onset 326
  - dissociative/psychogenic 141–142
  - following head trauma 126
- Amok, catatonia cultural variant 165–166
- amygdala, function of 72–73
- analgesia 265
- Anatomy of Melancholy, The* (Burton) 29
- Andreasen, N.C. 92
- anger
  - body language 149, 205
  - pathological 204
- animal naming test 316, 317, 323
- anorexia nervosa 301–302
- anosagnosia 57, 199, 259, 298, 324
- anterior cingulate circuit, effects of dysfunction
  - in 62–63, 73
- anterograde amnesia, assessment of 327
- antidepressants, effective for melancholia 377
- antisocial personality disorder 357
  - appearance 145, 264
  - example of false negative diagnosis 353
  - observable behaviors 356
- anxiety
  - body language 205
  - classic syndromes and features
    - acute anxiety 216–217
    - chronic anxiety 218–219
  - generalized anxiety disorder (GAD) 218–219, 219–220
  - neurasthenia and chronic fatigue 219
  - panic attack 217
  - phobic-anxiety-depersonalization syndrome (PAD) 220
  - specific phobia 217–218
  - and dysfunction in serotonin system 62
  - medication for 29
- apathetic/avolitional syndrome 11, 58, 60, 388
- apathy 201
- aphasia 225–229
  - FTD as a form of 239–243
  - speech patterns 227, 240
- aphemia (mutism) 161, 232
- aphonia 231
- appearance *see* general appearance
- apraxic agraphia 187
- Aretaeus of Cappadocia 23
- arousal
  - assessment of 318
  - disorders of 171
  - effects of decreased 138–139

Cambridge University Press

978-0-521-71391-7 - Descriptive Psychopathology: The Signs and Symptoms of Behavioral Disorders

Michael Alan Taylor and Nutan Atre Vaidya

Index

[More information](#)**473 Index**

- effects of increased 137–138
- evoked by emotionally salient stimuli 72
- right hemisphere involvement 64
- assessment
  - amnesic disorders 325–328
  - of drug and alcohol abuse 127
  - of intelligence 317, 335
  - of personality
    - clinical importance of 364
    - normal traits 338–340
  - past illness, questions for 122
  - sources of a delusion 275–276
  - suicide risk 117
  - using humor during 205–206
  - see also* cognitive testing, neuropsychological evaluation
- astasia–abasia 189
- asterixis 168
- asynergy 178
- athetosis 175
- auditory hallucinations 78–79, 262–263
- auditory letter cancellation test 318
- autobiographical memory, assessment of 327
- autochthonous idea 277–278
- automatic obedience 164
- automatisms 169
- autoscopic hallucinations 259
- avolition 200–201
- avolitional syndrome 11, 58, 60, 388
- Axis II personality disorders
  - problems with classification 352–353
  - proposed reclassification of 391–392, 395
- Baillarger, Jules 31
- Balint syndrome 193
- ballismus 174
- basal ganglia function and disease 68, 70, 172–177
- Beard, George 28, 219
- Beck Depression Inventory (BDI) 119, 120
- bedside cognitive assessment, reasons for 313–315
- behavior
  - cultural differences in social 136–137
  - free-field observation of 135
  - heritability of personality traits 335–336, 338
  - implication of sudden changes in 146
  - reflecting cognitive function 311–313
  - see also* brain–behavior relationships
- behavioral disease versus behavioral deviation 53
- behavioral disorder, difficulty defining 54
- behavioral disturbances, patients with GTS 300
- behavioral traits 335–336
  - behavioral activation
    - examination of 339
    - high and low tendencies 342
  - behavioral inhibition
    - examination of 339
    - high and low tendencies 342
  - behavioral maintenance
    - examination of 340
    - high and low tendencies 342
- change in, early sign of frontal–temporal
  - dementia 322, 322
  - with high heritability 338
  - see also* personality
- Bell, Luther 210
- Bell's mania 138, 160, 210
- benign neonatal sleep myoclonus 172
- benign stupor 138, 222
- bereavement
  - abnormal, proposed reclassification as melancholia 379–380
  - effect on personality 343–344
- Bertelsen, A. 8
- bipolar and unipolar disorder
  - classification issues
    - laboratory verification 381–382
    - syndrome delineation 380–381
    - treatment validation 382–383
- Bleuler, Eugen 36–37, 41–42, 153, 235–236, 237, 244, 333, 385
- body dysmorphic disorder (BDD) 303–304
- body injury, effect on personality 346
- body language, aid to diagnosis 149, 205
- body size and shape, indicative of disease and personality traits 147
- body and spatial orientation, early Alzheimer's disease 324
- body type, personality theories 332–333
- borderline personality 357
  - example of false positive diagnosis 353–354
  - proposed changes to classification of 392
- brain–behavior relationships 53, 183
  - boundary between wellness and disease 53–54
  - guided by brain functional organization 57–59
  - and recognition of neurologic disease 56–57
- brain correlates of mental activities 54–56
- brain functional systems and psychopathology 57–59
  - cerebral hemispheres 63–67
  - delusions 80–82
  - emotion 71–76
  - frontal lobes 59
    - anterior cingulate circuit 62–63
    - dorsolateral circuit 59–60
    - orbitofrontal (ventral) circuit 60–62
  - hallucinations 76–80
  - motor system 67–71
- brainstem, function of 67–68
- Brief Psychiatric Rating Scale (BPRS) 121
- brief psychotic disorder 383, 385–386
- Briquet, Pierre 28, 264
- Briquet's syndrome 264
- British Journal of Psychiatry* 32, 41
- Broddignagian hallucinations 259
- bulimia nervosa 302–303
- Burrows, George 138, 212–213
- Burton, Robert 29
- caffeine
  - effect on psychopathology 362
  - sensitivity to and anxiety disorder 127

Cambridge University Press

978-0-521-71391-7 - Descriptive Psychopathology: The Signs and Symptoms of Behavioral Disorders

Michael Alan Taylor and Nutan Atre Vaidya

Index

[More information](#)**474 Index**

- Cameron, N. 237–238
- camptocormia 189
- Capgras syndrome 81, 279–280
- carbon monoxide poisoning, effects of 9–10, 179
- Cassano, G.B. 381
- catalepsy 163, 169
- cataphasia 161, 237
- cataplexy 172–203
- catatonia 158–161
  - ambitendency 164
  - automatic obedience 164
  - catalepsy and posturing 163
  - conditions associated with 387–388
  - cultural variants 165–166
  - DSM and ICD failure to define 11–12
  - early descriptions of 34–37
  - and executive function deficits 59
  - Kirby's link to mood disorder 38
  - Kraepelin's formulation 38
  - link with depressive stupor 378
  - mannerisms 165
  - negativism and *Gegenhalten* 162–163
  - prevalence of 388
  - proposed changes to present classification system 372
  - proposed removal from schizophrenia criteria 384
  - rating instruments 121
  - speech disturbances 161–162
  - speech and language features 248
  - stereotypy 163–164
  - stupor 162
- categorical diagnostic criteria
  - creating false positive and negative diagnoses 8–13, 352–354
  - instability of 354
  - for personality disorder 336
  - poor definition of 13–15
- central pain 265
- cera flexibilitas, cataleptic patients 163
- cerebellum, function and cerebellar disease 69, 177–179
- cerebral blood flow studies 80
- cerebral hemispheres
  - cerebral cortical regions 65–66
  - cerebral hemisphere disease, assessment of 328
  - cortical organization 63
  - hemisphere differences and psychopathology 66–67
  - hemisphere functional asymmetry 63–65
- Charcot, Jean-Martin 25
- Charney, D.S. 156
- Cheyne, George 27
- child abuse, obtaining history of 126
- childhood health, assessment questions 126
- choreiform movements 157–158
- Christodoulou, G.N. 280
- chronic anxiety 218–219
- chronic emotion, effects of 74–75
- chronic fatigue syndrome (CFS) 219
- chronic pain 265–266
- circumlocutory speech 242
- circumstantial speech 233
- clang associations 236
- classification system *see* psychiatric classification
- Claude's syndrome 168
- clock drawing, cognitive test for dementia 320
- Cloninger, C.R. 336, 337, 391
- Cluster A personality disorders 355–356
  - observable behaviors 355
  - proposed elimination of 392
- Cluster B personality disorders 356–357
  - observable behaviors 356
  - proposed dimensional definition 392
- Cluster C personality disorders 357–358
  - observable behaviors 358
  - proposed dimensional definition 392–393
- cluster headaches, questions for past illness 124
- cognitive dysfunction 310–311
  - behaviors suggesting 314
  - classification issues 388
  - in manic-depression 75–76
  - questions for past illness 124–125
  - in schizophrenics 246
- cognitive testing
  - Alzheimer's disease, warning signs of 324
  - amnesic syndromes 325–328
  - assessment methods 315–316
  - the big cognitive picture, establishing 312–313
  - cerebral hemisphere disease 328
  - cognitive dysfunction 310–311
  - delirium 318
  - dementia syndrome 319–321
  - early Alzheimer's disease 324
  - frontal-temporal dementia 322
  - frontal-temporal dementia, warning signs of 322
  - general intelligence 317
  - guidelines for assessment 316
  - integrating behavior with cognition 311–312
  - left cerebral hemisphere bedside tests 329
  - principles of bedside cognitive assessment 313–315
  - right cerebral hemisphere bedside tests 329
  - (specific assessment) opening comments 317
- color spectrum distortions 254–255
- combat neuroses 28, 300
- community psychiatry movement 42
- complete auditory hallucinations 262–263
- compulsions 176–177
  - compulsive notions 287–288
  - compulsive sexual behaviors 305–306
  - see also* obsessive-compulsive disorder (OCD)
- confabulation 286
- constricted affect/emotional expression 202
- construction dyspraxia 167
- control, experience of 278
- conversational speech, aspects of 224–225, 226
- conversion disorder 57, 179–184
  - models of 184–187
  - proposed elimination of category 391
- conversion hysteria, rare motor syndromes
  - mistaken for 187–190

Cambridge University Press

978-0-521-71391-7 - Descriptive Psychopathology: The Signs and Symptoms of Behavioral Disorders

Michael Alan Taylor and Nutan Atre Vaidya

Index

[More information](#)**475 Index**

- coordination problems 178
- cortical disease, distinguishing from
  - subcortical 328–329
- cortisol levels in manic-depression 76, 376, 381–382
- Cotard syndrome 57, 281
- Courbon, P. 280
- Critchley, MacDonald 57
- crying, pathological 202
- Cullen, William 27
- cultural differences
  - bereavement 344
  - catatonia 165–166
  - in social behaviors 136–137
- culturally deviant ideas 289
- cycloid psychosis 386–387
- cyclothymia 210, 211
  
- Damasio, A. 55
- Davis, K.L. 337
- declarative memory, assessment of 326–327
- degenerative brain disease, identifying early
  - stages of 319–321
- déjà vu, false memories 286
- delirium
  - assessment of 318
  - delirious mania 154–155, 160, 210, 258
  - delirious melancholia 213–214
  - speech and language features 248
- delusional atmosphere/mood 277
- delusional disorder 281
  - erotomania 281–282
  - paranoia 284
  - paraphrenia 284
  - with depression 283
  - with grandiose delusions 282
- delusional perception 278
- delusions 272, 276–277
  - delusional memories 285–287
  - diagnosing 97–98, 275
  - neurology of 80–82
  - obsessions and ruminations 288
  - of psychotic depression 215
  - over-valued ideas/beliefs 287
  - primary and secondary 276
  - sources of development 273–276
  - types of 277–281
  - see also* delusional disorder
- dementia
  - assessment of 319–321
  - frontal-temporal, assessing for 322
  - speech and language features 248
- dementia praecox 32, 34–36
  - emotional blunting 199
  - Kraepelin's tripartite mind concept 244
- Dementia Praecox or the Group of Schizophrenias* (Bleuler) 41
- demoralization due to terminal illness 345
- denial of illness (anosagnosia) 57, 199, 259, 298, 324
- dependent and avoidant personality, proposed
  - changes to classification 393
- depersonalization 140–141
  - phobic-anxiety-depersonalization syndrome (PAD) 220
- depression/depressive illness
  - body language 205
  - identifiable with melancholia syndrome 375–376
  - perinatal, proposed reclassification as melancholia 378–379
  - poor validity of DSM classification 375
  - with catatonia or stupor, as severe form of melancholia 378
  - see also* major depression
- derailment 243
- derealization 139, 140–141, 267
- dereistic thinking 278
- descriptive psychopathology principles 91–92
  - objective observation 92–94
  - precise terminology 94–97
  - separation of form from content 97–98
- deviance without psychopathology 341
- deviant sexual behavior 305
- deviant temperament dimensions and associated
  - psychopathology 358, 359
- Devinsky, O. 143, 182
- dexamethasone suppression test (DST), non-suppression and melancholia 376, 379–380
- diagnosis
  - DSM and ICD classification systems
  - false positives and negatives 8–13, 352–354
  - offer false choices 13
  - poor validity of 8
  - weak reliability of 5–6
  - eliminating possibilities to reach 104–105
  - importance of obtaining complete symptom features 98–101
  - principles of 101–104
- digit span, cognitive test for dementia 319
- digit symbol substitution test 331
- dimensionality
  - models for personality disorders 391–392
  - of personality traits 337, 351–352
  - stability of 354
- disconnection syndromes 192–193
- disinhibited syndrome 60–61
  - proposed inclusion as separate category 388
- disorder, problems with DSM definition of 54
- dissociation 26
- dissociative disorders 139
  - depersonalization and derealization 140–141
  - dissociative amnesia 141–142
  - dissociative fugues 142
  - dissociative identity disorder (DID) 142–145
  - proposed changes in classification 374–375, 391
- divorce, effects on personality 345–346
- Doppelgänger phenomenon 259
- dorsal emotion system 71–72
- dorsolateral circuit, frontal lobes, effects of
  - dysfunction in 59–60
- dress, excessive self-decoration and
  - mania 145–147
- dressing dyspraxia 167

476 Index

- driveling speech 243
- drug use, assessment of 127
- DSM
  - checklist approach leading to misdiagnosis 15–18
  - conversion symptoms 179
  - DSM-II criteria, failure of in selecting treatments 40
  - DSM-III
    - major changes in classification 45–46
    - origins of 44–45
  - DSM-IV
    - criteria for schizophrenia 49
    - terminology for emotional experiences 198
  - formulations of personality disorder 336
  - inadequacy of 3–4
  - non-theoretical system 18
  - problems with classification system 371
  - uncertain classification validity 8
  - weak diagnostic reliability 5–6
- Duck Principle, diagnosis 101
- dysarthria 230
- dysdiadochokinesia 178
- dysesthesia 265
- dysgraphia 229
- dyskinesia 174–175
  - tardive dyskinesia (TD) 175–176
- dyslexia 230
- dysmegalopsia 254
- dysmetria 69, 178
- dysmorphophobia 303–304
- dysmorphopsia 254
- dysphonia 231
- dyspraxia 166–167
- dyssomnias, movements associated with 169–170
- dysthymia 210, 374–375
- dystonia 169, 173–174
- eating disorders 301–303
- écho de la pensée (thought echo) 263
- echolalia 160, 162
- echopraxia 160, 162
- electroconvulsive therapy (ECT) 40
  - and anterograde amnesia 315, 327
  - effective for melancholic/psychotic depressive illness 214, 376–377
- elementary hallucinations 258
- elliptical speech 240–241
- emotion
  - brain regions involved in 72–73
  - chronic 74–75
  - definition of 198
  - primary and secondary 73–74
  - stimuli evoking 71
  - subjective experiences of 55
  - ventral and dorsal systems 71–72
- emotional blunting 199–200
- emotional experience 197
  - terminology of 197–198
- emotional expression
  - appropriateness of 203–204
  - aspects of 199
  - disturbances in
    - examining for 205–206
    - intensity 199–201
    - quality 202
    - variability 202–203
  - link with movement 153
  - manic-depression, classic syndromes of 206–211
  - recognition of emotion 204–205
- emotional incontinence and paroxysms 202
- emotional personality 359
- empathy
  - deficits in expression of 204–205
  - definition of 198
  - empathic understanding 91–92
- environment, effect on personality 338
- epilepsy, abnormal movements seen in 169
- “epileptic” personalities 358–359
- episodic memory, assessment of 327
- erotomania 281–282
- Esquirol, Jean-Etienne 30, 281
- executive function 150–151
  - role of frontal lobes and effects of deficits 59
- experiential hallucinations 258
- expressed emotion 120
- extracampine hallucinations 258
- eye movement abnormalities 167–168
- Eysenck, H.J. 337
- facial expression, aid to diagnosis 148–149
- factitious disorder 363–364
- factitious/malingering model, idiopathic
  - movement disturbances 185
- factor analysis 335, 348
- Fail, G. 280
- Falret, Jean-Pierre 30, 287
- false memories 285–287
- false positives and negatives, diagnosis 8–13, 352–354
- fantastic confabulation 286
- fantastic illusions 255
- fatigue, chronic fatigue syndrome (CFS) 219
- faulty thinking, source of delusions 274
- feeling, definition of 198
- Feighner, J.P. 264
- Feuchtersleben, Ernst von 333
- fine motor problems 158
- finger tapping, fine motor problems 158
- Fink, M. 166, 373–374
- First, M.B. 374
- first rank symptoms (FRS) 232, 262–263
- Fish, Frank 234, 238, 255
- flight-of-ideas 233–236
- folie à deux 287, 387
- forced vocalizations 299–300
- formacation hallucinations 260
- formal thought disorder (FTD) 237
  - as a form of aphasia 239–243
  - historical perspective 237–239
- “free-field” behaviors, observation of 135
- free recall, assessment of 328
- Fregoli, Leopold 280

477 Index

- Fregoli syndrome 81, 280
- Freud, Sigmund 25–26, 39, 53, 333–334
- “frontal lobe” personality, features of 360
- frontal lobe syndromes, proposed inclusion as separate categories of cognitive disorder 388
- frontal lobes, functions of and psychopathology 59–63
- frontal–temporal dementia
  - behavioral warning signs of 322
  - cognitive testing 322
- fugues, dissociative 142
- functional hallucinations 258
- gait problems 156–157
- Galen 23, 26
- Gall, Franz Joseph 30, 332
- gambling, pathological 297
- Ganser’s syndrome 162, 236
- gaze, disturbances in 168
- Gegenhalten (negativism) 162–163
- gender
  - identity and sexual orientation 341–343
  - influence on diagnostic considerations 135–136
- gene environment interactions, personality 338
- general appearance 133
  - body size and shape 147–148
  - depersonalization 140–141
  - dissociation 139
  - grooming, hygiene and dress 145–147
  - level of arousal 137–139
  - using to define the “big picture” 133–136
- General Psychopathology* (Jaspers) 12
- generalized anxiety disorder (GAD) 218–219, 219–220
- genetics, behavioral investigations of
  - personality 336
- gestures, aid to diagnosis 149–150
- Gilles de La Tourette’s syndrome (GTS) 299–300
- Gjessing, R. 160
- glucose metabolism, changes in
  - manic-depression 382
- Goldstein, K. 238
- Goodwin, F.K. 381–382
- Gould, R. 181, 182
- Gray, J.A. 335
- greetings, normative, illness changing nature of 137
- Griesinger, Wilhelm 31
- Gull, William 301
- gustatory hallucinations 260–261
- hallucinations 76–80, 257–262
- Hamilton Rating Scale for Depression (HAM-D) 119, 120
- Hammond, William 30, 209, 213, 215, 277, 281, 287
- hand gesturing, aid to diagnosis 149–150
- Haslam, John 30, 209
- head injury, assessment of 126–127
- headaches *see* migraine
- hebephrenia 36
- Hecker, Ewald 34
- Heinroth, Johann Christian 31
- hemidepersonalization 141
- hemisphere differences and psychopathology 66–67
- hemisphere lateralization 65
- heritability
  - behavioral traits 336, 338
  - bipolar/unipolar conditions 380–381
  - Cluster A personality disorders 355
  - OCD spectrum disorders 389
  - perinatal depression 378–379
- Hill, C.G. 40
- hippocampus, role in inhibiting stress response 73
- Hippocrates 23, 24, 26
- Hirschfeld, R.M. 11
- history taking, neuropsychological evaluation 117–118
- histrionic personality disorder 356
- hoarding, feature of OCD 296
- Hoch, August 222
- Hoche, Alfred 37
- Hollander, E. 389
- homicidal thoughts 288–289
- homosexuality 341–342
- humor
  - and laughter 55–56
  - using during assessment 205–206
  - Witzelsucht 202
- humoral theory 24, 332
- Huntington’s disease, choreiform movements 157–158
- hygiene, lack of 145
- hyperactivity 154–155
- hyperalgesia 265
- hyperesthesia 254
- hypergraphia 229
- hypersomnia 139
- hyperthymia, manic-depressive patient 210
- hypnogogic and hypnopompic hallucinations 257
- hypnogogic and hypnopompic jerks 171
- hypnosis 25
- hypoactivity 155
- hypochondriasis 27, 304–305
- hypoesthesia 254
- hypomania 206
  - questions for past illness 123
- hysteria 25–28, 53
  - neurological basis for symptoms 179–180
- ICD-10
  - diagnostic classification, inadequacy of 3–4
  - format limiting meaningful examination 15–18
  - non-theoretical system 18
  - problems with classification system 371
  - weak diagnostic reliability 8
- idea fluency, frontal–temporal dementia 323
- ideas of reference 277
- ideo-motor dyspraxia 166–167
- idiopathic movement disturbances
  - pathophysiology of 184–187
  - specific 184

478 Index

- illicit drug use
  - effects of 128–129
  - personality changes associated with 362, 363
  - personality traits associated with 362
- illness, definition of 54
- illnesses, questions for extracting past history 122
- illusions 255
- impersistence 157
- “impulse control disorders”
  - OCD variants of 296–298
  - proposed elimination of category 391
- information storage and retrieval, brain systems
  - involved in 66
- injuries, effect on personality 346
- insula, function of 72
- intelligence testing 317, 335
- intense emotion, source of delusions 274
- intention tremor 178
- internal speech 56
- interpretation versus objective observation 92–94
- intersex 343
- irritability, manic-depressive patient 210
- jamais vu, false memories 286
- Jamison, K.R. 381
- Janet, Pierre 25–26, 333
- jargon agrammatism 243
- Jaspers, Karl 12, 32, 37–38, 91–92
- jealousy, delusions of 282, 289
- Jorden, Edward 27
- Kahlbaum, Karl Ludwig 33–34, 284
- Kahlbaum’s syndrome, catatonia 159
- Kasanin, John 43
- Kimhy, D. 80
- kinesthetic dyspraxia 167
- Kirby, George 38
- Kleist, Karl 32, 238–239
- kleptomania 297
- Klüver–Bucy syndrome 73
- Koch, Julius Ludwig August 333
- Kraepelin, Emil 34–36, 153, 199–200, 213, 233–234, 241–242, 244, 284, 333
- Krem, M. M. 183
- la belle indifference 57, 181, 183
- lability of emotional expression 202–203
- Langfeldt, Gabriel 43
- Langfeldt, Karl 385
- language
  - internal speech, mental activity of 56
  - see also* speech and language disturbances
- Lasegue, Ernest-Charles 287
- Latah, catatonia cultural variant 165
- laughter 55–56, 202
- learning theory 334
- left cerebral hemisphere
  - cognitive bedside tests 329
  - functions of 64
- Leonhard, Karl 43, 161, 386
- Lepois, Charles 27
- Lilliputian hallucinations 259
- lithium therapy 377, 382
- logoclonia 232
- logorrhea (pressured speech) 231
- looseness-of-association 235–236, 237
- Luria, Alexander 150
- lycanthropy, catatonia 166
- major depression
  - low threshold for diagnosis 375
  - proposed changes to present classification system 374
  - separating into melancholia and non-melancholia 374, 377–379
- malapropisms 242
- malignant catatonia 159–160
- malingered 363–364
- manganese poisoning, effects of 192
- mania
  - acute mania 206–209
  - body language 205
  - delirious mania 138, 154–155, 160, 210
  - questions for past illness 123
  - speech and language features 248
- manic-depression
  - bipolar and unipolar depression as subgroups of 381–382
  - and bulimia nervosa 303
  - delineation into unipolar and bipolar categories, family studies 380
  - indicated by excessive self-decoration 146–147
  - link to classic OCD 295, 296, 298–299
  - misdiagnosed as schizophrenia 43–44
  - neurology of 75–76
  - personality changes 359
  - symptoms in children 210–211
  - symptoms of melancholia in 216
  - syndromes of
    - acute mania 206–209
    - cyclothymia 210
    - delirious (Bell’s) mania 210
    - hypomania 206
- Manic-Depressive Insanity and Paranoia* (Kraepelin) 233
- manner of patient, aid to diagnosis 148
- mannerisms, catatonic patients 165
- manneristic speech 230
- Manual of Psychological Medicine* (Tuke and Bucknill) 32
- Maudsley, Henry 31–32
- Mayer-Gross, W. 40
- McClure, J.N. 29
- melancholia 211–212
  - associated with mania 215–216
  - and bereavement 343
  - classification of 375–377
  - conditions considered as severity modifiers of 377–380
  - laboratory verification 376
  - syndrome delineation 375–376
  - treatment validation 376–377



Cambridge University Press

978-0-521-71391-7 - Descriptive Psychopathology: The Signs and Symptoms of Behavioral Disorders

Michael Alan Taylor and Nutan Atre Vaidya

Index

[More information](#)**479 Index**

- cognitive deficits 75–76
- delirious melancholia 213–214
- psychomotor disturbance in 156
- and psychotic depression 214–215
- questions about past illness 122–123
- simple melancholia 212–213
- speech and language features 248
- symptoms of 216
- with movement disorder 185–186
- see also* anxiety
- melancholia attonita 138, 192
- memory
  - deficits, assessment of 325–328
  - disturbance, source of delusions 274–275
  - test batteries 331
  - tests for early Alzheimer's disease 325
- memory hallucinations 286
- mental activities, neurological processes
  - underpinning 54–56
- Merskey, H. 143
- Mesmer, Franz Anton 25
- mesmerism 25
- Mesulam, M.-M. 143
- meta-memory, assessment of 327
- Meyer, Adolf 39
- Meynert, Theodor 82
- micrographia 229
- migraine
  - link with seizure disorder 266
  - perceptual disturbances associated with 144, 266–269
  - questions for past illness 124
- mild cognitive impairment (MCI), dementia 319
- Miller–Fisher syndrome 168
- Millon, Theodore 336
- Mini Mental State Examination (MMSE) 313, 325
- Minnesota Multiphasic Personality Inventory (MMPI) 335, 348
- misdiagnosis
  - due to reliance on few symptoms 15–18
  - of mood disorders as schizophrenia 42–44
- misidentification delusions 279–280
  - and dysfunction in non-dominant hemisphere 81
- mitgehen and mitmachen, automatic obedience, catatonic patients 164
- modulation of speech 231
- monomania 281
- Montgomery–Asberg Depression Rating Scale 119, 120
- mood, definition of 198
- mood disorder
  - classification 374–375
  - bipolar and unipolar categories 380–383
  - melancholia 375–377
  - definition of 198
  - and motor disturbances, diseases associated with 153, 154
- Morel, Benedict Augustin 32
- motivation, link with motor system 153
- motor aprosodia 200
- motor function disturbances 153–154
  - conversion and hysteria 179–187
  - disturbances in activity
    - agitation 155–156
    - akathisia 156
    - gait problems 156–157
    - hyperactivity 154–155
    - hypoactivity 155
  - disturbances of motor regulation 157–158
  - rare motor syndromes mistaken for conversion hysteria 187–190
- motor sequencing difficulty 158
- motor system
  - functioning and psychopathology 67–69
  - three-way view of 70–71
- Müller–Lyer illusions 255
- multiple personality disorder 142–145
- Munchausen syndrome 363, 367
- musical hallucinations 79, 262
- mutism 161, 232
- myoclonus 168, 169
- narcissistic personality disorders 356
- narcolepsy 172–203
- natural disaster, effect on personality 346
- negativism, catatonia 162–163
- Nelson, J.C. 156
- neologisms 242
- neurasthenia 219
- neuroleptic malignant syndrome (NMS) 159–160, 191
- neuropsychiatric evaluation 107
  - behavioral domains 111
  - examination structure 110–112
  - examination style 107–110
  - examining for risk of violence 112–116
  - history taking, big picture illness patterns 117–118
  - special examination techniques 112, 113–114
  - symptom rating scales 118–119
- neurosis, theories of 27, 28–29
- nicotine, effect on psychopathology 362
- night terrors 171
- nihilistic delusions 57, 281
- nocturnal eating and drinking disorder 170
- nocturnal leg cramps 171
- non-delusional abnormal thought content 288–289
- non-independent model, idiopathic movement disturbances 185
- non-melancholic depression 374–375
  - and bipolar/unipolar dichotomy 380
- non-sequitive speech 241
- non-verbal communication 148–150
- nosology, emergence of present-day 33–39
- “not otherwise specified” (NOS) diagnosis 11–13
- objective observation, importance of 92–94
- obsessions 287–288
- obsessive–compulsive disorder (OCD) 293
  - classic OCD syndrome 295–296
  - anorexia nervosa 301–302



480 Index

- obsessive-compulsive disorder (OCD) (Cont.)
  - body dysmorphic disorder (BDD) 303–304
  - compulsive sexual behaviors 305–306
  - Gilles de La Tourette’s syndrome (GTS) 299–300
  - hoarding 296
  - hypochondriasis 304–305
  - “impulse control disorders” 296–298
  - and PANDAS 300–301
  - and psychosis 298–299
  - classification issues 388–390
  - link to dysfunction in orbitofrontal circuits 61–62
  - OCD spectrum 293–295
  - seen in animals 62
- obsessive-compulsive personality 306, 390, 393
- olfactory hallucinations 79–80, 260–261
- oneiroid state/syndrome 11, 138–139, 160
- Origins of Modern Psychiatry, The* (Thompson) 22
- pain 264–266
- pain asymboly 297
- palilalia 162, 232
- palinacousis and palinopsia, functional hallucinations 258
- PANDAS (pediatric autoimmune neuropsychiatric disorder associated with Streptococcus infection) 300–301
- panic attack 217
- panoramic hallucinations 259
- parakinetic catatonia 161
- paramnesia (false memories) 285
- paranoia 284
- paranoid personality 359
- paraphasias, in and out-of-class 241–242
- paraphilia 305–306
- paraphrenia 284
- parasomnias, movements associated with 171–172
- parathymia 203–204
- parent–child relationships, helping to define the “big picture” 134–135
- paresthesia 260
- parietal lobe functions 65
- Parinaud’s syndrome 168
- Parkinson’s disease (PD), personality deviations associated with 361
- Parkinsonism 174
- paroxysmal dyskinesia 189–190
- passivity delusions 57, 278–279
- past experiences
  - implications for present illness 125
  - obtaining history of 125
- past-pointing (dysmetria) 178
- pathological crying and laughter 202
- pathological inertia 157
- pathological intoxication 222
- paucity of speech 231
- peduncular hallucinations 259
- Penfield, Wilder 258
- perceptual disturbances 253
  - alterations in somatosensory experience 264–269
  - associated with migraine 266–269
  - further examination techniques 263–264
  - hallucinations 76–80, 257–262
    - neurology 76–78
  - psychotic depression 215
  - perceptual distortions 253–255
  - psychosensory phenomena 255–257
  - as a source of delusions 273
- perinatal depression, proposed reclassification as melancholia 378–379
- periodic catatonia 160–161
- periodic limb repetitive flexion movements, dyssomnia 169–170
- periodic paralysis 188
- Perris, C. 387
- persecutory delusions 277
  - diagnosing 97–98
  - and paranoia 284
  - psychological theories of 81–82
- perseveration 157
- perseveration of speech 233
- personality 332
  - abnormal versus normal behaviors 351–352
  - assessment of 338–340
  - deviance without psychopathology 341
  - effects of difficult circumstances 343
    - bereavement 343–344
    - body injury 346
    - combat, torture and terrorism 347
    - divorce 345–346
    - natural disaster 346
    - sexual trauma 346
    - terminal illness 344–345
  - empirical studies
    - early 335
    - recent 335–336
  - frontal lobe personality, features of 360
  - gender identity and sexual orientation 341
  - homosexuality 341–342
  - intersex 343
  - transsexualism 342
- present-day image of normal 336–338
- theories of
  - humoral theory 332
  - learning theory 334
  - phrenology and body type 332–333
  - psychoanalytic theory 333–334
  - psychopathic constitutions 333
- personality disorders
  - assessment of, clinical importance of 364
  - Cluster C observable behaviors 357–358
  - due to illness or injury 358–361
  - evidence-based re-classification of 391–393
  - link with alcohol and drug use 361–363
  - malinger and factitious disorder 363–364
  - present classification of 354–358
  - problems with 352–354
  - proposed changes to 372–373
- phantageusia 261
- phantasmia 261

481 Index

- phenomenology, descriptive psychopathology
  - as 91–92
- phobias, specific 217–218
- phobic-anxiety-depersonalization syndrome (PAD) 220
- phonemes (hallucinated voices) 261–262
- photopsia 271
- phrenology, personality theories 332–333
- physical anomalies 148
  - association with disease 147–148
- Pinel, Phillippe 347
- Piper, A. Jr. 143
- Pitts, F.N. 29
- portmanteau words 242–243
- post-concussion syndrome, assessment questions 127
- post-traumatic stress disorder (PTSD) 28
  - assessment questions 127
- posturing 163, 169
- praxis, visual-spatial function testing 325
- prefrontal cortex
  - role in emotional regulation 73
  - role in movement 68
- pregnancy and post partum problems 125–126
- pressured speech (logorrhea) 231
- primary emotions 73–74
- primary and secondary gain 194
- primordial delusion 277–278
- private word usage 241–242
- problem solving abilities
  - assessing in frontal-temporal dementia 323
  - frontal-temporal dementia 323
- procedural memory
  - assessment of 328
  - problems 178–179
- prosectic speech 162
- proskinesis (automatic movements) 164
- pseudo-hallucinations 257
- pseudoseizures 179, 180, 182–183
- pseudodementia 102
- pseudologia fantastica 286–287
- “pseudopsychopathic personality” 61
- psychiatric classification
  - frontal lobe syndromes, proposed
    - inclusion in 388
  - historical perspectives 22–23
    - decline of diagnostic standards 39–44
    - driven by theory 23–29
    - emergence of present-day nosology 33–39
    - formulation of DSM 44–46
    - nineteenth century ideas 29–33
    - pre-nineteenth century 29
    - and OCD spectrum 293–294
  - personality disorder
    - present categorical system 336, 354–358
    - diagnostic instability of 354
  - problems with present system 5–15, 371
  - personality disorder classifications 352–354
  - proposed changes to present system
    - 371–374
  - personality disorders 391–393
  - somatoform disorders 390–391
- psychoanalysis
  - influence on decline of psychiatric diagnostic standards 39–40
  - psychoanalytic model, post World War II in USA 41
  - psychoanalytic theory 333–334
  - treatments challenging model of 40
- psychogenic (dissociative) amnesia 141
- psychogenic movement disorders, diagnosis and misdiagnosis of 180–183
- “psychogenic pain” 265–266
- psychomotor disturbance, in melancholia 211
- psychopathology, shown in brain disease and dysfunction 56–57
- psychosensory phenomena 255–263
- psychosis
  - and classic OCD syndrome 298–299
  - questions for past illness 123
- psychotic depression 214–215
  - as severe form of melancholia 377–378, 380
  - voice hallucinations in 261
- psychotic disorders
  - classification
    - catatonia 387–388
    - proposed changes to 383–384
    - schizoaffective disorder 386–387
    - schizophrenia 384–385
    - schizophreniform psychosis 385–386
    - shared psychotic disorder 387
    - proposed changes to present classification system 374
- pyromania 297
- race and ethnicity, influence on diagnostic considerations 136
- rambling speech 236–237
- rating scales, limitations of 118–119
- reading difficulties 229–230
- recall of word pairs, test for dementia 320–321
- receptive aprosodia 204–205
- recognition, assessment of 328
- reflex hallucinations 258
- regulation of movement, disturbances
  - in 157–158
- relationships, parent-child, defining the “big picture” 134–135
- religious beliefs about mental illness 24–25, 166
- REM-related parasomnias 172
- restless leg syndrome 170
- retrograde amnesia, assessment of 327
- retrospective falsification 285
- rhythmic movement disorder 171
- right cerebral hemisphere
  - cognitive bedside tests 329
  - functions of 64
- right/left orientation, testing early Alzheimer’s disease 325
- Roth, Martin 40, 220
- Rule of Parsimony, diagnosis 102–104
- ruminations 288
- Rush, A.J. 156

Cambridge University Press

978-0-521-71391-7 - Descriptive Psychopathology: The Signs and Symptoms of Behavioral Disorders

Michael Alan Taylor and Nutan Atre Vaidya

Index

[More information](#)**482****Index**

- scanning speech 230
- schizaphasia 237
- schizoaffective disorder, proposed changes in
  - classification 384, 386–387
- schizoid personality 247
- schizophrenia 244
  - associated features 245–246
  - Bleuler's primary symptoms 36–37
  - and catatonia 11–12, 387
  - characteristic psychopathology 245
  - and classic OCD 298
  - criteria required for diagnosis 383
  - defining features of 247
  - delineation of 244–245
  - misdiagnosis of 42–44
  - pre-psychotic features 246
  - proposed modification of criteria identifying
    - 374, 384–385
  - proposed revision of criterion A 387
  - spectrum conditions 247
  - speech and language features 240, 248, 251
  - studies of delusions 80
  - studies of hallucinations 77
- schizophreniform psychosis, proposed elimination
  - of category 385–386
- schizotypal personality disorder 247, 355–356
- Schneider, Kurt 10, 43, 232, 238, 260, 262, 278, 333
- seasonal affective disorder (SAD) 52
- secondary eating disorders 303
- secondary emotions 74
- seizure disorder
  - misdiagnosis 182–183
  - movement features of 168
  - movements associated with 169
  - questions for past illness 124
  - similarity to migraine 266
- self-decoration, excessive, link with
  - manic-depression 146–147
- self-injury 297–298
- self-monitoring, source of delusions 274
- self-mutilation 297–298
- semantic memory, assessment of 326–327
- sensory information, processing of 66
- serotonergic dysfunction and OCD 61–62
- sexual behaviors, compulsive 305–306
- sexual orientation and gender identity 341–343
- sexual trauma, effects on personality 346
- shared delusional/psychotic disorder 287
  - proposed elimination of category 387
- Siever, L.J. 337
- Sims, A. 198
- skin disorders, aid to diagnosis 147
- Slater, Elliot 41
- sleep disorders
  - international classification of 170
  - in patients with GTS syndrome 300
  - questions for past illness 123–124
  - sleep automatism 170
  - sleep bruxism 172
  - sleep paralysis 172–203
  - sleep “starts”/jerks 171
- sleep-related abnormal movements 168–169
  - cataplexy and sleep paralysis 172–203
  - dyssomnias 169–170
  - parasomnias 171–172
- smoking, effect on psychopathology 362
- social behaviors, cultural differences in 136–137
- social phobia 219–220
- social psychiatry movement 42
- “soft bipolar spectrum” 210–211
- somatization disorder 28
- somatoform disorder 264–265
  - proposed changes in classification 390–391
- somnambulism 171
- spatial orientation, testing early Alzheimer's
  - disease 324
- specific phobic disorder 217–218
- speech arrest 232
- speech, conversational, aspects of 226
- speech gesturing 149–150
- speech and language disturbances
  - aphasia 225–229
  - articulation of speech 230–231
  - conversational speech 224–225
  - examination of 224
  - formal thought disorder (FTD) 237–243
  - organization of speech 233–237
  - production of speech 231–233
  - reading and writing 229–230
  - in schizophrenia 244–247
- speech mannerisms, catatonic patients 162
- speech-prompt catatonia 162
- spinal cord, function of 67
- Spitzka, Edward 33
- SSRI versus TCA for melancholia 377
- stammering 230
- startle disease 188
- state-dependent memory 285
- stereotypic speech 232
- stereotypy, catatonia 163–164
- stiff-person syndrome 188–189
- streptococcal A infection, and possible
  - emergence of PANDAS 300–301
- stress
  - effects on brain areas 75
  - and melancholia 376
  - role of hippocampus 73
- stroke, personality changes following 360
- stupor 138, 162, 378
- stuttering 230–231
- Styron, William 212
- subcortical aphasia, characteristic speech patterns 240
- subcortical disease, distinguishing from
  - cortical 328–329
- subjective awareness of emotion, deficit in 204
- subjective experiences 54–55
- subtle motor system model, idiopathic movement
  - disturbances 184–185
- suicide
  - cultural variants 289
  - suicidal thoughts 288
  - suicide risk, assessment of 117

483 Index

- Sutton's Law, diagnosis 102
- Sydenham, Thomas 27
- symptom rating scales 118–119
- symptomatology
  - pattern and primacy of symptom features 100–101
  - rate of sequence of emergence 98–100
- synesthesia 254
- Szasz, Thomas 83
- tactile hallucinations 79–80, 259–260
- talking-past-the-point 236
- tangential speech 234
- tardive dyskinesia (TD) 175–176
- taresism, “dancing mania” 166
- Taylor, M.A. 166, 207, 373–374
- temperament
  - aid to diagnosis 148
  - high heritability of 338
  - see also* personality
- temporal lobe functions 65
- terminal illness, effect on normal personality 344–345
- terminology
  - importance of precise 94–97
  - of emotion 197–198
- terrorist attack, effect on personality 347
- test selection
  - dementia syndrome tests 319–321
  - guidelines for 316
- thalamus, function of 65–66, 69
- “theory of the mind” concept 81–82
- thought blocking 232
- thought disorder *see* formal thought disorder (FTD)
- thought echo (écho de la pensée) 263
- tics 176, 299
- tobacco use 127, 367
- topographic orientation, testing early
  - Alzheimer's disease 324
- torture, effects on personality 347
- Tourette's syndrome *see* Gilles de La Tourette's syndrome (GTS)
- training
  - descriptive psychopathology 5
  - in psychiatry, post World War II in USA 41
- transient global amnesia (TGA) 141–142
- transsexualism 342
- trauma, sexual, effect on personality 346
- traumatic brain injury (TBI), personality
  - changes associated with 359, 360
- treatment
  - for melancholia 376–377
  - monitoring, reason for cognitive assessment 315
  - weak relationship between diagnosis and response 40
- tremor 173, 178
- trichotillomania 296
- tricyclic antidepressants (TCAs) versus SSRIs
  - for melancholic depression 377
- Tuke, Daniel Hack 32
- Tyrer, P. 335
- unconscious, the 25–26
- unipolar disorder *see* bipolar and unipolar disorder
- unitary psychosis model 31
- utilization behavior 177
- validity of current diagnostic systems 8
- vegetative functions, adverse effect of
  - melancholia 211–212
- ventral emotion system 71–72
- verbal absurdities, cognitive testing 321
- verbal automatic obedience 162
- verbal hallucinations 79
- verbal negativism 162, 236
- verbal stereotypy 232
- Verbigeration 162, 232
- violence
  - during neuropsychiatric evaluation
    - behavioral signs of 115
    - behavioral strategies to reduce and control 115
    - risk factors 112–116
    - safety in examination setting 109
    - and homicidal thoughts 288–289
    - self-injury 297–298
- viscous personality 358
- vision loss from retinal migraine 267–269
- visual hallucinations 78, 258–259
- visual imagery, brain correlates of 55
- visual–motor coordination, shape
  - copying test 320
- visual–spatial function, assessment of early
  - Alzheimer's disease 324
- voice hallucinations 261–262, 263
- von Hohenheim, T.B. 25
- Vorbeirden 162, 236
- war neuroses 28
- waxy flexibility, cataleptic patients 163
- Wechsler Memory Scale batteries 331
- Weissenburger, J.E. 156
- Wernicke, Carl 32, 261
- Wechsler Adult Intelligence Scale (WAIS) 330
- Whytt, Robert 27
- Willis, Thomas 27, 30
- Winokur, G. 215, 380
- Witzelsucht 202
- working memory, assessment of 326
- World Health Organization (WHO)
  - ICD-6 39–40
  - see also* ICD-10
- World War II, leading to changes in psychiatry 40–42
- writing difficulties 229–230
- Zebra Principle, diagnosis 102
- Zimmerman, M. 374
- Zinkin, Joseph 41–42