

Cambridge University Press

978-0-521-72057-1 - Headache

Todd J. Schwedt, Jonathan P. Gladstone, R. Allan Purdy and David W. Dodick  
Index

[More information](#)

## Index

Note: page numbers in *italics* refer to figures, tables

- abortive medications 140–141
- abscess, intracranial 45, 48
- acetaminophen
  - episodic tension-type headache 81
  - medication overuse headache 202
- acetazolamide
  - hemiplegic migraine 71
  - idiopathic intracranial hypertension 188
- acetylsalicylic acid
  - episodic tension-type headache 81
  - see also aspirin*
- acute headache 3–5
  - hypertensive 20–25
  - patient evaluation 3–4
  - see also named conditions*
- amitriptyline
  - chronic tension-type headache 147
  - episodic tension-type headache 81
- post-traumatic headache 216
- analgesics
  - basilar-type migraine 76
  - brain tumors 195
  - chronic tension-type headache 147
- hemiplegic migraine 70
- medication overuse headache 202
- migraine 60–61
  - post-traumatic headache 216
  - see also named drugs*
- angiography
  - cerebral venous sinus thrombosis 172
  - cervical artery dissection 16
  - primary thunderclap headache 40, 43
- sexual activity-associated headache 121
- subarachnoid haemorrhage 10
- anticoagulant therapy
  - cerebral venous sinus thrombosis 173
  - cervical artery dissection 17–18
- anticonvulsants
  - basilar-type migraine 72, 77
  - migraine prophylaxis 140
  - SUNCT syndrome 95, 97
  - trigeminal neuralgia 109
  - see also named anticonvulsant drugs*
- antidepressants
  - chronic tension-type headache 147

- migraine prophylaxis 140  
*see also named antidepressant drugs*
- anti-emetics, migraine 61
- antihypertensives 122
  - migraine prophylaxis 139–140
- antiplatelet therapy, cervical artery dissection 17–18
- aspirin
  - basilar-type migraine 76
  - episodic tension-type headache 81
  - hemiplegic migraine 70
- aura, migraine 56–57
  - basilar-type migraine 72, 73–74
  - hemiplegic 64, 65–66
- Babinski's sign, brain tumors 194
- barbiturates, medication overuse headache 202–203
- basilar-type migraine 72–77
  - aura 72, 73–74
  - clinical features 73–74
  - diagnosis 74–76
  - family history 73
  - hemiplegic migraine
    - differential diagnosis 74
  - International Headache Society criteria 75
  - neuroimaging 76
  - outcome 77
  - prophylaxis 77
  - stroke differential diagnosis 74–76
  - TIA differential diagnosis 74–76
  - treatment 76–77
- beta-blockers, sexual activity-associated primary headache 122
- biobehavioral therapy
  - chronic migraine 141
  - medication overuse headache 209
    - see also cognitive behavioral*
- therapy (CBT); relaxation therapy
- biofeedback
- chronic migraine 141
- chronic tension-type headache 147
- medication overuse headache 209
- blood pressure
  - elevation 20
  - management 25
    - see also hypertensive conditions*
- brain tumors 146, 191–195
  - clinical features 192–193
  - diagnosis 193–194
  - edema 195
  - imaging 194
  - neurologic exam 194
  - red flags 191, 192, 193
  - risk factors 193
  - seizures 193
  - treatment 195
- Brudzinski's sign, intracranial infection 47
- CADASIL 76
- caffeine
  - hypnic headache treatment 231
  - medication overuse headache 202–203
- calcium-channel blockers 54, 61–62
  - basilar-type migraine 72, 77
  - new daily persistent headache treatment 139–140
  - sexual activity-associated primary headache 122
  - SUNCT treatment 99
- carbamazepine, trigeminal neuralgia 109
- cerebellar tonsils, Chiari malformation headache 100, 101
- cerebral vasoconstriction, thunderclap headaches 39

- cerebral venous sinus thrombosis 167–174  
angiography 172  
clinical features 168–170  
diagnosis 170–172  
edema 171–172  
hemorrhage 171–172  
lumbar puncture 172  
MRI 168, 171–172  
outcome 173–174  
treatment 173
- cerebrospinal fluid analysis,  
subarachnoid  
haemorrhage 6
- cerebrospinal fluid leak  
primary cough headache 125  
spontaneous intracranial  
hypotension 175, 179, 180,  
181–182, 181
- cervical artery dissection 12–19  
angiography 16  
clinical features 13–15  
diagnosis 15–17  
International Headache Society  
criteria 14  
outcome 19  
treatment 17–18
- cervical spine, occipital  
neuralgia 226
- cervicogenic headache 79,  
218–222  
chronic tension-type headache  
differential diagnosis 146  
clinical features 219  
diagnosis 220–221  
diagnostic criteria 220  
nerve blockade 221, 222  
surgery 222  
treatment 221–222
- Chiari malformation headache  
100–104  
clinical features 101–102  
diagnosis 102  
diagnostic criteria 103  
treatment 102–104
- chronic daily headache (CDH)  
129–133  
causes 129, 130  
imaging 132–133  
medication overuse headache  
207–208  
red flags 129, 131  
*see also* migraine, chronic;  
*named conditions*
- cluster headache 53, 83–88  
chronic migraine differential  
diagnosis 138  
clinical features 84–85  
diagnosis 85–86  
hypnic headache differential  
diagnosis 230–231  
migraine differential  
diagnosis 58  
treatment 86–88, 87  
preventive 87
- codeine, medication overuse  
headache 202–203
- cognitive behavioral therapy  
(CBT)  
chronic migraine 141  
chronic tension-type  
headache 147  
episodic tension-type  
headache 81  
medication overuse  
headache 209
- colloid cysts, third ventricular  
34–38
- computed tomography (CT)  
brain tumors 194  
chronic daily headache  
132–133  
post-traumatic headache  
215–216
- sexual activity-associated  
headache 122
- sinus headache 198–197, 200
- spontaneous intracranial  
hypotension 180
- subarachnoid haemorrhage 6

- computed tomography
  - angiography (CTA),
  - trigeminal neuralgia 108–109
- computed tomography (CT)
  - myelogram, spontaneous intracranial hypotension 181
- corticosteroids
  - brain tumor edema 195
  - cervical epidural injection 222
  - cluster headache 86
  - giant cell arteritis 160, 164–165, 164
  - SUNCT syndrome 97
- cough headache, primary 124–126
- daily headache *see* chronic daily headache (CDH); new daily persistent headache
- diltiazem, sexual activity-associated primary headache 122
- drug-induced headache *see* medication overuse headache
- encephalitis, intracranial infection 45, 48
- epidural blood patches, spontaneous intracranial hypotension 181–182
- episodic headache 51–53
  - causes 51–52
  - tension-type 78–81
  - types 52–53
  - see also* migraine; *named conditions*
- episodic paroxysmal hemicrania 89–93
  - clinical features 90–91
  - diagnosis 91–93
  - diagnostic criteria 91
  - outcome 93
  - treatment 93
- episodic tension-type headache (ETTH) 53, 78–81
  - clinical features 79
  - diagnostic criteria 80
  - outcome 81
  - prophylaxis 81
  - treatment 81
- ergotamine
  - chronic migraine 134–135
  - contraindication
    - basilar-type migraine 72, 76
    - hemiplegic migraine 71
  - medication overuse headache 202–203
  - exercise, episodic tension-type headache 81
- false localizing abducens nerve palsy 185
- gabapentin, primary stabbing headache 118–119
- giant cell arteritis 160–165
  - clinical features 161, 161
  - diagnosis 160, 162–164
  - diagnostic criteria 163
  - outcome 165
  - treatment 160, 164–165, 164
- glaucoma
  - subacute angle-closure 111–114
    - clinical features 112–113
    - diagnosis 113–114
    - outcome 114
    - treatment 114
  - types 111–112
  - gonioscopy, subacute angle-closure glaucoma 113–114
- hemicrania *see* episodic paroxysmal hemicrania
- hemicrania continua 93, 149–153
  - chronic migraine differential diagnosis 138
  - clinical features 149–150

- hemicrania continua (cont.)
  - cranial autonomic feature
    - associations 150
  - diagnosis 151–152
  - diagnostic criteria 151
  - migrainous feature
    - associations 150
  - MRI 151–152
  - outcome 153
  - secondary causes 151–152
  - treatment 138, 149,  
152–153
- hemiplegic migraine 64–71
  - aura 65–66
  - basilar-type migraine
    - differential diagnosis 74
  - clinical features 65–67
  - diagnosis 67
  - familial 64–65, 68
  - genetic mutations 64, 66, 67,  
69–70
- International Headache Society
  - criteria 59, 68
  - outcome 71
  - sporadic 68
  - treatment 70–71
- Horner's syndrome, cluster
  - headache 86
- Horton's disease *see* giant cell
  - arteritis
- Hunt and Hess grading system,
  - subarachnoid  
haemorrhage 8
- hydrocephalus
  - brain tumors 195
  - third ventricular colloid cysts  
34, 37
- hypertensive crisis 20, 22
- hypertensive encephalopathy
  - 20, 25
- International Headache Society
  - criteria 23
  - sexual activity-associated
    - headache differential
    - diagnosis 122
- hypertensive headache, acute
  - 20–25
  - clinical features 20–21
  - diagnosis 21–23
  - outcome 24
  - treatment 25
- hypnic headache 229–231
  - clinical features 230
  - diagnosis 98, 230–231
  - imaging 231
  - polysomnography 231
  - treatment 231
- ice pick headache *see* primary
  - stabbing headache (PSH)
- idiopathic intracranial
  - hypertension (IIH)  
183–190
    - associated disorders 187
    - clinical features 184–185
    - diagnosis 185–186
    - MRI 186
    - ophthalmological assessment  
186
    - papilledema 185
    - risk factors 184
    - shunting 190
    - surgery 189–190
    - treatment 188–190
    - venous sinus stenting 190
  - immunosuppression, intracranial  
infection 45
  - indomethacin
    - Chiari malformation headache  
102–104
    - hemicrania continua 152–153  
response 138, 149
    - hypnic headache treatment  
231
    - idiopathic intracranial  
hypertension 188–189
    - paroxysmal hemicrania  
treatment 93
    - primary cough headache  
125–126

- primary stabbing headache
  - 116, 118–119
- sexual activity-associated primary headache 122
- SUNCT syndrome 97
- indomethacin-responsive headache syndrome
  - 89, 97
- hemicrania continua 27
- infections, intracranial 45–48
- internal carotid artery
  - clot 18
  - flow void 18
- internal carotid artery dissection
  - 12, 13–14, 15, 16
- International Headache Society
  - acute hypertensive headache criteria 21–22
  - acute rhinosinusitis headache criteria 197, 198
  - arterial dissection headache criteria 14
  - basilar-type migraine criteria 75
  - cervical artery dissection criteria 14
  - cervicogenic headache criteria 220
  - episodic migraine criteria 59
  - hemicrania continua criteria 151–152
  - hemiplegic migraine criteria 68
  - hypertensive crisis criteria 22
  - hypertensive encephalopathy criteria 23
  - new daily persistent headache criteria 157
  - occipital neuralgia criteria 226
  - primary thunderclap headache criteria 41, 42
- intracranial hypertension
  - see also* idiopathic intracranial hypertension (IIH); spontaneous intracranial hypertension (SIH)
- intracranial hypotension
  - primary 178
- intracranial infection 45–48
  - clinical features 46
  - diagnosis 47
  - treatment 48
- intracranial neoplasms 191–195
- intracranial saccular aneurysm
  - rupture 7
- jabs and jolts headache *see* primary stabbing headache (PSH)
- Kernig's sign, intracranial infection 47
- laser iridotomy, subacute angle-closure glaucoma 114
- lidocaine, SUNCT syndrome 97
- lithium carbonate 87, 187
  - hypnic headache 229, 231
- low CSF-volume headache, diagnostic criteria 178
- lumbar puncture
- cerebral venous sinus thrombosis 172
- idiopathic intracranial hypertension 185–186
- new daily persistent headache 158
- primary cough headache 125–126
- magnetic resonance angiography (MRA) 108–109
- magnetic resonance imaging (MRI)
  - brain tumors 194
  - cerebral venous sinus thrombosis 168, 171–172
- hemicrania continua 151–152
- hypnic headache 231
- idiopathic intracranial hypertension 186

- magnetic resonance imaging (MRI) (cont.)  
    new daily persistent headache 158  
paroxysmal hemicrania 89  
post-traumatic headache 215–216  
primary cough headache 125  
sexual activity-associated headache 122  
sinus headache 198–197  
spontaneous intracranial hypotension 178–180, 179, 180, 181  
SUNCT syndrome 95, 97  
trigeminal neuralgia 108–109  
magnetic resonance venography (MRV)  
    cerebral venous sinus thrombosis 158  
    idiopathic intracranial hypertension 186  
massage, episodic tension-type headache 81  
masturbation 120  
medication overuse headache 85, 202–210  
    acute headache management 209  
    chronic migraine differential diagnosis 138  
    chronic tension-type headache differential diagnosis 146  
    clinical features 203–204  
    comorbidity 210  
    diagnosis 204  
    diagnostic criteria 205  
    outcome 210  
    pathophysiology 207–208  
    prophylaxis 209  
    relapse rate 210  
    treatment 208–210  
    withdrawal 208–209, 210  
melatonin  
    cluster headache 87  
hemicrania continua 153  
hypnic headache treatment 229, 231  
primary stabbing headache 118–119  
meningismus, intracranial infection 47  
meningitis, intracranial infection 45, 48  
migraine 53, 54–62  
    analgesics 60–61  
    aura 56–57  
    chronic 134–142  
        associated disorders 136  
        chronic tension-type headache differential diagnosis 144–145  
        clinical features 136  
        diagnosis 137–139  
        diagnostic criteria 135, 137  
        disability 135  
        environmental sensitivity 136  
    new daily persistent headache differential diagnosis 157  
    outcome 141–142  
    prophylaxis 139–140  
    transformation from episodic 136–137  
        treatment 139–141  
    clinical features 55–57  
    diagnosis 58–60  
    episodic 59, 79–80  
        transformation to chronic 136–137  
    genetic susceptibility to medication overuse headache 207–208  
    management 54  
    neuroimaging 59–60  
    non-pharmacologic therapy 62  
    outcome 62  
    postdrome 57  
    post-traumatic 212, 216  
    prodrome 57

- prophylaxis 61–62
- treatment 60–62
- triggers 58
- see also* basilar-type migraine; hemiplegic migraine
- migrainous infarction, true 26
- neck
  - cervicogenic headache 218, 219
  - occipital neuralgia 226
  - neuralgia, occipital 224–227
  - neuralgiform attacks, SUNCT syndrome 95
- neuroimaging
  - basilar-type migraine 76
  - chronic tension-type headache 146
  - migraine 59–60
  - see also named modalities*
- neurologic deficit, occipital neuralgia 226
- new daily persistent headache 155–158
  - chronic migraine differential diagnosis 139
  - chronic tension-type headache differential diagnosis 145
  - clinical features 156
  - diagnosis 156–158
  - diagnostic criteria 157
  - lumbar puncture 158
  - MRI 158
  - outcome 158
  - serology 157
  - subtypes 156, 158
  - treatment 158
- non-steroidal anti-inflammatory drugs (NSAIDs)
  - abortive migraine 139–141
  - acute headache 209
  - acute migraine 60–61
  - acute tension-type headache 81
  - basilar-type migraine 76
  - cluster headache 87
- episodic tension-type headache 81
- hemicrania continua 153
- hemiplegic migraine 70
- migraine 60–61
- post-traumatic headache 215–216
- SUNCT treatment
- tension-type headache 147
- nortriptyline
  - chronic tension-type headache 147
  - episodic tension-type headache 81
- obstructive sleep apnoea, cluster headache 86
- comorbidity 84
- occipital nerve 224
- occipital nerve block
  - cervicogenic headache 221, 222
  - cluster headache 86
  - hemicrania continua 153
  - occipital neuralgia 226
  - paroxysmal hemicrania 93
  - occipital neuralgia 224–227
  - clinical features 225
  - destructive procedures 227
  - diagnosis 225–226
  - diagnostic criteria 226
  - imaging 226
  - treatment 226–227
- ophthalmodynia periodica *see* primary stabbing headache (PSH)
- opioids
  - hemiplegic migraine 70
  - medication overuse headache 202–203, 207–208
- orgasmic headache 120, 121
- papilledema
  - brain tumors 194
  - idiopathic intracranial hypertension 184–185, 185

- paracetamol *see* acetaminophen
- paroxysmal hemicrania
  - chronic 89
  - MRI scan 89
  - secondary 93
  - see also* episodic paroxysmal hemicrania
- physical therapy, chronic migraine 141
- pilocarpine hydrochloride, subacute angle-closure glaucoma 114
- pituitary adenoma 30
- pituitary apoplexy 30–33
  - clinical features 31
  - diagnosis 31–32
  - outcome 33
  - treatment 32–33
- polysomnography
  - cluster headache 86
  - hypnic headache 231
- posterior reversible encephalopathy/leukoencephalopathy syndrome (PRES) 23, 24, 122
- post-traumatic headache 212–217
  - clinical features 212–215
  - diagnosis 215–216
  - imaging 215–216
  - mild head injury 214, 215
  - moderate to severe head injury 213, 214
  - outcome 216–217
  - prevention 216
  - treatment 216
- pre-orgasmic headache 121
- primary cough headache (PCH) 124–126
  - clinical features 124–125
  - diagnosis 125
  - investigations 125
  - treatment 125–126
- primary stabbing headache (PSH) 116–119
- clinical features 117
- diagnosis 117
- diagnostic criteria 118
- investigations 118
- treatment 116, 118–119
- radioisotope cisternography, spontaneous intracranial hypotension 181
- rebound headache *see* medication overuse headache
- rectus palsy, idiopathic intracranial hypertension 185
- relaxation therapy
  - chronic migraine 141
  - chronic tension-type headache 147
  - episodic tension-type headache 81
  - medication overuse headache 209
- rhinosinusitis 196
  - diagnostic criteria 198, 199
- secondary headache, red flags 52, 52
- seizures, brain tumors 193
- sexual activity, primary headache association 120–122
  - clinical features 121
  - diagnosis 121–122
  - imaging 122
  - treatment 122
- short-lasting, unilateral, neuralgiform headache attacks with conjunctival injection and tearing *see* SUNCT syndrome
- shunting, idiopathic intracranial hypertension 190
- sinus headache 196–199
  - clinical features 197
  - diagnosis 197
  - diagnostic criteria 197, 198, 199

- imaging 196–197, 200
- treatment 199
- sinusitis 196–197
  - treatment 199
- sleep
  - hypnic headache 229–230
  - see also* obstructive sleep apnoea
- space-occupying lesions 146
- spontaneous intracranial hypotension (SIH) 175–182
  - clinical features 176–177, 177
  - diagnosis 177–181
  - diagnostic criteria 178
  - etiology 176
  - history 177–178
  - imaging 178–181, 179, 180, 181
  - new daily persistent headache differential diagnosis 157
  - treatment 181–182
- spontaneous venous pulsations (SVP) 184–185
- stabbing headache *see* primary stabbing headache
- stress management, episodic tension-type headache 81
- stroke
  - basilar-type migraine differential diagnosis 74–76
  - cervical artery dissection 12, 19
  - ischemic 26–28
    - clinical features 27
    - diagnosis 28
    - treatment 28
  - prevention 28
- subarachnoid haemorrhage 6–11, 22
  - angiography 10
  - clinical features 7–8
  - diagnosis 8–10
  - Hunt and Hess grading system 8
  - outcome 11
  - patient evaluation 4, 9
- sentinel headache 6
- thunderclap headache 39
- treatment 10–11
- sumatriptan, cluster headache 86
- SUNA syndrome 96
- SUNCT syndrome 95–99
  - clinical features 96–97
  - diagnosis 97
  - episodic paroxysmal hemicrania differential diagnosis 92
  - MRI imaging 95, 97
  - outcome 99
  - primary stabbing headache differential diagnosis 117
  - triggers 96–97
- temporal arteritis *see* giant cell arteritis
- tension-type headache
  - chronic 78, 81, 143–148
    - chronic migraine differential diagnosis 138
    - clinical features 144
    - diagnosis 144–146
    - diagnostic criteria 145
    - neuroimaging 146
    - new daily persistent headache differential diagnosis 156
    - prophylaxis 147
    - red flags 146
    - treatment 146–148
    - trigger avoidance 146, 148
  - diagnosis 79–80
  - migraine differential diagnosis 58
  - post-traumatic 212
  - types 78
    - see also* episodic tension-type headache (ETTH)
- third ventricular colloid cysts 34–38
  - clinical features 35
  - diagnosis 35–36

- third ventricular colloid cysts (cont.)
  - hydrocephalus 34, 37
  - treatment 37–38
  - ventricular enlargement 36
- thrombolysis, cerebral venous sinus thrombosis 173
- thunderclap headache 3, 6, 22
  - causes 41
  - cerebral vasoconstriction 39
- International Headache Society criteria 41
- intracranial infection 45
- primary 39–43
  - angiography 40, 43
  - clinical features 40–41
  - diagnosis 41–43
  - International Headache Society criteria 41, 42
  - outcome 43
  - treatment 43
- secondary 39, 41
- sexual activity-associated headache differential diagnosis 121–122
- subarachnoid haemorrhage 39
- Tinel's sign 225–226
- tobacco use, cluster headache comorbidity 84
- topiramate
  - basilar-type migraine 72, 77
  - cluster headache 87
  - episodic migraine headache 61–62
  - hemiplegic migraine 71
  - hypnic headache 231
  - idiopathic intracranial hypertension 188–189
  - migraine 140
  - paroxysmal hemicrania 93
  - primary cough headache 125–126
  - SUNCT syndrome 95, 97
- tension-type headache 81
- trigeminal neuralgia 109
- transient ischaemic attacks (TIAs), basilar-type migraine differential diagnosis 74–76
- transverse sinus stenosis, idiopathic intracranial hypertension 186
- trauma
  - occipital neuralgia 224
  - see also* post-traumatic headache
- trigeminal autonomic cephalgias (TACs) 83, 84
  - attack duration/frequency 98
  - clinical features 84–85
  - hypnic headache differential diagnosis 230–231
  - SUNCT syndrome 95
  - treatment 86–88, 87
  - preventive 87
- trigeminal nerve
  - primary stabbing headache 117
  - procedures in SUNCT syndrome 99
- trigeminal neuralgia 105–110
  - clinical features 106–109, 107
  - diagnostic criteria 108
  - imaging 108–109
  - pain distribution 106
  - primary stabbing headache differential diagnosis 117
- SUNCT syndrome differential diagnosis 97
- surgery 109–110
- treatment 109–110
- triptans
  - chronic migraine 134–135
  - contraindication
  - basilar-type migraine 72, 76

Cambridge University Press

978-0-521-72057-1 - Headache

Todd J. Schwedt, Jonathan P. Gladstone, R. Allan Purdy and David W. Dodick

Index

[More information](#)

Index

243

- hemiplegic migraine 71
- medication overuse headache 202–203
- migraine treatment 61
- venous sinus stenting, idiopathic intracranial hypertension 190
- verapamil cluster headache 88
- hemiplegic migraine 71
- sexual activity-associated primary headache 122
- vertebral artery dissection 12, 13–14, 15
- vertebrobasilar arteries, occipital neuralgia 226
- visual field defects, idiopathic intracranial hypertension 185