

Index

- A(ntecedent) : B(behaviour) : C(onsequence)
 - strategy 40
- ABC charts 81–82, 87
- Aberrant Behavior Checklist (ABC) 79
- abuse 56
 - experimental functional analysis 86
- active listening strategy of situational
 - management 132
- adaptive behaviours 2
- adaptive communicative responses 147
- adoption of an intervention 145
- adversity in life 146, 147
- age and challenging behaviour 20
 - onset 22–23
 - persistence 23–24
- aggression, physical 7, 9
 - normal emergence 64
 - persistence 23
 - prevalence 18, 21
- akathisia 97
- allergies 60
 - experimental functional analysis 86
- antecedent manipulations 104
- anticonvulsant drugs 99
- antilipidinal drugs 99–100
- antipsychotic drugs 96–97
 - side effects 34, 97
- anti-psychotic medications 11
- anxiety
 - autism spectrum disorders 30
- anxiety disorders 32
- anxiolytic drugs 98
- applied behaviour analysis and challenging
 - behaviour 41–42, 51
 - reinforcement 42–43
 - contextual control 44–46
 - descriptive studies 44
 - experimental manipulations of
 - maintaining contingencies 46–47
 - experimental manipulations of
 - maintaining contingencies in same response class 47
 - study summaries 47–49
 - automatic reinforcement 49–50, 60
 - other behavioural processes 50
- arbamazepine 98
- attention deficit disorders 20
- Attention Deficit Hyperactivity Disorder (ADHD) 98
- autism spectrum disorders 20, 29–30, 61
 - anxiety 30
 - SSRIs 97
- automatic reinforcement 49–50, 60
- aversives 134
- avoidance behaviour 47
- avoiding challenging behaviour strategies 48
- behaviour modification 69
- behaviour recognition 132
- behavioural approaches 102, 122–128
 - competition and response covariation 111–112
 - differential reinforcement 116–117
 - functional displacement 112–116
 - extinction 117–119
 - modification of existing operations 102–104, 110–111
 - changing concurrent activities 107
 - changing preceding activities 105–107
 - modification of bio-behavioural state 104
- multi-component strategies 122
- punishment 119
 - positive punishment 120–121
 - response cost 119–120
- self-management and self-control 121
- summary of interventions 123
- behavioural cluster 112
- behavioural cusps 112

Cambridge University Press

978-0-521-72893-5 - Challenging Behaviour, Third Edition

Eric Emerson and Stewart L. Einfeld

Index

[More information](#)**210 Index**

- behavioural models 36
 - applied behaviour analysis 36–38
 - behavioural systems 41
 - contextual control 39–41
 - functional relationships 38–39
 - applied behaviour analysis and challenging
 - behaviour 41–42
 - reinforcement 42–43
- behavioural momentum 105
- benevolent enslavement 47, 48, 62
- benzodiazepine drugs 98, 99
- beta-endorphin system 100
- bio-behavioural state 103
 - modifying 104
- biological influences 25–26, 60
 - genetic disorder phenotypes
 - Down syndrome 28
 - Fragile-X syndrome 26–27
 - Prader–Willi syndrome (PWS) 27
 - velocardiofacial syndrome (VCFS) 28
 - Williams syndrome (WS) 27–28
- health conditions, general 33
 - epilepsy 33–34
- medications 34
- psychiatric disorders
 - anxiety disorders 32
 - autism spectrum disorders 29–30
 - mood disorders 30–31
 - psychosis 31–32
- temperament 35
- bipolar disorder (manic–depressive illness) 31
- bipolar mood disorder, rapidly cycling 61
- bupirone 98
- caffeine intake 60
- carbamazepine 98
- carers, paid 21
- clomipramine
 - Williams syndrome 91, 97
- clonazepam 98
- clonidine 99
- clozapine 97
- cognitive–behavioural approaches 121
- comforting attention 47, 66
- communication difficulties 21
- competition, behavioural 111–112
- comprehensive enablement 122
- concurrent activities, changing 107
 - curricular design and supported routines
 - 107–108
 - embedding 110
- environmental enrichment and non-
 - contingent reinforcement 108–110
- conduct disorders 16
- connections between influences 59
 - biological 59–62
 - biological, behavioural and environmental
 - 63–64
 - emergence 64–65
 - persistence 65–66
 - social context and parenting 62–63
- constipation 60
- constructional approach to intervention
 - 67–69, 72
- context of challenging behaviour 38
- Contextual Assessment Inventory for Problem
 - Behavior (CAIPB) 80
- contextual control 39–41, 44–46
- contextual establishing operations 46
- contextual fit 154
- Cornelia de Lange syndrome 20
- cultural beliefs 8
- culturally abnormal behaviour 4, 7, 104
- curricular design 107–108
- cypoterone 99
- deficits 3
- deinstitutionalization 22, 153
- delirium 31
- delivering interventions 151
- delusions 31, 32
- dementia 61
- depression 30, 60
- deprivation 11–12
- descriptive analyses of behaviours 76–83, 87
 - informant-based approaches
 - rating scales 78–80
 - structured and semi-structured interviews
 - 77–78
 - observational methods 80–81
 - ABC charts 81–82
 - scatter plots 82
 - sequential analysis 83
- destructive behaviours
 - normal emergence 64
 - persistence 23
 - prevalence 18, 21
- detention 136
- Developmental Behavior Checklist (DBC) 79
- dexamphetamine
 - side effects 34
- diet 60

Cambridge University Press

978-0-521-72893-5 - Challenging Behaviour, Third Edition

Eric Emerson and Stewart L. Einfeld

Index

[More information](#)

- differential reinforcement 47, 111, 116–117
- differential reinforcement of alternative (DRA)
 - behaviour 116
- differential reinforcement of incompatible (DRI) behaviour 116
- differential reinforcement of other (DRO)
 - behaviour 116
- disabilities 8
- discrepancy analysis 89–90
- discriminative stimuli 40
- disruptive behaviours, persistence 23
- diversion 132
- Down syndrome 28, 61
 - hypothyroidism 98
 - temperament 35
- drug effects 60
- dynamic system 38
- dysfunctional behaviour 4
- dyskinesia 97
- effectiveness 144, 145
- efficacy 143, 144
- efficiency 144
- embedding 110
- emergency medication 136
- empirical approaches for preference
 - identification 90
- environmental consequences of challenging
 - behaviour 43
- environmental determinants of challenging
 - behaviour 36
- environmental enrichment 108–110
- environmental influences 52–53
 - socio-economic position and intervention 57–58
 - socio-economic position and poverty 53
 - impact on health and well-being, general 54–55
 - impact on health and well-being, intellectual or developmental disabilities 55–57
 - prevalence of intellectual and developmental disability 53–54
- epidemiology 15
 - co-occurrence of challenging behaviour 19
 - natural history 22
 - onset 22–23
 - personal and environmental risk factors 19, 22
 - additional/other impairments 21
 - age 20
 - gender 19–20
 - intellectual impairment 21
 - setting 21–22
 - syndromes and disorders 20
 - prevalence of challenging behaviour 15–16
 - administrative population studies 17–18
 - total population studies 16–17
 - types of behaviour 18–19
- epilepsy 20, 33–34, 99
 - Fragile-X syndrome 26
- escape behaviour 47
- escape extinction 118
- establishing operation 39
- ethnic communities 154
- evidence-based approach 143
 - balance of investment 157–158
 - basis of evidence 143–145
 - public health 145–146
 - primary and secondary prevention 146
 - public health
 - tertiary prevention 150–151
 - scaling up services 153
 - adopting organization(s) 155
 - innovation 153–155
 - resource team 155
 - strategy 155–157
- experimental functional analyses 45, 76, 84–89
 - brief 88
 - hypothesis-driven 88
- extinction 117–119
- extinction bursts 118
- extinction of behaviours 46
- facial screening 120
- family functioning 56, 63
 - parenting 62–63
- Family Investment Models 62
- Family Stress Models 62
- fatigue 60
- fluoxetine
 - side effects 34
- fluvoxamine
 - side effects 34
- Fragile-X syndrome 20, 26–27
 - assessment and intervention 91
- functional approach to intervention 69–70
- functional assessment of behaviours 72–73, 103
 - descriptive analyses 76–83
 - observational methods 80–81
 - rating scales 78–80

Cambridge University Press

978-0-521-72893-5 - Challenging Behaviour, Third Edition

Eric Emerson and Stewart L. Einfeld

Index

[More information](#)**212 Index**

- functional assessment of behaviours (cont.)
 - structured and semi-structured interviews 77–78
 - experimental functional analysis 84–89
 - hypothesis generation 84
 - identification and definition 73–76
 - form and function of behaviour 74
 - functionally equivalent behaviours 74–75
 - socially valid targets 73
 - unit of assessment 75–76
 - functional displacement 111
 - functional relationships 38–39
 - functionally equivalent behaviours 74–75, 115
- gastroesophageal reflux 60
- gender and challenging behaviour 19–20
- general deficit in cognitive functioning 2, 3
- goodness of fit 154
- hallucinations 31
- haloperidol 96
 - side effects 97
- hearing impairment 21
- hormone levels 60
- hyperkinesia 20
- hypothalamic dysfunction 92
- hypothyroidism 98
- illness 60
- impact 145
- impairments 3
- implementation of an intervention 145
- incidence of challenging behaviour,
 - definition 15
- indicated strategies 146, 147
- indirect approaches for preference
 - identification 90
- informed consent 95
- institutional care
 - abuse of residents 10
 - deinstitutionalization 22, 153
 - persistence of challenging behaviour despite relocation 24
 - risk factor for challenging behaviour 21
- intellectual disability
 - anxiety disorders 32
 - definition 2–3
 - epilepsy 33
 - Fragile-X syndrome 26, 27
 - groups, distinct 3
 - inappropriate treatment 11
 - mediating pathways 56, 57
 - Prader–Willi syndrome (PWS) 27
 - prevalence 1
 - schooling 9
 - social context 8
- intellectual impairment 21
- intelligence
 - Fragile-X syndrome 26
 - IQ test scores 2
 - normal distribution 3
- internal consequences 42
- internal pathology 36
- intervention 72, 93
 - bases 67
 - constructional approach 67–69
 - functional approach 69–70
 - pathological approach 67, 68
 - positive behavioural support 70–71
 - social validity 70
 - biological factors, significance of 91–92
 - functional assessment of behaviours 72–73
 - descriptive analyses 76–83
 - experimental functional analysis 84–86
 - hypothesis generation 84
 - identification and definition 73–76
 - relationships between antecedent events 85
 - risk, cost and benefits evaluation 92–93
 - skills, competencies and reinforcer assessment 89
 - discrepancy analysis 89–90
 - general competencies 89
 - preference identification 90–91
 - socio-economic position 57–58
 - summary of behavioural approaches 123
- interventions 24
 - delivering 151
- irrelevant communicative responses 113
- keystone behaviour 112
- lamotrigine 99
- language, offensive 7
- language skills
 - Fragile-X syndrome 27
 - limited in severe intellectual disability 3
- lasting change 156
- learning disability 2

Cambridge University Press

978-0-521-72893-5 - Challenging Behaviour, Third Edition

Eric Emerson and Stewart L. Einfeld

Index

[More information](#)

- learning theory 36
- Lesch–Nyham syndrome 20
- life events 56
- life-style outcomes 156
- lithium 98
- long-term support 152
- luteinizing hormone releasing hormone (LHRH) analogues 99
- maintenance of an intervention 145
- maladaptive behaviour 4
- manic illness 31
- manic–depressive illness (bipolar disorder) 31
- medications, effect of 34
 - side effects 34
- mental health problems 21
- mental retardation 2
- methylphenidate
 - side effects 34
- mobility impairments 21
- moclobemide 98
- modifying kinesic 132
- modifying verbal communication 132
- molar approach to identifying antecedent influences 107, 152
- mood disorders 30–31
- mood stabilizing drugs 98
- Motivation Assessment Scale (MAS) 79
- naltrexone 100
- natural consequence avoidance 132
- negative automatic reinforcement 85
- negative punishment 119
- negative reinforcement 37, 39, 47
 - benevolent enslavement 48
- neglect, systematic 11–12
- Neuroleptic Malignant Syndrome 97
- neutralizing routines 107
- Nisonger Child Behavior Rating Form (NCBRF) 79
- non-contingent reinforcement 108–110
- non-physical situational management 131
- olanzapine
 - side effects 34
- operant behaviour 37
- opioid antagonist drugs 100
- otitis media 60
- outcomes 12–14, 24
 - associated with low socio-economic position and poverty 54–55
- extinction of behaviours 46
- lasting change 156
- legitimate 92
- life-style 156
- meaningful 13
- situational management 140
- outdated/offensive terminology 2
- pain 60
- parenting 62–63
 - practices 62, 63
 - single parenting 56
- pathological approach to intervention 67, 68
- perceived control 114
- persistence of challenging behaviour 23–24
 - definition 15
- pharmacotherapy 94
 - effectiveness and prescribing factors
 - anticonvulsants 99
 - antidepressants and electroconvulsive therapy 97
 - antilipidinal agents 99–100
 - antipsychotics 96–97
 - anxiolytics 98
 - mood stabilizers 98
 - opioid antagonists 100
 - stimulants 98–99
 - guidelines 95–96
- physical exercise, benefits of 106
- physical situational management 131
- pivotal behaviours 112
- positive automatic reinforcement 85
- positive behavioural support 70–71
- positive punishment 119, 120–121
- positive reinforcement 37, 38, 39
- Post-Traumatic Stress Disorder 32
- poverty 53
 - impact on health and well-being, general 54–55
 - impact on health and well-being, intellectual or developmental disabilities 55–57
 - intervention 57–58
 - prevalence of intellectual and developmental disability 53–54
- practice-based evidence 144
- Prader–Willi syndrome (PWS) 20, 27, 61
 - assessment and intervention 91, 92
- preceding interactions 103
 - changing 105–107

Cambridge University Press

978-0-521-72893-5 - Challenging Behaviour, Third Edition

Eric Emerson and Stewart L. Einfeld

Index

[More information](#)**214 Index**

- preference identification 90–91, 107
 - increasing participation 108
- prevalence of challenging behaviour 15–16
 - administrative population studies 17–18
 - age 20
 - definition 15
 - total population studies 16–17
- primary prevention strategies 145, 146
- protective devices 11
- proto-challenging behaviours 65, 66
- proxemics 133
- psychiatric disorders 4
- psychosis 31–32
- psychotropic drugs 94, 95
 - response 96
 - reviewing 95
 - target symptoms 95
 - withdrawal 95
- punishment 119
 - side-effects 120
- punishment avoidance 132
- Questions About Behavior Function (QABF) 80
- rating scales for behaviour assessment
 - 78–80, 87
- rationing of resources 157
- reach of an intervention 145
- reactive strategies 130
- RE-AIM five-dimensional framework 145
- reflexive non-functional challenging
 - behaviour 60
- reinforcement 42–43, 46, 85
 - automatic 49–50, 60
 - differential 47, 111, 116–117
 - negative 37, 39, 47
 - benevolent enslavement 48
 - non-contingent 108–110
 - positive 37, 38, 39
- relaxation, benefits of 106
- relaxation/coping 132
- relevant communicative responses 113
- repeated exposure to tasks 105
- repetitive movements 64
- resilience, promoting 149–150
- resource team 155
- respondent behaviours 50
- response chains 112
- response classes 38, 111
- response covariation 111–112
- restraint 11
 - age factor 136
 - environmental 133
 - mechanical 133
 - personal 133, 135
 - profile 136
 - prone 134
 - reducing use 141
 - seated 139
 - social acceptability 138
- Rett syndrome 20
- Riley–Day syndrome 20
- risk factors for challenging behaviour 19
 - age 20
 - gender 19–20
 - socio-economic position and poverty 56, 57
- risperidone 96
 - side effects 34
- rule-governed behaviour 40
- scatter plots 82, 87
- schedule induced behaviour 50
- schizophrenia 31
- schooling of individuals 8, 9
- seclusion 134, 136
 - avoidability of 136
 - detention 136
 - intellectual disability 136
 - social acceptability 138
- secondary prevention strategies 145, 146
- sedation 133
- selective serotonin reuptake inhibitors (SSRIs) 97
 - ADHD 99
- selective strategies 146, 147
- self-control 121
- self-injurious behaviour (SIB) 10
 - contextual control 44
 - Fragile-X syndrome 26
 - opioid antagonists 100
 - persistence 23
 - prevalence 18, 21
 - reinforcement 44
- self-management 121
- self-protective procedures 133
- sensory extinction 50, 118
- sequential analysis 83, 87
- sertraline
 - Williams syndrome 91
- single parenting 56
- situational management 129, 142

- characteristics of strategies 130–131
- good practice 137–138
- need for strategies 129–130
- reducing use 141–142
- social validity 138
 - acceptability 138–139
 - socially significant outcomes 140
- typology of strategies 131–135
 - epidemiology 135–137
- sleep, disturbed 21, 60
 - anxiety disorders 32
- Smith–Magenis syndrome 62
- social construction of challenging behaviour 9
- social context 7–10, 62–63
 - defining factors 9
 - impact of challenging behaviour 10, 12
 - abuse 10
 - inappropriate treatment 11
 - social exclusion, deprivation and systematic neglect 11–12
 - intervention outcomes 12–14
- social disapproval condition context 44
 - experimental functional analysis 85
- social exclusion 11–12
- social functioning 2
- social inequalities 58
- social skills impairments 21
- social validity 13
- socially-mediated negative reinforcement 85
- socially-mediated positive reinforcement 85
- socio-economic position 53, 62, 63
 - impact on health and well-being, general 54–55
 - impact on health and well-being, intellectual or developmental disabilities 55–57
 - intervention 57–58
 - prevalence of intellectual and developmental disability 53–54
- specific serotonin re-uptake inhibitors (SSRIs)
 - side effects 34
- Stepping Stones Triple P (SSTP) 148
- stereotypy 20
- stimulant drugs 98–99
 - side effects 34
- stimulus change/removal 132
- stimulus fading 106
- strategic capitulation 132
- structured interviews for assessment 77–78, 87
- structured partial-interval records 87
- structured questionnaires 78, 87
- supported routines 107–108, 122
- symptom substitution 68
- tantrums, normal emergence 64
- targeted strategies 146, 147–149
- temperament 35
- tertiary prevention strategies 145, 150–151
 - location and organization 151–153
- tetracyclic antidepressants
 - side effects 34
- three-term contingency 40
- time-out 119
- tolerance for challenging behaviour 8
- topiramate 99
- touching as reassurance 133
- tricyclic antidepressants 97
 - side effects 34
- universal strategies 146–147
- valproate 98
- variability of behaviours over time 103
- velocardiofacial syndrome (VCFS) 28
- verbal dyspraxia 27
- verbal rules 40, 41
- vigabatrin 99
- visual impairment 21
- visual screening 120
- Williams syndrome (WS) 27–28
 - assessment and intervention 91