

Index

- aberration 30–31
- abundances of light nuclei 319–321
 - helium 319–320
 - deuterium 320–321
 - case for non-baryonic dark matter 321
- accelerating Universe 270–271, 310–311
- action principle 105–106
 - in Riemannian spacetime 105–106
- Adams, John Couch 151
- aether 2
- affine connection 63
- age of the Universe 253, 255, 257, 273, 315–319
 - estimate from stellar evolution 316–317
 - estimate from nuclear decays 317–318
 - prolongation by the λ -term 318–319
- Alpher, Ralph 294
- angular-size–redshift relation 260–263
 - measurements of 313–315
- Aristotle 86, 88
- astroparticle physics 297
- asymptotically flat spacetime 223
- Bardeen, J. 215
- Bianchi identities 77
- big bang 258, 295
 - hot 277
- binary pulsar PSR 1913+16 153, 169
- Birkhoff’s theorem 129
- black hole 40, 195–218
 - detection of 216–218
 - energy extraction from 213–216
 - with mass, charge and/or spin 207–212
 - physics of 212–216
 - first law of 212
 - second law of 212–213
 - third law of 215
 - zeroth law of 215
 - radiation from 348–350
 - primordial black holes 350
 - supermassive in M87 218
 - surface gravity of 214–216
- Bolton, J. 312
- Bolyai 37
- Bondi, Hermann 35, 341
- Brans–Dicke theory 145, 159, 338
 - role of scalar field in 338
- Brownian motion 1
- C-field 342–343
- Carr, Bernard 350
- Carter, B. 215
- Chandrasekhar, S. 185, 194–195
 - Chandrasekhar limit 195
- Christoffel symbols 62–64
- clock paradox 18, 27–28, 338
- closure/critical density 252, 254
- COBE satellite 294
 - spectrum by 295, 322
- Coles, Peter 155
- Compton scattering 23–24
- Compton wavelength 24
- conformal transformation 68–69, 98–99
 - invariance of Maxwell’s equations 115
 - invariance of scalar wave equation 83
 - invariance and vanishing trace of stress energy tensor 115
- cosmological constant 119, 123–124, 225–227
 - as Lagrange multiplier 119, 124
 - fine tuning of 330
 - models using 268–272
- cosmological principle 232–233
- cosmological redshift 234–236
- cosmological spacetime 97
- counts of discrete sources 311–313
 - of galaxies 312
 - of radio sources 312–314
- covariant differentiation 59–66
- curvature parameter k 97, 232–233, 267–268

- curvature of spacetime 70–77
- curvature tensor: *see* Riemann tensor
- Cygnus X-1 212
- dark energy 330–331
- dark matter 327–330
 - in clusters of galaxies 328–330
 - in spiral galaxies 327–328
- Datt, B. 200
- Datt–Oppenheimer–Snyder solution 200
- deceleration parameter 253
- density parameter 254
- de Sitter, W. 227
- de Sitter universe 80, 97–98, 227
- Dicke, Robert 294, 300
- Dodgson, Marina 315
- Doppler effect 29–31, 146–147
- Dust or pressure-free matter 108–109, 252–258
- Eddington, A. S. 154, 156, 195, 227, 268
 - idea of a black hole 195
- Eddington coordinates 204
- ϵ_{ijkl} 53
- Einstein, Albert 1, 5, 116, 153–154, 162–163, 223–225
- Einstein’s equations 116–124
 - from action principle 118–119
 - heuristic derivation 116–117
 - Newtonian approximation of 119–124
 - slow-motion approximation of 120
 - weak-field approximation of 120
- Einstein–de Sitter model 252
- Einstein tensor 76
 - zero divergence of 77
- Einstein universe 224–227
- Electron–positron annihilation 283–284
- energy-momentum tensor
 - conservation of 111–113
 - of electromagnetic field 110–111
 - of matter 107–110
 - dust 108–109
 - fluid 109–110
 - relativistic particles 109
 - of a scalar field 113–114
 - in cosmology 247–251
 - matter versus radiation domination 250–251
 - from variation of metric tensor 106–107
- entropy problem 301
- equivalence principle: *see* principle of equivalence
- expanding universe 228–229
- experimental tests of general relativity 143–159
 - bending of light 153–156
 - Eddington’s experiment 154–155
 - equality of inertial and gravitational mass 158–159
 - gravitational redshift 146–149
 - derived 147–148
 - Pound–Rebka experiment 148–149
 - in white dwarfs 148
 - in microwaves 156
 - Newtonian prediction 153–154
 - precession of perihelion of Mercury 150–153
 - periastron precession in binary pulsar 153; *see also* solar oblateness
 - precession of a gyroscope 159
 - radar echo delay 157–158
- Faraday, Michael 59
 - lines-of-force concept of 59–60
- Fitzgerald, G. 5
- Fitzgerald contraction 5
- flat spacetime 73
- flatness problem 298–301
- formation of light nuclei 286–292
 - deuterium 291–292
 - and non-baryonic dark matter 291–292
 - helium 288–291
 - and neutrino species 290–291
- Foucault pendulum 335
- Fowler, R. H. 194
- Fowler, William A. 177, 317–318
- Friedmann, A. 245
- Friedmann or Friedmann–Lemaître models 245–273
 - dynamics of 252–257
 - closed 253–255
 - flat 252–253
 - open 255–257
- Galilean transformation 5, 7
- Gamow, George 277
- Gauss 37
- geodesic 78–82
 - affine parameter of 79
 - deviation of 80–82
- Gödel’s universe 98, 337–338
- Gold, T. 341
- gravitational collapse 196–203
 - Newtonian description of 196–197
 - non-spherical 206–207
 - relativistic description of 197–200
 - viewed by external observer 200–203
- gravitational field, strong and weak 143–144

- gravitational lensing 185–192
 - basic theory 187–190
 - first observed case 0957+561 A, B 186–187
 - magnification and amplification produced by 190–192
 - prediction by Zwicky 186
 - relationship to superluminal motion in quasars 186
- gravitational radiation: *see* gravitational waves
- gravitational redshift 146–148
- gravitational waves 162–175
 - detectors of 170–174
 - bar detectors 170–171
 - laser interferometers 172–173
 - in space 173–174
 - in general relativity 162–163
 - in linearized approximation 163–166
 - plane waves 164–165
 - radiation of 165–166
 - sources in the cosmos 166–170
 - coalescing binaries 167–169
 - explosive sources 169–170
- Guth, A. 302–303
- Hayashi, Chushiro 286
- Hawking, S. W. 209, 348–349
- Heckmann–Schücking spacetime 98
- Herman, Robert 294
- Hilbert 114
 - action principle of 118–119
- homogeneity and isotropy 91–98
 - relation to Killing vectors 91–93
- horizon, event 264–266
- horizon, particle 263–264
- horizon problem 297–298
- Hoyle, Fred 177, 258, 313, 317, 341
- Hoyle–Narlikar theory of gravitation 342
- Hubble, Edwin 228
- Hubble’s constant 228, 236–237
- Hubble’s law 228–229
 - Derived from Robertson–Walker model 236–237
- Hubble radius 265
- Hubble time 237
- inertia 337–338
- inertial frame 10
- inertial observer 5, 7, 9
- Infeld, L. 162
- inflation 302–303
- isometry 88
- Jackson, J. C. 315
- Jansky, Karl G. 313
- jansky as a unit of flux density 313
- K*-correction 240
- Kazanas, D. 302
- Kellermann, Ken 315
- Kerr, Roy 209
- Kerr solution 209–211
 - Kerr metric 57, 209–210
 - ergosphere 211
 - horizon 211
 - static limit 210
- Kerr–Newman black hole 211–212
- Killing’s equations 87–88
 - Killing vector field 88–91
 - relation to geodesics 91
- kinematic relativity 257
 - relation to homogeneity and isotropy 91–94
- Kronecker delta 49
- Kruskal, M. D. 204
- Kruskal coordinates 204–206
- λ -term: *see* cosmological constant
- Larmour, J. 5
- Lemaître, Abbé 245, 268
- Leverrier, U. J. J. 151
- LIGO 172–173
- LISA 173–174
- line element 42
 - Schwarzschild 129
- Lobachevsky 37
- locally inertial coordinates 68, 75, 77, 100–101
 - lift under free fall 101–102
- Lorentz contraction and time dilatation 14–18
 - length contraction 14–16
 - muon decay 17
 - simultaneity 17–18
 - time dilatation 16–17
- Lorentz, Hendrik 5
- Lorentz transformation 5, 8–9
 - Lorentz group of 13
 - special form of 10
- luminosity distance 237–241, 258–260
- Mach, Ernst 336
- Mach’s principle 10, 335–338
 - and twin paradox 338
- magnitudes, absolute and apparent 240

Maxwell's equations 5–9	Noether, Emily 113
invariance of 5–9	Noether's theorem 112–113
McKellar, Andrew 294	non-Euclidean geometries 37–38
prediction of background radiation temperature by 294	relationship to gravity 38–40
Meisl, C. C. 318	Nordström, G. 207
metric 41–43	
de Sitter 80, 97–98	Olbers paradox 241–243
inverse of, as a tensor 49–50	Oppenheimer, J. Robert 200
Kerr 57	
Minkowski 41–42	Palatini method 124
Robertson–Walker: <i>see</i> Robertson–Walker line element	parallel transport 61–64
Schwarzschild 129	along finite curves 70–75
on a spherical surface 43	particle distribution functions 277–281
tensor 50	high-temperature (relativistic) limit of 279–280
Michelson, A. A. 2	low-temperature (non-relativistic) limit of 281
Michelson–Morley experiment 2–5	Peebles, P. J. E. 292, 294, 300
microwave background 292–296, 321–327	Penrose, R. 213
angular power spectrum 323–325	Penrose process 213–214
COBE map 324	Penzias, A. A. 294
WMAP 325	Perlmutter, S. 308
intensity spectrum from COBE 322	photoelectric effect 1
last scattering surface: <i>see</i> surface of last scattering	Planck particle 342
PLANCK satellite 326	Poincaré, Henri 9
polarization in 326	PPN parameters 144–145, 160
Sachs–Wolfe effect 325	Price, R. H. 207
Sakharov oscillations 326	Price's theorem 207
BOOMERANG peak 326	principle of equivalence 100–103
Sunyaev–Zel'dovich effect 325–326	strong and weak 102
Mills, B. 312	principle of relativity 6–7, 10
Milne model 257	
minicreation events 343–344	quantum gravity 346–348
minimal coupling 102	via loop theory 351
Minkowski, Hermann 12	Planck time 347
Minkowski spacetime 12–14	singularity avoidance in conformal framework 347–348
Minkowski metric 13	via string theory 351
scalars, vectors and tensors in 13	quantum theory 1
timelike, spacelike and null defined in 13	quasars (quasi-stellar objects or QSOs) 176–177
monopole problem 301–302	quasi-steady-state cosmology (QSSC) 341–346
Morley, E. 2	minicreation events in 343–344
	microwave background in 344–345
neutrino decoupling 281–282	production of light nuclei in 345
neutron-to-proton number ratio 284–286	scale factor of 344
Newton, Isaac 2, 336–337	structure formation in 346
laws of motion 336–337	Type 1A supernovae in 345–346
role of inertial forces in 336–337	quotient law 52
Newtonian approximation: <i>see</i> Einstein's equations	
Newtonian law of gravitation 34–35	radiation-dominated universe 275–277
nonlinear corrections to 35	time–temperature relationship in 277, 285, 296–297
Newton's bucket experiment 336	Raychaudhuri's equation 339–340
	recombination epoch 293

- redshift 30
 - Doppler 30–31
- redshift–magnitude relation 306–311
 - for brightest galaxies in clusters 307
 - for Type Ia supernovae 307–311
- Reiss A. 308
- Reissner, H. 207
- Reissner–Nordström black hole 207–209
- relativistic mechanics 18–23
 - centre of mass frame 22–23
 - mass–energy relation 20–21
 - 4-momentum 21–22
- Ricci tensor 76
- Riemann 37
- Riemann tensor 72
 - number of independent components of 75
 - symmetries of 75
- Riemann–Christoffel tensor: *see* Riemann tensor
- Riemannian geometry 65–66
- Robertson, H. P. 233
- Robertson–Walker line element 233
 - field equations in 246–247
 - Hubble’s velocity–distance relation in 236–237
 - redshift in 234–236
- Rosseter, Jack C. 351
- Ryle, Martin 312
- Saha, Meghnad 293
- Saha’s equation 293
- Sandage, A. R. 306–307
- Sato, K. 302
- scalar 45–46
- scalar curvature 76
- scale factor or expansion factor 233
- Schwarzschild, Karl 126
- Schwarzschild exterior solution 126–131
 - in isotropic coordinates 130, 145
 - motion of a test particle in 134–140
 - Newtonian limit of 135–137
 - relativistic limit of 137–140
 - motion of photon in 140–141
 - in other coordinate systems: *see* specific systems
- Schwarzschild barrier 203
- Schwarzschild radius 129
- stable and unstable circular orbits in 137–139
- Schwarzschild interior solution 131–134,
180–181
 - redshifts in 142
- singularity 231, 339–341
 - avoidance through negative energy fields 341
 - theorems on 341
- Slipher, V. M. 228
- Snyder, H. 200
- solar oblateness and perihelion of Mercury 161
- source counts 266–268
- spacetime 12, 34
 - curved 40
 - de Sitter 80
 - metric: *see* metric
 - symmetries of: *see* symmetries of spacetime
- special relativity 1–31
 - aberration in 30–31
 - addition of velocities in 11–12
 - corrections to because of gravity 36
 - Doppler effect in 29–31
 - electrodynamics in 28–29
 - mechanics in 18–23: *see also* relativistic mechanics
 - origin of 9–10
- spectral shift 146–147
- spherically symmetric spacetime 97
- spinors 14
- standard model of cosmology 330–331
 - concordance cosmology 330
 - precision cosmology 330–331
- steady-state cosmology 341
- strong gravitational fields 176–177
- summation convention 12–13, 43–44
- supermassive stars 177
 - binding energy of 180–185
 - equilibrium of 178–185
 - small oscillations of 185
- supernovae of Type Ia 307–311
- Supernova Cosmology Project 308
- surface gravity of a black hole: *see* black hole
- surface of last scattering 293, 331
- symmetric and antisymmetric tensors 14, 52–54, 85–86
- symmetries of spacetime 85–98
 - displacement of spacetime 86–88
 - maximally symmetric spacetime 93–94
 - spacetime of constant curvature 94–95
 - symmetric subspaces 96–98
- Szekeres, G. 204
- Szekeres coordinate system 204–206
- tensor 48–54
 - contraction of 51
 - covariant, contravariant and mixed 48–49
 - inertia tensor 50
 - metric tensor 50
 - rank of 49
 - stress tensor 49–50
 - trace of 115

Texas symposium on relativistic astrophysics	177	Walker, A. G.	233
Thomson scattering	305	Weber, Joseph	170–171
three-index symbols:	<i>see</i> Christoffel symbols	Weyl, Hermann	230
time–temperature relationship:	<i>see</i> radiation-dominated universe	Weyl tensor	83
twin paradox:	<i>see</i> clock paradox	Weyl’s postulate	229–232
uniformly accelerated particle	25–27	white hole	218–220
frame of	103–105	relation to gamma-ray bursts	220
vector		Wilkinson, David	294
contravariant	46–47	Wilson, Robert	294
covariant	47–48	world line	18
velocity–distance relation:	<i>see</i> Hubble’s law	X-ray data in clusters	329
		Zwicky, Fritz	186, 328