

# Index

Locators in **bold** refer to major content

Locators in *italics* refer to figures/tables

Locators for headings with subheadings refer to general aspects of that topic only

- abiotic indicators 418  
 abundance, top-down/bottom-up control 182–4  
*Acer* spp. 56, 140, 276, 394  
*Acilius* spp. 51, 53  
*Acorus* spp. 20, 165, 295  
 adaptations  
   to burial 201–2  
   to flooding 18–20, 282, 320–1, 321–16;  
     *see also* aerenchyma  
   to hypoxia 19–20, 20–2  
   to sea level changes 288  
 adaptive management 389  
 adult plant traits 354–5, 357  
*Adventures of Huckleberry Finn* (Twain) 325  
 aerenchyma 18–19, 67; *see also* adaptations to flooding  
   marsh plants 67  
   methane production 308  
   nitrogen cycle 311  
   and zonation 277  
 African wetlands 36, 59, 65, 70; *see also* mammals,  
   African grassland  
 Agassiz, Lake 59  
 agriculture, large-scale  
   cattle herbivory 172  
   causal ecological factors 231  
   dams/reservoirs/floodplains 71  
   methane production 307, 309  
   Pantanal wetlands 40  
   ranching 38  
   and restoration of wetlands 379  
   rice paddies 18, 307, 309, 311, 314  
   riparian forests 70–1  
   runoff 97, 98  
   sedimentation impacts 205  
*Agrolimax reticulatus* 170  
*Agrostis* spp. 83, 170, 396  
 Akosombo dam 70  
 alcohol dehydrogenase 277, 278  
 algae 83, 339  
 Algonquin, Lake 86, 87  
 alkaloids 175  
 alligators 61, 122–3, 182, 183, 378  
 allogenic burial 190, 191, 192, 210–11;  
   *see also* autogenic burial, sedimentation  
 advantages/disadvantages 190, 196, 210  
 animals, impact on 205  
 causal ecological factors 217  
 compensatory forestation 205, 206  
 dams, effect of 195  
 depth 203  
 ecological thresholds/sea level changes 195, 207–9  
 as feature of wetland habitats 190  
 levees, artificial 195–8  
 morphology of wetland plants 201–2  
 plant succession 194, 200, 206–7  
 rainfall and deforestation effects 193–4, 196  
 rates 192–3  
 seed germination 203–4  
 and species composition 200–4, 202–3  
 wetland types produced by 194–5, 196  
*Alnus* spp. 19, 311, 394  
*Alopecurus aquilis* 125  
 alpha diversity 263; *see also* diversity  
*Alternanthera philoxeroides* 220  
 Amazon River/river basin 5, 424  
   animal adaptations to hypoxia 21  
   changes through time 114, 399  
   dams/reservoirs/floodplains 77  
   diversity 236, 237, 243  
   erosion by rivers 113–14  
   fertility 84  
   fish herbivory 167  
   protected area systems 406  
   sedimentation 190–2  
   wetland types produced by 194–5, 196  
 amphibians; *see also* frogs, salamanders  
   adaptations to hypoxia 21  
   and competition 159  
   factors affecting diversity 248  
   impact of flooding 48  
   larval 142–3, 144  
   roadkill 223–5  
 Amundsen, Roald 332–3  
*Anabaena* spp. 311

- anaerobic respiration 19–20  
*Anagallis tenella* 83  
 Andes, Peru 25  
*Animal Ecology* (Elton) 396  
 animals; *see also* amphibians, birds, fish, insects, invertebrates, mammals, reptiles  
   biomass 302  
   competition 140, 150, 158  
   disturbance 122–3, 124  
   and fertility 81–2, 94–5  
   fires 119–20  
   flood tolerance 20–2  
   impact of burial 205  
   importance of river logjams 227, 229  
   rare species 409  
   roadkill 223–5  
   and salinity 220–1, 223, 224  
   zonation 271  
 anoxia, historical records 322; *see also* hypoxia  
*Anthrocnemum subterminale* 284  
*Apocalypse Now* (film) 325  
 Appalachian mountain stream, sedimentation 205  
 application of research 410–11, 425  
 aquarium keeping 245  
 aquatic communities 101  
   competition 140, 141–2  
   effects of flooding 15, 23–6, 67  
   plant adaptations 19–20  
   plant classification 359  
   plant die-off 96, 103  
 archeology 322–3, 324  
 area/size of habitats *see* wetland area  
 arid zones 284  
*Arion intermedius* 170  
 Army Corps of Engineers 366  
 artificial wetlands 99, 417  
   dams 368–9  
   definitions 373, 375  
   diversity 368–9  
   drainage ditch example (author's) 367–9  
   reserves, creating 415, 416–17  
   restoration 365, 366–7  
 artistic inspiration provided by wetlands 321–16;  
   *see also* Conrad, Twain  
 assembly rules 340–6  
*Astelia* spp. 93  
*Aster* spp. 253  
 asymmetric competition 145, 158  
 Ataturk dam 392  
 Atchafalaya River 226  
 Athabasca–Great Slave Lake 47, 57–9, 69–70  
 autogenic burial 192, 198–200, 201–2; *see also* allogenic burial  
*Avicennia germinans* 20, 128–9  
 Axe Lake 292, 298  
*Azobacter* spp. 311  
*Azolla* spp. 311  
 backswimmers 51, 53  
*Bacopa monnieri* 220  
 bacteria 18, 308, 311; *see also* decomposition,  
   nitrogen fixing  
 Baltic Sea marshes 5, 7  
 Bangladesh 5, 6, 231–3  
*Batis maritima* 220  
 Bayou Lafourche 227  
 Bayou Teche 227  
 beavers  
   coprophagy 82  
   disturbance 122  
   and diversity/species composition 180–1, 249  
   extinct 177–8  
   herbivory 176, 177, 186  
   ponds 59–61, 62, 63  
   restoration of wetlands 367–8  
   and succession, plant 275  
   wildlife diet studies 166  
*Beckmannia syzigachne* 125  
 beetles 51, 53  
 Belize 257–8  
*Bellis perennis* 83  
 Bengal tigers 231, 238, 315, 407–8  
*Betula humilis* 90–1  
 bichar fish 20  
 biodiversity *see* diversity  
 biogenic accumulation 192; *see also* burial  
 biological interactions 277–80; *see also* competition,  
   positive interactions  
 biomass  
   animals 172, 302, 339; *see also* secondary production  
   and competition 152, 339  
   and disturbance 109, 110  
   and diversity 250, 255–61, 263  
   and diversity figures 251, 255, 257, 258, 261, 263  
   and fertility 80–2, 110  
   gradients 149, 151–2, 153  
   population modeling 184–5, 227  
 biotic factors, as filters 345–6, 418–20  
 biotic integrity 206, 388, 415–16  
   index of 206, 248  
 birds *see also* waterbirds, *and individual species by name*  
   competition 144–5, 150, 159  
   Congo River basin 334

- birds (cont.)  
 and diversity 247–8  
 Everglades 48, 87, 369  
 and fertility 83, 105, 106  
 functional types 349, 350  
 impact of flooding 48–50, 105, 106  
 potholes 61  
 species composition and fires 119  
 stomach contents 166  
 zonation 271
- blanket bogs, north European 5–8, 9
- “blind scholar and the elephant” metaphor 269
- bog turtle 155–8, 159, 409
- bogs 24; *see also* peatlands  
 bryophytes 22  
 classification 5–8, 9  
 drainage 395–6  
 experimental assessment of nutrient limitation 83, 84  
 fens distinction 104, 105  
 historical records 322–3, 324  
 mycorrhizae 94  
 ombrogenous 65  
 peripheral habitats 88, 153–5  
 terminology 37  
 transition from fens 200, 201, 207, 209
- bottomland forests 74
- bottom-up/top-down control 182–4
- boundary clustering, species 289–97  
 figures 289, 290, 291, 293, 295, 296
- bowfin 20, 21
- Brachythecium* spp. 86
- Brahmaputra River 71
- Breton Sound 380
- browsing 170; *see also* herbivory
- bryophytes 22, 252
- buffer zones 404
- building construction materials 321–16
- bulk flow of air 19
- burial *see* allogenic burial, autogenic burial, sedimentation
- buried seed banks *see* seed banks
- Burns, Robert 382
- Burton, Richard 332
- Cabomba caroliniana* 175
- Caernarvon Freshwater Diversion Project 380–1
- Calamagrostis* spp. 140, 146, 152, 163
- calciphilous soils 104
- calcium  
 and diversity 251  
 and fertility 90, 103–4, 105
- gradients 90, 103–4, 105, 339  
 peatlands 65, 251
- Calliergonella* spp. 86
- Callitriche hermaphroditica* 103
- Calluna vulgaris* 170, 412
- CAM photosynthesis 88
- Camargue, France 48–50, 220–1, 223, 224
- Canada; *see also* Nova Scotia  
 Great Lakes region 47, 57–9  
 mapping 335, 336  
 Peace–Athabasca delta 69–70  
 value of nature study 317–18  
 wetland evaluation 336, 337
- canals 40, 127, 344, 345, 369, 380
- canonical patterns of dominance 241
- canopies, dense 147; *see also* light
- Cape Peninsula savanna 65
- carbon  
 acquisition 24–6  
 function in living organisms 140  
 as limiting factor 82–3  
 soils, wetland 17  
 storage by wetlands 306, 307, 335
- carbon dioxide levels 209; *see also* climate change, greenhouse effect
- Carex* spp. 18  
 adaptations to burial 201  
 aerenchyma 19  
 autogenic burial rates 200, 201  
 competition 146, 149, 151–2, 153  
 diversity 102–3, 250, 251, 252–3  
 effects of flooding 66  
 experimental assessment of nutrient limitation 83  
 fertility gradients 82, 90–1  
 fires 117, 118  
 growth rates in fertile sites 88  
 herbivory 163  
 Mesopotamia wetlands 392  
 methane production 308  
 mowing by humans 172, 173  
 mycorrhizae 93  
 North America gulf coast savannas 63  
 and succession 276  
 wildlife diet studies 166  
 zonation patterns 295
- Caribbean system 35–6
- carnivorous plants 22  
 Everglades 87  
 and fertility/hydrology 87, 90, 105, 106  
 unique species of infertile sites 87–8
- carrier services provided by wetlands 28, 29

- Castor canadensis* see beavers  
*Castoroides ohioensis* 177–8  
 cattail see *Typha* spp.  
 cattle herbivory 172  
 causal ecological factors 30, 32–3, 213, 217, 233, 413;  
   see also specific factors by name  
 classification of wetlands 13, 14, 15  
 Ganges River delta 232–3  
 human impacts 229–33  
 invasive species 385  
 multiple 30, 31, 32  
 positive interactions 33  
 principles 30–2, 399  
 roads 33  
 salinity 33  
 time 33  
 water 43  
 wetland types 15  
 zonation 299  
 centrifugal model 152–5, 158, 385  
*Ceratophyllum demersum* 166  
 CERP (Comprehensive Everglades Restoration Plan) 369, 370  
 Chad, Lake 5  
 changes through time 32, 392, 397–9, 400, 401, 402;  
   see also human impacts  
 characoid fish 243  
 Charles River basin 316, 319–20  
*Chelonia mydas* 177  
 chemical composition of living organisms 3–4  
 chemical defenses against herbivory 174–6  
 chemistry, soil see soils  
 China 68, 252–3, 334, 344, 377–9  
 Chinese sturgeon 378  
*Chironomus* spp. 131  
 chloride salts 214  
*Cladium* spp. 81, 86, 87, 88, 153–5, 412  
 classification, plant 324, 348, 350–4, 355, 359;  
   see also functional types  
 classification, wetlands 4–5, 35; see also specific habitats  
   by name  
 African wetlands 36  
 bog 5–8, 9  
 causality of wetland types 13, 14, 15  
 combining 13–15  
 European phytosociology 36  
 fen 8, 10  
 global summary 8, 13  
 hydrogeomorphic classifications 8–13, 14  
 hydrological perspective 13, 14  
 marsh 5, 7  
 peatlands 8, 9, 10  
 shallow water 8, 12  
 swamps 5, 6  
 terminology 4, 36–7  
 tropical Caribbean system 35–6  
 wet meadow 8, 11  
 climate change 110, 425 see also carbon dioxide levels,  
   greenhouse effect  
   and disturbance 128–9  
   Ganges River delta 232  
   historical records 323  
   management of wetlands 209  
   and plant succession 207  
   short-term variations 134, 217  
 climate regulation  
   carbon storage 306, 307  
   coal 309, 310  
   methane production 306–9  
*Cloaca Maxima* 394  
 clonal dominant species 356  
 clonal stress tolerators 356  
*Clostridium* spp. 311  
 coal 309, 310  
 coal swamps 310, 397, 398  
 coastal wetlands see also mangrove swamps, salt marshes  
   elevation/salinity manipulations 343–4, 345  
   salinity/frost as filters 130, 134, 219, 343  
 Colorado River 70  
*Colossoma* spp./tambaqui 51, 236, 237, 243  
 commercial fisheries 323, 406  
 Committee on Characterization of Wetlands 34–5  
 communities, species organization 289–98, 289, 294,  
   296, 297; see also zonation  
   plant diversity model 219, 255–61  
   species pools/filters research 344–5, 346  
 community-unit hypothesis 293–7  
 competition 140, 158–9  
   above/below ground 149, 151–2, 153  
   amphibians, larval 142–3, 144  
   asymmetric 145, 158  
   and biomass 152, 339  
   biotic factors as filters 345  
   birds 144–5  
   centrifugal model 152–5, 158  
   definitions 139  
   and disturbance 149–50, 155, 158  
   and diversity 23, 88, 152–3, 156, 158, 255  
   experimental methodology 141  
   and fertility/hydrology 105, 106, 155  
   fish 143–4, 145  
   and flooding 281, 282–4  
   gradients 150–2, 152–5, 158

- competition (cont.)  
 habitats at risk 155  
 and height 148, 149  
 light 146–8  
 and management of wetlands 146, 158–9  
 patch creation 140, 148–9, 150  
 plants 141–2  
 rare species/peripheral habitats 49, 86, 153–5, 155–8  
 species pools/filters research 344  
 and zonation 281, 282–4, 290
- Comprehensive Everglades Restoration Plan (CERP) 369, 370
- Congo River/river basin 5  
 birds 334  
 dams/reservoirs/floodplains 77  
 diversity 236  
 human impacts 424  
 logging 125  
 protected area systems 406  
 research 333
- Conrad, Joseph 325, 326
- conservation of wetlands 391, 424; *see also* human impacts, management, reserves, restoration  
 changes through time 397–9, 400, 401, 402  
 and competition 146  
 definitions 374  
 diversity 264–5  
 habitats at risk 155  
 objectives 400–2  
 selection of wetlands for 403
- continuum model 296, 297, 298; *see also* zonation
- control methods, invasive species 384–5
- The Control of Nature* (McPhee) 321
- convective through flow 19
- coprophagy 82
- core habitats, centrifugal model 152
- core protected areas, 403–4; *see also* reserves
- Coreopsis rosea* 153–5
- corridors, linking 404
- Costa Rica 249–50
- coumarins 175
- Cowardin classification system 14
- coypu (nutria) 163–5, 184, 412
- crayfish 176
- creation of wetlands, definition 373; *see also* artificial wetlands
- critical limits 421
- cryptophytes 26
- cultural services 315–17, 317–18
- curlew, Eskimo 247–8
- cyanophytes/cyanobacteria 18, 83, 340
- cycles of flooding 43; *see also* flooding
- cyclones *see* storms
- Cynodon* spp. 253
- Cyperaceae 88, 93–4; *see also* *Carex*, *Cladium*, *Eleocharis*, *Rhynchospora*, *Scirpus* spp.
- Cyperus* spp. 146, 166, 305
- cypress swamps 126, 127, 128–9
- dams 67–8; *see also* levees  
 artificial wetlands 368–9  
 burial 195  
 dikes 71  
 downstream effects 69–71  
 and flooding 68, 77  
 Ganges River delta 232  
 impact on wildlife 51–2  
 maintaining reserves 409  
 Mesopotamia wetlands 392  
 negative impact 68  
 Peace–Athabasca delta 72, 73  
 research 361  
 shifted flood timing 68  
 Three Gorges Dam 69  
 upstream effects 68–9, 70  
 water level stabilization 68
- Dansereau classification system 324, 352–4, 355
- Danube River 371–2
- Darwin, Charles 332, 348–9
- data *see* statistics
- dead forests 286–7, 288
- debris, woody 225–7, 228, 229
- decomposition food web 1, 167, 303, 304
- defenses against herbivory 162, 174–6
- definitions 1, 2–4, 34  
 basic terminology 2–4, 36–7  
 competition 139  
 disturbance 110  
 exotic species 383  
 fens/bogs distinction 104, 105  
 functional types 350  
 integrity 415–16  
 invasive species 383  
 restoration of wetlands 367, 373–5  
 of success 376, 377
- deforestation  
 Ganges River delta 232  
 Roman Empire 394  
 Pantanal wetlands 40  
 sedimentation impacts 193–4, 206
- delineation of wetland 335
- deltas 203, 207, 208, 231–3
- denitrification 311–12

- depressions, wet; *see also* ponds, pothole wetlands, wet savannas  
 autogenic burial rates 198, 199  
 herbivory by large mammals 168, 169  
 peripheral habitats 86, 153–5  
 pool formation 200
- description, research 360–1, 362
- Design with Nature* (McHarg) 321
- diamond mines 335
- die-off of aquatic plants 96, 101, 103
- diffusion, aerenchyma 19
- dikes *see* levees, dams
- Dionaea muscipula* 88, 153–5
- Discordant Harmonies* (Bodkin) 399
- dispersal 148–9, 149–50
- Distichlis spicata* 220  
 burial studies 202  
 competition experiments 141, 143  
 gap dynamics 131–2, 133  
 zonation 284–5
- distribution patterns, global  
 water 3  
 wetlands 4, 5
- disturbance 109–11, 135–6, 384; *see also* dams, disturbance, eutrophication, levees, logging, mowing, reserves  
 animals 122–3, 124  
 area 111, 136  
 and biomass 109, 110  
 causal ecological factors 215, 217  
 and competition 149–50, 158  
 definitions 110  
 and diversity 250, 255, 258–9  
 duration 111  
 erosion by rivers 10, 113–14  
 experimental studies 135  
 and fertility/hydrology 105, 106  
 fires 114–20, 115–16  
 and flooding 26–7  
 frequency 111  
 frost 128–9  
 gap dynamics 129–32  
 habitats at risk 155  
 and herbivory 162  
 hurricanes 126–8  
 ice 120, 121, 122  
 infertile/stressed sites 88  
 intensity 111, 136  
 and invasive species 384  
 logging 125–6, 127, 423  
 measuring effects of 130, 132–5  
 mowing/peat-cutting 123–5  
 properties 111, 136  
 seed banks, regeneration from 112–13  
 and species composition 113–29  
 and succession/zonation 275, 289  
 wave action 120–2
- diversity 235, 265–7  
 amphibians 248  
 and area sampled 5, 239–40, 248  
 artificial wetlands 366–7, 368–9  
 and biomass 250, 251, 255–61, 263  
 and competition 23, 88, 152–3, 156, 158  
 and conservation objectives 266, 402  
 conservation of wetlands 264–5  
 data/statistics 236, 236  
 and disturbance 250, 258–9  
 dominant species 89, 118, 240–2  
 and eutrophication 100, 101–3, 104  
 experimental limitations 50, 102, 113, 266  
 and fertility 80, 86, 89, 92–3, 96, 265  
 fish 236, 237, 243, 244  
 and flooding 66, 71, 75, 77  
 freshwater plants 249–50, 251  
 frogs 334  
 governing principles 238–42  
 habitat provision 314–15  
 and herbivory 180–2  
 insects 224, 244–6  
 intertidal plant species 253, 254  
 and invasive species 385  
 and latitude 238–9  
 maintaining 415–16  
 mammals 238  
 management of wetlands 315  
 models 219, 255–61  
 mussels 249  
 and niche width 291–2  
 peatland plants 251–3  
 and roads 225, 226, 339  
 role of wetlands 313–14  
 and salinity 218, 219, 224, 339  
 species pool dynamics 236, 261–4  
 species vs. habitat measures 314, 321–16  
 standard regression 240  
 statistical methodology 255, 260–1  
 and topography 56, 57, 240, 241, 250, 251  
 waterbirds 80, 236–7, 238, 246–8  
 and wetland area 239, 339  
 woody plants in swamps 253, 254  
 and zonation 11, 285, 286, 289
- diving beetles 51, 53
- dolphin, Yangtze 378

- Domesday Survey 411  
 dominance–diversity curves 241  
 dominant species 141, 145, 158, 356; *see also* competition  
   and competition 148, 149  
   and diversity 89, 118, 240–2, 255  
   and zonation 296  
*Donatia* spp. 93, 367–9  
 drainage ditch example of artificial wetland (author's) 367–9  
 drainage of wetlands 302, 306, 319, 395–6, 411–12, 414  
*Drepanocladus* spp. 23, 87  
 drinking water supply, New York 315  
*Drosera* spp. 86, 90, 102, 122, 153–5  
 drought 110  
 ducks *see* waterfowl, birds  
 dune slacks 83, 84  
 duration of disturbance 111  
 dynamics 276; *see also* succession, zonation  
*Dytiscus* spp. 245
- eat-outs 162–3, 178; *see also* herbivory  
 ecological communities 293–7, 298; *see also* zonation  
 ecological engineering 61, 122–3, 345; *see also* alligators,  
   beavers  
*Ecological Imperialism* (Crosby) 383  
 ecological modeling  
   explicit constraints 360  
   functional types 304, 346–59  
   predictive 348–9, 350, 351, 352, 353  
 ecological response curves 270, 280–4, 290, 295–6, 297  
 ecological services 28, 29; *see also* services provided by wetlands  
 ecological thresholds 209, 286, 402  
 ecomorphological types *see* functional types  
 economic evaluation  
   flooding 319–20, 321–2  
   Pantanal wetlands 30  
   reserves 406–8  
   services provided by wetlands 28–30, 301, 315–18, 321  
 ecosystem engineers 61, 122–3, 345; *see also* alligators, beavers  
 ecotones 281  
 efficient community hypothesis 382  
*Egeria elegans* 19  
*Eichhornia crassipes* 140, 141–2, 386  
 electric eel 243  
 elements, chemical 140; *see also* individual elements by name  
*Eleocharis* spp. 220  
   disturbance 125  
   diversity 253  
   and fertility 81, 88  
   and succession 276  
 elevation, impact of 289, 343–4, 345  
 Ellenberg fertility classification 358
- Elodea canadensis* 103  
 embankments *see* dams, levees  
 emergent marshes 36  
 Emperor penguin 332, 333  
 empirical ecology 338–40  
 endangered habitats 155; *see also* protected areas, reserves  
 endangered species *see* rare species  
 Endangered Species Act (1997) 157  
 engineering, ecological 61, 122–3, 345; *see also* alligators,  
   beavers  
*Epic of Gilgamesh* 48, 392–4  
*Equisetum* spp. 82, 90, 252–3  
*Erica* spp. 102, 409, 412  
*Eriocaulon* spp. 87–8  
*Eriophorum vaginatum* 170  
 erosion 10, 113–14, 194, 206, 207, 245; *see also* sedimentation  
 estuarine classification 218  
 ethanol 19–20  
 Euphrates River 77, 392–4  
 Europe; *see also* Netherlands  
   eutrophication and diversity 101–3, 104  
   phytosociology 36  
   wetlands 406  
 eutrophication 95–6; *see also* fertility  
   die-off of aquatic plants 96, 101, 103  
   and disturbance 110  
   and diversity 100, 101–3, 104  
   and fertility/hydrology 105, 106  
   habitats at risk 155  
   research 361  
   runoff effects 96–9  
 evaluation of wetlands 336, 337; *see also* economic  
   evaluation  
 Everglades 30  
   changes through time 117, 399  
   eutrophication 361  
   and fertility 80, 81, 83, 86, 87  
   fires 116, 117  
   gator holes 122  
   habitat provision 315  
   human impacts 424  
   impact of flooding 48, 49  
   infertile/stressed sites 82  
   invasive species 383–5  
   peripheral habitats 86, 153–5  
   restoration 369–71, 374  
   runoff effects 98  
 evergreen plants 22, 87–8  
 evolution 348–9  
 enclosure experiments 186  
   coypu/nutria 165

- Pampas grasslands 172  
 Pennines, sheep/slug herbivory 170  
 snail herbivory 168, 186  
 snow geese 162, 163, 164  
 exotic species 383, 384–5, 399, 423  
 expenditure, value of nature studies 317; *see also* economic evaluation  
 experimental studies; *see also* enclosure experiments  
 diversity 50, 102, 113, 266  
 species composition 202–3  
 expert systems 357–9  
 explorers, historical 332–4  
 exposure 289, 291, 292  
 extinct species 177–9; *see also* rare species
- facultative wetland species 335  
 farming *see* agriculture  
*Faust* (Goethe) 397  
 fear of change 398  
 feces, animal *see* wildlife diet studies  
 fen; *see also* peatlands, Wicken Fen, Woodwalton Fen  
 bogs distinction 104, 105  
 classification of wetlands 8, 10  
 diversity 255, 256  
 drainage of wetlands 414  
 English 411–12  
 experimental assessment of nutrient limitation 84  
 fertility gradients 91–3  
 rare species/peripheral habitats 155–8  
 terminology 37  
 transition to bog 200, 201, 207, 209  
 fertility 79, 105–6; *see also* eutrophication  
 animals 81–2, 94–5  
 and biomass 80–2, 110  
 calcium interactions 103–4, 105  
 causal ecological factors 213, 215, 217  
 classification system 358  
 die-off of aquatic plants 96, 101, 103  
 and diversity 80, 86, 92–3, 265  
 eutrophication 100, 101–3, 104  
 Everglades 86, 87  
 experiments 81, 83–4, 100, 102  
 and flooding 104–5, 106  
 gradients 82, 89–93, 92–3, 150  
 growth rates 88–9  
 human influence on 95–6  
 and hydrology 104–5, 106  
 infertile/stressed sites 82, 84–5  
 maintaining reserves 408, 409  
 mycorrhizae 88, 93–4  
 nitrogen/phosphorus limitation 80
- peatlands 22, 85–7  
 precipitation 85, 99–100, 101  
 primary production limiting factors 82–3  
 runoff effects 96–9  
 sand plains/shorelines 86, 87  
 services provided by wetlands 321–16  
 unique species of infertile sites 17, 87–8  
 wet savannas 87  
 and zonation 284–5  
 fertilizer, nitrogen 102–3  
*Festuca* spp. 163, 170  
 filters, wetland 341, 342  
 biotic factors 345–6  
 elevation/salinity manipulations 343–4, 345  
 hydrology, prairie wetlands 341–2  
 maintaining reserves 409  
 oxygen/pH, fish in lakes 342–3, 344  
 research 344–5, 346  
 salinity/frost, coastal wetlands 130, 134, 219, 343  
 species pools 344–5, 346  
*Fimbristylis spadicea* 141, 142  
 fires 109, 110, 115–16, 117, 118, 119  
 and disturbance 114–20  
 gap dynamics 131  
 and herbivory 162–3, 167  
 and plant succession 207, 275  
 firths 63  
 fish  
 adaptations to hypoxia 20–2  
 Chinese sturgeon 378  
 competition 143–4, 145, 150  
 diversity 236, 237, 243, 244  
*Gambusia affinis* 221  
 herbivory 167  
 hypoxia 96  
 impact of flooding 50–1, 52  
 importance of river logjams 227  
 oxygen/pH 342–3, 344  
 sedimentation impacts 205  
 simplification/functional types 349, 351  
 fisheries 323, 406  
 flamingoes 48–50, 87, 221, 223  
 flavonoids 177  
 flooding 2, 43, 46, 66, 68, 75–7; *see also* levees,  
 soil chemistry  
 adaptations to 18–19, 19–20, 282, 320–1, 321–16;  
*see also* aerenchyma  
 among years cycles 44–6, 47  
 beaver ponds 59–61, 62, 63  
 biological consequences 48–52  
 burial rates 193



- flooding (cont.)  
 causal ecological factors 15, 213, 215, 217–18  
 dams/reservoirs 67–71, 69–71  
 and disturbance 111, 115–16  
 and diversity 56, 57, 71, 75, 240, 241  
 economics of 319–20, 321–2  
 effects on specific habitats 15, 54, 66–7  
 and fertility 104–5, 106  
 as filter 341–2  
 flood peak reduction 318–22  
 flood protection evaluation 319–20  
 frequency/intensity 70, 77  
 Ganges River delta 231–3  
 historical impact on humans 46–8  
 inevitability 44, 319  
 lakes 56–9, 60, 61  
 modeling 71–5, 76, 409  
 peatlands 65–6  
 and plant succession 207  
 potholes 61–3  
 maintaining reserves 408  
 pulses 43, 45, 113, 128  
 rivers 52–6, 57, 59  
 and roads 223, 225  
 secondary constraints caused by 15, 22–7  
 wet savannas 63–5  
 within years cycles 44  
 and zonation 277
- floodplains  
 decomposition food web 303  
 fish 50–1, 52  
 forests 54, 55, 56, 57  
 herbivory 170–2
- Florida panther 315
- floristic quality index (FQI) 420, 421
- fluvial deposition 192; *see also* allogenic burial, sedimentation
- food  
 competition 140  
 quality index 175, 176  
 services provided by wetlands 321–16
- forests; *see also* deforestation  
 amphibians 248  
 bottomland 74  
 dead 286–7, 288  
 floodplain 54, 55, 56, 57  
 restoration 387  
 riparian 70–1, 264  
 runoff 97, 98
- FQI (floristic quality index) 420, 421
- fragmented habitats 155, 405, 406, 411
- Frankenia grandifolia* 202
- Fraxinus* spp. 56, 394
- frequency of disturbance 111
- freshwater ecosystems 3–4  
 herbivory 162–3, 178  
 mussels 249  
 plants, diversity 249–50, 251  
*Freshwater Wetlands and Wildlife* (Sharitz and Gibbons) 409
- frogs  
 artificial wetlands 368  
 competition 142–3, 144, 159  
 impact of flooding 48, 49  
 species-based research 334
- frost 128–9, 130, 343
- functional types  
 ecological modeling 304, 346–59  
 group construction 354–5, 356, 357  
 marsh plants 355, 358  
 predictive modeling 348–9, 350, 351, 352, 353  
 research 346–59
- fungicides 204
- fur farming 164
- furbish lousewort 49
- fynbos flora 66
- Gaimardia* spp. 93
- Galápagos Islands 332
- Gambusia affinis* 221
- Ganges River  
 dikes 71  
 diversity 238  
 human impacts 231–3  
 indicators 418  
 logging 125  
 sedimentation 190–2, 232
- gap analysis 404, 425
- gap dynamics 129–30; *see also* patch creation  
 and disturbance 112  
 and fertility/hydrology 105, 106  
 marsh 111, 130–1  
 salt marshes 131–2, 133  
 swamps 26
- Gar fish 20
- Gardiken reservoir 68–9, 70
- gator holes 122–3
- geese 163, 164, 186
- generality of research 359–60, 361
- geographical information systems (GIS) 75
- Geologic Travels* (De Luc) 273

- germination *see* seed germination  
 Germany 99  
 ghost of competition past 145  
 giant beaver, extinct 177–8  
 Gifford, John 384  
 GIS (geographical information systems) 75  
 global distribution patterns *see* distribution patterns, global  
 global warming *see* climate change  
 glucosinolates 175  
*Glyceria* spp. 90–1, 125  
 goals for nature reserves 417–24  
 Goethe, J. W. 397  
 gopher frogs 159  
 gradients 270; *see also* zonation  
   competition 150–2, 152–5, 158  
   disturbance 135  
   fertility 82, 89–90, 90–3, 92–3, 150  
   osmotic 216  
   peatlands 105, 339  
 grazing; *see also* herbivory  
   and competition 148  
   and fertility/hydrology 82, 105, 106, 150  
   and mowing by humans 173, 174  
   *Sagittaria lancifolia* 218, 347  
   sedimentation impacts 206  
 great egrets 48  
 Great Lakes region  
   effects of flooding 73–5, 76  
   fish 96  
   marshes 5, 7  
   peripheral habitats 10, 11, 153–5  
   rehabilitation of 374–5  
   runoff effects 96, 97  
   value of nature studies 318  
   water level fluctuations 47, 57–9  
   zonation 290–2  
 Great Salt Lake 398  
 Great Slave Lake 47, 57–9  
 Greece 397  
 greed 424  
 green turtles 177  
 greenhouse effect 306, 307; *see also* carbon dioxide levels,  
   climate change  
 growth rates, plant 80, 88–9, 355  
   and salinity 215–18  
 grubbing of rhizomes 163, 164, 165; *see also* herbivory  
 Guadalquivir River delta 253  
 guilds *see* functional types  
 Gulf of Mexico 98–9, 253, 254, 302, 303  
 gymnotoids 243  
*Gyrinus* spp. 245  
 Haber process 95–6  
 habitat/s  
   fragmented 155, 405, 406, 411  
   peripheral 155; *see also* protected areas, reserves  
   provision 314–15, 415–16  
   size *see* wetland area  
   template 30  
 Hammarmossen Bog, Sweden 199–200  
*Heart of Darkness* (Conrad) 325, 326  
 heathlands 84, 102  
 hedonic price indices 315  
 height, and competition 148, 149  
 hemi-marshes 89  
 herbicides 204  
 herbivory 109, 162, 186; *see also* disturbance, grazing  
   biotic factors as filters 345  
   browsing 170  
   causal ecological factors 217–18  
   coypu/nutria 163–5, 184  
   defenses against 162, 174–6  
   and disturbance 162  
   and diversity 180–2  
   extinct herbivores 177–9  
   and fertility 96, 182  
   and fires 162–3, 167  
   fish 167  
   general patterns/measures 179–80, 219, 221  
   large mammals, African grasslands 168–70, 171, 172, 177  
   mowing by humans 172–4, 181–2  
   muskrats in freshwater wetlands 162–3, 178  
   nitrogen content of plants 82, 176–7  
   Pampas grassland cattle 172  
   population modelling 184–5, 227  
   predation 162, 168  
   rhinoceros 170–2  
   sheep/slugs in UK peatlands 170  
   snails in salt marshes 168, 182–4, 186  
   snow geese in boreal salt marshes 163, 164, 186  
   and species composition 162, 180–2  
   top-down/bottom-up control 182–4, 186  
   waterfowl 166–7  
   wildlife diet studies 166–8  
 herons 145  
 Hertzprung–Russell star chart 339, 341, 363, 365  
*Heteranthera dubia* 103  
 hierarchical continuum model 296, 297, 298; *see also* zonation  
 history  
   explorers 332–4  
   records 322–3, 324  
   restoration of wetlands 385  
*Holcus lanatus* 102–3

- Holme Fen, UK 412, 414  
 horticulture 125; *see also* peat cutting  
 Hudson Bay Lowland 5, 58  
   carbon storage/methane production 335  
   ecological thresholds/sea level changes 209  
   snow geese herbivory 163, 164  
 human impacts 362, 392, 424; *see also* dams, disturbance,  
   eutrophication, levees, logging, mowing, pollution,  
   reserves  
   causal ecological factors 229–33  
   changes through time 374  
   ecological engineering 346  
   *Epic of Gilgamesh* 48, 392–4  
   erosion 401  
   Everglades 369–70, 371  
   nitrate levels 96, 339  
   restoration of wetlands 381  
   Rhine River basin 394–7  
   Roman Empire 394  
   and sea level changes 286, 288  
   sedimentation 193, 206, 207–9, 245  
   and sustainability 424  
 humans, influence of wetlands on 2  
 hurricanes *see* storms  
 Hussein, Saddam 392–4  
*Hydrocharis morsus-ranae* 141–2, 145  
*Hydrocleys nymphoides* 19  
 hydrogen 82–3, 140  
 hydrogeomorphic classifications 8–13, 14  
 hydrology 13, 14, 409; *see also* flooding  
 hydroperiod 224, 244–5; *see also* flooding  
 hydrosere 273; *see also* succession, plant  
 hypoxia, wetland soils 15–17  
   adaptations to 18–19, 19–20, 20–2, 282, 320–1,  
   321–16; *see also* aerenchyma  
   effects on other elements 17, 20  
   and fertility 96  
 Iberian lynx 315  
 IBP (International Biological Program) 305  
 ice  
   age 178, 395  
   cores 99, 101  
   disturbance by 120, 121, 122  
   foot 120  
   scouring 67, 109, 122, 289  
 impoldering 37, 379, 395–6  
 inclusive niches 281  
 index of conservatism 358, 419  
 indicators/indicator species 358, 402, 417  
   abiotic factors 418  
   biotic factors 418–20  
   combining 421, 422  
   history 387  
   invasive species 385  
   monitoring 418, 421–4  
   restoration of wetlands 388–9  
   services provided by wetlands 418, 420  
   setting critical limits 421  
   state variables 417–21  
 individualistic hypothesis 293–7  
 infertile sites *see* stressed sites, Everglades  
 informational services provided by wetlands 28, 29  
 insectivory *see* carnivorous plants  
 insects; *see also* invertebrate communities  
   adaptations to hypoxia 21–2  
   factors affecting diversity 224, 244–6  
   functional types 349, 352  
   sedimentation impacts 205, 205  
 integrity *see* biotic integrity  
 intensity of disturbance 111, 136  
 intermediate diversity model 255–60  
 International Biological Program (IBP) 305  
 International Union for Conservation of Nature (IUCN) 267,  
   314, 405, 412  
 intertidal communities 253, 254; *see also* salt marshes  
 invasive species 383–5, 386  
 inventories of species 335–6  
 invertebrate communities; *see also* insects  
   factors affecting diversity 224, 244–6  
   impact of flooding 49, 51, 53  
   salinity 220–1, 223, 224  
   sedimentation impacts 205  
 Iraq–Iran war 392–4  
 Ireland, historical records 322–3, 324  
 iridoid glycosides 175  
 irrigation 62  
*Isoetes* spp. 25, 88  
 isolation, and diversity 239; *see also* fragmented habitats  
 IUCN (International Union for Conservation of Nature) 267,  
   314, 405, 412  
*Jaumea carnosa* 202  
*Juncus* spp. 220  
   adaptations to burial 201  
   competition experiments 141, 143, 145  
   diversity 253  
   gap dynamics 131–2, 133  
   growth rates in fertile sites 88  
   Mesopotamia wetlands 392  
   model of diversity 261  
   mycorrhizae 93

- positive interactions 284, 285
- zonation 284–5
- juvenile traits 354–5, 357
- kites, snail 159, 369
- Labrador duck 247
- lacustrine marsh 36
- Laguncularia racemosa* 335
- lakes 56–9, 60, 61, 243; *see also* Great Lakes region, ponds, and individual lakes by name
- land use 97, 98; *see also* agriculture
- land and water interfaces, wetlands as 1, 2, 4; *see also* definitions
- large-number systems 338
- latitude, and diversity 238–9
- law of frequency 241
- Le Bassin aux Nymphéas* (painting by Monet) 325
- leaf litter accumulation 201; *see also* autogenic burial
- legal definitions 34–5
- Lepistosteus* spp. 20
- Leucorrhinia* spp. 245
- levees, artificial 71, 264–5, 395–6; *see also* dams
  - breeching 379–82
  - burial 195–8
  - economics of flooding disasters 321–2
  - detrimental consequences 73, 197, 319, 320–1
  - Ganges River delta 232
  - restoration of wetlands 344, 371–2
  - sedimentation 207
  - terminology 37
- levees, natural 32, 38, 195, 197, 199
- Libellula* spp. 245
- Life on the Mississippi* (Twain) 325, 326
- light
  - competition 140, 146–8
  - and disturbance 113
  - and flooding 26
  - limiting factors 88
- limiting factors
  - fertility 81, 82–3, 83–4
  - light 88
- limits, critical 421
- limnogenous peatlands 24
- limnology 340
- Lindow Man 323
- linking corridors 404
- lions 407–8
- Litsea monopetala* 170–2
- litter accumulation 201; *see also* autogenic burial
- littoral zones, freshwater 8, 12
- Littoraria irrorata* 168, 186
- Livingstone, Dr. 332
- Lobelia* spp.
  - carbon acquisition 25
  - exposure 292
  - mycorrhizae 94
  - peripheral habitats 10, 11, 153–5
  - unique species of infertile sites 87–8
- logging 127, 344; *see also* timber
  - causal ecological factors 231
  - disturbance 125–6, 127, 423
  - sedimentation impacts 206
- logjams 225–7, 228, 229
- Lolium perenne* 102–3
- longleaf pine 63
- Louisiana coastline
  - levees, breeching 379–82
  - restoration 375, 423
- Louisiana pearlshell 249
- lungfish 20
- Lygodium microphyllum* 385
- lynx, Iberian 315
- Lythrum salicaria*
  - competition experiments 147, 148, 149, 151–2, 153
  - rare species/peripheral habitats 157
  - seed germination 204
- Mackay, Lake 398
- Mackenzie River basin 5, 69–70
- macroinvertebrates *see* invertebrate communities
- Magellanic moorland 5, 93
- magnesium salts 214
- malaria 2
- Mallotus philippinensis* 170–2
- mammals; *see also* individual species by name
  - biomass 172, 339
  - diversity 238
  - extinct 178
  - functional types 349, 353
  - large carnivores 407–8
  - roadkill 223–5
- mammals, African grasslands 169
  - habitat provision 315
  - herbivory 168–70, 171, 172, 177
  - seasonality 303–5
- management of wetlands 376, 416; *see also* conservation, human impacts, reserves, restoration
  - adaptive management 389
  - climate change 209
  - and competition 146, 158–9
  - and diversity 235, 246, 266, 315

- management of wetlands (cont.)  
 Ganges River delta 232–3  
 human impacts 362, 424  
 list of objectives for 424  
 and mowing by humans 173  
 nature reserves 264  
 Norfolk Broads 255, 256  
 principles 31  
 reference points 416  
 research 360–1  
 size factors 5, 240, 262  
 setting critical limits 421  
 trees 150
- mangrove swamps 5, 6  
 burial rates 193  
 and diversity 218  
 frost 128–9  
 human impacts 231–3  
 obligate wetland species 335  
 services provided by wetlands 323  
 and zonation 277
- mapping 335, 336
- The March of Folly* (Tuchman) 321
- Margaritifera hembeli* 249
- marsh 140, 142, 143, 146; *see also* salt marshes  
 birds 144–5  
 buried seed banks 112  
 classification of wetlands 5, 7  
 competition 139, 140, 141, 145, 146  
 and disturbance 113  
 diversity 71, 75, 249–50, 257–8  
 fertility gradients 92–3  
 fish 143–4  
 flooding 15, 26–7, 54, 67  
 functional groups 355, 358  
 gap dynamics 131  
 hay 124, 173; *see also* mowing by humans  
 herbivory 163–5, 184  
 patch creation 111, 130–1  
 succession 273  
 value of nature studies 318  
 zonation 279, 280
- marsh wrens 144
- MEA (Millennium Ecosystem Assessment) 324–5, 326, 327
- meadow, wet *see* wet meadow
- measurement  
 importance of 292  
 state variables 338–9
- medicinal plants 321–16
- medium-number systems 338
- Mekong River 236
- Melaleuca quinquenervia* 140, 384–5
- meltwater 65, 204
- Mentha pullegium* 172
- Mesopotamia 392–4
- methane 18  
 and fertility/hydrology 105, 106  
 Hudson Bay Lowland 335  
 services provided by wetlands 306–9
- Millennium Ecosystem Assessment (MEA) 324–5, 326, 327
- mink 271
- Mississippi gopher frog 48, 49, 63
- Mississippi river/river basin 5, 6  
 adaptations to flooding 320  
 bottomland forests 74  
 burial depth 203  
 dams, effect of 71, 195  
 dikes 71  
 diversity 238  
 fertility 84  
 human impacts 424  
 levees, artificial 73, 197, 198  
 logging 125  
 logjams 227  
 reserves, creating 413, 415  
 restoration of 371  
 salinity 221, 418  
 sedimentation 192, 193
- mitigation strategies 373, 415, 416, 417; *see also* restoration  
 of wetlands
- modeling *see* ecological modeling, predictive modeling
- Molinia caerulea* 102
- monitoring 375, 418, 421–4
- monocotyledonae 27
- Moore's equation 135
- moors, Somerset 102–3
- “moose–goose” syndrome 334–5, 361
- morphology of wetland plants 23, 201–2; *see also* adaptations,  
 defenses against herbivory 174, 175
- mosquito control 221, 314
- mowing 102, 172–4; *see also* herbivory  
 disturbance 123–5  
 and diversity/species composition 181–2  
 gap dynamics 131  
 and grazing 173, 174
- multiple regression analysis 340
- multiplier effects 317–18
- multivariate analysis 89, 91
- muskrats  
 disturbance 123  
 herbivory 162–3, 176, 178  
 management of wetlands 315

- and succession, plant 275
- wildlife diet studies 166
- mussels 249, 346
- mutualism 33, 88, 94, 284, 285; *see also* biological interactions
- Myocastor coypus* 163–5, 184, 412
- mycorrhizae 23, 88, 93–4
- Myrica* spp. 88, 311
- Myriophyllum* spp. 103, 123, 141–2
- Najas* spp. 103, 123, 166
- nature reserves *see* reserves, conservation, human impacts, management, restoration
- Nebraska sand hills 62
- Nelumbo* spp. 19, 140
- nested species distribution 295–6, 297
- Netherlands 394–7
- New Jersey Pine Barrens
  - diversity 86, 265
  - eutrophication 361
  - fertility 87, 422
  - indicators 421, 422
- New York Natural Heritage Program 156
- New York water supply 315
- niche/s
  - inclusive 281
  - width, and diversity 291–2
- Niger River 243
- Nile River/river basin 5, 54, 56, 57, 332
- nitrate levels 96, 339
- nitrogen 79; *see also* fertility
  - animals 94–5
  - content of plants 82, 176–7
  - experimental assessment of nutrient limitation 81, 83–4
  - fertility gradients 82, 90
  - fertilization experiments 95
  - fertilizer 102–3
  - fixing 17, 18, 88, 311, 312, 316
  - function in living organisms 140
  - Haber process 95–6
  - peatlands 65
  - and plant growth limitation 80
  - primary production limiting factors 82–3
  - secondary metabolites 174
  - soils, wetland 17
- nitrogen cycle 311, 312, 316
  - atmospheric abundance of nitrogen 309–10
  - chemical transformation by wetlands 310–11
  - denitrification 311–12
  - treatment plants 312–13
- Noah's ark 46
- nomenclature *see* definitions
- Norfolk Broads, UK 193, 255, 256, 412, 413
- North America; *see also* Canada, United States
  - diversity model for herbaceous plant communities 255, 257, 258
  - fish diversity 244
  - gulf coast savannas 63
  - invasive species 383
  - peatland plant diversity 251–2
- Nostoc* spp. 311
- Notonecta* spp. 51, 53, 245
- Nova Scotia 11, 49, 51–2, 153–5, 292, 293
- null models 293
- Nuphar* spp. 20, 335
- nutria (coypu ) 163–5, 184, 412
- nutrients, soil *see* fertility
- Nymphaea* spp. 20, 140, 166, 174, 175
- Nymphoides* spp. 123
- Nyssa* spp. 335
- obligate wetland species 335
- Okeechobee, Lake 97–8
- ombrogenous bogs/peatlands 24, 24, 65, 66
  - peat formation 198–200, 201
- Ontario, Lake 10, 11, 153–5; *see also* Great Lakes
- Ontario Wetland Evaluation System 362, 363
- orchids 23, 87, 88, 314, 321–16
- Orconectes rusticus* 176
- ordination techniques 376, 377
- Orinoco River savannas 65
- osmotic gradients 216
- Ottawa River basin 92–3, 149, 151–2, 153
- oxygen
  - effects on other elements 17
  - filters 342–3, 344
  - function in living organisms 140
  - primary production limiting factors 82–3
  - revolution 16
  - sedimentation impacts 205, 206
  - soil levels 15–17, 18, 277
  - transport 19
  - vascular plant effects 18
  - zonation 277
- oysters 346
- padinas 63
- paludification 25, 65
- Pampas grassland cattle 172
- Panicum* spp. 165, 220
- Pantanal wetlands 5, 30, 37, 39
  - economic evaluation 29

- Pantanal wetlands (cont.)  
 protected area systems 406  
 WWF/MEA evaluations 323
- panther, Florida 315
- Papyrus* spp. 36, 152
- parabolic model of plant growth 185, 227
- Paraná River floodplain 318
- Parnassia glauca* 10, 11, 153–5, 157
- Paspalum dilatatum* 172
- patch creation; *see also* gap dynamics  
 and competition 140, 148–9, 150  
 marsh 111, 130–1
- Peace–Athabasca delta 73  
 dams 69–70, 72  
 effects of flooding, prediction model 73  
 fires 117, 118  
 human impacts 424  
 research 361
- Pearl River 193, 194
- peat  
 burning 125, 306  
 cutting 123–5  
 formation 198–200, 201
- peatlands 65; *see also* fens, bogs, marshes  
 autogenic burial rates 198, 199, 200, 201  
 calcium interactions with fertility 103–4, 105  
 carbon storage 306  
 decomposition food web 303  
 diversity 251–3  
 drainage of wetlands 395–6  
 effects of flooding 65–6  
 fertility 85–7, 90–3  
 fires 117–19  
 gradients 90–3, 105, 339  
 historical records 322–3, 324  
 low productivity 305  
 secondary constraints caused by flooding 15, 22–3  
 sheep/slug herbivory in UK 170  
 succession/zonation 273, 275, 276  
 terminology 37  
 zonation 272
- Pedicularis furbishiae* 49, 51, 153–5
- Peltandra* spp. 18, 20, 123, 308
- penguin, Emperor 332, 333
- Penthorum sedoides* 147
- perenniality, plant 258–9, 356
- performance measures, nature reserves 417–24
- peripheral habitats 155–8  
 centrifugal model 49, 86, 153–5
- periwinkle snail 168, 186
- persistent seed banks *see* seed banks
- Peru 113–14
- pH as species filter 342–3, 344
- Phalaris* spp.  
 competition 140, 146, 148, 149, 152  
 invasive species 383  
 and mowing by humans 173  
 rare species/peripheral habitats 157
- phenolics 174
- phosphorus 17, 79; *see also* fertility, mycorrhizae  
 and biomass 339  
 Everglades 369  
 experimental assessment of nutrient limitation 81, 83–4  
 fertility gradients 82, 90  
 fertilization experiments 100  
 function in living organisms 140  
 indicators 340, 418  
 and invasive species 385  
 Norfolk Broads 412  
 peatlands 65  
 and plant growth limitation 80  
 primary production limiting factors 82–3  
 runoff effects 96–9
- photosynthesis 88, 305
- Phragmites* spp. 5, 7, 27, 220  
 adaptations to burial 201  
 aerenchyma 19  
 classification of wetlands 36  
 and competition 140, 146, 152  
 and diversity 253, 257  
 growth rates in fertile sites 88, 89  
 index of conservatism 358  
 invasive species 383  
 Mesopotamia wetlands 392, 393  
 and mowing 123–5, 173  
 peripheral habitats 157  
 potholes 62  
 Rhine River basin 396
- physiological response curves 280–4, 290, 296, 297
- phytometers 151
- phytosociology, classification of wetlands 36
- Phytostegia virginiana* 10, 11, 153–5
- Picea mariana* 276
- Pine Barrens, New Jersey *see* New Jersey Pine Barrens
- pink coreopsis 51–2
- Pinus palustris* 63
- Pistia stratiotes* 140, 141–2
- pitcher plants 63, 87
- plants; *see also* communities, wetland, and individual  
*genera by name*  
 aerenchyma 18–19  
 competition 140, 141–2

- defenses against herbivory 162, 174–6
- freshwater 249–50, 251
- functional types classification 324, 349, 350–4, 355
- growth inhibitors 215–18
- intertidal 253, 254
  - and oxygen levels, wetland soils 18
- peatland 251–3
- rare species 409
- succession 194, 200, 206–7
- woody 253, 254
- Platanthera leucophaea* 88, 153–5, 335, 360
- playas 61, 63
- pluvial lakes 398, 399
- Plymouth gentian 49, 51–2
- pneumatophores 19, 20
- Poaceae 88
- poaching, Pantanal wetlands 38
- point source pollution, runoff 96–7
- polders 37, 379, 395–6
- pollen analysis 322–3, 324
- pollination services provided by wetlands 321–16
- pollution 99–100, 101, 204, 205
- Polygonum* spp. 252–3
- ponds 200, 246, 274; *see also* depressions, lakes,
  - pothole wetlands, vernal pools
- Pontederia* spp.
  - competition 139, 140
  - gator holes 123
  - morphological defenses against herbivory 174, 175
  - obligate wetland species 335
  - species pools/filters research 344
- pools, species *see* species pools
- pools, vernal 48, 51, 61, 63; *see also* depressions, lakes,
  - ponds, pothole wetlands
- population
  - density, causal ecological factors 229–33
  - modeling, and herbivory 184–5, 227
- Populus alba* 394
- positive interactions 33, 284, 285; *see also* biological
  - interactions
- Potamogeton* spp.
  - alkaloids 175
  - competition experiments 141–2
  - gator holes 123
  - phosphorus uptake 103
  - and salinity 221
  - wildlife diet studies 166
- Potamogeton zosteriformis* 103
- Potentilla anserina* 252–3
- pothole wetlands 5, 8, 12
  - disturbance 123, 124, 125
  - effects of flooding 61–3
    - research 341–2
  - restoration of wetlands 382–3
  - seed bank model 360
  - vegetation types 64
- precipitation
  - and fertility 85, 99–100, 101
  - sedimentation rates 193–4, 196
  - and species composition 113
- predation 162, 168
- predictive modeling 348–9, 350–3, 360–1, 362
  - effects of flooding 71–5, 76
  - frequency/intensity of flooding 75, 76
  - maintaining reserves 409
- preservation of wetlands 373; *see also* restoration of wetlands
- pressurized ventilation 19
- primary production 82–3, 302
- Primula mistassinica* 358
- principles, ecological 30–2, 399, 415
- processes, wetland, research 333
- productivity of wetlands 28, 29, 302–5; *see also* primary
  - production, secondary production
- protected areas 405–6, 406–8; *see also* reserves
- Pterocarpus draco* 277
- Puccinellia* spp. 163
- pulses
  - flooding 43, 45, 113, 128
  - salinity 127, 219–20, 221, 222
- quantitative causal ecological factors 31
- Quercus robur* 394
- Quinshan polder 379
- radiocarbon dating 198–200, 201
- rainfall *see* precipitation
- raised bogs 24, 65
- Ramsar Convention 34, 237, 405–6
- Ranatra* spp. 245
- ranching 38
- rank–abundance curves 240–1, 242
- Ranunculus pedicularis* 252–3
- rare species 146, 267, 315; *see also individual species by name*
  - and competition 49, 86, 153–5, 155–8
  - maintaining reserves 409
  - at risk of extinction 266, 267, 402
  - role of wetlands 313–14
  - unique species of infertile sites 17, 87–8
  - wet meadow 51–2
- Raunkiaer classification system 351–2, 354
- records, historical 322–3, 324
- recreational services 315–17, 317–18



- red grouse 170
- Red List* (IUCN) 267, 314, 412
- Red River 225–6, 228
- reduction processes, soil 15–17
- reed swamps 36, 123–5, 173, 207; *see also Phragmites* spp., swamps
- reference wetlands 376, 377, 379, 409, 416
- refuges, wildlife 317–18; *see also* reserves
- regulation services provided by wetlands 28, 29
- rehabilitation of wetlands 373; *see also* restoration of wetlands
- relationships, environmental factors 333, 339–40
- relative growth rate (RGR) 355; *see also* growth rates
- remnant habitats 396
- replacement costs 315
- representative habitats 404
- reptiles 21, 22, 223–5, 227, 229; *see also* alligators, turtles
- research 331, 362–3; *see also* filters, functional types
  - assembly rules 340–6
  - delineation/mapping 335
  - description/prediction 360–1, 362
  - elevation/salinity manipulations 343–4, 345
  - empirical ecology 338–40
  - expert systems 357–9
  - explicit constraints 360
  - explorers, historical 332–4
  - general principles 359–60, 361
  - inertia 361
  - limitations 336–8, 361
  - measurement of state variables 338–9
  - obstacles 361–2
  - practical application 410–11, 425
  - predictive modeling 348–9, 350, 351, 352, 353, 360–1, 362
  - priorities 360
  - problems/issues 349–50
  - relationships, wetland 333, 339–40
  - species inventories 335–6
  - species pools 341, 342, 344–5, 346
  - species-based research 334–5, 336–8, 361
  - wetland evaluation 336, 337
- reserves 403, 404, 403–4; *see also* conservation, human
  - impacts, management, restoration
  - abiotic factors 418
  - biotic factors 418–20
  - combining indicators 421, 422
  - core/buffer zones 403–4
  - and diversity 265
  - economic value of protected areas 406–8
  - goals/performance measures 417–24
  - indicator status 417
  - linking corridors 404
  - maintaining reserves 408–10
  - maintaining services 410–11
  - management 264
  - monitoring 421–4
    - as part of larger protected area system 405–6
    - problems/prospects 411–15
    - services provided by wetlands 420
    - setting critical limits 421
    - size factors 5, 240, 262
    - state variables 417–21
  - reservoirs 68–9, 70; *see also* dams
  - resource partitioning 281
  - resource specialization 285, 286
  - responsibility, taking 425
  - restoration of wetlands 365, 387–9, 415–16, 416–17; *see also* reserves
    - adaptive management 389
    - artificial wetlands 365, 366–7
    - Danube River example 371–2
    - definitions of success 376, 377
    - definitions/conceptualizations 373–5
    - drainage ditch example 367–9
    - elevation/salinity manipulations 343–4, 345
    - Everglades example 369–71
    - goals 368, 387–8
    - history 385
    - indicator species 388–9
    - invasive species 383–5
    - levees, breeching 379–82
    - methods 372, 379, 388
    - monitoring 375
    - potholes example 382–3
    - Yangtze River example 344, 377–9
- RGR (relative growth rate) 355; *see also* growth rates
- Rhexia virginica* 86, 153–5
- Rhine River basin 84, 394–7, 410
- rhinoceros (*Rhinoceros unicornis*) 170–2
- Rhizobium* spp. 311
- rhizomes
  - adaptations to burial 211
  - and competition 146, 149, 152
  - and disturbance 113
  - growth rates in fertile sites 88
  - grubbing up by herbivores 163, 164, 165; *see also* herbivory
  - morphology 27
  - and mowing 173
- Rhizophora* spp. 220, 277, 335; *see also* mangrove swamps
- Rhynchospira* spp. 63, 88, 102, 146
- Rice, Lake 276
- rice paddies 18, 307, 309, 311, 314

- riparian forests 70–1, 264  
 ripple effects, economic 317–18  
 rivers; *see also* stream types, and *individual rivers by name*  
   logjams 225–7, 228, 229  
   water level fluctuations 52–6, 57, 59  
 roads 222  
   animals, impact on 205, 223–5  
   causal ecological factors 33  
   development statistics 223  
   and diversity 226, 249, 339  
   and flooding 223  
   indirect effects 225, 226, 227  
   and invasive species 384  
 Roman Empire 394  
 root nodules 88  
 Rosgen classification system of stream types 227–8, 230  
 ruderal species 356; *see also* disturbance  
 Rufiji delta, Tanzania 323  
 runoff 96–9, 225  
 rural land use 97, 98; *see also* agriculture  
 Russia 5–8, 9, 63
- Sabatia kennedyana* 49, 51–2, 335  
*Sagittaria* spp. 220  
   anaerobic respiration 20  
   causal ecological factors 217–18  
   competition experiments 140, 148  
   gator holes 123  
   herbivory 165  
   obligate wetland species 218, 335  
   research 218, 347  
   wildlife diet studies 166  
 saladas 63  
 salamanders 48, 142–3, 144  
*Salicornia* spp. 131–2, 133, 134, 202, 284  
 salinity 3, 214–15  
   animals 220–1, 223, 224  
   causal ecological factors 33, 217, 218  
   and diversity 218, 219, 222, 339  
   estuarine classification 218  
   experimental manipulations 343–4, 345  
   as filter 134, 219, 343  
   as growth inhibitor 216  
   and hydroperiod 224, 245  
   as plant growth inhibitor 215–18  
   potholes 62  
   pulses 127, 219–20, 221, 222  
   and zonation 277  
*Salix* spp. 394  
 salt marshes  
   burial rates 193  
   changes through time 134, 399  
   decomposition food web 303  
   diversity 264–5  
   gap dynamics 131–2, 133  
   impact of flooding 50  
   model of diversity 219, 254, 261  
   positive interactions 284, 285  
   snail herbivory 168, 182–4, 186  
   snow geese 163, 164, 186  
   species composition 220  
   zonation 277–9, 284  
 salt water pulses 127, 219–20, 221, 222; *see also* salinity  
*Salvinia molesta* 140, 141–2, 176  
*A Sand Country Almanac* (Leopold) 388, 415  
 sand plains *see* shorelines  
*Sarracenia* spp. 63, 86, 153–5  
 satellite photography 164, 335  
 savanna, wet *see* wet savanna  
*Scheuchzeria palustris* 308  
*Schoenoplectus* spp. 140, 146, 148  
 scientific definitions 34  
*Scirpus* spp. 220  
   adaptations to burial 201  
   anaerobic respiration 20  
   classification of wetlands 36  
   clonal stress tolerators 356  
   and competition 152  
   diversity 253  
   fertility gradients 82, 90  
   growth rates in fertile sites 88  
   herbivory 162–3  
   Mesopotamia wetlands 392  
   mycorrhizae 93  
   potholes 62  
   Rhine River basin 396  
   species of infertile sites 87–8  
   waterbird diversity 246  
   wildlife diet studies 166  
*Scorpidium* spp. 22, 86, 90  
 Scott, Captain 332–3  
 sea level changes  
   and burial 207–9  
   and herbivory 165  
   and zonation 286–8  
 seagrass 97, 177  
 seasonality, services provided by wetlands 303–5  
 secondary metabolites 174  
 secondary production 166, 302, 303  
 sedges *see* *Carex* spp.  
 sedimentation 190–2; *see also* allogenic burial  
   deltas 129, 232

- sedimentation (cont.)  
 and diversity 249  
 as feature of wetland habitats 190–2  
 and herbivory 165  
 hurricanes 128  
 modeling 409  
 and roads 225  
 Tiber River 394  
 and zonation 277
- seed banks 57, 59, 60, 61, 63  
 and competition 149–50  
 and disturbance 112–13  
 effects of flooding 77  
 model 360  
 potholes 62  
 and succession/zonation 275
- seed germination  
 and burial 203–4  
 functional groups construction 354  
 importance of river logjams 227  
 and mowing by humans 173  
 and soil texture 121–2
- Senecio* spp. 253
- services provided by wetlands 27–30, 301, 321–16, 325, 326;  
 see also climate regulation  
 and conservation objectives 401–2  
 decomposition food web 1, 303, 304  
 diversity 313–15  
 ecological services 28, 29  
 economic value estimates 301, 315–17, 317–18,  
 321, 406  
 evaluating 28–30  
 flood peak reduction 318–22  
 flood protection evaluation 319–20  
 habitat provision 314–15  
 high productivity 302–5  
 historical context 305  
 historical records 322–3, 324  
 indicators 418, 420  
 low productivity 302, 305  
 maintaining 410–11, 415–16  
 nitrogen cycle 309–13, 316  
 primary production 302  
 recreational/cultural 315–18  
 seasonality 303–5  
 secondary production 166, 302, 303  
 species vs. habitat measures 314, 321–16  
 WWF/MEA evaluations 321, 323–5, 326, 327
- sewage 96–7, 312–13, 370
- shading, dense 147; see also light
- shallow water, classification of wetlands 8, 12
- Shannon–Weaver diversity index 242
- shared preference species distribution 281
- sheep in UK peatlands 170
- Sheuzeria* spp. 18
- shorelines  
 and competition 151  
 competition experiments 149, 151–2, 153  
 diversity 11  
 fertility 86, 87  
 as model system 271–2  
 peripheral habitats 49  
 zonation 270, 272, 273, 274
- shrimp harvests 302, 303, 406
- shrubs see woody plants
- silver maple 56
- simplification see functional types
- Simpson diversity index 241
- size of habitats see wetland area
- slugs in UK peatlands, herbivory 170
- small-number systems 338
- snails 168, 182–4, 186
- snow geese 163, 164, 186
- snow meltwater 65, 204; see also ice, precipitation
- Snowdonia, UK 170
- Society for Ecological Restoration International 387
- sodium salts 214
- soils, wetland, 15–16; see also fertility  
 carbon 17  
 erosion see erosion, burial  
 flooding effects on soil chemistry 16–17, 18  
 nitrogen 17  
 peatlands 65  
 phosphorus 17  
 reduction processes 15–17  
 sulfur 18  
 temperature fluctuations 112  
 texture, and seed germination 121–2
- soligenous peatlands 24, 25
- South America 37, 39
- South Pole 332–3
- Spanish Armada 120
- Sparganium* spp. 88, 141–2, 166
- Spartina* spp. 220  
 competition experiments 141, 142, 143  
 and disturbance 113  
 and diversity 218, 220, 253  
 gap dynamics 131–2, 133, 134  
 herbivory 165, 168  
 restoration of wetlands 387  
 zonation 284–5
- species-based research 334–5, 336–8, 361

- species composition 220; *see also* succession  
 Amazon River basin 113–14  
 birds 119  
 and burial 200–4  
 and disturbance 113–29  
 experimental studies 202–3  
 and herbivory 162, 180–2  
 and mowing by humans 173  
 and precipitation 113  
 species density 263; *see also* diversity  
 species distributions  
 and exposure 291, 292  
 nested boundaries 295–6, 297  
 species diversity *see* diversity  
 species inventories 335–6  
 species pool dynamics model  
 and diversity 261–4  
 key factors 341, 342  
 research 342, 344–5, 346  
 species richness 241; *see also* diversity  
 Speke, John 332  
*Sphagnum* moss 5–8, 9, 22, 25; *see also* fens, bogs, marshes,  
 peatlands  
 autogenic burial rates 198, 199, 200, 201  
 calcium interactions with fertility 104  
 diversity 252  
 ecosystem engineers 61  
 and fertility 86–7  
 fertility gradients 93  
 fires 117–19  
 historical records 322–3, 324  
 morphology of wetland plants 23  
 sporting competition 145  
 St. Lawrence River/river basin 92–3, 117, 118  
 standard regression model 240  
 standing water 248  
 state variables  
 abiotic factors 418  
 biotic factors 418–20  
 combining indicators 421, 422  
 measurement of 338–9  
 reserves, creating 417–21  
 services provided by wetlands 420  
 statistical methodology  
 diversity 255, 260–1  
 zonation 289–97  
 statistics  
 development 223  
 diversity 236, 236, 237, 238  
*Stipa baviensis* 172  
 storms 109, 126–8; *see also* disturbance  
 and burial rates 193, 195  
 changes through time 129, 399  
 and disturbance 126–8  
 Ganges River delta 232–3  
 and salinity pulses 219–20, 221, 222  
 and sea level changes 287  
 Spanish Armada 120  
 stream types 227–8, 230; *see also* rivers  
 stress tolerators 281–2, 356  
 stressed sites 410; *see also* Everglades  
 and diversity 67, 255  
 fertility 82  
 and herbivory 182  
 indicators 420  
 limiting factors 84–5  
 and mowing by humans 174  
 peatlands 85–7  
 sand plains/shorelines 86, 87  
 unique species of 17, 87–8  
 wet savannas 86, 87  
 subordinate species 141, 145, 158; *see also* competition  
 succession, plant; *see also* species composition  
 burial 194, 200, 206–7  
 and buried seed banks 275  
 and disturbance 275  
 history 387  
 woody plants 409  
 and zonation 44, 76, 273–7  
 sulfate salts 214  
 sulfides 20  
 sulfur 18, 82–3, 140  
 sunfish 143–4, 145  
 Superior, Lake 59; *see also* Great Lakes  
 surplus value studies 318  
 sustainability 424  
*The Swamp* (Grunwald) 371  
 swamps; *see also* mangrove swamps, reed swamps  
 classification of wetlands 5, 6  
 competition 140  
 effects of flooding 67  
 Nile River 54, 56, 57  
 secondary constraints caused by flooding 15, 26  
 and succession, plant 276  
 terminology 36  
 woody plant diversity 253, 254  
 Sweden 55, 58, 68–9, 70  
 symbiotic relationships 33, 88, 94, 284, 285;  
*see also* biological interactions  
 Tampa Bay 97  
 Tataru Island, Ukraine 372, 381

- Taxodium* spp. 140, 148, 335  
 taxonomic classification *see* classification, functional types  
 temperature fluctuations, soil 112; *see also* climate change  
 terminology *see* definitions  
 terpenes 174  
 terpenoids 175  
*Thalassia testudinum* 97, 177  
 Thoreau, H. D. 57  
 Three Gorges Dam 68, 69, 195, 378, 424  
 thresholds, ecological 209, 286, 402  
 Tiber River 394  
 tidal cycles 50  
 tigers 231, 238, 315, 407–8  
 Tigris River 77, 392–4  
 timber 321–16; *see also* logging  
 Timber Act (1876) 126  
 time  
   beaver ponds 60  
   causal ecological factors 33  
   changes through 32, 392, 397–9, 400, 401, 402;  
     *see also* human impacts  
 “To a Mouse” (Burns) 382  
 Tollund Man 323  
 top-down control, herbivory 168, 182–4, 186  
 topogenous wetlands 24  
 topography, and diversity 56, 57, 240, 241, 250, 251  
 Tome River 55, 58  
 “tragedy of the commons” 320  
 travel costs 316–17  
*Treatise on Chemistry* (Lavoisier) 309  
 treatment plants, sewage 312–13, 370  
 trees  
   and competition 149–50  
   effects of flooding 55–6, 59, 67, 68  
   hurricanes 127  
   longleaf pine 63  
*Trewia nudiflora* 172  
*Trichocorixa* spp. 131  
*Trollium ranunculoides* 252–3  
 tropical Caribbean system 35–6  
 tropical wetlands, diversity model 257–8  
 turtles 155–8, 159, 177, 229, 409  
   importance of river logjams 227, 229  
   stomach contents 166, 302  
   wildlife diet studies 166  
 Tusket River 49, 51–2  
 Twain, Mark 325  
*Typha* spp. 18  
   adaptations to burial 201  
   anaerobic respiration 20  
   autogenic burial rates 200, 201  
   clonal dominant species 356  
   and birds 144–5  
   competition 140, 146, 152  
   competition experiments 147, 148  
   disturbance 26  
   and fertility 81  
   gap dynamics 131, 132, 134  
   growth rates in fertile sites 88, 89  
   habitats at risk 155  
   and herbivory 162–3  
   index of conservatism 358  
   invasive species 383, 385  
   maintaining reserves 409  
   marshes 5, 7  
   Mesopotamia wetlands 392  
   methane production 308  
   model of diversity 257–8  
   and mowing 124  
   potholes 62  
   seed germination 204  
   species pools/filters research 344–5  
   wildlife diet studies 166  
   zonation 279, 280, 295  
 United Kingdom 170, 411–12; *see also* Holme Fen,  
   Norfolk Broads, Wicken Fen, Woodwalton Fen  
 United States 99; *see also* Everglades, New Jersey  
   Pine Barrens  
 urban areas 96–7, 206  
*Utricularia* spp.  
   carbon acquisition 25  
   competition experiments 141–2  
   Everglades 87  
   fertility gradients 90  
   gator holes 123  
   peripheral habitats 86, 153–5  
*Valisneria* spp. 103, 175, 203  
 variables, measurement of 338–9  
 vegetation cycles 124, 178  
 vegetation types 64, 73, 80, 246–7; *see also* classification  
 vegetative reproduction 147  
 venturi flow 19  
 venus fly trap 87–8  
 vernal pools 48, 51, 61, 63; *see also* potholes  
*Victoria amazonica* 19  
 Victoria, Lake 59  
*Viola lanceolata* 122  
 Vistula River 71  
 Volta River 70  
*Vossia* spp. 146

- Wadden Sea, Netherlands 323, 396  
 wading birds *see* waterfowl, birds  
 walking catfish 20  
*Waterbird Population Estimates* 237  
 waterbirds 50, 166, 167, 221, 236–7, 238, 246–8  
 water, global distribution 3  
 water level fluctuations *see* flooding  
 water lilies 19  
 water supply, New York 315  
 water treatment plants 312–13, 370  
 water courses *see* rivers, stream types  
 waterfowl; *see also* birds  
   competition 145  
   diversity 80, 236–7, 238, 246–8  
   herbivory 166–7  
   patch creation 131  
   potholes 61  
   wildlife diet studies 166  
 wave action  
   disturbance 120–2  
   species distribution 291, 292  
   wet meadow 67  
     and zonation 289  
 West Siberian Lowland 5–8, 9  
 wet meadow  
   buried seed banks 112  
   classification of wetlands 8, 11  
   competition 140, 145, 146  
   disturbance 27  
   effects of flooding 54, 67  
   habitats at risk 155  
   peripheral habitats 11, 86, 153–5, 155–8  
   rare plants 51–2, 155–8  
 wet savanna 63–5, 87  
 wetland area 111, 136, 403–4  
   and diversity 239, 339  
   effects of flooding model 71–5, 76  
 wetland delineation 15, 363  
 wetland evaluation 336, 337; *see also* economic evaluation  
 wetland indicators *see* indicators/indicator species  
 wetlands overview 2, 37, 39, 425–6; *see also* classification,  
   flooding, services, soils  
   causal ecological factors 13, 14, 15, 30–3  
   definitions 1, 2–4, 34  
   distribution patterns 4, 5  
   flood tolerance 18–22  
   general framework for wetland ecology 426  
   principles 415  
   secondary constraints caused by flooding 15, 22–7  
   water, global distribution 3  
 white ibis 48, 49  
 white-naped crane 378  
 Whittlesea Mere, UK 411  
 Wicken Fen, UK 66  
 Wild Earth proposal 387  
 wildlife *see also* rare species, and individual species by name  
   diet studies 166–8  
   needs, and fertility 89  
   refuges 317–18; *see also* reserves  
 willingness to pay 318  
 willows 166  
 wind *see* storms  
 wolves 407–8  
 wood stork 83, 87, 159  
 Woodwalton Fen, UK 387, 412, 414  
 woody plants  
   diversity 253, 254  
   invasive species 409  
   zonation 279, 280  
 World Wide Fund for Nature (formerly World Wildlife Fund)  
   29, 321, 323–5, 379  
*Xyris* spp. 87–8  
 Yangtze River 68  
   human impacts 69, 77, 424  
   restoration 344, 377–9  
 Yellow River  
   dams, effect of 195  
   diversity 252–3  
   sedimentation 190–2, 193, 241  
 Yellowstone National Park 407–8  
 zonation 47, 269, 271–2, 299  
   biological interactions 277–80  
   and buried seed banks 275  
   and competition 281, 282–4, 290  
   and disturbance 275, 289  
   diversity/resource specialization 11, 285, 286  
   ecological response curves 280–4, 290, 295–6  
   ecological response curves figures 270, 281, 283,  
     296, 297  
   experiment 282–4  
   and fertility 284–5  
   fundamental principles 270–1  
   general points 296, 298  
   physical factors 277, 278  
   positive interactions 284, 285  
   salt marshes 284  
   sea level changes 286–8  
   shorelines as model system 270, 271–2, 273, 274  
   statistical methodology 289–97  
   and succession, plant 44, 76, 273–7  
*Zostera* spp. 281–2