

Index

- abdominal mass
 baby boy, 20–26
 baby/child, 217–222
- abdominal pain
 acute on chronic, 61–63
 and low-grade pyrexia, 151–159
 and vomiting, 38–42
 diabetic patient, 151–159
 inflammatory bowel disease, 55–60
 loin to groin pain, 103–107
 lower abdomen, 115–120
 nausea and vomiting, 195–197
 soft abdomen, 32–37
- abdominal pain and swelling
 female patient, 313–317
- abdominal surgery
 adhesions, 40
- abdominal visceral cysts, 243, 244
- acid reflux, 38, 43–47
- acoustic schwannoma, 167–172
- acromegaly, 347
- acro-osteolysis, 307
- acute aortic syndromes, 272–273
- acute intramural haematoma, 269–273
- acute pancreatitis, 61–63
- acute respiratory distress syndrome (ARDS),
 208, 209
- adenocarcinoma, 101, 243
 small bowel, 60
- adenoma
 abdominal viscera, 216
- adenoma sebaceum, 215
- adhesions, 37, 40, 81, 107
- alcohol abuse, 62, 63
- alpha-1 anti-trypsin deficiency, 113
- aluminium dust inhalation, 209
- alveolar cell carcinoma, 208, 209
- amyloidosis, 36
- anabolic steroids, 347
- anaemia, 59, 201
- anastomotic stricture of the bowel, 37
- aneurysms, 216
- angiofibromas, 215
- angiomas, 274–279
- angiomyolipoma, 183–187, 216
- anorectal malformation, 249
- antenatal imaging. *See* fetal conditions
- anterior urethral valves, 24, 25
- aorta
 acute aortic syndromes, 272–273
 acute intramural haematoma, 269–273
 traumatic aortic injury, 231–238, 272–273
- aortic aneurysm, 273
- aortic aneurysmal leak/rupture, 272–273
- aortic coarctation, 193
- aortic dissection, 269–273
- arachnoid cyst, 172
- artefact on patient body surface, 180
- arterial dissection
 carotid artery, 108–113
- asbestosis, 262
- ascites, 316, 317
- Askin tumour, 69
- aspiration pneumonia
 neonate, 249
- astrocytoma, 69, 127, 176
- atherosclerotic disease, 113
- atrial septal defect, 193
- autoimmune disorders
 scleroderma, 257–262
- avascular necrosis, 59
- B virus (cercopithecine herpesvirus), 75
- baby
 abdominal mass, 217–222
 cardiac failure, 189–193
 failure to thrive, 306–307
 hydrocephalus, 189–193
 multiple rib fractures, 306–307
 non-accidental injury, 306, 307
 osteogenesis imperfecta, 306–307
 vein of Galen aneurysmal malformations,
 189–193
 vomiting and abdominal distension,
 217–222
See also neonate.

- baby boy
 abdominal mass, 20–26
 dehydration, 20–26
 fever, 20–26
 posterior urethral valves, 20–26
 vomiting, 20–26
 back pain, 95–101, 287–291
 and groin pain, 223–230
 road traffic accident patient, 318–323
 thoracic, 198–203
 balance impairment, 171
 worsening, 239–244
 Barrett's disease, 261
 benign breast calcification, 9–14
 benign ovarian dermoid, 103–107
 benign rhabdomyomas of the heart, 216
 bilateral vestibular schwannomas, 167–172
 bile duct
 dilated, 65–70
 bladder
 filling defects in children, 303
 blurred vision, 93
 bone cysts
 cranium, 216
 metacarpals and phalanges, 216
 bone infarcts, 201
 bone marrow
 MR imaging of metastatic disease, 201–203
 bone tumours
 primary bone neoplasm, 85–89
 Bourneville disease. *See* tuberous sclerosis (TS)
 bowel ischaemia, 32–37
 bowel obstruction, 32–37, 38–42
 bowel perforation, 37
 bowel wall thickening, 55–60
 brainstem glioma, 92
 child, 328
 breast
 benign breast calcification, 9–14
 calcification, 9–14, 308–312
 breast cancer
 tamoxifen treatment, 331, 333
 breast carcinoma, 281–286
 ductal carcinoma in situ (DCIS), 312
 invasive ductal carcinoma, 337–342
 lobular carcinoma, 340
 malignant breast calcification, 308–312
 metastatic disease, 198–203, 346
 MRI investigation and diagnosis, 281–286
 breast cysts, 48–54, 340
 breast lumps, 48–54, 281–286, 337–342
 Breast Screening Programme (NHS), 9–14,
 281–286, 308–312, 337–342
 breathing difficulty
 progressive dyspnoea, 257–262
 shortness of breath, 27–31, 135–143
 worsening shortness of breath, 205–209
 buphthalmos, 279
 buttock mass, 115–120

Candida infection, 47
 carcinoid, 346
 carcinoma
 and oesophageal intramural
 pseudodiverticulosis, 47
 intracystic, 54

 cardiac failure, 209
 baby, 189–193
 carotid artery dissection
 young adults, 108–113
 catheter fragments embolization, 179–181
 cationic trypsinogen gene, 63
 caecoureterocele, 25
 cement dust inhalation, 209
 central chondrosarcoma
 femur, 370–377
 cerebellar astrocytoma, 92
 child, 324–330
 cerebellar haemangioblastoma
 child, 328
 cerebellar signs, 93
 cerebellar tubers, 215
 cerebral abscess, 15–19, 177
 cerebral arterial infarction, 108–113
 cerebral calcification, 171
 cerebral hamartomas, 215
 cerebral metastases, 173–177
 cerebritis, 148
 cervical carcinoma, 292–296
 cervical lymphoma, 294
 cervical polyp, 294
 cervical tumours, 292–296
 Chance fracture of the spine, 318–323
 chemical peritonitis, 107
 chest pain, 209
 and dyspnoea, 349–354
 lower right side, 126–128
 sudden onset, 269–273
 child
 abdominal mass, 217–222
 bladder filling defect, 303
 bone tumours, 160–166
 cerebellar astrocytoma, 324–330
 clumsiness, 90–94
 coliform UTI, 297–303
 earache, 15–19
 facial and limb paraesthesia, 167–172
 headaches, 211–216, 324–330
 headaches and hearing loss, 167–172
 hip pain and limp, 129–134
 intracranial and spinal lesions,
 167–172
 jaundice, 65–70
 leg pain and swelling, 160–166
 metastatic neuroblastoma, 217–222
 nausea and vomiting, 324–330
 osteosarcoma, 160–166
 pancreatic tumour, 65–70
 pilocytic astrocytoma, 324–330
 posterior fossa neoplasm, 324–330
 primary brain tumour, 90–94
 pyrexia, 15–19
 seizures, 15–19, 211–216, 274–279
 tinnitus, 167–172
 vomiting, 90–94
 chocolate cysts, 81
 cholangiocarcinoma, 59
 cholelithiasis, 62, 63
 chondroma, 377
 chondrosarcoma
 femur, 370–377
 sacrum, 118
 chordoma, 115–120

- choroidal angioma, 279
- chronic calcific pancreatitis, 61–63
- chronic pancreatitis, 61–63
- cirrhosis of the liver, 346
- clear cell carcinoma, 333
- cleidocranial dysostosis, 307
- clumsiness
 - child, 90–94
- CMV (cytomegalovirus), 75
- colonic carcinoma, 59
- common bile duct
 - dilated, 65–70
 - stones, 62
- concentration
 - poor, 177
- confusion and seizures, 71–75
- congenital anomalies in the neonate, 245–250
- congenital heart disease
 - neonate, 368–369
- congenital lobar emphysema, 249
- congenital scoliosis, 249, 291
- cortical hamartomas, 215
- cortical tubers, 214, 215
- cranial asymmetry
 - child, 274–279
- cranium
 - bone cysts, 216
- CREST syndrome, 261
- Crohn's disease, 36, 55–60
- CSF shunting
 - complications, 135–143
- Cushing's disorders, 132
- cystic fibrosis gene, 63

- Dandy-Walker malformation, 368–369
- Dandy-Walker variant, 368–369
- dehydration
 - baby boy, 20–26
- delta sign, 19
- dermoid cyst, 103–107
- diabetes
 - secondary, 62, 63
- diabetes mellitus, 47, 347
- diabetic ketoacidosis, 62
- diabetic mothers, 249
- diabetic patient
 - abdominal pain and low-grade pyrexia, 151–159
 - emphysematous pyelonephritis (EPN), 159
- diffuse astrocytoma
 - child, 329
- disc abscesses, 230
- dizziness, 93
- drug treatments
 - and PRES, 149
- dry cough, 209
- ductal carcinoma in situ (DCIS), 312
- ductus diverticulum, 272
- duodenal atresia, 249
- dysmenorrhoea, 77–84
- dyspareunia, 77–84
- dysphagia
 - progressive, 43–47
- dysphasia, 108–113
- dyspnoea. *See* breathing difficulty

- earache
 - child, 15–19
- Edward syndrome (trisomy 18), 249
- Ehlers-Danlos syndrome, 113
- emphysematous pyelonephritis (EPN), 151–159
- empty delta sign, 18, 19
- encephalitis, 71–75
- encephalomeningitis, 74
- encephalopathy
 - hypertensive, 144–150
- encephalotrigeminal angiomatosis, 279
- end stage renal failure, 157
- endolymphatic sac tumours, 243, 244
- endometrial adenocarcinoma, 333
- endometrial atrophy, 333
- endometrial carcinoma, 331–335
- endometrial deposits/implants, 81
- endometrial hyperplasia, 333
- endometrial polyp, 332, 333
- endometrioma, 77–84, 254, 255–256
- endometriosis, 77–84
- endovascular stent grafting, 238
- ependymoma, 92, 118
 - child, 328
 - multiple, 167–172
- epidermoid cyst, 172
- epididymal cystadenomas, 243
- epidural phlegmon, 223–230
- epilepsy, 215
- epiphyseal dysplasia, 132
- erythema nodosum, 59
- Ewing family of tumours, 221
- Ewing's sarcoma, 89, 164
- Ewing's sarcoma family tumours, 65–70
- extensively drug-resistant TB (XDR-TB), 101

- facial angiofibromas, 215
- facial angiomatosis, 279
- fatigue, 209
- femur
 - central chondrosarcoma, 370–377
- fetal conditions
 - congenital anomalies, 245–250
 - heart failure, 193
 - posterior urethral valves, 25–26
 - vascular malformations, 189–193
- fever. *See* pyrexia
- fibreglass exposure (inhalation), 209
- fibroadenoma, 52, 54, 286, 340
- fibrolamellar carcinoma, 127, 346
- fibromuscular dysplasia, 113
- fibrosis
 - scleroderma-related, 257–262
- flank pain, 183–187
- focal nodular hyperplasia, 126–128, 346, 347
- fontanelle
 - bulging, 369
- foot
 - Lisfranc injuries, 355–362
 - multiple fractures, 355–362
- fractures
 - foot, 355–362
 - multiple (road traffic accident), 236
- FRCR examination
 - timing of the reporting session (Long Cases), 1–2

- FRCR examination Part B
 components of the examination, 1
 format of the reporting session
 (Long Cases), 1–2
- gallstone disease, 69
 gallstones, 59
 ganglioneuroblastoma, 221
 ganglioneuroma, 221
 gastric carcinoma, 316
 gastroesophageal reflux, 38, 43–47, 261
 gastrointestinal cancer, 59
 gastrointestinal tumour, 317
 Gaucher's disease, 132
 giant cavernous haemangioma, 127
 giant cell astrocytomas, 211–216
 giant cell tumour, 118
 glaucoma
 child, 279
 glioblastoma multiforme, 173–177
 glioma, 171
 glomerulonephritis, 31
 glycogen storage disorder, 347
 Gorlin syndrome, 93
 granulomatous disease, 209
 granulomatous osteomyelitis, 229–230
 Graves' disease, 354
 groin pain, 223–230
 guidance notes and top tips, 2–4
- haemangioblastomas, 239–244
 haematologic malignancy, 209
 haematological disorders, 353
 haematuria, 263–268
 haemochromatosis, 347
 haemoglobinopathies, 132
 haemolytic uraemic syndrome, 144–150
 haemopericardium, 273
 haemoptysis, 27–31, 209
 haemorrhagic cyst, 80, 254, 256
 hamartoma, 107
 headaches, 93, 167–172, 173–177
 child, 211–216
 hearing loss, 167–172
 hemianopia, 278
 hemiparesis, 75, 278
 hepatic adenoma, 127, 343–348
 hepatic haemangioma, 127
 hepatocellular adenoma, 127, 128, 347
 hepatocellular carcinoma, 127, 128, 346, 347
 hepatomegaly, 268
 hereditary pancreatitis, 63
 herpes simplex virus (HSV) encephalitis,
 71–75
 hiatus hernia, 47, 262
 hip pain and limp
 child, 129–134
 Hirschsprung disease, 221
 histiocytic lymphoma, 85–89
 HIV and TB, 101
 HRT
 endometrial hyperplasia, 333
 human papilloma virus (HPV), 295
 hydrocephalus, 19, 189–193
 child, 329
 neonate, 369
 obstructive, 211–216
- hydrocephalus treatment
 CSF shunting complications, 135–143
 hydrometra, 294
 hydronephrosis, 316
 hydrops fetalis, 193
 hypercalcaemia, 149
 hypercoagulable states, 132
 hyperhomocystinaemia, 113
 hypernephroma. *See* renal cell carcinoma
 hyperparathyroidism, 63
 hypersensitivity pneumonitis, 209
 hypertension
 and renal cell carcinoma, 268
 vascular risk factor, 113
 hypertensive encephalopathy, 144–150
 hypervascular metastases, 127, 346
 hypogammaglobulinaemia, 353
- idiopathic avascular necrosis of the proximal
 femoral epiphysis, 134
 iliac fossa
 pain in, 55–60
 immunosuppressed states, 229
 immunosuppression, 157, 229
 immunosuppressive disorders, 209
 imperforate anus
 neonate, 245–250
 infection
 leg pain, 377
 inflammatory bowel disease, 37, 55–60
 intracranial lesions, 167–172
 intrahepatic cholangiocarcinoma, 127
 intravenous drug use, 223–230
 intussusception
 small bowel, 195–197
 invasive ductal carcinoma, 337–342
 invasive thymoma, 349–354
- Japanese virus (flaviviridae), 75
 jaundice
 child/teenager, 65–70
 painless, 65–70
- kidney stones, 59
 kinky-hair syndrome, 307
 Klippel-Trenaunay-Weber syndrome, 279
 knee pain, 85–89
 Krukenberg tumour, 316, 317
- leg pain, 370–377
 and swelling, 160–166
 Legg-Calve-Perthes disease (LCPD), 129–134
 leiomyoma, 197
 leptomeningeal malformation, 279
 leukaemia, 132
 line embolization, 179–181
 line positions
 neonate in ICU, 248–249
 lipoma
 abdominal viscera, 216
 small bowel, 195–197
 liposarcoma, 196
 Lisfranc injuries, 355–362
 liver
 cirrhosis, 127
 focal nodular hyperplasia, 126–128
 lesion, 126–128

- liver adenoma, 343–348
- liver adenomatosis, 347
- loin to groin pain, 103–107
- Long Cases
 - an ideal report, 4
 - component of FRCR examination Part B, 1
 - example of a well-presented case, 4–8
 - example of an unsuitable case, 8
 - format, 1–2
 - grounded approach to Long Cases, 4
 - guidance notes and top tips, 2–4
 - marking scheme, 1–2
 - pass mark, 1–2
 - time allowed, 1–2
 - timing of written answers, 2–4
- lumbar burst fracture, 323
- lung cancer, 261
- lung carcinoma related to smoking, 209
- lungs
 - metastatic squamous cell carcinoma, 30
 - multiple pulmonary infarcts, 30
 - nodules, 27–31
 - rheumatoid nodules, 30
 - septic pulmonary emboli, 30
- lymphadenopathy, 333
- lymphangioliomyomatosis, 187
- lymphangitic carcinomatosis, 209
- lymphoma, 36, 58, 68, 69, 132, 200, 221
 - primary CNS lymphoma, 176, 177
 - small bowel, 60
- lytic metastases post radiotherapy/
chemotherapy, 201
- malignant astrocytoma
 - child, 329
- malignant breast calcification, 308–312
- malignant fibrous histiocytoma, 69
- malignant germ cell tumour, 106, 107
- malignant ovarian cyst, 107
- Marfan's syndrome, 113
- marking scheme
 - Long Cases (reporting session), 2
- massive vesicoureteral reflux, 24, 25
- mastoiditis, 15–19
- mature cystic teratoma of the ovary, 251–256
- mature teratoma, 103–107, 251–256
- mediastinal haematoma, 237
- mediastinal lymphadenopathy, 261
- medulloblastoma, 90–94
 - child, 328, 329
- mega cisterna magna, 368, 369
- melanoma, 107, 346
- meningiofacial angiomatosis, 279
- meningioma, 127
 - multiple, 167–172
- meningitis, 19, 74
- Menke's syndrome, 307
- mental retardation, 215, 279
- mesothelioma, 352, 354
- metabolic disorders
 - and paediatric hip pain, 132
- metacarpals
 - bone cysts, 216
- metallic oesophageal stent migration, 38–42
- metastatic adenocarcinoma, 352, 354
- metastatic disease, 89, 100, 101, 172, 263–268
 - cerebral metastases, 173–177
 - cervix, 294
 - femur and lungs, 377
 - from ovarian carcinoma, 313–317
 - hypervascular metastases, 127, 346
 - lung, 65–70, 160–166
 - MR imaging of bone marrow, 201–203
 - peritoneum, 313–317
 - pleural metastases, 349–354
 - pulmonary metastases, 370–377
 - sacrum, 118
 - skeletal metastases, 198–203
- metastatic neuroblastoma, 217–222
- Mullerian duct anomalies, 303
- multidrug resistant TB (MDR-TB), 101
- multiple myeloma, 89, 201, 202–203
- multiple pulmonary infarcts, 30
- multitrauma
 - road traffic accident, 231–238, 318–323
- mural thrombus, 273
- myasthenia gravis, 353, 354
- myeloma, 89
- nausea and vomiting, 93, 195–197
- neck pain, 108–113
- neonate
 - congenital heart disease, 368–369
 - HSV-2 infection, 75
 - multiple congenital anomalies, 245–250
 - urine leak with ascites, 25
 - See also baby.*
- neonate in ICU
 - line positions, 248–249
- neoplasm
 - small bowel ischaemia, 37
- neural axis haemangioblastomas, 244
- neuroblastic tumours, 221
- neuroblastoma, 217–222
- neuroendocrine tumours, 243
- neuroepithelioma, 69
- neurofibromatosis, 221
- neurological deficit
 - progressive, 177
- nevroid basal cell carcinoma syndrome, 93
- NHS Breast Screening Programme, 9–14
- night pain, 165
- nitrogen dioxide inhalation, 209
- obesity
 - and renal cell carcinoma, 268
 - endometrial hyperplasia, 333
- ocular abnormalities, 171
- oesophageal atresia
 - neonate, 245–250
- oesophageal dysmotility, 47
- oesophageal intramural pseudodiverticulosis, 43–47
- oesophageal stent migration, 38–42
- oesophageal stricture, 38–42, 43–47
- oesophagitis, 46
- oestrogen replacement therapy, 333
- oral aphthous ulceration, 59
- oral contraceptive pill, 347, 348
- osteoblastoma, 287–291
- osteochondroma, 377
- osteogenesis imperfecta, 306–307
- osteoid osteoma, 290–291
- osteomalacia, 59

- osteomyelitis, 89, 100, 164, 223–230
 osteonecrosis of the proximal femoral epiphysis, 134
 osteosarcoma, 69, 89, 101, 160–166, 377
 otosclerosis, 307
 ovarian cancer, 81
 ovarian carcinoma, 313–317
 ovarian cysts, 81
 ovarian dermoid, 80, 103–107, 251–256
 ovarian mass, 77–84, 251–256
 ovarian neoplasm, 80
 oxalate kidney stones, 59
- Paget's disease
 malignant transformation, 165
- pain
 right upper quadrant, 343–348
- pancolitis, 59
 pancreatic calcification, 61–63
 pancreatitic carcinoma, 63
 pancreatic divisum, 63
 pancreatic islet cell tumour, 346
 pancreatic tumours, 243
 child/teenager, 65–70
 pancreatitis, 61–63
 papilloedema, 93, 214, 329
 paraesthesia
 face and limbs, 167–172
 paralytic ileus, 37
 paraspinal abscesses, 230
 pass mark
 reporting session (Long Cases), 1–2
- pelvic pain
 female patient, 251–256, 292–296
 penetrating aortic ulcer, 272–273
 perforation of the bowel, 37
 peripheral inserted central catheter (PICC) line
 complications, 179–181
 embolization, 179–181
 peripheral primitive neuroectodermal tumour (pPNET), 65–70
 peritoneal metastases, 313–317
 peritonitis, 255
 periungual fibroma, 216
 personality changes, 177
 phaeochromocytomas, 243, 244
 phalanges
 bone cysts, 216
 pial angiomatosis, 274–279
 pilocytic astrocytoma, 93
 child, 324–330
 plasmocytoma, 118
 pleural metastases, 349–354
 pneumocystis pneumonia, 209
 pneumonia, 31
 pneumoperitoneum, 59
 pneumothorax, 236
 polycystic kidney disease, 157
 polycystic ovarian syndrome, 333
 polyhydramnios, 193, 249
 polytrauma. *See* multitrauma
 port wine stain, 279
 posterior fossa abnormalities
 neonate, 369
 posterior fossa arachnoid cyst, 368
 posterior fossa neoplasms
 children, 324–330
 posterior lens opacity, 171
 posterior reversible encephalopathy syndrome (PRES), 144–150
 posterior urethral valves, 20–26
 post-menopausal bleeding, 331–335
 Pott's disease, 101
 Prader-Willi syndrome, 307
 pre-eclampsia, 149
 primary bone lymphoma, 85–89
 primary bone neoplasm, 85–89
 primary brain tumour
 child, 90–94
 primary CNS lymphoma, 177
 primary megaureter, 24, 25
 primary neuroectodermal tumour (PNET)
 medulloblastoma, 90–94
 progressive systemic sclerosis (scleroderma), 257–262
 prostatic carcinoma, 200
 pseudomyxoma peritonei, 317
 psoas muscle abscess, 100
 pulmonary alveolar proteinosis (PAP), 205–209
 pulmonary artery hypertension, 261
 pulmonary atresia, 249
 pulmonary contusion, 236
 pulmonary hypoplasia
 baby, 25
 pulmonary infections, 208, 209
 pulmonary atresia, 249
 pulmonary contusion, 236
 pulmonary hypoplasia
 baby, 25
 pulmonary infections, 208, 209
 pulmonary lymphangiomyomatosis, 216
 pulmonary metastases, 65–70, 160–166, 370–377
 pulmonary nodules, 164
 pulmonary oedema, 208, 209
 pulmonary sequestration, 249
 pyogenic discitis, 223–230
 pyogenic osteomyelitis, 223–230
 pyogenic spondylitis, 229, 230
 pyogenic spondylodiscitis, 229
 pyrexia, 71–75, 89, 223–230
 and abdominal pain, 151–159
 baby boy, 20–26
 child, 15–19
 with back and groin pain, 223–230
- rabies, 75
 radiation exposure
 osteosarcoma, 165
 radiotherapy
 abdominal pain, 36
 radiation-induced tumour
 development, 93
 small bowel ischaemia, 37
 RCR website
 examples of a specimen report, 4
 guidance notes, 2–3
 rectal stent, 40
 red cell aplasia, 353
 renal agenesis, 249
 renal angiomyolipoma, 183–187
 renal anomalies, 297–303
 renal cell carcinoma, 186, 187, 243, 244, 263–268, 346
 renal colic, 106
 renal cysts, 244
 renal disease, 132, 149, 244
 renal duplex, 297–303

- renal dysplasia
 - baby, 25
- renal function
 - effects of trauma, 236
- renal hamartoma, 216
- renal lipoma, 186, 187
- renal liposarcoma, 187
- renal papillary necrosis, 63
- renal stones, 63
- renal tumour, 263–268
- reporting session
 - an ideal report, 4
 - component of FRCR examination Part B, 1
 - example of a well-presented case, 4–8
 - example of an unsuitable case, 8
 - format, 1–2
 - grounded approach to Long Cases, 4
 - guidance notes and top tips, 2–4
 - marking scheme, 2
 - pass mark, 2
 - time allowed, 1–2
 - timing of written answers, 2–4
- reticulum cell sarcoma, 85–89
- retinal detachment, 243, 244
- retinal haemangioblastomas, 244
- retinal hamartoma, 215
- retinal/vitreous haemorrhage, 243, 244
- rheumatoid lung, 261
- road traffic accident
 - Chance fracture of the spine, 318–323
 - Lisfranc injuries, 355–362
 - multitrauma, 231–238, 318–323
- Rokitansky nodule, 107
- round cell tumours, 89
- sacral segmentation anomaly, 249
- sacrococcygeal chordoma, 115–120
- sacroiliac joints
 - fusion, 59
- sacroiliitis (bilateral and symmetrical), 59
- sacrum
 - expansile lesion, 115–120
- sarcoidosis, 208, 209
- sarcomas, 370–377
- schwannoma, 69
 - multiple, 167–172
- scleroderma, 257–262
- scleroderma lung, 257–262
- sclerosing cholangitis, 59
- sclerotic metastases, 198–203
- scoliosis
 - congenital, 291
 - painful, 291
- seizures, 71–75, 93, 144–150, 177, 193
 - child, 15–19, 216, 274–279
 - neonate, 369
- sepsis, 149
- septic arthritis, 134
 - symphysis pubis joint, 229
- septic pulmonary emboli, 30
- serine protease inhibitor Kazal type 1, 63
- serous carcinoma, 333
- serous cystadenocarcinoma, 313–317
- serous microcystic adenomas, 243
- shagreen patch naevi, 216
- shunt nephritis, 142
- shunting complications
 - hydrocephalus CSF shunt, 135–143
- sickle cell, 132
- silica inhalation, 209
- sinus disease, 31
- sinus thrombosis, 15–19
- skeletal metastases, 198–203, 217–222
- skeletal tuberculosis, 95–101
- skin lesions, 215
- slipped proximal femoral epiphysis, 134
- small bowel adenocarcinoma, 60
- small bowel carcinoma, 60
- small bowel intussusception, 195–197
- small bowel ischaemia, 32–37
- small bowel lipoma, 195–197
- small bowel lymphoma, 60
- small bowel obstruction, 38–42
- smoker
 - abdominal pain, 32–37
- smoking
 - and renal cell carcinoma, 268
 - lung carcinoma, 209
 - pulmonary alveolar proteinosis, 209
 - vascular risk factor, 113
- speech disturbances, 75
- spinal cord haemangioblastomas, 244
- spinal lesions, 167–172
- spinal osteoblastoma, 287–291
- spinal tumour, 115–120
- spine
 - Chance fracture, 318–323
- squamous cell carcinoma, 107, 333
- stent migration, 38–42
- steroid therapy, 59
- steroids
 - and paediatric hip pain, 132
- storage disorders, 132
- string sign of Kantor, 60
- stroke, 148
 - young adults, 108–113
- Sturge-Weber syndrome, 274–279
- subependymal giant cell astrocytomas, 211–216
- subependymal hamartoma, 211–216
- surgery
 - post-surgical hip pain, 132
 - surgical emphysema, 236
- synovitis, 59
- syringomyelia, 244
- systemic lupus erythematosus, 149, 261
- tamoxifen, 331
 - endometrial hyperplasia, 333
- teenager
 - bone tumours, 160–166
 - facial and limb paraesthesia, 167–172
 - headaches and hearing loss, 167–172
 - intracranial and spinal lesions, 167–172
 - jaundice, 65–70
 - leg pain and swelling, 160–166
 - osteosarcoma, 160–166
 - pancreatic tumour, 65–70
 - tinnitus, 167–172
- temporal lobe abscess, 15–19
- terminal ileum
 - wall thickening, 55–60
- thalassaemia, 132

- thoracolumbar burst fracture, 323
 thromboembolism
 small bowel ischaemia, 37
 thrombolysis, 113
 thymic hyperplasia, 354
 thymomas, 349–354
 thyroid carcinoma, 346
 TIGAR-O system, 63
 tinnitus and hearing loss, 167–172
 titanium dioxide inhalation, 209
 toxic megacolon, 59
 tracheo-oesophageal fistula
 neonate, 245–250
 traction bronchiectasis, 261
 transient synovitis, 134
 transplanted kidneys, 157
 trauma
 and paediatric hip pain, 132, 134
 carotid dissection, 113
 foot, 355–362
 history of, 209
 Lisfranc injuries, 355–362
 road traffic accident multitrauma, 231–238,
 318–323
 small bowel ischaemia, 37
 traumatic aortic injury, 231–238, 272–273
 trisomy 18 (Edward syndrome), 249
 trisomy 9 abnormality, 369
 tropical calcific pancreatitis, 63
 tuberculosis (TB), 58
 drug-resistant forms, 101
 skeletal, 95–101
 tuberculous discitis, 229
 tuberculous osteomyelitis, 229–230
 tuberculous spondylodiscitis, 229, 230
 tuberous sclerosis (TS), 211–216
 angiomyolipoma, 183–187
 tubo-ovarian abscess, 80
 tumefactive demyelination, 177
 tumour
 bowel obstruction, 37
 Turcot's syndrome, 93
- ulcerative colitis, 59
 ungula, 216
 ureterocoele, 297–303
 urethral obstruction (male), 20–26
 urethral stricture secondary to infection or
 trauma, 24
 urethral valve anomalies (male), 20–26
 urethrovesical obstruction, 24
 urinary tract infection, 157
 young child, 297–303
 usual interstitial fibrosis (UIP), 260
- uterine bleeding
 abnormal, 331–335
 uterine sarcoma, 332
- VACTERL (vertebral, anorectal, cardiac,
 tracheo-oesophageal fistula, oesophageal
 atresia and renal, rib and limb/radial
 anomalies), 245–250
 varicocele
 right-sided, 263–268
 vasculitis, 31
 small bowel ischaemia, 37
 VATER (vertebral defects, imperforate anus,
 tracheo-oesophageal fistula, radial and
 renal dysplasia), 245–250
 vein of Galen aneurysmal dilatation, 193
 vein of Galen aneurysmal malformations
 (VGAM), 189–193
 vein of Galen varix, 193
 venous infarction, 15–19
 venous sinus thrombosis, 15–19
 ventriculitis, 19
 ventriculo-atrial shunting, 135–143
 ventriculo-peritoneal drainage, 143
 vertebral fracture, 318–323
 vertebral osteomyelitis, 223–230
 vertebral TB, 101
 vestibular schwannoma, 167–172
 vestibulocochlear schwannoma, 171
 viral encephalitis, 71–75
 visual disturbance, 144–150
 voiding dysfunction
 baby, 25
 volvulus, 37
 vomiting
 baby boy, 20–26
 child, 90–94
 neonate, 369
 with abdominal pain, 195–197
 vomiting and abdominal distention
 baby/child, 217–222
 von Hippel-Lindau (VHL) syndrome, 239–244
- weakness on one side, 173–177
 website of the RCR
 examples a specimen report, 4
 guidance notes, 2–3
 Wegener's granulomatosis, 27–31
 weight loss, 89, 209
 West Nile virus, 75
 Wilms' tumour, 220, 221
 wormian bones, 307
- Yersinia* infection, 58