Index

ℓ_2-norm, 750
ℓ_p-norm, 750
ℓ_p-sequence, 750
ℓ_p-space, 751

a posterior probability, 185
active constraints, 732
additive white Gaussian noise (AWGN), 20, 188
adjugate, 757
advance chain, 86
alias-free decimation, 78
alias-free(M) region, 80
alias-free(T) band, 804
    reflections, 807
alias-free(T) signals, 805
aliasing, 75
all-digital equivalent, 354
allpass filters, 108
AM-GM inequality, 752
    and Jensen's inequality, 705
analysis filter bank, 93
analysis/synthesis system, 109
antisymmetric matrix, 761
Aryabhata, 811
autocorrelation
    of pulse, 41
    WSS process, 779
autocorrelation matrix of vector process, 780
average power spectrum of CWSS process, 784
average probability of error, 383
AWGN (additive white Gaussian noise), 20, 188

bandlimiting, 6, *30*
bandpass equivalent, 61
bandpass sampling, 106
bandpass sampling theorem, 80
bandpass signal, 60
bandwidth expansion factor, 245, 287
baseband, 6, 13
baseband channel, 62
    PAM, 64
    QAM, 62
baseband equivalent, 61
beamforming, 678
BER (bit error rate), 27
    minimization, 494
bias
    in error, 54
    in reconstruction error, 500
bias removal, 388, *501*
    convexity proof, 516
    effect on MSE, 503
    effect on SER, 503
    error probability and, 502
    Schur-convexity and, 506
bias-removed estimate, optimality, 503
bias-removed MMSE estimates, 513
bias-removed MMSE versus ZF-MMSE, 508, 520
    diagonal channels, 508
    non-diagonal channels, 510
    SISO channel, 523
biased versus unbiased SER, 516
biorthogonal filter banks, 97
biorthogonal partners, 137
biorthogonality, and perfect reconstruction, 109
Birkhoff's theorem, 722
bit error rate (BER), 27
bit allocation, 127, 452
    block size, and, 566

© in this web service Cambridge University Press & Assessment www.cambridge.org

CAMBRIDGE
Cambridge University Press & Assessment
978-0-521-76079-9 — Signal Processing and Optimization for Transceiver Systems
P. P. Vaidyanathan, See-May Phoong, Yuan-Pei Lin
Index
More Information

coding gain, and, 471, 564
eigenmodes, and, 467
optimum, 456
bit loading, optimum, 456
block size
bit allocation, and, 566
effect in cyclic-prefix, 561
noise gain, and, 312
zero-padded systems, and, 585
block-diagonal matrix, 756
blocked channel, 101
blocked version, determinant, 775
blocking a signal, 86
bracelet polynomial, 776
broadcast system, 127

C/D converter, 5, *114*
calculus
complex matrix, 673
matrix, 660
capacity of MIMO channels, 234
capon beamformer, 678
carrier-frequency modulation, 30
Cauchy principal value, 43
Cauchy-Riemann equations, 671
Cauchy-Schwartz inequality, 751
causal channel, 2
CDMA system, 127
channel capacity, 216, 735
bits per second, 217
diagonal channel, 380, 381
frequency dependent channel, 219
infinite bandwidth, 218
per use, 217
real versus complex, 240
subbands, and, 220
water filling, and, 382
channel eigenmodes, 465
channel nulls, 158
channel phase in equalization, 303
channel splitting and capacity, 223
channel with unit-circle zero, 304
channel zeros and noise gain, 304
characteristic equation, 757
characteristic polynomial, 757
chirp signal, 43, 47
Fourier transform, 43, 68
Cholesky decomposition, 764
circulant channel
diagonalization, 531
SVD, 531
circulant matrix, 101, 762
and cyclic-prefix, 261
diagonalization, 262, 773
circular convolution, 255, 284
circularly symmetric complex random variable, 228
circularly symmetric Gaussian, 24
circularly symmetric random vectors, 224
Gaussian, 229
nonzero mean, and, 233
other definitions, 232
properties, 225
scalar Gaussian, 230
closest path, 193
codewords, 14
coding gain and bit allocation, 471, 564
cofactor and minor, 754
complementary error function, 20
concave and convex parts, 698
complex Gaussian, 789
complex gradients, 668
and Cauchy-Riemann equations, 671
vector case, 671
concavity
geometric mean, 702
logarithm, 697
constellation, 4
constellation symbols, 14
controlled ISI, 208
convex function, 695
composition of, 704
examples, 696
summary, 726
testing, 696
two-variable, 701
convex sets, 694
convex to Schur-convex, 709
convexity, 694
$\mathcal{Q}$ function, and, 385, 497

© in this web service Cambridge University Press & Assessment www.cambridge.org

CAMBRIDGE

Cambridge University Press & Assessment
978-0-521-76079-9 — Signal Processing and Optimization for Transceiver Systems
P. P. Vaidyanathan, See-May Phoong, Yuan-Pei Lin
Index
More Information

ℓ_p-norm and, 706
bias-removal, and, 516
exponential function, 698
majorization and, 707
max function, 705
QPSK and, 519
SNR threshold, and, 387
convolution, 3
of densities, 787
coprimeness
and commutativity, 106
and delay chain, 111
covariance, WSS process, 780
cross correlation, 781
cross power spectrum, 781
CWSS (cyclo WSS) process, 784
CWSS process, average spectrum, 784
cyclic convolution, 255
cyclic prefixing, 97
cyclic prefixing versus zero padding, 585
cyclic-prefix, 253
and circulant matrix, 261
increasing block size, 561
multicarrier (MC-CP), 549
receiver, 256
single-carrier (SC-CP), 548
unitary precoder, and, 547
variations, 264
cyclic-prefix systems
minimum error probability, 539, 541
optimal, 528, 549
pure-MMSE details, 535
ZF-MMSE details, 533
cyclo WSS (CWSS) process, 784

D/C converter, 4, 114
dagger notation, 11
decimation
alias-free, 78
multiband, 79
decimation filter, 81
polyphase form, 89
decimator, 70
notation, 76
transform domain, 74
decimator-expander cascade, 106
decision boundaries, 17, 58
decision delay, 199
decision feedback equalizers, also see DFE, 201
decoding delay, 198
delay chain, 86
and coprimeness, 111
delay-free loops, 595
delta function, 4
detector, 6
determinant of a matrix, 754
eigenvalues, and, 758
properties, 755
determinant of blocked version, 775
DFE (Decision feedback equalizers), 203, 592
block size, and, 634
gain, with zero forcing, 600
history, 203
intrablock, 596
minimizing error probability, 619
mutual information, and, 637
optimal, examples, 622
optimal, with zero forcing, 597
MMSE, 605
summary, 604
optimal, without zero forcing, 608
MMSE, 617
summary, 616
QR decomposition, and, 641
space-domain, 596
symbol error probability, 625
VBLAST, and, 643
vertical, 596
within block, 594
DFE (decision feedback equalizers), 201
DFE gain, example, 622
DFT (Discrete Fourier Transform)
filter bank, 271
matrix, 283, 761
orthogonality, 272
properties, 283

© in this web service Cambridge University Press & Assessment www.cambridge.org

CAMBRIDGE
Cambridge University Press & Assessment
978-0-521-76079-9 — Signal Processing and Optimization for Transceiver Systems
P. P. Vaidyanathan, See-May Phoong, Yuan-Pei Lin
Index
More Information

diagonalizable matrices, 760
diagonalization of circulants, 773
diagonalization of pseudocirculants, 773, 774
differentiation
complex matrix, 673
matrix, 660
digital design, 149
digital equalization, 128
digital MIMO transceiver, 122
Dirac delta, 4
discrete Fourier Transform, also see DFT, 283
discrete multitone (DMT) system, 266
discrete multitone systems, also see DMT systems, 268
discrete-time equivalent, 6
DMT (discrete multitone) systems, 266, 268
filter banks, and, 270
minimum power, 546
multirate blocks, and, 268
OFDM systems, versus, 454
optimal bit allocation, 545
optimized for power, 544
double side band (DSB) modulation, 30
doubly stochastic matrix, 721
downlink, 127
downsampler, 71
duobinary pulse, 119, *209*

eigenmodes of the channel, 465
bit allocation, and, 467
power allocation, and, 468
eigenvalues, 757
interleaving, 410
eigenvectors, 757
entropy of Gaussian random vectors, 231
equalization, digital, 128
equalizer, 2, 122
equalizer matrix, 101
error probability, 17
after bias removal, 502
concave and convex parts, 700
minimized, 386
PAM symbols, 17
QAM symbols, 23
Euclid's algorithm, 136
review, 808
Euclid's theorem, 106, 135, *808*
excess bandwidth, 118, 209
FSE and, 147
oversampling and, 356
exchange matrix, 763
expander, 71
notation, 77
transform domain, 73

fast Fourier transform (FFT), 285
FDMA system, 127
feedback matrix, 595
feedforward matrix, 595
FFT (fast Fourier transform), 285
Fiedler's inequality, 611
filter bank transceiver, 94
filter banks
analysis/synthesis, 109
DFT, 271
transceivers, and, 277
finite state machine (FSM), 190
FIR system, 7
fractional decimation, 107
fractional oversampling, 162
fractionally spaced equalizer, also see FSE, 132
frames, 105
frequency domain equalization, 259
frequency multiplexing, 95
frequency response, 3
Frobenius norm, 299
left inverse, and, 300, 769
noise gain, and, 298
SVD and, 768
FSE (fractionally spaced equalizer), 132, 358
excess bandwidth, and, 147
FIR, 135
polyphase, 137
rational, 162
zero forcing, 144

© in this web service Cambridge University Press & Assessment www.cambridge.org

CAMBRIDGE
Cambridge University Press & Assessment
978-0-521-76079-9 — Signal Processing and Optimization for Transceiver Systems
P. P. Vaidyanathan, See-May Phoong, Yuan-Pei Lin
Index
More Information

full banded Toeplitz matrix, *247*, 280, 297

Gaussian
  circularly symmetric, 229
  complex, 789
  concave and convex parts, 698
Gaussian noise, 20
generalized triangular decomposition, also see GTD, *647*
geometric mean decomposition, also see GMD, 604
geometric mean, concavity, 702
GMD (geometric mean decomposition), 604, *646*
  proof, 647
gradient, complex, 668
Gray Code, 26
GTD (generalized triangular decomposition), 645, *647*
guard bands, 97

Hadamard inequality, 764
Hadamard matrix, 385
half and a half, 415
half whitening, 375, 415
harmonic mean, 800
Hermitian matrix, 761
Hessian matrix, 696
high bit rate assumption, 454
Hilbert transformer, 32
history of transceiver optimization, 318

impulse, 4
in-phase component, 14
indefinite matrix, 764
information losslessness, 169
  and DFE, 640
  and receiver filters, 177
inner product, 750
interblock interference (IBI), 120, 247
interchannel interference, 98
interleaved eigenvalues, 410
interpolation filter, 82
  polyphase form, 91
interpolator, 82
intersymbol interference (ISI), 99, 117
intrablock interference, 120
inverse of a matrix, 756
invertible matrices, 758
ISI (intersymbol interference), 99, 117

Jensen's inequality, 704
  and AM-GM inequality, 705
joint stationarity, 781
jointly Gaussian random variables, 789
jointly WSS random processes, 781

Karush-Kuhn-Tucker conditions, also see KKT conditions, 732
KKT (Karush-Kuhn-Tucker) conditions, 732
  channel capacity example, 735
  MMSE transceiver example, 739
  necessity, 747
  power transfer example, 734
KKT multipliers, 731

Lagrange multipliers, 731
lazy precoder, 295
  versus optimal precoder, 393
leading principal minor, 755
leading principal submatrix, 755
left inverse, 298
  Frobenius norm, 300, 769
  from SVD, 767
LFM signal, 43
likelihood function, 185
linear estimation, 792
linear filtering of WSS process, 783
linear independence, 756
linear MMSE estimate, 793
linear transform of Gaussian, 788
local interior extremum, 672
logarithm, concavity, 697
losslessness, mutual information and DFE, 640
LTI (linear time invariant) system, 1

© in this web service Cambridge University Press & Assessment www.cambridge.org

CAMBRIDGE
Cambridge University Press & Assessment
978-0-521-76079-9 — Signal Processing and Optimization for Transceiver Systems
P. P. Vaidyanathan, See-May Phoong, Yuan-Pei Lin
Index
More Information

majorization, 694, 706
Hermitian matrices, and, 717
matrix theory, and, 717
orthostochastic matrices, and, 723
stochastic matrices, and, 723
sum of Hermitian matrices, and, 718
summary, 727
MAP and ML estimates, and minimum distance, 189
MAP estimate, 185
MAP versus ML, 186
MAP, ML and error probabilities, 187
marginal pdf, 788
matched filtering, 38
detector performance, and, 52
generality, 176
linear independence, and, 174
reconstructibility and, 168, 173
sufficient statistics, and, 176
vector spaces, and, 181
white noise, and, 41
matrix calculus, 660
complex case, 673
complex trace, 675
inverses, 677
optimization and, 678
product rule, 663
trace differentiation, 664
trace of inverse, 677
transformation principle, 663
matrix calculus summary
complex derivatives, 688
complex scalars, 689
determinants, 690
exponentials, 690
logarithms, 690
real derivatives, 686
scalar functions, 687
matrix diagonalization, 760
matrix differentiation, 660
complex case, 673
matrix inverse, 756
matrix inversion lemma, 759
matrix invertibility, 758
matrix overview, 753
matrix partitions, 759
matrix square root, 764
matrix theory and majorization, 717
matrix triangularization, 760
maximum a posterior (MAP) estimate, 185
maximum likelihood (ML) estimate, 185
MC-CP system, 266, 549
mean square error, 5
memoryless channel, 8
memoryless MIMO channel, 122
merging paths in Viterbi algorithm, 196
MIMO channel, 7
MIMO radar, 365
MIMO transceiver, 8
minimal transmultiplexers, 97
minimized error probability, 386
minimizing symbol error rate
diagonal channel, 382
minimum bandwidth, 117, 208
minimum BER, 494
minimum error probability, 494
cyclic-prefix systems, 539, 541
majorization and, 497
optimum unitary matrix, 498
single-carrier cyclic prefix, 551
unitary matrices, and, 495
without ZF, 505, 507
ZF-transceiver, 494, 499
minimum mean square error equalizer (MMSE), 152
minimum power in DMT, 546
minimum power transceiver
channel SVD, and, 460
diagonal interpretation, 465
equivalent forms, 462
non-uniqueness, 464
optimum bit allocation, 467
orthonormal precoder, and, 464
some invariants, 465
minimum-norm inverse, 299, 769
generality, 420, 474
minor and cofactor, 754

© in this web service Cambridge University Press & Assessment www.cambridge.org

CAMBRIDGE
Cambridge University Press & Assessment
978-0-521-76079-9 — Signal Processing and Optimization for Transceiver Systems
P. P. Vaidyanathan, See-May Phoong, Yuan-Pei Lin
Index
More Information

ML estimate, 185
    Gaussian case, 188
    minimum distance, and, 189
ML versus MAP, 186
MMSE equalizer, 152
    for fixed precoder, 432
    scalar channel, 157
MMSE transceiver
    MIMO, 430
    MIMO, error expression, 440
    precoder orthogonality, 443
    SVD, in terms of, 442
MMSE versus power minimizer, 470
MNLI (minimum-norm left inverse), 769
modulation, 30
    DSB, 30
    QAM symbol, 35
    SSB, 30
modulo notation in DFT, 284
modulo operation, 205, 206
Moore-Penrose pseudoinverse, 768
most likely path, 193
MUI (multiuser interference), 98
multiantenna systems, 127
multicarrier (MC) systems, 266
    and single carrier (SC) systems, 547
multicarrier cyclic-prefix (MC-CP), 549
multiple access, 127, 295
multiplexing operation, 95
multiplicative majorization, 724
multirate identities, 77
multiuser interference (MUI), 98
    elimination, 282
multiuser systems, 127, 279
mutual information
    DFE and, 637
    maximization, 237
    MIMO channels, 235

noble identities, 77
    C/D and D/C converters, 803
    digital design, and, 149
noise canceller, 681
noise gain
    block size, and, 312
    Frobenius norm, and, 298
nonsingular and singular matrices, 755
normal density, 20
normal matrix, 760, 762
notations, 11
null resistance, 288
null space, 756
Nyquist constraint, 336
Nyquist filter, 84
Nyquist property and power complementarity, 108
Nyquist(M) property, 84
Nyquist, Harry, 58

OFDM, 266
OFDM systems, 272
    history, 274
OFDM/OQAM systems, 274
offset QAM, 275
optimal bit allocation in DMT, 545
optimal compaction filter, 336, 338
optimal cyclic-prefix systems, 528
optimal diagonal transceiver
    symbol error rate, 382
    with ZF, 372
    without ZF, 376
optimal DMT with ZF, 546
optimal equalizer, with bit allocation, 457
optimal linear estimation, 792
optimal precoder, and MMSE equalizer, 437
optimal product filter, 338
optimal pulse shape, 360, 363
optimal receiver, for fixed pulse shape, 362
optimal SISO transceiver, 334
    and matched filter, 336
optimal transceiver
    bit allocation, and, 459
    minimum power, 459
optimal zero-padded systems, 577
optimality of bias-removed estimate, 503

© in this web service Cambridge University Press & Assessment www.cambridge.org

CAMBRIDGE
Cambridge University Press & Assessment
978-0-521-76079-9 — Signal Processing and Optimization for Transceiver Systems
P. P. Vaidyanathan, See-May Phoong, Yuan-Pei Lin
Index
More Information

optimization and stationary points, 672
optimization of SISO transceiver, 333
digital, 341
general form, 347
pure MMSE, 342
ZF-MMSE, 344
optimization using matrix calculus, 678
beamforming, 678
noise canceller, 681
Rayleigh-Ritz principle, 679
optimum bit allocation, 456, 467
optimum bit loading, 456
optimum unbiased estimate, 515
OQAM system, 275
orthogonal basis and receiver filter, 179
orthogonal frequency division multiplexing (OFDM), 266
orthogonal matrix, 761
orthogonal QAM, 275
orthogonal vectors, 750
orthogonality and uncorrelatedness, 782
orthogonality principle, 793
and MMSE equalizer, 432
orthonormal precoders, 477
general precoder, versus, 480, 482, 483
pure-MMSE, 482, 488
rectangular, 486
rectangular, pure-MMSE, 490
rectangular, ZF-MMSE, 487
square, 478
ZF-MMSE, 478
orthonormalization and receiver filter, 179
orthostochastic matrix, 721
and majorization, 723
oversampling, 130
cyclic prefix, and, 274, 290
excess BW, and, 356
fractional, 162

PAM constellation, 14
energy of, 15
PAM demodulation, 34
PAPR, 267
Parseval's relation for DFT, 284
parsing a signal, 88
partial response signals, 208, 211
partitioned matrices, 759
Pdf (probability density function), 18, 787
peak power problem, 267
perfect reconstruction filter banks, 97
permutation matrix, 762
polybinary pulse, 211
polyphase components, 73
polyphase decomposition, 72
polyphase identity, 78, 133
polyphase matrix, 92, 94
positive definite matrix, 763
positive semidefinite matrix, 763
postfilter, 2
power allocation, 127, 220
eigenmodes and, 468
power complementarity and Nyquist property, 108
power minimization, 452
power minimization using bit allocation, 564
power minimizer versus MMSE, 470
power optimized DMT systems, 544
power spectral density (PSD), 780
power spectrum matrix for vector WSS process, 781
power spectrum of a WSS process, 780
power, dependence on noise, 744
PR property, 100
pre-equalization, 204
precoder, 2, 122, 204
precoder matrix, 101
prefilter, 2
principal minor, 755
principal submatrix, 755
probability density function (pdf), 18, 787

© in this web service Cambridge University Press & Assessment www.cambridge.org

CAMBRIDGE
Cambridge University Press & Assessment
978-0-521-76079-9 — Signal Processing and Optimization for Transceiver Systems
P. P. Vaidyanathan, See-May Phoong, Yuan-Pei Lin
Index
More Information

probability of symbol error, 6, 17
  Schur convexity, 710
product constraint, 333
prolate spheroidal functions, 365
prototype response, 270
PSD (power spectral density), 780
pseudocirculant matrices, 101, *102*, 762
  and blocked versions, 103
  cascade, 777
  commutativity of, 110
  diagonalization, 773, 774
  eigenstructure, 776
  inverse, 778
  product of, 110, 777
  properties, 771
  relation to circulants, 773
pseudocorrelation, 226
pseudoinverse, 768
PSK (phase-shift keying), 22
pulse compression, 42
pulse compression ratio, 45
pure-MMSE system, 328, 372
pure-MMSE transceiver, MIMO, 430
pure-MMSE versus ZF-MMSE, 444

Q-function, 20
  concave and convex parts, 698
QAM bandwidth, 36
QAM constellation, 14
  energy of, 16
  rectangular, 14
  square, 14
QAM demodulation, 37
QAM staggered, 275
QoS constraints, 452
QPSK (quadrature phase shift keying), 26
QR decomposition, 646
  DFE and, 641
QRS decomposition, 604, 615, *646*
quadratic form, 763
quadrature component, 14

raised cosine function, 123
  generalizations, 126
  Nyquist property, 124
random processes, 779
range space, 756
rank of a matrix, 756
rational FSE, 162
Rayleigh-Ritz principle, 679, 765
receiver filter
  and orthogonal basis, 179
  and orthonormalization, 179
  sampled-noise whitening, 180
receiver filter space, 183
receiving filter bank, 93
redundancy ratio, 245
redundant transmultiplexers, 97
regular point, 732
resistance to channel nulls, 261
right circulant matrix, 762, 772
right inverse from SVD, 767
roots of unity, 74, 283
rotational invariance, 226

sampled-noise whitening, 178
sampled-noise whitening receiver, 180
sampling identity, 115
sampling theorem, bandpass, 80
SC-CP systems, 266, 548
scatter diagrams, 141
Schur convexity, 694
  after bias-removal, 506
  compositions of functions, 716
  definition, 708
  error probability, and, 497
  examples, 709, 714
  optimization examples, 719, 720
  probability of error, 710
  Witsenhausen's example, 718
Schur decomposition, 760
Schur-convex function, 385, 706
  examples, 729
  linear combination, 711
  sum, 711
  summary, 728
sequence estimates, 187
sequence versus symbol estimate, 189
SER (symbol error rate), 22, 27

© in this web service Cambridge University Press & Assessment www.cambridge.org

CAMBRIDGE
Cambridge University Press & Assessment
978-0-521-76079-9 — Signal Processing and Optimization for Transceiver Systems
P. P. Vaidyanathan, See-May Phoong, Yuan-Pei Lin
Index
More Information

serial to parallel conversion, 86
Shannon, Claude, 58, 216
similarity transformation, 758
single side band generation, 33
single side band modulation, 30
single tone system, 266
single-carrier (SC) systems, 266
  multicarrier systems, and, 547
single-carrier cyclic-prefix system (SC-CP), 548
  minimum error-probability, 551
singular and nonsingular matrices, 755
singular value decomposition, also see SVD, 766
singular values, 766
SISO channel, 8
SISO transceiver, 7
SISO transceiver, optimization, 333
skew-Hermitian matrix, 761
SNR (signal-to-noise ratio), 26
SNR gap, 218
SNR threshold and convexity, 387
SQAM system, 275
square root of a matrix, 764
SSE (symbol spaced equalizer), 129, 139
state vector, 190
stationary points and optimization, 672
stochastic matrix, 721
  and majorization, 723
sum of convex functions, 705
sum of Gaussians, 789, 790
sum of random variables, and convolution, 787
summaries of transceiver optimization, 812
SVD (singular value decomposition), 766
  Frobenius norm, and, 768
  left inverse, and, 767
  right inverse, and, 767
SVD of circulant channel, 531
Sylvester's inequality for ranks, 756
symbol error probability, 17
symbol error rate (SER), 22, 27
symbol rate, 4
symbol spaced equalizer (SSE), 129, 139
symbols, 4
symmetric matrix, 761
synchronization, 58
synthesis filter bank, 91

T-transform, 723
TDMA system, 127
tilde notation [$\widetilde{\mathbf{H}}(z)$], 11
time multiplexing, 86, 95
time-bandwidth product, 44
Toeplitz matrix, 101, 247, *761*
  full banded, 247, 280, 297
  product, 110
  triangular, 110
Tomlinson–Harashima precoding, 208
trace identity, 447
trace of a matrix, 754
  differentiation of, 664
  differentiation, complex, 675
  eigenvalues and, 758
transceivers, 3
  optimization summaries, 812
  with DFE, 592
transformation principle in matrix calculus, 663
transmitting filter bank, 91
transmultiplexers, 94
  minimial, 97
  redundant, 97
transversal filter, 180
trellis diagram, 190
triangularization of matrices, 760

unblocking a signal, 86
uncorrelatedness and orthogonality, 782
uniform DFT filter bank, 271
unitary matrix, 761
  for minimum error probability, 498
uplink, 127, 295
upsampler, 71

Vandermonde matrix, 761

© in this web service Cambridge University Press & Assessment www.cambridge.org

CAMBRIDGE

Cambridge University Press & Assessment
978-0-521-76079-9 — Signal Processing and Optimization for Transceiver Systems
P. P. Vaidyanathan, See-May Phoong, Yuan-Pei Lin
Index
More Information

VBLAST, 643
DFE and, 643
fast, 644
vector spaces, 751
matched filters and, 181
vector WSS process, 780
virtual array, 367
Viterbi algorithm, 190
error-event probability, and, 200
merging paths, 196
ML estimates, and, 199
symbol error probability, and, 201

water-filling, 737
and channel capacity, 382
and optimal DFE, 613, 639
water-filling solution, 220, 223
water-pouring, also see water-filling, 737
whitening of sampled noise, 178
wide sense stationary (WSS) process, 779
Wiener filter, 152, 792
error spectrum, 799
expression, 796
scalar case, 800
uncorrelated noise, and, 798
Witsenhausen, 681
result on optimization, 437
Schur convexity example, 718
WSS (wide sense stationary) process, 779
joint, 781
linear filtering, 783

zero forcing (ZF), 117, 317
FSE case, 144
ISI and, 117
MIMO case, 123
MMSE versus, 159
zero jamming, 281
zero padded systems
increasing blocksize, 585
optimal, 577
zero padding, 97, 244
general precoder, 251
zero padding versus cyclic prefixing, 585
ZF, also see zero forcing, 117
ZF-MMSE, 328, 372
cyclic-prefix system, and, 534
precoder orthogonality, and, 405
ZF-MMSE transceiver
and channel SVD, 412
diagonal case, 416
MIMO, 397
optimizing SNR, 417
solution, 413
stationarity, 406
ZF-MMSE versus lazy precoder, 402
ZF-MMSE versus pure MMSE, 379

© in this web service Cambridge University Press & Assessment www.cambridge.org