

Cambridge University Press

978-0-521-76109-3 - Matrix Methods in the Design Analysis of Mechanisms and Multibody Systems

John J. Uicker, Bahram Ravani and Pradip N. Sheth

Index

[More information](#)

Index

- Absolute
 - coordinate system, 85
 - position, 118–119
- Acceleration, 197–223
 - body, 197, 220–222
 - definition, 197
 - generalized, 198
 - joint variable, 197–198, 214–216
 - point, 197, 223
 - system, 198
- Action, 245
- Adaptive time-step control, 291–292
- Affine geometry, 44
- American Gear Manufacturer's Association (AGMA), 135n
- Ampere, Andre Marie, 3, 20
- Amplitude of twist, 238
- Analysis, 1, 2, 3
 - acceleration, 197–198, 207–223
 - constraint force, 310–320
 - kinematic architecture, 21–36
 - position and posture (analytic), 119–144
 - position and posture (numeric), 164–181
 - structural, 23
 - topological, 21–36
 - velocity, 183–196
- Angeles, Jorge, 176, 182
- Angular orientation in 3-D, 47–51
- Angular momentum, 246
- Arc, 25
- Architecture, kinematic, 21–36
- Aristotle, 244, 253
- Assembly, 24, 27
 - connected, 27
 - oriented, 25
- Auxiliary coordinate system, 81–82
- Attitude, 47

- Ball, Sir Robert Stawell, 161, 182
- Ball vectors, 159–163, 240–241, 306
- Barycentric coordinates, 43
- Base, 12, 85

- Bernoulli, Daniel, 271, 279
- Bernoulli, Johannes, 244, 271
- Betti, Enrico, 30
- Bevel gear joint, straight-tooth, 102–104, 158, 204
- Bilinear impulse model, 306
- Biomechanical model, 4
- Bode plots, 277
- Body
 - acceleration, 197, 220–222
 - degree of, 26
 - coordinate system, 57, 80–81
 - first geometric derivative, 191–193
 - mechanical, 3, 10–11, 24
 - posture, 81
 - second geometric derivatives, 216–220
 - velocity, 194–195
- Bollinger, John G., 279
- Boundary representation (BRep), 294
- Brach, R. M., 309
- Bromwich, Thomas John l'Anson, 280
- Bromwich integral, 280
- Bryan, George Hartley, 68

- Calculus of variations, 245
- Cameron, S., 298, 299
- Cardano, Gerolamo, 68, 78, 122
- Cardan angles, 68, 94, 97
- Cardan/Hooke universal shaft coupling, 8, 9, 122–126, 188–189, 191–193, 195, 211–214, 216, 217–220, 222, 317–320
- Cartesian coordinates of a point, 42, 51, 55
- Cauchy, Baron Augustin Louis, 282, 292
- Cauchy's residue theorem, 282–284
- Ceccarelli, Marco, 60, 78
- Cederbaum, I., 41
- Center of mass, 228
- Chain, mechanical, 10–11
- Characteristic equation, 273
- Characteristic values, 273
- Chasles, Michel, 60, 78
- Chasles's theorem, 60

- Cheng, H., 79
 Chord, 30
 Cholesky's method, 171
 Churchill, Ruel V., 292
 Closed-form solution for joint variable positions, 121–144
 Coefficient of restitution, 304–307
 Moment, 307
 normal, 304
 tangential, 305
 torsional, 306
 Collision detection, 294–299
 Complete pivoting, 171
 Computation speed, 181
 Connectivity of a graph, 27, 30
 Constraint, 3, 14, 20
 Constraint force analysis, 310–320
 Constructive solid geometry (CSG), 294
 Convergence, 177–181
 Contact, location and type, 303
 Convergence, 177–181
 Coolidge, Julian Lowell, 78
 Coordinates, 55
 generalized, 111
 Coordinate transformation, 51–54
 Coordinate systems
 absolute, 85, 118
 auxilliary, 81–82, 85
 body, 80–81, 85
 specifying data for, 82–84, 86
 joint, 81–82, 85
 measurement, 82–84, 86
 Craig, John J., 182
 Crout's method, 171
 Cut-set, 30
 Cyclomatic number of a graph, 30
 Cylindric coordinates of a point, 43, 55
 Cylindric joint, 15, 17, 18, 92–93, 155, 200
- D'Alembert, Jean le Rond, 253
 D'Alembert inertia forces, 246–249
 Dampers, 3, 232–233, 234–235
 Damping matrix, system, 258
 Defective system, 285
 Degree of freedom (see mobility)
 Denavit-Hartenberg transformation, 116–118
 Denavit-Hartenberg parameters, 116–118, 179
 Denavit, Jacques, 21, 147, 182, 196, 224, 320
 Derivative operator matrices, 153–158, 192, 194, 216
 derivatives of, 198–205, 205–207
 Derivatives, fictitious, 313–316
 Descartes, René, 43, 78
 Design, 1
 Differential kinematics, 148–181
 Direct kinematics, 130–133
 Direction cosines, 48–51
 Disk cam and follower, 126–130
 Displacement, 8, 56–57, 183
 body, 56–60, 62
 differential, 159–163
 fictitious, 311–315
 line, 74
 point, 56
 Duality, geometric, 44–45
 Duffie, Neil A., 279
 Dynamics, 2, 225
 Dynamic equations of motion, 244–252
 Dynamic equilibrium, 254
 Dynamic modeling, 225–241
- Edge, 25
 Edge-edge contact, 296–297, 303
 Eigenvalue problem, 273
 Eigenvalues, 273
 Eigenvectors, 274
 EISPACK, 273
 Elastic impact, 304
 Equations of motion, 244–252
 uncoupled, 276
 Equilibrium posture analysis, 262–269
 Equivalence, kinematic, 19–20
 Euler, Leonhard, 3, 21, 49, 78, 225, 243, 271, 279
 Euler angles, 50–51, 94, 97
 Euler-Rodrigues parameters, 69–74, 94, 97, 166, 201, 202, 314
 Euler's theorem, 61, 66
- False solutions to loop-closure equations, 168–169
 Ferguson, James, 134, 147
 Ferguson's paradox, 134–140
 Fetterling, W. T., 270
 Feuerbach, Karl Wilhelm, 43, 78
 Feuerbach coordinates of a point, 43
 Fictitious displacements, 311–315
 Fictitious derivatives, 313–316
 Finite element analysis (FEA), 94, 290
 First Betti number of a graph, 30
 First geometric derivatives
 body positions, 191–193
 joint positions, 186–189
 point positions, 195
 Flat joint, 15, 17, 18, 94–95, 156, 201
 Flannery, B. P., 270
 Flexibility, 10
 Force analysis, 310–320
 Force applied at a point, 236–241
 Force or torque applied with joint variable, 235–236
 Forward kinematics, 130–133
 Fourier, Baron, Jean Baptiste Joseph, 271, 279
 Fourier-Mellin integral, 280
 Frame, 12
 Free generalized coordinates (FGC), 174, 260, 266, 271
 Frequency response of machinery, 271–278
 Freudenstein, Ferdinand, 140, 147
 Friberg, O., 70, 78
 Frictional tangential impulse model, 305

- Galileo, Galilei, 244, 253
 Gauss, Carl Friedrich, 171
 Gauss-Jordan method, 171–173, 269, 315
 Gear, William C., 293
 Generalized applied forces, 250
 Generalized applied forces, linearized system, 259
 Generalized coordinates, 111, 173–174, 183
 free (FGC), 174
 identification of, 173–174
 number, 173–174
 specified (SGC), 171–174
 Generalized eigenvalue problem, 273
 Generalized forces, 245
 Generalized impulse, 302
 Generalized momentum, 245–246
 Generalized position vector, 111
 Generalized restoring forces, 249–250
 Generalized static forces, 249
 Geometric derivatives
 first, 186–189, 191–193, 195
 second, 207–214, 216–220
 Geometric duality, 44–45
 Gergonne, Joseph Diaz, 45, 78
 Gilbert, E. G., 299
 Gimbal lock singularity, 69, 94, 97
 Global coordinate system, 85
 Globular joint, 15, 17, 18, 93–94, 156, 200
 Goldstein, Herbert, 50, 78
 Gough/Stewart platform, 5, 37
 Graph theory, 24
 Graph, mechanical, 24
 Gravitation effects, 230–232
 potential energy of, 231–232
 Greenwood, D. T., 309
 Ground, 12
 Gupta, K. C., 79
- Hamilton, Sir William Rowan, 74, 78, 244, 253
 Hamilton's principle, 245
 Harary, Frank, 41
 Hartenberg, Richard S., 3, 21, 147, 182, 196, 224, 320
 Helical gears, 98
 Helical joint, 15–17, 88–90, 155, 199
 Helical motion, 60
 Helix angle, 98, 100
 Helix pitch, 16, 60–61
 Herringbone gear teeth, 98, 100
 Hibbeler, Russell Charles, 243
 High-friction disks, 102
 Hildebrand, F. B., 279
 Hollerbach, J. M., 253
 Homogeneous coordinates, 42–44, 53
 Homogeneous first-order equations of motion, 271–274
 Homologous points, 60, 61
 Homotopy methods, 140
 Hong, Dennis, 4
 Hooke, Robert, 122
 Howell, Larry L., 21
- Impact analysis, 295, 300–309
 Impulsive loads, 300–303
 Incidence, 24
 Incidence matrix, 25
 Incidence table, 24
 Indeterminate components of force, 316
 Inertia matrix, 227–229
 Inman, Daniel J., 243
 Instantaneous screw axis, 161
 Integrated Mechanisms Program (IMP), xv, 71n, 104n, 108n, 172n, 211n, 236n, 266n, 267n, 269n, 294n, 316n
 Integrated model of impact, 307–308
 Intensity of wrench, 238
 Inverse kinematics, 133–134
 Inverse Laplace transform, 280–281
 Inverse transformation matrix, 121
 Inverse Denavit-Hartenberg transformation, 121
 Inversion, kinematic, 11, 12
 Involute rack-and-pinion joint, 100–102, 157, 204
 Involute tooth profile, 98, 100
- Jacobi, Carl Gustav Jacob, 167, 182
 Jacobian, 167, 182, 208
 James, M. L., 182
 Johnson, D. W., 299
 Joint, 3, 12–14, 24
 accelerations, 197, 214–216
 bevel-gear, straight-tooth, 102–104, 158, 204
 coordinate system, 81–82, 87–108
 cylindric, 15, 17, 18, 92–93, 155, 200
 damping, 232–233
 elements, 12–14
 hollow, 13
 solid, 13
 flat, 15, 17, 18, 94–95, 156, 201
 globular, 15, 17, 18, 93–94, 156, 200
 helical, 15–17, 88–90, 155, 199
 involute rack-and-pinion, 100–102, 157, 204
 line tangent to a planar-curve, 106–108, 128, 158, 205
 open, 19, 96–98, 120, 156, 190, 201, 209, 215
 orientation, 25
 parallel-axis gear, 98–100, 157, 202
 planar, 15, 17, 18, 94–95, 156, 201
 point on a planar-curve, 104–106, 158, 205
 prismatic, 15, 17, 18, 91–92, 155, 199
 rack-and-pinion, involute, 100–102, 157, 204
 revolute, 15, 17, 90–91, 155, 199
 rigid, 19, 96, 156, 201
 screw, 15–17, 88–90, 155, 199
 spheric, 15, 17, 18, 93–94, 156, 190, 200, 209, 215
 stiffness, 232
 straight-tooth bevel-gear, 102–104, 158, 204
 transformation matrix, 87–88, 88–108
 variables, 14, 88, 88–108, 186–189, 207–214, 214–216
 velocities, 189–191
 Jordan block, 285
 Jordan curve, 281

- Jordan, D., 293
 Jordan, Marie Ennemond Camille, 281, 293
 Jordan normal form, 285
 Jordan, Wilhelm, 171
- Kågström, B., 293
 Kaiser, K. S., 182
 Keerthi, S. S., 299
 Kennedy, Alexander Blackie William, 7, 21
 Kinematics, 2, 3, 225
 Kinematic architecture, 21–36
 Kinematic equivalence, 19
 Kinematic inversion, 11–12
 Kinematic loop, 27–32
 Kinematic path, 32–36
 Kinematic tree, 29–30
 Kinetics, 2, 3, 225
 Kinetic energy, 226–227, 245
 Korn, Granino A., 182, 293
 Korn, Theresa M., 182, 293
- Lagrange, Joseph Louis, 244, 253, 271, 279
 Lagrange's equation, 244–245, 268, 300, 316–320
 LAPACK, 273
 Laplace, Marquis Pierre Simon, 271, 279
 Laplace transform, 276–277
 Lead of screw (see pitch)
 Line coordinates, 45–47
 Line displacement, 74
 Line of nodes, 50–51
 Line tangent to a planar-curve joint, 106–108, 128, 158, 205
 Linearization assumptions, 254–255
 Linearization procedure, 255–258
 Linearized equations of motion, 254–261
 Linkage, 18
 Loop, kinematic, 27–32
 closure equation, 111, 119–121
 Oriented loop matrix, 28
- Machine, 7
 Mäntylä, Martti, 299
 Mass matrix, system, 258
 Mass units, 230
 Maupertius, Pierre Louis Moreau de, 244, 245, 253
 Maw, N., 309
 Maxwell, E. A., 78
 McCormick, John, 4
 McCuskey, S. W., 253
 Mechanical graph, 24
 oriented, 25
 Mechanics, 2
 Mechanism, 3, 5
 planar, 7–8
 spatial, 8
 spherical, 8–9
 Mellin, Robert Hjalmar, 280
 Minimal representation of orientation, 49–51
 Mobility, 173–174
 Möbius, August Ferdinand, 43, 78
- Modal coordinates, 274–276
 Modal matrix, 274
 Moment coefficient of restitution, 307
 Moment impulse model, 307
 Momentum, 246
 Morgan, A. P., 140, 147
 Motion, 87, 183
 Mozzi, Giulio, 60, 78
 Multibody system, 3–6
- Nautical angles, 68
 Neutral equilibrium postures, 269
 Newton, Sir Isaac, 177, 182
 Newton-Raphson iteration, 177, 266
 Noble, B., 293
 Normal coefficient of restitution, 304
 Normal modes, 275
 Normal torsional impulse, 306–307
 Nullity of a graph, 30
 Numeric solution of posture equations, 148–181
 Nutation angle, 66, 67
- Olsen, William J., 179–182
 Open joint, 19, 96–98, 120, 156, 186, 190, 201, 209, 215, 314
 Orientation, joint, 25
 Orientation, angular in 3-D, 47–51
 Orrery, 134
 Orthogonality conditions, 49
- Pair, kinematic, 13
 higher, 14–20
 lower, 14–19
 Parallel-axis gear joint, 98–100, 157, 202
 Part, mechanical, 3, 24
 Partial fraction expansion, 282
 Path, kinematic, 28, 32–36
 Oriented path matrix, 32
 Paul, R. P., 147
 Pennock, Gordon R., 21, 147, 243
 Pieper, D., 147
 Pitch angle, 68
 Pitch-circle radii, 98, 100
 Pitch-cone half-angles, 102
 Pitch of helix/screw, 16, 63, 173, 238
 Pitch radius, 306
 Planar joint, 15, 17, 18, 94–95, 156, 201
 Plastic impact, 304
 Plücker coordinates, 45
 Plücker identity, 46
 Plücker, Julius, 45, 78
 Plücker vectors, 45–47, 74
 Poincot, Louis, 238, 243
 Poincot's theorem, 238
 Point
 acceleration, 197, 223
 barycentric coordinates, 43
 Cartesian coordinates, 42
 cylindric coordinates, 43
 Feuerbach coordinates, 43

- first geometric derivative, 195
- homogeneous coordinates, 43–45
- homologous, 60
- position, 55, 183
- second geometric derivative, 220
- spheric coordinates, 43
- velocity, 196
- Point at infinity, 44, 53–54
- Point on a planar-curve joint, 104–106, 158, 205
- Poles of a function, 280
- Pose (see posture), 56
- Position, 55
- Posture, 56
 - assembly, 56
 - coordinate system, 55–60
 - equilibrium, 262–269
 - mechanism, 56, 183
 - reference, 59
 - rigid body, 55–60, 191–193
 - system, 56, 183
- Potential energy, 231–232, 245, 268
- Precession angle, 66, 67
- Press, William H., 270
- Pressure angle, 176
- Principle of least action, 245
- Principal modes, 275
- Prismatic joint, 15, 17, 18, 91–92, 155, 199
- Projective geometry, 44

- Quality index, 176–177, 189, 214
- Quaternion, 74–75

- Rack-and-pinion joint, 100–102, 157, 204
- Raghaven, M., 140, 147
- Raphson, Joseph, 177, 182
- Ravani, Bahram, xvii
- Razi, Rafael, 196, 224, 320
- Reed, Myril B., 41
- Repeated eigenvalues, 284–288
- Residue, 282
- Residue theorem, 282–284
- Restraint, 3, 20
- Reuleaux, Franz, xiii, xv, 7, 14, 15, 21
- Revolute joint, 15, 17, 90–91, 155, 199
- Rigid body, 11
- Rigid joint, 19, 96, 156, 201
- Robot, 5, 130–134
- Robustness, 177–181
- Rodrigues, Benjamin Olinde, 61, 78
- Roll angle, 68
- Rotation axis, 60
- Rotation matrix, 48
- Roth, Bernard, 140, 147
- Ruhe, A., 293

- SCARA robot, 130–134
 - forward kinematics, 130–133
 - inverse kinematics, 133–134
- Scaling length units, 174–175

- Screw
 - axis, 60, 159–163
 - coordinates, 45, 162, 166, 186, 190, 208, 215, 241, 314
 - displacement, 60–61, 65
 - joint, 15–17, 88–90, 155, 199
 - parameters, 61–62, 159
 - pitch, 16, 60, 160, 238
 - Song of, vi
- Second geometric derivatives
 - body postures, 216–220
 - joint variables, 207–214
 - point position, 220
- Secular equation, 273
- Self-loop, 26
- Seshu, S., 41
- Shabana, Ahmed A., 21
- Shape matrix, 86
- Sheth, Pradip N., xvii, xviii, 147, 182
- Shigley, Joseph E., 21, 147, 243
- Simple impact model, 303–304
- Simple poles, 282
- Smith, G. M., 182
- Solid models, 87, 294
- Sommese, A. J., 140, 147
- Song of the Screw, vi
- Specified generalized coordinates (SGC), 174, 260, 266
- Spheric coordinates of a point, 43, 55
- Spheric joint, 15, 17, 18, 93–94, 156, 186, 190, 200, 209, 215, 314
- Spin angle, 66, 67
- Springs, 3, 233–234
- Sridhar, B., 293
- Stable vs. unstable equilibrium, 267–268
- Stanford manipulator, 141–144
- State space, 273
- Statically indeterminate force components, 99, 101, 106, 107, 316
- Statics, 2, 225
- Stereotomy, 3
- Steepest descent methods, 268
- Stiff differential equations, 291
- Stiffness matrix, system, 258–259, 265
- Straight-tooth bevel-gear joint, 102–104, 158, 204
- Structure, 7
- Structural analysis, 21
- Stuelpnagel, J., 78
- Sylvester, James Joseph, 32
- Sylvester's law of nullity, 32
- Synthesis, 1
 - dimensional, 2
 - number, 1
 - type, 1

- Tait, Peter Guthrie, 68
- Tait-Bryan angles, 68
- Tangential coefficient of restitution, 305
- Tangential impulse model, 305–306
- Teukolsky, S. A., 270

Cambridge University Press

978-0-521-76109-3 - Matrix Methods in the Design Analysis of Mechanisms and Multibody Systems

John J. Uicker, Bahram Ravani and Pradip N. Sheth

Index

[More information](#)

326

Index

- Thelen, Darryl, 4
 Time, 184
 Time increment until contact, 297–299
 Time integration algorithm, 288–291
 Time response, 280–292
 Time-step control, adaptive, 291–292
 Topology, 21–36
 Torsional coefficient of restitution, 306
 Torsional impulse model, 306–307
 Torque applied on a body, 236–241
 Torque applied with a joint variable, 235–236
 Transformation of coordinates, 51–54
 Transformation matrix, 53–54
 Transverse pressure angle, 98, 101
 Tree, kinematic, 29–30
 Tsai, L. W., 140, 147
 Twist, 162, 238, 313
- Uicker, John J., xvii, 21, 147, 182, 196, 224, 230, 243, 320
 Uicker-Kahn formulation of manipulator dynamics, 252
 Unimodular property, 36
 Universal joint, 4, 122–126, 188–189, 191–193, 211–214, 216, 217–220, 222
- Units, systems of, 230
 Varignon, Pierre, 244, 253
 Velocity, 183–196
 body, 184, 194–195
 definition, 184–185
 generalized, 185
 joint variable, 184–185, 189–191
 point, 184, 196
 system, 185
 Vertex, 25
 Vertex-face contact, 295–296, 303
 Virtual displacements, 232–233, 234–235, 240–241
 Virtual twist, 240–241
 Virtual work, 232–233, 240–241
 Viscous damping, 232–233, 234–235
- Wampler, C. W., 140, 147
 Wilkinson, James H., 279
 Wire-frame data, 294
 Wisutmethangoon, Warawut, 300, 309
 Wolford, James C., 182
 World coordinate system, 85
 Wrench, 237, 239
- Yaw angle, 68