

Index

- Abel, Niels (1802–1829), 11
 algebraic over, 261–64
 algorithms, 10, 129
 mechanical, 130
 partial, 207
 analytic philosophy, 42, 43, 48, 102
 Anselm (c. 1033–1109), 41
a posteriori
 knowledge, 31–32, 50
 truth, 37, 38, 39n3, 49–50, 50n9
a priori
 knowledge, 31–32, 39n3
 truth, 50, 50n9
 arithmetization
 of analysis, 10, 18, 42
 of syntax, 130
 Aristotle (384–322 BC), 19, 35, 94
 atomic formulae/sentences, 91–92, 99
 Austin, John (1911–1960), 33, 38, 43, 89–90
 axiom
 of choice, 27, 68, 73, 74, 82, 156, 158, 168, 198–200, 269
 See also ZFC
 of completeness, for the reals, 67
 of comprehension, 4, 47, 52, 66, 68, 69, 82, 84, 88, 272
 of empty set, 72
 of extensionality, 3, 4, 47, 82, 85, 88, 154, 168
 of foundation, 74, 79, 82, 154, 168
 of infinity, 68, 73, 74, 82, 154, 168
 of null set, 154, 168
 of pairing, 82
 of power sets, 72, 82, 164, 168
 of reducibility, 66, 67
 of regularity, 79
 of replacement, 76, 82, 154, 160n8, 168, 171, 194
 schema, 78
 of union set, 72
 axioms of closure, 72, 154, 168
 of big union, 72, 82, 154
 of difference, 72, 154
 of intersection, 72, 154
 of singleton, 154
 of union, 72, 154
 back-and-forth argument, 352n19
 Baldwin, John T.
 Baldwin–Lachlan proof of Morley’s theorem, 266–67, 267n26, 275
 Barbara syllogism, 36
 basis, 263–64
 Beatley, Ralph, 45
 Benacerraf, Paul
 dilemma, 123, 276–80
 Berkeley, George (1685–1753), 64, 150
 Bernays, Paul (1888–1977), 81, 165
 Bernays–Morse set theory, 81n31
 See also NBG set theory
 Bernstein, Felix (1878–1956)
 Cantor–Bernstein–Schroeder theorem, 28

- Berry, G. G. (1867–1928)
 paradox, 63
 binary tree argument, 249, 255, 275
 Birkhoff, George (1884–1944), 45
 Boole, George (1815–1864), 5
 Boolean operations, 5, 72
 Brahe, Tycho (1546–1601), 279
 Burali-Forti, Cesare (1861–1931), 30
 paradox, 52, 59, 61, 67, 70, 75, 78,
 82, 85, 87
 Burge, Tyler, 45–46, 50n9, 56–58, 122
 “Semantical Paradox,” 119
Truth, Thought, Reason, 53–54
- canonical indices, 227
 Cantor, Georg (1845–1918), 1, 12–13,
 14–15, 17, 19, 22n1, 29, 30, 58,
 73–74, 87
 Cantor–Bernstein–Schroeder theorem,
 28
 continuum hypothesis, 152–53, 269
 paradox, 30, 52, 59, 60, 67, 70, 82, 85
 theorem, 16, 18, 82, 85–86
 theory of the actual infinite, 59, 73
 thesis, 29
 types, 23–24
 Carnap, Rudolf (1891–1970), 21, 42, 43
Der logische Aufbau der Welt, 49
 categoricity in power, 236, 276
 category mistake, 64
 Chomsky, Noam, 64–65
 Church, Alonzo (1903–1995)
 Church–Turing thesis, 132–33, 139,
 144, 206, 209, 216
 theorem, 142
 clump, 147
 Cohen, Paul (1934–2007), 19, 175
 independence of the axiom of choice,
 198–200
 independence of the continuum
 hypothesis, 175, 200–04, 269, 270,
 273
 independence of $V = L$, 175–97
 compactness, 80, 110, 245n15
 theorem, 238–41
 complete sequence, 188, 271
 completeness of first-order logic, 110
 completeness theorem. *See* completeness
 of first-order logic
 conditional proof, 56
 consistency of the continuum hypothesis,
 153–73, 269, 270,
 273
See also Gödel, Kurt
 constructible sets, 156, 269, 270
 constructional tradition, 21, 42, 48
 continua, 18
 continuum hypothesis, 19, 153–73,
 200–04, 270
 generalized, 19, 164, 168
- Davidson, Donald (1917–2003), 33
 Dedekind, Richard (1831–1916), 12–13,
 22n1, 30, 46, 52, 124–25
 degrees
 jump, 222
 r.e., 220
 Dekker, James C. E., 225
 De Morgan, Augustus (1806–1871), 9,
 94–95
 Descartes, René (1596–1650), 18
 dualism, 278
 diagonalization/diagonal argument, 15,
 17, 206, 209
 dimension, 264, 275
 distinguished (relations, functions,
 members), 104–05
 division by zero, 13
 Dodgson, Charles (1832–1898), 44
 dovetailing, 141, 211
 Dreben, Burton S. (1927–1999), 112,
 270
 Dummett, Michael, 50n9
- Ehrenfeucht, Andrzej
 Ehrenfeucht–Mostowski model,
 256–60, 276
 Einstein, Albert (1879–1955)
 General Theory of Relativity, 52
 Empiricists, 32
 enumeration theorem, 219
 epistemic priority, 43
 equivalence (as-many-as) relation, 19
 equivalent class, 20, 48n8

- Euclid (c. 325–c. 265 BC), 12–13, 44, 52,
 123, 150
Elements, 32
 exchange principle, 261–62
 existence, 46, 47
 extremal clause, 91
- Feferman, Solomon, 200, 274
 Ferreirós, José, 22n1
 field, 19–20
 Field, Hartry, 90
 first incompleteness theorem, 124–39,
 143n25
See also diagonalization
 first-order. *See under* quantification
 fodo (first-order definable over), 155
 forcing, 179–204, 269, 270–72, 272n1
 weak forcing, 188
See also wf (weakly forces)
 formalism/nominalism, 124
 formulae/sentences, 96–97
 limited, 180, 185
 minimal, 261
 unlimited, 186
- Fraenkel, Abraham (1891–1965), 77
See also ZF; ZFC
- Frege, Gottlob (1848–1925), 19, 21–22,
 22n1, 30, 32, 41–58, 50n9, 59, 66,
 73, 97n11, 99–100, 102, 103, 277
 Basic Law I, 54, 56
 Basic Law V, 46–48
Foundations of Arithmetic, The, 41,
 42
Grundgesetze, 46, 47
- Friedberg, Richard M., 229, 273
- functions, 9
 arguments, 10
 characteristic, 17, 66, 129
 composition, 133, 206
 computable, 129
 convergence, 207
 dilation, 214
 divergence, 207
 domain, 10
 functional, 214
 initial, 133, 206
 minimalization, 133, 206
 partial, 207
 partial computable, 207
 partial elementary, 246
 partial recursive, 207
 projection, 133, 206
 range, 10
 recursion, 133, 206
 recursive, 134, 206
 general, 134
 primitive, 133
 regular, 133, 206
 successor, 133, 206
 total, 207
 Turing recursive, 132–33
 unification, 213
 value, 10
 zero, 133, 206
- Galileo Galilei (1564–1642), 12, 52
 Gauss, Carl Friedrich (1777–1855), 1,
 22n1
 generalized continuum hypothesis, 19,
 164, 168
See also continuum hypothesis
- generic sets, 178–204, 269, 271
- Gödel, Kurt (1906–1978), 19, 43, 65, 79,
 80, 81, 114, 124–39, 143
 completeness of first-order logic, 110
 consistency of the continuum
 hypothesis, 153–73, 269, 270, 273
 first incompleteness theorem (1931
 theorem), 124–39, 143n25
See also diagonalization
 gödelization of syntax, 130
 second incompleteness theorem, 83,
 138–39
 sequences, 180, 182
See also NBG set theory
- Goldstein, Fred (d. 1972), xii
- Goodman, Nelson (1906–1998), 21, 37,
 42, 43
- Grassmann, Hermann (1809–1877), 46
- Grelling, Kurt, (1886–1942)
 paradox, 62n3
- Grice, H. Paul (1913–1988), 56, 123,
 277
- Gupta, Anil

- “Remarks on Definitions and the Concept of Truth,” 119
- halting problem, 211–12, 221
- Heath, T. L. (1861–1940), 44
- Henkin, Leon (1921–2006), 81
- Herzberger, Hans
 “New Paradoxes for Old,” 122
- heterological paradox, 62n3, 67
- Hilbert, David (1862–1943), 19, 29–30, 44, 52, 59, 100, 139, 153
Foundations of Geometry, The, 42
 rule (ω -rule), 144
- Hill, Christopher, 199
- Hodges, Wilfred, 238
- Hume, David (1711–1776), 31, 48
Dialogues Concerning Natural Religion, 41
- idealism, in philosophy of mathematics, 64
- identity, 2–3
- incompleteness of arithmetic. *See* first incompleteness theorem
- independence of the continuum
 hypothesis, 200–04
See also Cohen, Paul
- independent subset, 262
- induced gödelization, 134
- inductive definition, 91–92
 basis clause, 91–92
 extremal clause, 91
 inductive clause, 91–92
- infinite sets (or systems), 13–17, 73
 countably, 13
- infinitesimals, 150
- infinity, 1, 15, 30
- inner model construction, 78–79, 156
- interpretation. *See* model
- invariance, 166, 172
- Jech, Thomas, 162
- Jespersen, Otto (1860–1943), 71
- Kant, Immanuel (1724–1804), 10, 31–58, 39n3, 59
Critique of Pure Reason, 31–41
- Metaphysical Foundations of Natural Science, The*, 38
Prolegomenon to Any Future Metaphysics, 31
- Kepler, Johannes (1571–1630), 279
- Kleene, Stephen Cole (1909–1994), 127, 128, 133
- Kneale, Martha, 34
- Kneale, William (1905–1990), 38
- Kreisel, Georg, 175
- Kripke, Saul A., 39n3, 117–18, 119
 “Outline of a Theory of Truth,” 117
- Kuratowski, Kazimierz (1896–1980), 7–8, 103
- Lachlan, Alistair H.
 Baldwin–Lachlan proof of Morley’s theorem, 266–67, 267n26, 275
 language, 97–100
 decidable vocabulary, 130
 least indescribable ordinal paradox, 63, 67, 71
- Leibniz, Gottfried (1646–1716), 6, 9–10, 12–13, 31–33, 34, 39, 43, 148, 150, 245
- Lewis, David (1941–2001), 21, 42
- liar paradox, 62, 67, 100, 114, 119n59, 122
- limit lemma, 229
- L-language, 179–85
- Locke, John (1632–1704), 32
- Łoś, Jerzy, 238
- Löwenheim, Leopold (1878–1957), 108
 Löwenheim–Skolem theorem, 109, 157–59, 238, 270
- Mach, Ernst (1838–1916), 49
- Marker, David, 238, 267n26
- Martin, D. A., 227
- material adequacy condition, 7, 46, 101, 102–03
- material implication paradoxes, 55
- maximal sets, 227n17
- membership, 2
- Mendelson, Elliott, 106, 125, 136
- ML (after Quine, *Mathematical Logic*), 88

- model/interpretation, 36, 108
 chain, 243
 domain of, 104
 Ehrenfeucht–Mostowski, 256–60, 276
 elementary chain, 243
 elementary substructure, 158, 242
 homogeneous, 251
 nonstandard, 146
 prime, 266
 prime over, 249
 stable, 248
 substructure, 157, 242
 model theory, 108
modus ponens, 56
 molecular sentences, 91–92
 Moore, G. E. (1873–1958), 32–33, 38
 more, 15
 Morley, Michael D., 238, 248n17
 theorem, 238n5, 266–67
 Morse, Anthony Perry (1911–1984)
 Bernays–Morse set theory, 81n31
 Mostowski, Andrzej (1913–1975)
 Ehrenfeucht–Mostowski model,
 256–60, 276
 Muchnik, Albert Abramovich, 229, 273
- NBG set theory (von Neumann, Bernays,
 Gödel), 81–83, 88, 111, 153
 n.e. (numeralwise expressible), 127
See also first incompleteness theorem
 necessity, 92
 NF (after Quine, “New Foundations”),
 83–88, 113–14
 stratification, 84, 113
 Nelson, Leonard (1882–1927), 62n3
 Newton, Isaac (1643–1727), 9–10, 38,
 148, 150, 151, 244, 279
 nominalism/formalism, 124
 n.r. (numeralwise representable), 128
See also first incompleteness theorem
 number, 22
 cardinal, 22
 strongly inaccessible, 83, 83n35
 weakly inaccessible, 83, 83n34
 limits, 26, 74
 numerals, 126
 ordinal, 22, 24, 73, 74, 76n23
 successors, 26, 74
 transfinite, 27
- one–one correspondence, 12
 one-to-one/one–one (injective), 2, 11
 onto (surjective), 11–12
 Orayen, Raúl (1942–2003), 114
 paradox, 111n40, 166, 173
 order, 22
 initial segment, 24
 less than, 24
 partial, 22
 total, 22
 well-, 22
 order indiscernibles, 258
 ordered n-tuples, 8
 ordered pairs, 6, 7
- paradox, 61, 67
 Berry’s, 63
 Burali-Forti’s, 52, 59, 61, 67, 70, 75,
 78, 82, 85, 87
 Cantor’s, 30, 52, 59, 60, 67, 70, 82, 85
 Grelling’s, 62n3
 heterological, 62n3, 67
 least indescribable ordinal, 63, 67, 71
 liar, 62, 67, 100, 114, 119n59, 122
 material implication paradoxes, 55
 Russell’s, 30, 52, 59, 60, 67, 82, 85
 semantic paradoxes, 67
 set theoretic paradoxes, 67
 Paris–Harrington theorem, 257n22
 Parsons, Charles, 119n59
 partition, 20
 Peano, Giuseppe (1858–1932), 97n11
 Peirce, Charles Sanders (1839–1914), 9,
 46, 97n11
 Philo of Megara (4th cent. BC), 55
 pigeonhole principle, 256–57, 276
 Playfair, John (1748–1819)
 postulate, 44, 51
 Poincaré, Henri (1854–1912), 61, 63, 64
 polyadicity, 6–7, 11
 possible worlds, 93
 Post, Emil Leon (1897–1954), 225
 problem, 206, 220, 225–26, 229–34,
 273

- predicativity/ramification, 63, 68
 principle of sufficient reason, 31
 priority method, 232
 finite injury, 234
 infinite injury, 234
 negative requirements, 232
 positive requirements, 230
 Proclus (412–485), 44
 propositions. *See* sentences
 Putnam, Hilary, 161n9, 163, 173, 175,
 194, 200, 279

 quantification theory, 35, 94, 97n11
 bound variable, 99
 first-order, 59n1, 70–71, 77–78,
 98n12, 100, 124–25, 235–36
 free variables, 99
 individual variables, 95
 operator's scope, 99
 second-order, 59n1, 70–71, 77–78,
 98n12, 100, 124–25, 224n15,
 235–36
 Quine, Willard V. (1908–2000), 7, 43,
 102–03, 113–14, 116, 179, 279
 Mathematical Logic (ML), 88
 “New Foundations for Mathematical
 Logic” (NF), 83
 “Two Dogmas of Empiricism,” 49
 Word and Object, 103n22
 See also NF (“New Foundations”)
- ramification/predicativity, 63, 68
 Ramsey, Frank P. (1903–1930), 62n3,
 67, 117n54
 theorem, 256–57, 257n22, 276
 rank
 in Morley's sentences, 267n26
 of a set, 78
 reducibility via, 220
 r.e. (recursively enumerable), 210
 index, 208
 reflection principle, 169, 169n13, 194
 relations
 decidable, 128, 130
 equivalence, 19
 recursive, 209
 reflexive, 19–20
 similarity of, 23
 symmetric, 19–20
 transitive, 19–20
 type of, 23
 See also ordinal *under* number
 Riemann, Bernhard (1826–1866), 22n1,
 52
 Rosser, J. Barkley (1907–1989), 86, 87
 r.r.s. (relative recursion scheme), 215
 index, 218
 Russell, Bertrand (1872–1970), 6, 8,
 21–22, 27, 27n2, 32–33, 34, 42, 43,
 55, 58, 112, 148, 268
 “Mathematical Logic as Based on the
 Theory of Types,” 62n4, 69
 *Our Knowledge of the External
 World*, 21, 48–49
 paradox, 30, 52, 59, 60, 67, 82, 85
 Principles of Mathematics, The, 59, 64
 theory of descriptions, 128
 See also existence; uniqueness
 theory of types, 60–69, 83–84, 88,
 111, 117n54
 typical ambiguity, 84
 with Whitehead, *Principia
 Mathematica*, 41, 48, 61, 65–66,
 68–69, 84
- Sacks, Gerald E., 19, 234, 273
 Satz (proposition), 43
 saying is believing, 51, 53, 69
 Schoolmen (Scholastics), the, 35, 36
 Schröder, Ernst (1841–1902), 9, 89, 95
 Cantor–Bernstein–Schroeder theorem,
 28
 Scott, Dana, 204n13
 second incompleteness theorem, 83,
 138–39
 Second International Congress of
 Mathematicians (1900), 153
 second-order. *See under* quantification
 self-evidence, 56–58, 69
 self-reference, 6, 79n27, 100, 112, 114,
 117, 119n59, 120, 126, 137
 See also diagonalization; first
 incompleteness theorem; liar
 paradox

- semantic paradoxes, 67
 sentences, 6, 32–33, 62, 107
 particular, 5, 25, 48, 94
 singular, 5, 35, 48
 universal, 5, 35, 48, 94
 separation (*Aussonderung*), 69, 77
 sequences, 105
 sets, 1–30, 59–88, 268–80
 abstract, 180
 cantorian, 86
 complete r.e., 221
 constructible, 156, 269, 270
 disjoint, 5
 effectively enumerable, 140
 empty, 4
 generic, 178–204, 269, 271
 hereditary finite, 73, 182, 182n3
 infinite, 13–17, 73
 iterative, 80
 low, 230
 power, 15, 154, 191
 productive, 224
 proper class, 81
 simple, 225
 transitive, 74, 85n38
 unit, 4
 universal, 60, 83–88
 \in -connected, 74
 set theoretic paradoxes, 67
 set theory, naïve, 2, 4, 30
 Shelah, Saharon, 267n26
 Shepherdson, J. C., 160–61, 184
 Shoenfield, Joseph (1927–2000), 82
 Simmons, George F.
 Introduction to Topology and Modern
 Analysis, 112–13
 Skolem, Thoralf (1887–1963), 77–78,
 108–09
 functions, 158, 198
 hull, 159, 177, 198, 258–59, 270
 Löwenheim–Skolem theorem, 109,
 157–59, 238, 270
 s-m-n theorem, 213
 Soare, Robert I., 229–30
 Stevenson, Charles L. (1908–1979), 55
 Stoics, 32, 35
 Strawson, P. F. (1919–2006), 46
 syllogisms, 5, 35, 94
 symbols
 \wedge (and), 99
 s (cardinal successor), 74
 \times (Cartesian product), 8
 \neg (complement), 5
 \downarrow (converges), 207
 \notin (denial of membership), 5
 $-$ (difference), 5
 \emptyset (empty set), 4
 $[]$ (equivalence class), 19–21
 \exists (existential quantifier), 96, 97n11
 $f : A \rightarrow B$ (f is function from A to B), 10
 $f : A \text{ 1-1/onto } B$ (f is one–one
 correspondence from A to B), 12
 δ (function), 156
 $=$ (identity), 3
 \leftrightarrow (if and only if), 47
 \cap (intersection), 5
 $<$ (less-than relation), 24
 0 (lowest Turing degree), 220
 \in (membership relation), 2, 113
 \dashv (monus), 146n31
 $\{ \}$ (names of sets; unordered pairs), 4
 \neg (not), 99
 $\langle \rangle$ (ordered pairs), 7
 s (ordinal successor), 26
 \downarrow (partial recursive function
 converges), 207
 \uparrow (partial recursive function diverges –
 Chapter 8 only), 207
 \uparrow (restrict relation in both arguments), 9
 \uparrow (restrict relation in first argument), 9
 \uparrow (restrict relation in second
 argument), 9
 \equiv_T (same Turing degree), 219
 \vDash (semantical turnstile), 155
 \subseteq (subset), 5
 \mid (such that), 3–4
 \vdash (syntactical turnstile), 155
 \leq_T (Turing reducible), 219
 ω (type of natural numbers), 74
 $^*\omega$ (type of negative integers), 24, 147
 η (type of rationals), 24, 147
 \cup (union), 5
 $\exists!$ (unique existence), 128
 \forall (universal quantification), 96, 97n11

- syntax, 109
 synthetic truth, 32, 38, 41, 48
- Tarski, Alfred (1902–1983), 7, 33, 36, 46, 48, 89, 90, 100–09, 116, 118, 120, 276
 Tarski–Vaught test, 243
See also convention T *under* truth
- Tharp, Leslie, 161n9, 194
- theorems
 Cantor's, 16, 18, 82, 85–86
 Cantor–Bernstein–Schroeder, 28
 compactness, 238–41
 completeness, 110
 enumeration, 219
 Gödel's first incompleteness (1931), 124–39
 Gödel's second incompleteness, 83, 138–39
 Löwenheim–Skolem, 109, 157–59, 238
 Morley's, 238, 266–67
 Paris–Harrington, 257n22
 Ramsey's, 57, 256
 s-m-n, 213
 Vaught's two-cardinal, 252, 254
- theory
 axiomatic, 140
 complete, 140
See also maximal
 consistent, 136
 decidable, 210
 finitely satisfiable, 239
 maximal, 239
See also complete
 stable, 248, 275
 witnesses, 239
- theory of types. *See under* Russell
- tiefsten Grunde* (ultimate ground), 43
- topology, 245
 basic open sets, 245
 closed sets, 248
 compact spaces, 245
 continuous maps, 246
 dense space, 248
 homeomorphism, 246
 open cover, 245
 open maps, 246
 open sets, 245
- transfinite induction, 87
- truncation, 212
- truth, 89, 272–74
 analytic, 32, 37
 contingent, 39
 convention T, 101, 118, 120
 levels of language, 117
 for limited sentences, 182–83
 necessary, 39, 39n3
 satisfaction, 106
 semantic, 103
 synthetic, 32, 38, 48
 T-sentences, 101
See also a posteriori; a priori
- truth function, 5, 90
- Turing, Alan M. (1912–1954), 207, 221
 Church–Turing thesis, 132–33, 139, 206, 209, 216
 computable, 132
 degree, 219
 machine, 131–32, 212n6
 recursive function, 132–33
 reducibility, 219
- types, 243
 complete, 243
 isolated, 247
- uniqueness, 46, 47
 universality, 100, 120
 unordered pairs, 4
Urwahrheiten, die (primitive truths), 43, 51, 57
 use and mention, 66
 use principle, 217
- validity, 110, 111
- Vaught, Robert Lawson (1926–2002)
 pairs, 252
 Tarski–Vaught test, 243
 two-cardinal theorem, 252, 254
- Venn, John (1834–1923), 80
- verbs of propositional attitude, 33, 93
- vicious circle principle, 63, 65, 67
- von Neumann, John (1903–1957), 28, 73–74, 75, 78, 81, 85, 152

- “On a Consistency Question in
 Axiomatic Set Theory,” 79
See also NBG set theory
- Wang, Hao, 87
- Wertverlauf* (course-of-values), 47
- Weyl, Hermann (1885–1955), 61n3
- wf (weakly forces), 188
 wf-follows, 188
See also forcing
- Whitehead, Alfred North (1861–1947)
 with Russell, *Principia Mathematica*,
 41, 48, 61, 65–66, 68, 84
- Wiener, Norbert (1894–1964), 7, 8,
 103
- Wittgenstein, Ludwig (1889–1951)
Tractatus Logico-Philosophicus, 62
- Wolff, Christian (1679–1754), 31
- Woodin, Hugh, 19, 204n13
- Zermelo, Ernst (1871–1953), 70, 75,
 99–100, 280
 definiteness, 71
 “Investigations in the Foundations of
 Set Theory I,” 69
See also ZF; ZFC
- zero power, 15
- ZF (Zermelo–Fraenkel set theory),
 69–81
- ZFC (Zermelo–Fraenkel set theory with
 the axiom of choice), 77, 88, 111,
 280
- Zorn, Max August (1906–1993)
 lemma, 263