

Index

- 0–1 law, 402
- Aazhang, 371
- Abrahams, 133
- achievable rate, 231
- achieving capacity, 219
- adaptive threshold, 380
- additive noise, 211, 215
- additive-noise channel, 76, 114, 401
- AEP, 143, 212, 216, 218, 245
 - Gaussian, 143
 - generalized, 162, 163
- Agrell, 9
- Ahlsvede, 368
- Ajtai, 38
- Akyol, 82
- algebraic binning, 247, 250
- algebraic codebook, 38
- algebraic construction, 29
- aliasing, 203, 221
- alignment, 178
- α -capacity, 224, 244, 395
- alphabet, 171, 194, 213
 - extended, 186
- amplify-and-forward, 344
- analog communication, 295
- Arimoto, 263
- asymptotic ball error probability, 145
- asymptotic ball NSM, 144
- asymptotic ball NVNR, 145
- asymptotic equipartition property, *see* AEP
- asymptotic goodness, 134
- asymptotic optimality, 227
- auxiliary random variable, 263
- AWGN error exponent, 388
- AWGN exponent, 394
- AWGN–ball–Voronoi triangle, 136

- backward channel, 95, *see* reverse channel
- bad codes, 385, 386
- bad minimum distance, 387
- balanced complexity, 203
- ball projection, 145
- ball–AWGN–Voronoi triangle, 136
- bandwidth conversion, 305
- Barg, 383
- Barnes, 57
- Barnes–Wall, 37
- Barnes–Wall lattice, 135
- Barron, 294
- basis, 12
 - change, 13
 - extended, 15
 - good, 15, 27, 181, 354
 - short, 16
 - systematic, 32
 - transformation, 25
- BCC lattice, 46, 135
- Belfiore, 82, 133, 246
- Bennett, 82, 108
- Berger, 82, 83, 109, 292
- Berger–Tung
 - universal, 267
- Berger–Tung region, 266, 317, 322, 325, 368
- Berry–Esseen, 141
- biased equalization, 215
- binary convolution, 254
- binary modulation, 214
- binning, 178, 247, 248
 - algebraic, 247, 250
 - lattice, 267, 283
 - random, 262, 279, 292
- Blahut, 196
- Blahut–Arimoto, 263
- block anticipation, 288
- block-sequential coding, 91
- Borade, 288
- border points, 210
- bounded codebook, 197
- BPSK, 171, 186, 194, 213, 214, 237
- Bresler, 370
- broadcast channel, 258, 293
 - MIMO, 260
- BSC, 249, 250
- BSS, 249, 250
- Buzo, 108

- Cadambe, 369, 370
 Caire, 260, 293, 311, 369
 Calderbank, 9, 57, 177, 196, 245, 246
 Candy, 82
 capacity, 114, 372
 achieving, 219
 additive-noise channel, 401
 AWGN, 226, 232
 Costa, 282
 loss, 114, 116, 208, 226, 230
 modulo-additive channel, 401
 per unit volume, 115
 with side information, 279
 capacity of mod Λ channel, 223
 capacity per unit cost, 214, 225
 capacity per unit volume, 116
 capacity with side information, 280
 Cartesian direction, 171
 Cassels, 153, 398
 causal side information, 255, 279, 287, 293
 cell volume, 20
 centroid, 102
 chain rule, 400, 401
 channel
 additive, 76
 broadcast, 258, 260
 dirty-paper, 248, 279
 forward, 215
 input constraint, 248
 interference, 279
 modulo-additive, 401
 modulo-lattice, 219, 284
 non-additive, 221
 reverse, 216
 state, 248
 test, 99
 channel coding, 4, 295
 goodness, 208
 channel coding with side information, 248, 258,
 260, 279, 283, 299, 326
 channel dispersion, 380
 channel with side information, 254
 channel-state information, 254
 characteristic function, 390
 Chebishev inequality, 170
 checkerboard lattice, 15
 Chen, 83, 294
 Cheng, 294
 Chernoff, 399
 Chernoff bound, 372, 373, 389
 Chernoff bound for mixture noise, 389
 chi-square distribution, 139, 141, 378
 Chiang, 294
 Chou, 108
 Chung, 58, 176, 177, 246, 347, 369, 399
 Cioffi, 246, 294
 closest lattice point, 50
 closest lattice-point search, 15, 26
 coarse lattice, 179, 190
 code, *see also* linear code
 convolutional, 34
 coset, 178
 erasure-correction, 257
 error-correcting, 4
 geometrically uniform, 34
 Hamming, 33
 linear, 29, 250, 251
 modulo, 251
 multi-level, *see* construction D
 nested, 178
 outer, 188
 q -ary, 30
 random, 6
 rate, 4, 31, 110
 shaping, 181
 signal, 34
 structured, 7
 systematic, 32
 trellis, 34
 uniquely decodable, 90
 variable-rate, 84
 Voronoi, 181, 197, 199
 code-excited linear prediction, 38
 codebook, 4, 5, 110, 181, 182
 dithered, 189
 Gaussian, 197
 inflation, 233
 codebook enumeration, 182, 185, 199, 204
 codebook power, 200
 codebook size, 184
 coded modulation, 33, 171, 194, 213
 coding, 124
 block sequential, 91
 channel, 4
 dirty-paper, 262
 feedback, 90
 fixed-rate, *see* fixed-rate coding
 lossless, 85
 predictive, 90
 random, 6
 source, 4, 84, 92
 variable-rate, *see* variable-rate coding
 with side information, 247
 coding gain, 44, 53, 54, 116, 124, 208, 270
 coding loss, 208, 210, 272, 324
 coding rate, 122
 Cohen, 294
 colored-Gaussian noise, 117
 coloring, 247, 248
 competing codewords, 160
 complexity, 15, 26, 134, 201, 269
 compress-and-forward, 344

- compression, *see* source coding
 computation over multiple-access channels, 337, 340, 348
 computation rate, 349
 conditional entropy, 87, 217, 400
 conditional rate-distortion function, 262
 conditioning on dither, 221
 constellation, 171, 194, 213
 finite, 112, 199
 good, 134, 156, 164, 192
 infinite, 110
 construction A, 29, 37, *see also* modulo- p lattice
 dither, 192
 generalized, 31
 nested, 185
 random, 165, 167
 transformed, 192
 construction D, 37, 196
 convex body theorem, 43
 convolution, 404
 convolutional code, 34
 Conway, 9, 37, 57, 82, 156, 177, 196, 245, 384
 copyright protection, 255
 corner point, 257
 correct decoding, 241, 270
 correlation, 215
 coset, 16, 23, 30, 181, 251
 relative, 182
 coset code, 178, 293
 coset coding, 250
 coset decoding, 200, 203, 227, 235
 coset density, 403
 coset distribution, 203
 coset entropy, 221, 403
 coset enumeration, 185, 199, 269, 351
 coset leader, 24, 185, 199
 coset representative, 24, 182, 184, 251
 Costa, 248, 279, 281–283, 293, 326
 Cover, 133, 292, 294
 covering, 24, 134, 147, 164, 192
 efficiency, 45, 134, 142, 148, 391
 good, 134, 147, 148, 164, 169, 192, 389
 radius, 45, 134, 272, 389
 sphere, 266*f*
 thinnest, 46
 critical rate, 394
 crypto lemma, 61, 66, 200, 219, 221
 cryptography, 37, 38
 Csiszár, 133, 397, 401
 cubic lattice, 13, 116
 cubic shaping, 209, 213, 225, 234

 D_8 , 187
 D_n lattice, 28, 135
 data hiding, 248
 data-processing inequality, 401

 divergence, 402
 Davisson, 108
 de Buda, 38, 176, 245, 398
 decorrelation, 215
 decision cell, 204
 decision vector, 204, 221
 decode-and-forward, 343
 decoding
 correct, 270
 coset, 200, 203
 joint, 259
 lattice, 198, 200, 202
 linear estimation, 231
 maximum likelihood, *see* ML decoding
 mismatched, 117
 ML versus lattice, 210
 NN, 26, 380
 NN versus ML, 235
 noise-matched, 113
 source-matched, 276, 277
 threshold, 112, 377
 typicality, 157
 with linear estimation, 223
 decoding and estimation, 202
 decoding cell, 204
 decoding complexity, 15, 26, 201
 degenerate lattice, 14
 dense lattice, 15
 determinant of a lattice, 14
 deterministic, 79
 deterministic broadcast, 258, 293
 deterministic dither, 79, 102, 207, 228, 237, 238
 Devroye, 371
 diagonal nesting, 181, 351
 diameter, 138
 difference distortion measures, 94
 differential entropy, 88, 93, 400, 401
 differential pulse-code modulation, *see* DPCM
 digital communication, 4, 110
 digital watermarking, 248, 279, 294
 dilution
 binning, 258
 syndrome, 205
 directed information, 91
 dirty MAC, 326
 dirty-paper channel, 248, 279, 326
 lattice coding, 283
 dirty-paper coding, 3, 262
 dirty-paper problem, 299, 326
 disjoint covering, 190
 dispersion, 380
 distance
 minimum, 42
 spectrum, 52
 distance spectrum, 82, 383
 distance-spectrum bound, 385

- distortion, 241
 - entropy-distortion trade-off, 92
 - measure, 94
 - per letter, 95
 - rate-distortion function, 94
- distributed communication, 178, 247
- distributed compression, 257, 259
- distributed source coding, 3, 315, 317
- distributed video coding, 259
- distributive law, 21, 251, 254
- dither, 59, 189, 198, 200, 221, 228, 268, 390
 - codebook, 189
 - construction A, 192
 - deterministic, 92, 102, 237, 238
 - distribution, 190
 - error probability, 149
 - Gaussian, 97, 98, 149
 - generalized, 66, 70, 190
 - imperfect, 70
 - is it necessary?, 79, 102, 237
 - modulo-uniform, 66, 190
 - spectrum, 71
 - tendency to a ball, 149
 - time variation, 90
 - zero, 103
- dithered codebook, 189
- dithered modulation, 219
- dithered quantization, 59, 78, 79, 84, 102
- dithering, 199
- divergence, 402
- divergence from Gaussianity, 145–147, 149, 150
- divergence-entropy relation, 147
- Divsalar, 398
- Domb, 383
- doubly symmetric binary source, 250
- DPCM, 259, 292
- dual lattice, 68
- duality
 - source and channel, 240, 248, 282
- Dudevoir, 246
- E_8 , 29, 33, 38, 187
- E_8 lattice, 135
- E_b/N_0 , 214
- ECDQ, 84, 119, 122, 149, 197
 - pre/post filtering, 99
 - rate, 87
 - versus Lloyd's conditions, 101
- ECVQ, *see* entropy-coded quantization
- effective radius, 42
- Eggers, 294
- El Gamal, 267, 292, 293, 347, 363
- Elias, 176
- encoder
 - Voronoi, 199
- energy per bit, 214, 225
- ensemble
 - linear code, 166
 - Loeliger, 134, 164, 167, 169, 192
 - MHS, 134, 164, 192, 386
- entropy, 84, 98, 400
 - conditional, 87, 217, 400
 - coset, 403
 - differential, *see* differential entropy
 - differential to regular, 401
 - joint, 89, 400
 - maximum, 95, 98, 401
 - relative, 146, 402
- entropy power, 212, 401
- entropy-coded quantization, 84, 85
- entropy-constrained quantization, *see* entropy-coded quantization
- entropy-distortion trade-off, 92
- entropy power inequality, *see* EPI
- enumeration cell, 204, 241
- enumeration codebook, 182, 185, 199, 269
- EPI, 98, 401
- equalization, 215, 294
- equivalent channel, 219
- equivalent dimension, 14, 188
- equivalent mixture source, 272
- equivalent mod Λ channel, 206, 220
- equivalent noise, 220, 221
- erasure-correction code, 257
- Erez, 82, 83, 171, 177, 196, 233, 245, 246, 288, 293, 368–371, 397, 399
- Erikson, 9
- error exponent, 210, 229, 372
 - AWGN, 388, 394
 - expurgated, 388
 - Gallager, 397
 - minimum-distance, 385, 386
 - mixture-noise, 389
 - NN decoding, 380
 - Poltyrev, 373, 388, 397
 - power-constrained channel, 388
 - random coding, 383, 391
 - sphere crossing, 389
 - sphere packing, 373
 - threshold decoding, 377
 - Voronoi code, 388
- error floor, 171, 194
- error probability, 50, 51, 112, 122, 138, 145, 162, 228, 372
 - block, 55
 - mixture noise, 229
 - overload, 240, 270
 - symbol, 55
- error-correcting code, 4, 37
- estimate and decode, 214, 218
- estimation, 59, 202
 - linear, 223
 - minimum noise entropy, 224
 - rate-optimized, 393, 394

- Wiener, 74, 78, 99, 214, 224, 232, 285, 291, 391, 394
 estimation and lattice decoding, 202
 estimation error, 204, 215, 221
 Etkin, 370
 Ettinger, 294
 Euclidean lattice decoder, 202
 Euclidean NVNR, 119, 164, 228, 231, 232, 272, 273, 405
 Euclidean-threshold decoding, 234, 236
 exponent, *see also* error exponent
 success-threshold, 158, 219, 402
 exponential bounds, 372
 exponential equality, 374
 exponential inequality, 372
 expurgated exponent, 388
 expurgation, 383, 385, 386
 extended alphabet, 186
 Eyuboglu, 177, 246, 294

 face-determining points, 17, 42
 Farvardin, 246, 294
 FCC, 37, 44, 135
 Feder, 82, 108, 177, 311, 398
 feedback, 90
 Feinstein, 151
 Feng, 369
 figure of merit, 39, 134
 filtered dithered quantization, 78, 99
 filtered quantization, 241
 Finamore, 177
 fine lattice, 179, 205
 finite alphabet, 171, 194, 226
 finite codebook, 240
 finite constellation, 112, 199
 finite SNR, 211, 212
 Fischer, 57, 246, 294
 Fishburn, 57, 177
 fixed-rate coding, 84
 folded distribution, 203
 Forney, 9, 37, 38, 57, 133, 176, 177, 196, 206, 245, 246, 294, 399
 forward channel, 215, 216, 224
 forward test channel, *see* test channel
 Fourier transform, 37, 68, 70
 frequency-domain analysis, 68, 70
 fundamental cell, 18, 23
 equivalent, 21
 parallelepiped, 20, 199
 volume, 23
 Voronoi, 18
 fundamental Voronoi cell, 18, 42, 182

 gain
 coding, 53, 134, *see also* coding gain
 quantization, 134, 208, 209, 240, 270
 quantization (granular), 48
 shaping, 48, 208, 209
 Gallager, 133, 176, 245, 373, 398
 Gallager exponent, 397
 gap from rate-distortion function, 272
 gap from Shannon, 97, 114, 123
 gap to capacity, 157, 208, 224, 226, 230, 232, 376
 gap to rate-distortion function, 240, 266, 270
 Gariby, 82
 Gastpar, 311, 368–370
 Gaussian bound, 389
 Gaussian dither, 97, 98, 101, 149
 Gaussian error probability, 138
 Gaussian input, 197
 Gaussian networks, 259
 Gaussian sphere crossing, 374
 Gelfand, 3
 Gelfand–Pinsker problem, 248, 254, 279, 281, 293, 370
 general resolution, 241
 general SNR, 125, 226, 233
 generalized AEP, 162, 163
 generalized dither, 70, 190
 generalized NVNR, 117, 162, 164
 generalized volume to noise ratio, 117
 generator matrix, 12
 geometric interpretation, 233
 geometrically uniform code, 8, 34, 384, 391
 geometry of numbers, 37
 Gersho, 57, 82, 108, 177
 Gersho's conjecture, 49, 97, 288
 Gharan, 370
 Gibbs distribution, 122
 Gilbert–Varshamov bound, 156
 Ginis, 294
 Girod, 294
 Gish, 108
 Goblick, 311
 Goldwasser, 10, 38
 good basis, 15, 27, 181, 354
 good constellation, 134, 156, 164, 192, 208
 good covering, 134, 147, 164, 169, 192
 good ensemble, 170
 good for coding, 157, 164
 good lattice quantizer, 148, 170
 good linear code, 251
 good modulation, 134, 150, 156, 164, 192, 208, 211, 227
 good nested lattices, 192, 208, 211, 224, 232, 273
 good NSM, 134, 147, 164, 169, 192
 good NVNR, 134, 156, 164, 192
 good packing, 134, 150, 154, 164, 192
 good quantization, 134, 147, 164, 169, 192, 208, 273
 good quantizer, 71
 good Voronoi modulation, 227, 233
 good Voronoi quantization, 241
 goodness
 simultaneous, 164, 192

- Gosset lattice, 29, 33, 38
 Gram matrix, 14, 29
 granularity, 226
 Gray, 82, 108, 177
 group
 quotient, 182
 Gruber, 153
 Gutman, 108
- Haim, 246, 371
 Halevi, 38
 Hamming, 7, 251
 Hamming bound, 156
 Han, 368
 Harashima, 287, 294
 hard packing, 151
 HDA, 311
 Heegard, 293
 Hemami, 83
 Hermite parameter, 44
 hexagonal lattice, 17, 116, 135
 high SNR, 123, 198, 206–208, 211, 212, 393
 high-resolution quantization, 49, 65, 70, 84, 93, 94,
 96, 97, 241, 272, 288, 401
 Hirakawa, 196
 Hlawka, 37, 153, 177, 398
 Hoffstein, 38
 Hong, 369
 Huffman, 133
 hypersphere, *see* sphere
- Imai, 196
 infinite constellation, 110, 111
 inflated codebook, 233
 inflation lattice, 233
 information divergence, 146
 information embedding, 248, 254, 279, 283, 294
 information theory, 6, 85, 94, 143, 372
 network, 247
 Ingber, 162, 177, 398
 inner radius, 138
 innovation, 90, 267
 input constraint, 248
 input matching, 204
 integer lattice, 13, 135
 integer nesting ratio, 192
 integer-forcing, 352
 inter-symbol interference, *see* ISI
 interference alignment, 355
 interference cancelation, 261
 interference channel, 279, 355
 interference concentration, 286*f*, 331
 interference strong, 283, 334
 ISI pre-coding, 287, 294
 iso-perimetric inequality, 39, 137, 139, 149
 isotropic distribution, 142
- Jafar, 370
 Jafarian, 370
 Jayant, 82
 joint AEP, 212, 216, 218
 joint entropy, 89, 400
 joint source-channel coding, 295, 296
 joint-typicality, 216, 249*f*
 Jordan measure, 168
- Körner–Marton problem, 314, 315, 317, 368
 Kabal, 246
 Kabatiansky, 156
 Kaplan, 133
 Kashyap, 371
 Kepler’s conjecture, 37
 Khandani, 246, 370
 Khisti, 246, 368, 370
 Kim, 267, 292, 347, 363
 kissing number, 41, 385
 Kochman, 83, 311, 371
 Koetter, 393, 399
 Kotel’nikov, 311
 Kraft’s inequality, 84
 Krithivasan, 196, 368
 Kschischang, 133, 369
 Kudryashov, 173, 177
 Kullback–Leibler distance, 146, 402
 Kuznetsov, 293
- Lam, 369
 Lang, 133
 Lapidoth, 133, 294
 Laplace method of integration, 374, 382
 large deviation, 372
 large/small codebook, 219
 Laroia, 215, 246, 294
 Lastras, 83
 lattice, 11
 D_n , 28
 E_8 , 29, 33, 38
 basis, 14
 BCC, 46
 binning, 267, 268, 283
 checkerboard, 15
 coarse, 179, 190
 code, 4
 complexity, 15, 26
 constellation, 4, 110
 construction A, 165
 coset, 16, 23
 covering, 45, 134, 147, 164, 192
 cubic, 13
 decoder, 202
 decoding, 200, 210
 degenerate, 14
 dense, 15

- density, 376
- determinant, 14
- dirty-paper coding, 283
- dual, 68
- FCC, 37, 44
- figure of merit, 39, 134
- fine, 179
- good, 134, 148, 150, 154, 156, 164, 192, 299
- good nested, 192
- goodness, 39, 134
- hexagonal, 17
- inflation, 233
- integer, 13
- integral, 29
- kissing number, 41
- modulation, 110, 295
- modulo- q , 31
- modulo-2, 30, 171, 194
- nested, 178
- packing, 41
- partition, 17
- period, 167
- point density, 21
- product, 14, 43, 90
- quantization, 4, 59, 84, 169
- random, 152, 165
- representation, 11
- resolution, 167
- scaling, 27
- second moment, 47
- self-similar, 180
- shaping, 197, 199
- similar, 27, 180
- tiling, 25, 28
- transformation, 25
- unimodular, 29
- universal, 164
- volume, 20
- Wyner–Ziv coding, 267
- lattice decoding and estimation, 202
- lattice noise, 285
- lattice shaping, 181
- lattice-based cryptography, 37, 38
- lattice-distributed noise, 286, 406
- lattice-shaped codebook, 182
- law of large numbers, 134, 142, 244
- leader, 185, 199, 205
 - coset, 185
- leader function, 251
- least-energy codebook, 185
- least-energy coset member, 199
- Lee, 369
- Leech, 37
- Leech lattice, 135
- Leibler, 402
- Lekkerkerker, 153
- Lempel–Ziv algorithm, 103
- Levenshtein, 156
- Li, 108
- Liang, 10
- Liew, 369
- Lim, 347
- Limb, 82
- Linde, 108
- Linder, 108, 176, 244, 403, 406
- linear code, 29, 250
 - good, 251
 - nested, 185
 - random, 166
- linear estimation, 212, 223
- linear minimum mean-squared error, 75
- Ling, 82, 246
- Lipshitz, 82
- Litsyn, 171, 177, 196
- Liu, 288, 294, 393, 399
- Liveris, 294
- LLL algorithm, 16, 352
- Lloyd, 108
- Lloyd's conditions, 101
- LMMSE, 75, 216
- Loeliger, 398
- Loeliger ensemble, 134, 164, 167, 169, 177, 192, 196, 246
- log-concave function, 404
- Longstaff, 133
- Lookabaugh, 108
- loss
 - coding, 208, 324
 - shaping, 208, 224
- loss of 1, 212
- lossless coding, 4, 85
- lossless reconstruction, 258
- lossy coding, 4
- lossy Slepian–Wolf, 266
- lossy source coding, 85, 267
- low SNR, 198, 212, 225, 234, 287, 288
- low-resolution quantization, 84, 98, 276
- LSB, 178
- LTE, 38
- Luzzi, 82
- MAC
 - dirty, 326
- Maddah-Ali, 368, 370
- Majumdar, 294
- MAP, *see* maximum a posteriori decoding
- Marcellin, 57, 246
- Markov chain, 263, 266, 401
- Markov inequality, 373, 374
- Marton, 258, 293, 314, 368
- Mashiach, 83
- matching, 204

- maximal code, 151
- maximum entropy, 95, 98, 253, 401
- maximum a posteriori decoding, 128
- maximum likelihood decoding, *see* ML decoding
- mean-squared error, 47, 64, 73, 74, 78, 93, 102, 130, 134, 197, 214, 222–224, 292
- medium SNR, 198, 212, 214
- memory with defects, 248, 257, 279, 293
- Merhav, 133, 294, 311
- message representation, 199
- MHS
 - ball intersection, 154
- MHS ensemble, 134, 153, 154, 159, 164, 192, 386
 - threshold decoding, 160
- MHS theorem, 153
- Micciancio, 10, 38, 82
- MIMO broadcast, 260, 280, 293
- MIMO channel, 9, 11, 352
- minimal covering, 148
- minimum distance, 29, 42, 383
- minimum Hamming distance, 251
- minimum required SNR, 207
- minimum-distance bound, 384
- minimum-distance exponent, 385, 386
- Minkowski, 37, 134, 154, 156, 164, 177, 192, 398
 - convex-body theorem, 43, 56
- Minkowski bound, 134, 154
- Minkowski-good, 155
- Minkowski-good lattice, 385, 386
- Minkowski–Hlawka theorem, 37, 44, 133, 152, 165, 176
- Minkowski–Hlawka–Siegel ensemble, *see* MHS ensemble
- mismatch, 233
- mismatched decoding, 117, 118, 219, 227, 234, 244, *see also* threshold decoding
- mismatched NVNR, *see* Euclidean NVNR
- Mittal, 311
- mixed nesting dimensions, 188, 210
- mixture noise, 76, 215, 224, 228, 229, 299, 332, 388, 389, 405
- mixture ratio, 224, 228
- mixture versus AWGN, 229, 405
- mixture-noise NVNR, 228, 232, 272, 273
- Miyakawa, 294
- ML decoding, 26, 112, 200, 201, 210, 212, 276
- ML decoding exponent, 380
- ML versus lattice decoding, 210, 234
- MMSE, 75, 224
- mod Λ channel, 219, 284
- modem, 37
- modulation, 49, 110, 134
 - binary, 214
 - coded, 33
 - dithered, 219
 - good, 134, 150, 156, 164, 192
 - modulo-lattice, 295
 - Voronoi, 197, 199, 283
- modulo code, 251
- modulo equivalence, 185
- modulo lattice, 204
- modulo loss, 204, 207, 210, 225, 226, 285
- modulo operation, 25, 204
 - distributive law, 21, 251, 254
 - equivalent channel, 206, 220, 284, 332, 341, 349
 - fundamental cell, 21
 - lattice, 21
- modulo subtraction, 283
- modulo- p lattice, 165
- modulo- q lattice, 31
- modulo-2 lattice, 30, 171, 194, 204
- modulo-additive channel, 397, 401
- modulo-additive-noise channel, 401
- modulo-lattice channel, 219, 406
- modulo-lattice modulation, 299
- modulo-uniform dither, 66, 190
- Motahari, 370
- motion compensation, 259
- Moulin, 294, 393, 399
- MSE, *see* mean-squared error
- multi-level codes, *see* construction D
- multi-terminal lattice coding, 279
- multi-terminal problems, 259
- multi-terminal source coding, 257, 266
- multi-user problems, 247, 266, 314
- multiple-access channel, 326, *see* MAC
- mutual information, 400
 - directed, 91
- n -dimensional ball, 137
- N -dimensional geometry, 37
- Nam, 369
- Narayan, 133
- Narayanan, 311, 369
- natural shaping, 212, 214, 226
- Nazer, 368–370
- nearest neighbor, *see* NN
- nested binary codes, 258
- nested codes, 3, 178, 185
- nested construction A, 185, 186
 - random, 193
- nested lattice binning, 268
- nested lattices, 178, 181, 388
 - good, 192, 211
- nested partition, 190, 191
- nested syndromes, 258
- nested trellis codes, 185, 189
- nesting dimensions, 188, 210
- nesting matrix, 179
 - diagonal, 181
- nesting ratio, 179
 - integer, 192

- network coding, 335
- network information theory, 247, 266, 314
- Neuhoff, 82, 108
- Niesen, 369, 370
- NN, 17, 50
- NN decoding, 26, 218, 235, 276
- NN decoding exponent, 380
- NN search, 26, 206, 219, 380
- NN versus ML decoding, 235
- NN Voronoi cell, 276
- noise
 - additive, 215
 - equivalent, 220, 221
 - known, 254
 - lattice, 285
 - lattice-distributed, 286, 406
 - mixture, 76, 215, 224, 228, 229, 389
 - self, 224, 238
 - semi-spherical, 232
- noise accumulation, 344
- noise ball, 142
- noise-matched decoding, 113, 204, 211, 234, 235, 285, 324
- noise-matched NVNR, 117, 124, 162, 164, 212
- noise shaping, 91
- noisy network coding, 347
- Nokleby, 371
- Noll, 82
- nominal coding gain, 44, 54, 57
- non-AWGN, 55, 117, 162, 164, 211, 277
- non-causal side information, 255
- non-equiprobable signaling, 119
- non-estimation decoding, 206
- non-Gaussian, 260, 277, 278
- non-linear estimation, 204, 221
- non-uniform signaling, *see* non-equiprobable signaling
- normal form
 - Smith, 181
- normalized logarithmic density, 111, *see* rate per unit volume
- normalized second moment, *see* NSM
- normalized volume to noise ratio, *see* NVNR
- NSM, 2, 48, 71, 93, 97, 127, 134, 137, 138, 142, 144, 147–149, 163, 164, 169, 176, 194, 197, 198, 207–209, 223, 224, 230, 233, 272, 273, 298
 - good, 134, 147, 164, 169, 192
- Ntranos, 369
- NTRU, 38
- NVNR, 2, 53, 110, 113, 116, 123, 135, 137, 138, 141, 142, 145, 151, 156, 164, 194, 198, 207, 209, 230, 298, 405
 - Euclidean, 119, 164, 228, 231, 232, 272, 273
 - generalized, 162
 - good, 134, 156, 164, 192
 - mixture-noise, 228, 232, 272, 273
 - noise-matched, 117, 124, 162, 164, 212
- Nyquist, 82
- Nyquist theorem, 68
- O’Sullivan, 294
- one-shot coding, 226
- opportunistic dirty-paper coding, 288
- Ordentlich, 171, 177, 196, 233, 369, 370
- orthogonality principle, 75, 102, 215, 240, 267
- Østergaard, 83
- outer code, 188
- overload, 197, 240, 241, 272, 277
 - vanishing, 276
- overload distortion, 270
- Ozarow, 246
- packing, 41, 134
 - density, 43
 - efficiency, 43, 142
 - good, 134, 150, 154, 164, 192
 - radius, 41
 - soft, 151
- packing efficiency, 134, 155, 156
- packing radius, 138
- pairwise error, 51, 383, 384
- pairwise independent, 166, 175
- Palgy, 83, 133
- PAM, 171, 194, 213
- PAPR, 210
- parallelepiped cell, 199
- parallelepiped partition, 20, 182
- parallelepiped shaping, 182
- Parekh, 370
- parity-check matrix, 29
- partition, 17, 183
 - nested, 190
 - parallelepiped, 20
 - Voronoi, 17, *see also* Voronoi partition
- Pasupathy, 133
- peak-to-average power ratio, 210
- Pearlman, 177
- period, 167
- periodic replication, 67, 403
- Pfister, 369
- Phamdo, 311
- Philosof, 246, 294, 368, 370
- Pierce, 108
- Pinkston, 108
- Pinsker, 3, 244, 248, 254, 258, 279, 281, 293, 370
- Pipher, 38
- point density, 21
- point process, 152
- point-to-point communication, 247
- Poisson point process, 152
- Poltyrev, 58, 115, 133, 148, 177, 393, 398

- Poltyrev exponent, 210, 373, 388, 397
 Polyanskiy, 398
 Poor, 10
 Popovski, 369
 power, 122, 200
 power constraint, 110, 114
 Pradhan, 196, 294, 368
 pre-coding, 260, 261, 287
 pre-emphasis, 204, 221
 pre/post filtering, 78, 99
 pre/post scaling, 233, 234, 241, 269, 273
 predictive coding, 90, 247, 259
 prime alphabet, 31, 166, 193
 primitive point, 15, 153
 probabilistic shaping, *see* non-equiprobable signaling
 product of lattices, 14, 43, 55, 90
 Puri, 294

 Q -function, 51
 QR decomposition, 261
 QR factorization, 261
 quantization, 19, 46, 134
 dithered, 59, 78, 79, 84, 102
 entropy-coded, 84, 85
 error, 19, 47
 filtered, 78, 99
 good, 134, 147, 164, 169, 192, 273
 granular gain, 48
 high-resolution, 96, *see also* high-resolution quantization
 Lloyd's conditions, 101
 low-resolution, 98, 276
 nearest-neighbor, 17
 randomized, 59
 rate, 84
 universal, 103
 Voronoi, 197, 240, 267
 quantization at general resolution, 241
 quantization gain, 208, 209, 240, 270
 quantization loss, 272
 quantizing complexity, 15, 26
 quasicrystals, 37
 Quereshi, 133
 quotient group, 24, 182

 Rényi entropy, 397
 Rabiner, 82
 Rabinovich, 57, 177
 radius
 covering, 45, 272, 389
 effective, 42
 packing, 41
 radius to noise ratio, 372, 376
 Ramchandran, 294
 random binning, 248, 250, 262, 265, 279, 282, 292

 random code, 157, 219
 random coding, 6, 136
 random coding exponent, 383, 391
 random construction A, 165, 167
 random i.i.d. coding, 316, 327, 329, 334, 342*f*
 random lattice, 134, 152, 164, 165, 169, 192
 random linear code, 166
 random nested construction A, 193
 randomized BPSK, 237
 randomized quantization, 59
 rate, 4, 84
 ECDQ, 87
 fixed, *see also* fixed-rate coding
 redundancy, 94
 variable, *see also* variable-rate coding
 rate distortion, 92
 rate distortion function, 7, 84, 94, 95, 262
 computation, 263
 rate distortion with side information, 262
 rate-optimized estimation, 393, 394
 rate per unit volume, 110, 111
 rate region, 257, 258, 266
 Rayleigh distribution, 141
 reconstruction distribution, 7
 redundancy, 94, 96, 97, 100, 104, 241, 272
 Regev, 10, 38, 82
 Reimann zeta function, 155
 relative cosets, 182, 203
 relative entropy, 146, 402
 relative syndrome, 186
 relaying strategies
 amplify-and-forward, 340, 344
 compress-and-forward, 339, 344
 compute-and-forward, 339, 343, 348, 358, 360
 decode-and-forward, 339, 343
 noisy network coding, 347
 reliability function, 372
 reliable communication, 114
 replication, *see* periodic replication
 resolution, 84, 167
 reverse channel, 212, 216, 217, 224, 383
 reverse ECDQ, 119
 reverse iso-perimetric inequality, 139
 reversed convexity, 225, 235, 277
 reversed joint AEP, 218
 Reznic, 311
 Rimoldi, 246
 Roberts, 82
 robust communication, 103, 164, 245, 295
 Rogers, 46, 134, 147, 164, 176, 192
 Rogers good, 148, 394
 Rose, 82, 177

 \mathcal{S} -bound, 162
 sampling theorem, 68
 scalar lattice quantizer, 84

- scalar quantization, 277
- scalar shaping, 209, 225
- Schlegel, 176
- Schuchman, 82
- search radius, 378
- second moment, 138
- second moment of a lattice, 47
- second-moment to noise ratio, 298
- self-duality, 69
- self-noise, 224, 238, 299, 332, 341, 405
- self-similar lattices, 180
- semi-spherical noise, 163, 164, 232
- separation of shaping and coding, 124
- separation principle, 4
- separation theorem, 296
- Servetto, 196, 294
- Shamai, 10, 133, 196, 215, 246, 260, 288, 293, 311, 370
- Shannon, 3, 37, 94, 109, 133, 177, 216, 224, 245, 255, 279, 293, 311
- Shannon lower bound, 95
- Shannon meets Wiener, 212
- Shannon theory, 6
- Shannon upper bound, 114
- shaping, 110, 124, 178, 197, 199, 224
 - cubic, 225
 - gain, 48
 - lattice, 181
 - natural, 214
 - noise, 91
 - spherical, 209
 - trellis, 206
- shaping cell, 241
- shaping gain, 124, 208, 209, 212, 240, 270, 335
- shaping loss, 208, 241, 391
- shaping region, 185
- Shashank, 371
- Shechtman, 37
- shell mapping, 133, 246
- Shemer, 294
- shortest lattice vector, 16, 41, 185, 352
- side information, 3, 247
 - capacity, 280
 - causal, 255, 279, 293
 - channel, 254
 - channel coding, 248, 258, 260, 279, 283, 299, 326
 - Gaussian, 259
 - non-causal, 255
 - source coding, 247, 253, 259, 262, 267, 299, 314
- Siegel, 133, 153, 177, 398
- signal code, 34
- signal to noise ratio (SNR), 50
- signal to entropy power ratio, 212
- Sigurjónsson, 370
- Silva, 369
- Silverman, 38
- similarity, 27, 180
- simple body, 168
- simulation, 98
- simultaneous goodness, 136, 164, 192
- single-letter characterization, 95, 114, 263, 316, 324, 334, 347, 362
- Slepian, 3, 37, 247, 249, 250, 257, 259, 266, 268, 292
- Slepian–Wolf, 248, 253, 266
- Slepian–Wolf problem, 247, 292, 316
- Slepian–Wolf rate region, 257
- Sloane, 9, 37, 57, 82, 156, 177, 196, 245, 384
- Smith normal form, 181
- SNR, 207, 388
 - general, 226
- SNR regimes, 213
- soft packing, 151
- Somech–Baruch, 294
- Song, 371
- source-channel duality, 240, 248, 282, 294
- source coding, 4, 84, 92, 295
 - lossless, 85
 - lossy, 85
- source coding with side information, 247, 253, 259, 262, 267, 299, 314
- source-matched decoding, 276, 277
- space filling polytope, 28
- spectral efficiency, 214
- spectral level, 214
- speech coding, 4, 37
- sphere, 39
 - covering, 45, 134, 266^f
 - crossing, 52
 - packing, 41
- sphere bounds, 137, 142, 372
- sphere covering, 2
- sphere crossing exponent, 373, 389
- sphere decoding, *see* threshold decoding
- sphere-Gaussian equivalence, 142
- sphere packing, 2
- sphere packing exponent, 210, 373, 375, 389
- sphere projection, 145
- spherical shaping, 197, 209, 346, 398
- spherical shell, 142
- Sprintson, 369
- Sridharan, 370
- star-shaped body, 155
- state
 - channel, 248
- Stirling, 144
- Stockham, 82
- strong interference, 283, 285, 334
- structured code, 3, 7, 202, 247, 248, 250, 267, 283
- Su, 294
- subcode, *see* nested codes
- sublattice, *see* nested lattices

- success-threshold exponent, 158, 219, 402
 successive cancelation, 357, 358
 sufficient statistics, 204, 206, 285, 286, 406
 surface area, 138
 Sutivong, 370
 Swannack, 399
 symbol error rate (SER), 55
 symbols, 171, 194, 213
 symmetric pre/post filtering, 100, 108, 271
 symmetrization, 200, 238, 269
 syndrome, 30, 250
 nested, 258
 relative, 186
 syndrome coding, 250, 268
 syndrome dilution, 187, 204, 205, 258
 systematic code, 32
- tail distribution, 229, 391, 405
 Tavildar, 292, 368
 Tazaki, 177
 Temes, 82
 ten Brink, 294
 tendency to Gaussianity, *see* divergence from Gaussianity
 tendency toward Gaussianity, 145
 test channel, 94, 99, 271
 simulation, 98
 theta series, 82, 384
 thickness of covering, 46
 Thomas, 133, 292
 threshold decoding, 112, 158, 162, 218, 234, 235, 244, 382, *see also* mismatched decoding
 threshold-decoding exponent, 377, 379
 Tian, 83
 tiling, 25, 28, 49
 time sharing, 260
 Tomlinson–Harashima pre-coding, 287, 294
 total distortion, 241, 270
 Tóth, 57
 transformation of a lattice, 25
 transformed construction A, 192
 transmission power, 200
 trellis code
 nested, 185, 189
 trellis shaping, 206
 trellis-coded modulation, 34, 37, 294
 Tretter, 38, 246, 294
 triangular form, 261
 triangularization, 261
 Tridenski, 399
 Trott, 58, 176, 177, 246, 399
 Tse, 368, 370
 Tsybakov, 293
 Tung, 266, 292, 368
 turbo code, 294
 two-help-one, 314
- two-way relay channel, 339, 343
 two-way relaying, 336
 typical noise radius, 144, 372, 374
 typical set, 143, 248
 typicality decoding, 157, 159, 216
- unshaped constellation, 225
 Ungerboeck, 38, 133, 196
 unimodular matrix, 13
 unimodular transformation, 13
 uniform input, 225
 uniformity property, 168, 384, 391, 394
 union bound, 51, 157, 158, 165, 167, 383, 384
 uniquely decodable code, 90
 unit ball, 137, 144
 universal coding, 272, 278, 324
 universal lattice, 164
 universal quantization, 103
 universal source coding, 266, 267
 Urbanke, 246
- V_n , 40, 137
 Vanderkoooy, 82
 Vardy, 9
 variable-rate coding, 84
 variable-rate dithered modulation, *see* VRDM
 variable-rate modulation, 110, 119, 121
 variance of intersection, 170
 Varshamov–Gilbert bound, 156
 vector quantization, 240
 Verdú, 214, 293, 311, 398
 video coding, 259
 Viswanath, 288, 292, 368, 370
 Viterbi algorithm, 206
 VNR, 50, *see also* NVNR
 voice-band modem, 38
 volume of a lattice, 20
 volume of a unit ball, 40, 137
 volume to noise-entropy power ratio, 117
 volume to noise ratio, *see* VNR
 Voronoi cell, 17, 148
 Voronoi code, 181, 182, 185, 388
 Voronoi codebook, *see also* Voronoi code
 Voronoi modulation, 197, 199, 283
 Voronoi partition, 17, 92
 Voronoi quantization, 197, 240, 267, 273
 Voronoi shaping, 197
 Voronoi–ball–AWGN triangle, 136, 149
 VRDM, 122–124, 126, 129, 157, 188, 197
- Wagner, 292, 368
 Wang, 370
 Wannamaker, 82
 watermarking, 248, 254, 255, 279, 294
 Wei, 196, 245
 white dither, 71

-
- Whiting, 369
 - Wiener, 83, 212, 214, 223, 224
 - Wiener coefficient, *see* estimation
 - Wiener estimation, *see* estimation
 - WiFi, 38
 - Willems, 263, 293
 - Wilson, 311, 369
 - Witsenhausen, 294
 - Wolf, 3, 247–250, 253, 257, 259, 266, 268, 292
 - Wornell, 294, 399
 - writing on dirty paper, 248, 249, 262, 279, 283, 326
 - Wyner, 3, 37, 263, 292, 311
 - Wyner–Ziv
 - lattice coding, 267
 - universal, 266
 - Wyner–Ziv function, 263, 293
 - Wyner–Ziv problem, 249, 262, 292, 299
 - Wyner–Ziv video coding, 259, 294
 - Xiong, 294, 368
 - Yamada, 177
 - Yang, 368
 - Yener, 371
 - Yeredor, 399
 - Yomo, 369
 - Yona, 246
 - Yu, 294
 - Yurkov, 173, 177
 - Zador, 57, 108, 177
 - Zamir, 82, 108, 133, 177, 293, 368, 398
 - Zeger, 9, 108, 176
 - Zhan, 369
 - Zhang, 369
 - Zhao, 83
 - Zheng, 288
 - Ziv, 3, 103, 108, 262, 263, 292, 311
 - Ziv’s constant, 104, 266, 267
 - Ziv’s universal bound, 104, 266, 267