

Cambridge University Press

978-0-521-76914-3 - Structures in the Universe by Exact Methods: Formation, Evolution, Interactions

Krzysztof Bolejko, Andrzej Krasinski, Charles Hellaby and Marie-Noelle Celerier

Index

[More information](#)

Index

- 2-dimensional orbit of symmetry, 43
- 3-dimensional
 - curvature, 2, 47
 - symmetry group, 43
- Abell
 - catalogue, 5, 105
 - cluster, 5, 107, 108, 210
- aberration formula, 168
- absolute
 - apparent horizon (AAH), 83–87
 - bolometric magnitude, 139
 - luminosity, 139, 182
- accelerated ray, 83
- acceleration
 - of expansion, 137, 146–148, 164, 175, 176, 212
 - apparent-, 138, 146, 147, 150, 215
 - averaged-, 147
 - of volume expansion, 147
- accretion, 105, 210
- acoustic oscillations of baryons (BAO), 149–153, 158, 161, 162, 173, 212
 - dilation scale of, 149
- active gravitational mass, 41, 127
- adiabatic perturbation, 122, 124
- aether, 214, 215
- age
 - of black hole, 103
 - of Universe, 114, 134, 146, 150, 159
 - at last scattering, 116
- AH, *see* apparent horizon
- AH⁺, *see* future apparent horizon
- AH⁻, *see* past apparent horizon
- alignment of CMB multipole, 156, 200
- amplitude of velocity, 107
- angle
 - azimuthal, 46
 - direction-, 202
- angular
 - diameter, 5, 6, 93, 181
 - distance, 158–160, 168–170, 172,
- diameter distance, *see also* area distance
- distribution of CMB temperature, 211
- momentum, 58
- resolution of temperature measurement, 5, 6, 92, 93, 101, 211
- scale, 5, 92, 95, 101, 197, 198, 207, 213
- size, 101, 198, 211
- anisotropic pressure, 41
- anisotropy
 - in SN Ia data, 160
 - of CMB radiation, 168, 189, 200, 206
 - cosmological origin of dipole-, 205, 212
 - dipole-, 7, 8, 56, 92, 163, 200–202, 204–208, 212
 - dipole-, generation of, 201
 - octopole-, 200, 207, 208, 212
 - quadrupole-, 8, 56, 200–202, 204–208, 212
 - of temperature of CMB radiation, 4, 5, 8, 197, 206, 213
- apparent
 - acceleration of expansion, 138, 146, 147, 150, 215
 - bolometric magnitude, 139
 - dimming of supernovae, 174
 - horizon, 5, 83, 84, 87, 94–98, 105
 - future-, 61–63, 65–69, 71–73, 84
 - in hyperbolic regions, locating, 67
 - in Lemaître–Tolman model, 60–74
 - in parabolic regions, 66
 - in Szekeres model, 83–87
 - mass in, 69, 74, 95, 96, 105
 - null-, 61, 62, 66
 - past-, 61–66, 69, 71, 72
 - spacelike-, 62, 69
 - timelike-, 62
 - luminosity, 181, 214
 - magnitude, 141
 - temperature of CMB, 202
- approximate
 - averaging, 7
 - description of Universe, 3
 - convergence of, 2
- approximation
 - geometric optics-, 55
 - thin shell-, 189

- area distance, 91, 139, *see also* angular diameter distance *and* diameter distance
- areal radius, 61, 84, 91, 110, 111, 116–119, 121, 143, 176, 182, 191
- asymptotic future, 30, 33
- asymptotically flat model, 66, 161, 162
- Attractor, Great-, 33, 92, 93
- average
- density, 105, 207
 - contrast, 115
 - redshift at last scattering, 207
 - temperature of CMB radiation, 207
 - velocity, 25
- averaged
- acceleration of expansion, 147
 - Friedmann model, 137
 - pressure in, 137
- averaging of Einstein equations, 7
- axial
- direction, 79
 - geodesic, 79, 80, 192, 196, 197
 - symmetry, 58
- axially symmetric
- model, 202
 - Szekeres model, 77–79, 197
- axis
- of mass dipole, 54
 - of symmetry, 77–79
- background
- Friedmann-, 81, 82, 91, 190, 195
 - homogeneous-, 109, 118–120
- backreaction, 138, 164, 174
- bang
- function, 108, 204, 205
 - time, 11, 22, 23, 31, 33, 34, 43, 66, 103, 116, 127, 128, 134, 146, 147, 164, 168, 174, 175, 182, 193, 201
- BAO, *see* baryon acoustic oscillations
- bare mass dipole, 52, 54
- barotropic equation of state, 142
- baryon
- acoustic oscillations (BAO), 149–153, 158, 161, 162, 173, 212
 - dilation scale of, 149
 - density, 155
 - fluctuations of, 93, 116, 125
 - photon to-, ratio, 201
- Bayesian data analysis, 142
- belly, 15, 16, 44
- Big Bang, 5, 12, 13, 28, 47, 48, 63–67, 69, 71–73, 92, 98, 101, 106, 117, 127, 136, 161, 168, 184, 187, 188, 201, 204, 206, 212
- conic-, 204
 - delayed-, 56, 186, 188, 212
 - nonsimultaneous-, 11
 - simultaneous-, 22, 23, 26, 31, 33, 34, 106, 161, 171
- Big Crunch, 12, 13, 28, 48, 65, 67–69, 71–73, 86, 96, 98, 103
- centre of, 65
 - light rays escaping-, 65
- black
- body spectrum, 190
 - hole, 4, 17, 60, 74, 94, 95, 103, 209
 - age of, 103
 - around a wormhole, 101, 104, 105
 - central-, 4, 15, 93, 94, 102, 103, 209, 210
 - evolution to, 68
 - formed by collapse, 101
 - galaxy with, 4, 5, 15, 67–69, 93, 94, 98, 101–105, 209, 210
 - generation, 5
 - in M87, 4, 94, 97
 - in M87, mass of, 100
 - interior, 95
 - Kerr-, 209
 - mass of, 74, 94–96, 103, 105
 - matching to galaxy, 96, 97
 - model vs. real object, 95
 - Schwarzschild–Kruskal–Szekeres-, 95
 - Schwarzschild-, 209
 - singularity in, 96, 98, 101, 103
- blueshift, 69
- bolometric
- flux, 139
 - magnitude
 - absolute-, 139
 - apparent-, 139
- Boltzmann
- constant, 201
 - equation, 154, 189
- borderline between evolution types, 22, 24–27, 30–33
- boundary
- between elliptic and hyperbolic regions, 13, 44, 66
 - between quasi-spherical and quasi-hyperbolic regions, 43
 - comoving-, 94
- bubble, spherically symmetric-, 156
- Carter–Penrose diagram, 65, 185, 186
- Cartesian coordinates, 53
- causal structure of spacetime, 147
- central
- black hole, 4, 15, 93, 94, 102, 103, 209, 210
 - observer, 55, 143, 147, 157–159
 - singularity, 65

- centre
 - of Big Bang, 63–65, 69, 73
 - of Big Crunch, 65
 - of symmetry, 14, 143
 - regular-, 13, 65, 67
- class of a curve, 81
- cluster
 - void pair, 6, 128, 129
 - Abell-, 5, 107, 108, 210
 - galaxy-, 2, 5, 15, 16, 50, 91–93, 105–107, 122, 128–131, 133, 135, 163, 211
 - globular-, 161
 - Virgo-, 93
- CMB, *see* cosmic microwave background
- coincidence problem, 137
- cold dark matter, 214
- collapse, 4, 15, 65, 95, 165, 210, 211
 - to black hole, 101
- comoving
 - boundary, 94
 - coordinates, 11, 41, 42, 57
 - hypersurface, 53
 - matter- with radiation, 118, 125
- compactified spacetime, 67, 71, 72
- compensated structure, 197, 200
- compensation
 - effect, 170
 - radius, 91, 106
- Concordance model, 1, 7, 137, 144, 169, 170, 172, 209, 212, 214
- condensed structure, 91, 167
- conditions
 - Darmonis-, 96
 - junction-, 96
 - regularity-, 50, 143
- confidence contours, 151, 153
- ‘conformal time’, 156
- conformally flat model, 195
- conic Big Bang, 204
- conservation equation for angular momentum, 58
- constant, *see under specific names*, e.g.
 - cosmological constant
- constant (x, y) geodesic, 75, 79
- continuity equation, 46, 134, 136
- contours of confidence, 151, 153
- contrast
 - curvature-, 2
 - density-, 2, 4, 114, 116, 127, 129, 152, 159, 166, 174, 189, 210, 211
 - average-, 115
 - evolution, 129, 130, 132, 133
 - in void, 120–122, 129–133, 152
 - indicator of, 127–129, 131
- convergence
 - of approximation series, 2, 3
 - of the Taylor series, 140
- coordinate
 - radial-, 34, 37, 41, 44, 69, 110, 118, 126, 127, 144, 171, 175, 179, 187, 190, 191
 - singularity, 44
- coordinates
 - Cartesian-, 53
 - comoving-, 11, 41, 42, 57
 - Lemaître–Novikov-, 13
 - quasi-spherical-, 128
 - spherical-, 53
 - stereographic-, 76
 - synchronous-, 11, 41
 - Szekeres-, 46
- Copernican principle, 137, 189, 207, 208, 213
- corrected luminosity distance, 143
- cosmic
 - metric, 181
 - microwave background radiation, 161, 212
 - angular distribution of temperature, 211
 - anisotropy of, 168, 189, 200, 206
 - anisotropy of temperature, 4, 5, 8, 197, 206, 213
 - average temperature of, 207
 - dipole anisotropy of, 7, 8, 56, 92, 163, 200–202, 204–208, 212
 - dipole anisotropy of, cosmological origin of, 205, 212
 - fluctuations of temperature, 91, 92, 101, 116, 154, 167, 189, 190, 193, 197–200, 203, 207
 - generation of dipole anisotropy, 201
 - octopole anisotropy of, 200, 207, 208, 212
 - power spectrum of, 150, 154–156, 158, 159, 171, 173, 197, 200, 214
 - power spectrum of, multipole moment anomaly, 208
 - power spectrum of, multipole moment of, 200, 206–208, 212
 - power spectrum of, spectral distortion of, 173
 - quadrupole anisotropy of, 8, 56, 200–202, 204–208, 212
 - quasi-isotropy of, 15
 - redshift of, 117
 - sky, 5, 6, 91–93, 101, 190, 211
 - temperature at emission, 190
 - temperature distribution of, 7
 - temperature of, 109, 190, 206
 - structure
 - evolution, 91, 126, 210, 211
 - model of, 15, 134, 215
 - cosmological

- Λ CDM models, 140
- coincidence problem, 137
- constant, 6, 7, 11, 34, 37, 127, 137, 138, 140, 141, 145, 146, 148, 149, 162, 170, 191, 212
 - problem, 137, 138, 148, 163, 164
 - value of, 125, 137, 138
- origin of CMB dipole, 205
- principle, 137, 138, 146
- redshift, drift of, 173
- scale, 187, 213
- crunch time, 12, 22, 52, 66, 71, 103
 - simultaneous-, 22, 26, 33
- curvature, 13, 14, 43, 167, 191
 - 3-dimensional-, 2, 47
 - contrast, 2
 - extrinsic-, 193
 - function, 168
 - inhomogeneity, 174
 - relative density of, 157
 - Ricci-, 47
 - scalar, 193
 - scalar-, 188
 - singularity, 13
 - spatial-, 2, 11, 47, 68, 214
 - Weyl-, 46, 189, 195
- dark
 - energy, 1, 6, 7, 137, 146–150, 162, 169, 172, 173, 214, 215
 - equation of state, 170
 - problem, 137, 209
 - matter, 1, 5, 214
 - cold-, 214
- Darmois conditions, 96
- DBB, *see* delayed Big Bang
- de Sitter spacetime, 184
- decaying modes of perturbation, 22, 25, 26, 28, 134
- deceleration, 147
 - parameter, 144, 147
 - volume-, 147
- decoupling
 - epoch, 8
 - of matter and radiation, 6
 - time, 4, 5, 118, 156, 190
- delayed Big Bang, 56, 186, 188, 212
- density
 - as function of mass, 106
 - average-, 105, 207
 - baryon-, 155
 - fluctuations of, 93, 116, 125
 - contrast, 2, 4, 114, 116, 127, 129, 152, 159, 166, 174, 189, 210, 211
 - average-, 115
 - evolution, 129, 130, 132, 133
 - in void, 120–122, 129–133, 152
 - indicator, 127–129, 131
 - distribution, 17, 19, 28, 35–37, 39, 112, 116, 129, 134, 150, 155, 193, 195, 197, 198
 - current-, 151–153
 - in double structure, 129
 - in void, 6, 117, 123, 126
 - initial-, 108–111
 - present-, 132, 133, 194
 - present-, in triple structure, 135
 - energy-, 118, 187
 - of radiation, 118–120
 - of Universe, 214
 - fluctuations, 16, 109, 113, 116, 123
 - at recombination, 93, 101, 103
 - initial-, 92
 - interplay with velocity, 15
 - in void, 121
 - indicator, evolution of, 127, 131
 - mass-, 11, 14, 43, 47, 48, 50, 52, 53, 99
 - relative-, 157
 - Newtonian vs. L–T definition, 100
 - of curvature, relative, 157
 - perturbation, 5, 107, 109–112, 115, 118, 122, 171, 210
 - initial-, 101, 106
 - photon to baryon-, ratio, 201
 - profile, 4, 22, 23, 26, 29–33, 37, 39, 94, 97, 107, 209
 - at recombination, 100
 - final-, 97, 100, 101
 - homogeneous-, 101, 106
 - initial-, 100, 101, 106
 - of M87, 94
 - shape of, 93
 - radiation-
 - perturbations of, 6
 - profile, 6
 - spherically symmetric component of, 52
 - to density evolution, 17, 33, 39
- derivative by proper time, 119
- diagram, Hubble-, 212
 - residual-, 173
- diameter, 92, 182
 - angular-, 5, 6, 93, 181
 - distance, 158–160, 168–170, 172, 175
 - distance, 91, 139, 143, 160, 182, *see also* area distance
 - of inhomogeneity, 200
- dilation
 - distance, 150, 173
 - scale of BAO, 149

- dimming of supernovae, 6, 137, 138, 146,
147, 174, 212, 214
apparent-, 174
- dipole
anisotropy of CMB radiation, 7, 8, 56, 92,
163, 200–202, 204–208, 212
cosmological origin of, 205, 212
generation of, 201
mass-, 6, 49, 52, 54, 129, 132–134, 194, 195
axis, 54
bare-, 52, 54
direction of, 195
- direct
method, 148, 172
problem, 148
- direction
angle, 202
axial-, 79
fixed-, geodesics, 79
null-, 83
of the mass-dipole, 195
radial-, 75, 147
- displacement
forward-, 49
sideways-, 49
- distance, 139
angular diameter-, 158–160, 168–170, 172,
175
area-, 91, 139
diameter-, 91, 139, 143, 160, 182
dilation-, 150, 173
gravitational units of, 105
horizon-, 167
luminosity-, 137, 139–143, 148, 150, 157,
158, 160, 164–170, 177–181, 214
–redshift relation, 137, 142, 148, 157,
164, 165, 168
–redshift relation, *see also*
magnitude–redshift relation
modulus, 149, 169
radial-, 49, 160
–redshift relation, 142
scale-, 105
to last scattering, 159
- distortion, spectral- of CMB power
spectrum, 173
- distribution
density-, 17, 19, 28, 35–37, 39, 112, 116,
129, 134, 150, 155, 193, 195, 197, 198
current-, 151–153
in double structure, 129
in void, 117, 123, 126
initial-, 108–111
present-, 132, 133, 194
present-, in triple structure, 135
mass-, 99
in galaxy, 94
in void, 117
relative-, 117
radiation-, 120, 122, 124, 125
inhomogeneous, 121–123
temperature-
of CMB radiation, 7
of CMB radiation, angular, 211
two-fluid-, 125
velocity-, 26, 37, 100, 106, 108
initial-, 109–111
- Doppler effect, 201
- double structure, 6, 128, 129, 132, 133,
174
density distribution in, 129
evolution, 128, 174
- drift of redshift, 173
- dust
extinction, 138
mixture with radiation, 125
source, 11, 125
spherically symmetric-, 11
- EdS, *see* Einstein–de Sitter model
- effect
compensation-, 170
Doppler-, 201
light propagation-, 189, 190, 197, 198, 212
of inhomogeneity, 6, 7, 137, 138, 147, 163,
166, 168–171, 173, 174, 201, 209, 212,
213
Rees–Sciama-, 92, 164, 197, 198, 212
Sachs–Wolfe-, 8
Sunyaev–Zel’dovich-, 163, 173
- EH, *see* event horizon
- EH⁺, *see* future event horizon
- EH[−], *see* past event horizon
- Ehlers–Gehren–Sachs theorem, 189, 213
- Einstein
–Straus model, 163
–de Sitter model, 93, 156, 167, 169
equations, 6, 11, 41, 156
averaging of, 7
exact solutions of, 11, 45
solutions of, 4
- electric part of the Weyl tensor, 46, 193
- elliptic
evolution, 12, 13, 18, 20, 21, 52
model, 12, 24–26, 28, 29, 63, 113
region, 13, 44, 62–67, 102
- emission of CMB, temperature at, 190
- energy
–momentum tensor, 42
condition, 146

- dark-, 1, 6, 7, 137, 146–150, 162, 169, 172, 173, 214, 215
 equation of state, 170
 problem, 137, 209
- density, 118, 187
 of radiation, 118–120
 of Universe, 214
 equation, Newtonian, 11
- epoch, decoupling-, 8
- equation, *see also under specific names*, e.g.
 Boltzmann equation
 conservation-, for angular momentum, 58
 evolution-, 61
 of continuity, 46, 134, 136
 of fastest ray, 84
 of state
 barotropic-, 142
 of radiation, 120, 125
 parameter, 137, 142, 162
 perfect gas-, 117
- equations
 evolution-, 16, 17, 37
 of motion, 42, 46
 of null geodesics, 56, 58, 74, 79, 150, 207
- equivalent background radius, 92
- escape, fastest, route of, 84
- event horizon, 5, 60, 61, 63, 69, 72, 73, 96
 future-, 62, 63, 67, 69, 71
 locating-, 67, 71, 72, 74
 past-, 62, 63
- evolution, 106, 107, 111
 density to density-, 17, 33, 39
 elliptic-, 12, 13, 18, 20, 21, 52
 equation, 61
 equations, 16, 17, 37
 hyperbolic-, 12, 17, 19, 21, 44, 51
 initial moment of, 47
 Lemaitre–Tolman-, 18, 20, 21, 33, 36, 37, 39, 103, 105
 nonlinear-, 209, 215
 numerical-, 101
 of cosmic structure, 91, 126, 210, 211
 of density contrast, 129, 130, 132, 133
 of density indicator, 127, 131
 of double structure, 6, 128, 174
 of matter-radiation mixture, 118
 of progenitors, 138
 of SN Ia, 138
 of triple structure, 134, 136
 parabolic-, 12, 22, 44, 52, 66
 source-, 138
 structure-, 15, 116
 to black hole, 68
 type, 23, 29, 33, 34, 43, 44, 51
- velocity to density-, 19, 37, 39
 velocity to velocity-, 20
- void-, 109, 113, 114, 117, 125, 126, 130, 136
- expansion
 acceleration of, 137, 146–148, 164, 175, 176, 212
 apparent-, 147, 150, 215
 averaged acceleration of, 147
 homogeneous-, 153
 maximum-, 22, 28–30
 rate, 146, 150–154, 161–163
 in void, 112, 114
 longitudinal-, 162
 transverse-, 162
 scalar, 45, 134, 135
- series-
 borderline-, 25, 26, 28
 near maximum-, 24
 near parabolic-, 24
- Taylor-, 140–142
 velocity, 21
 volume-, acceleration of, 147
- extinction, dust-, 138
- extremum, regular-, 15, 48, 65
- extrinsic curvature, 193
- fastest
 escape route, 84
 ray, equation of, 84
- final
 density profile, 97, 100, 101
 singularity, 43
- fixed direction geodesics, 79
- flat
 asymptotically-, model, 66, 161, 162
 conformally-, model, 195
 spatially-, L–T model, 144–146, 174, 176, 187
- FLRW model, 109, 119, 140–142, 144, 145, 147, 189, 213, *see also*
 Robertson–Walker model
- fluctuations
 density-, 16, 109, 113, 116, 123
 at recombination, 93, 101, 103
 initial-, 92
 interplay with velocity, 15
 of baryon density, 93, 116, 125
 of temperature of CMB radiation, 91, 92, 101, 116, 154, 167, 189, 190, 193, 197–200, 203, 207
 velocity-, 16, 93, 109, 113, 116, 119, 123
 initial-, 92
 interplay with density, 15
- fluid, perfect-, spherically symmetric, 41
- flux, bolometric-, 139

- formation
 - structure-, 91–138
 - background influence on, 114
 - influence of radiation on, 125
 - paradigm, 5, 109
 - void-, 109–116, 122–125
- formula
 - aberration-, 168
 - redshift-, 79, 80
- forward displacement, 49
- Friedmann
 - background, 81, 82, 91, 190, 195
 - equation, 47
 - generalised-, 157
 - limit, 19, 44, 45
 - model, 13, 67, 69, 91, 121, 126, 129, 143, 146, 147, 169, 172, 195
 - averaged pressure in, 137
 - averaged-, 137
 - matching to Szekeres model, 193
 - volume matching of, 137
- Friedmann–Lemaître–Robertson–Walker, *see* FLRW
- future
 - apparent horizon, 61–63, 65–69, 71–73, 84
 - asymptotic-, 30, 33
 - event horizon, 62, 63, 67, 69, 71
 - infinite-, 25
 - light cone, 184
 - null infinity, 63, 69
 - singularity, 96, 97, 103
- galactic pole
 - north-, 115
 - south-, 116
- galaxy
 - cluster, 2, 5, 15, 16, 50, 91–93, 105–107, 122, 128–131, 133, 135, 163, 211
 - mass distribution in, 94
 - matching to black hole, 96, 97
 - power spectrum, 158
 - with a black hole, 4, 5, 15, 67–69, 93, 94, 98, 101–105, 209, 210
- gauge, light cone-, 179
- generation
 - of black hole, 5
 - of CMB dipole, 201
 - of structure, 5, 107, 171, 210
- geodesic, 56
 - axial-, 79, 80, 192, 196, 197
 - constant (x, y) -, 75, 79
 - null-, 56, 57, 59, 71, 78, 79, 83, 202
 - equations, 56, 58, 74, 79, 150, 207
 - in Szekeres model, 74, 75, 78, 79
 - junction, 81, 82, 196
 - radial component of, 196
 - radial-, 61, 69–71
 - of fixed direction, 79
- geodesics, matching-, 82
- geometric
 - optics approximation, 55
 - units, 98, 100–101
- geometry
 - hyperbolic-, 43, 44
 - planar-, 43
 - pseudo-spherical-, 43
 - spherical-, 43, 44
- globular cluster, 161
- Gold Data Set of Riess, 149, 160, 171, 173
- gradient
 - of pressure, 114, 211
 - of radiation, 124, 125
- gravitational
 - instability paradigm, 210
 - mass, 11
 - active-, 41, 127
 - units of distance, 105
- Great Attractor, 33, 92, 93
- growing modes of perturbation, 22, 23, 28, 33
- Haantjes transformation, 77
- harmonics, spherical-, 203, 207
- homogeneity, large scale-, 176
- homogeneous
 - background, 109, 118–120
 - density profile, 101, 106
 - expansion, 153
 - model, 25
 - velocity profile, 101, 107
- horizon, 96
 - ‘problem’, 7, 184–188, 204, 209, 211, 212
 - apparent-, 5, 83, 84, 87, 94–98, 105
 - absolute- (AAH), 83–87
 - future-, 61–63, 65–69, 71–73, 84
 - in hyperbolic regions, locating, 67
 - in Lemaître–Tolman model, 60–74
 - in parabolic regions, 66
 - in Szekeres model, 83–87
 - mass in, 69, 74, 95, 96, 105
 - null-, 61, 62, 66
 - past-, 61–66, 69, 71, 72
 - spacelike-, 62, 69
 - timelike-, 62
- distance, 167
- event-, 5, 60, 61, 63, 69, 72, 73, 96
 - future-, 62, 63, 67, 69, 71
 - locating-, 67, 71, 72, 74
 - past-, 62, 63
 - sound-, 154, 158
- HST, *see* Hubble Space Telescope

- Hubble
 constant, 109, 110, 127, 150, 152, 180, 191, 201
 diagram, 212
 residual-, 173
 parameter, 45, 112, 114, 115, 144, 149–151, 159, 161, 171, 193
 transverse-, 158
 Space Telescope, 161
- hyperbolic
 evolution, 12, 17, 19, 21, 44, 51
 geometry, 43, 44
 model, 13, 25, 26, 28, 172
 region, 13, 62, 66, 67
 apparent horizon in, 67
- hypersurface, comoving-, 53
- indicator
 density-, evolution of, 127, 131
 of density contrast, 127–129, 131
- infinite
 future, 25
 past, 25, 30
 redshift, 69
- infinity
 future null-, 63, 69
 null-, 71
 past null-, 63
- inflation, 3, 7, 184, 188, 211, 212, 214
- inhomogeneity
 curvature-, 174
 effect of, 6, 7, 137, 138, 147, 163, 166, 168–171, 173, 174, 201, 209, 212, 213
 large scale-, 203, 204
 of Gpc scale, 150, 172, 173
 radial-, 142
 small scale-, 176
 spherical-, 164
- inhomogeneous
 model, 3
 radiation distribution, 121–123
- initial
 density
 distribution, 108–111
 fluctuations, 92
 perturbation, 101, 106
 profile, 100, 101, 106
 moment of evolution, 47
 singularity, 43, 47, 146
 velocity
 distribution, 109–111
 fluctuations, 92
- instability, gravitational- paradigm, 210
- inverse problem, 148, 174, 176, 177, 179, 181, 183
- isocurvature perturbation, 122, 124
- isothermal perturbation, 122, 124
- junction
 conditions, 96
 of null geodesics, 81, 82, 196
- Kantowski–Sachs model, 43
- Kerr black hole, 209
- Kruskal–Szekeres
 manifold, 13
 topology, 60
 wormhole, 94, 97, 101
- L–T, *see* Lemaître–Tolman
- large-scale
 homogeneity, 176
 inhomogeneity, 203, 204
 structure of Universe, 134
- last scattering, 118
 age of Universe at, 116
 density fluctuations at, 125
 distance to, 159
 radiation after, 125
 ratio of radiation to matter density at, 118
 redshift at, 109
 average-, 207
 surface, 150, 154, 155, 157, 184, 186, 189, 202, 203, 207
 temperature at, 202
 time, 109, 191
- Lemaître
 –Novikov coordinates, 13
 –Tolman
 evolution, 18, 20, 21, 33, 36, 37, 39, 103, 105
 model, 2, 4, 11–41, 55–74, 93–116, 129–131, 142–188, 201–208, 211–213
 model, apparent horizon in, 60–74
 model, spatially flat, 144–146, 174, 176, 187
 Swiss-cheese model, 163–167, 174, 212
 model, 4, 6, 41–42, 116–125, 213
- light
 cone, 58, 187
 future-, 184
 gauge, 179
 past-, 57, 202
 from Big Bang, 69
 propagation, 55–87, 164–166, 168, 189, 192, 193, 197, 198, 200
 effect, 189, 190, 197, 198, 212
 in L–T models, 55–74
 in Szekeres models, 74–87
- ray, 65, 195, 199
 radial-, 61, 63, 65

limit

- Friedmann-, 19, 44, 45
- Newtonian-, 41
- parabolic-, 66, 67

limiting redshift, 176

linear

- 'regime', 2, 15, 210
- perturbation, 150, 154, 189, 210

linearisation stability, 3

local

- structure, 200
- void, radius of, 173

locally rotationally symmetric model, 148

longitudinal expansion rate, 162

luminosity

- absolute-, 139, 182
- apparent-, 181, 214
- curve of supernovae, 165
- data, 212
- distance, 137, 139–143, 148, 150, 157, 158, 160, 164–170, 177–181, 214
 - redshift relation, 137, 142, 148, 157, 164, 165, 168
 - redshift relation, *see also* magnitude–redshift relation
- corrected-, 143

M87 galaxy, 4, 94, 97, 210

- mass of black hole in, 100

magnetic part of the Weyl tensor, 46

magnitude

- redshift relation, 144–146, 148, 163, 212, *see also* luminosity distance–redshift relation
- apparent-, 141
- bolometric-
 - absolute-, 139
 - apparent-, 139
- residual-, 149
- zero point, 141

manifold, Kruskal–Szekeres-, 13

mass

- active gravitational-, 41, 127
- density, 11, 14, 43, 47, 48, 50, 52, 53, 99
- dipole, 6, 49, 52, 54, 129, 132–134, 194, 195
 - axis, 54
 - bare-, 52, 54
 - direction of, 195
- distribution, 99
 - in galaxy, 94
 - in void, 117
 - relative-, 117
- gravitational-, 11
- in apparent horizon, 69, 74, 95, 96

in singularity, 69, 99

- of black hole, 74, 94–96, 103, 105
 - in M87, 100

point-, 13

profile, 99

relative density of, 157

wormhole-, 103

matching

- galaxy to black hole, 96, 97
- geodesics, 82
- Szekeres to Friedmann model, 81, 82, 193
- Szekeres to Szekeres model, 196
- volume-, of Friedmann model, 137

matter

- comoving with radiation, 118, 125
- dark-, 1, 5, 214
 - cold-, 214
- decoupling from radiation, 6
- non-baryonic-, 116
- pressure of, 117
- maximum expansion, 22, 28–30
- mean pressure in averaged Friedmann model, 137

measurement of temperature, angular

- resolution of, 5

method, direct-, 148, 172

metric, *see also* model

- cosmic-, 181
- Schwarzschild-, 61, 62, 163, 166, 196
 - in Lemaitre–Novikov coordinates, 13

microwave background radiation, 161, 212

average temperature of, 207

power spectrum of, 150, 154–156, 158, 159, 171, 197, 200

multipole moment anomaly, 208

multipole moment of, 155, 200, 206–208, 212

spectral distortion of, 173

quasi-isotropy of, 15

redshift of, 117

sky, 5, 6, 91–93, 101, 190, 211

temperature at emission, 190

temperature of, 109, 190, 206

anisotropy of, 4, 5, 8, 197, 206, 213

fluctuations of, 91, 92, 101, 116, 154,

167, 189, 190, 193, 197–200, 203, 207,

see also cosmic microwave background radiation

Misner–Sharp model, 4, 41

model

asymptotically flat-, 66, 161, 162

axially symmetric-, 202

Szekeres-, 77, 78, 197

Concordance-, 1, 7, 137, 144, 169, 170, 172, 209, 212, 214

- conformally flat-, 195
- elliptic-, 12, 24–26, 28, 29, 63, 113
- FLRW-, 109, 119, 140–142, 144, 145, 147, 189, 213
- Friedmann-, 13, 67, 69, 91, 121, 126, 129, 143, 146, 147, 169, 172, 195
 - averaged pressure in, 137
 - averaged-, 137
 - volume matching of, 137
- homogeneous-, 25
- hyperbolic-, 13, 25, 26, 28, 172
- inhomogeneous-, 3
- Kantowski–Sachs-, 43
- Lemaître-, 4, 6, 41–42, 116–125, 213
- Lemaître–Tolman-, 2, 4, 11–41, 55–74, 93–116, 129–131, 142–188, 201–208, 211–213
- locally rotationally symmetric-, 148
- of cosmic structure, 15, 134, 215
- parabolic-, 24, 25, 28, 30, 66
- Robertson–Walker-, 7, 25, 26, 28, 189, 209, 213, 215
 - linearisation stability of, 3
- spherically symmetric-, 11, 41, 184, 185, 204
- Stephani-, 148
- Swiss-cheese-, 163, 166–170
 - L–T-, 163–167, 174, 212
 - Szekeres-, 81, 164, 190, 193, 195–197, 199, 212
- Szekeres-
 - quasi-hyperbolic-, 44, 45
 - quasi-plane-, 44, 45
 - quasi-spherical-, 6, 8, 44, 45, 47–54, 74, 75, 83, 86, 126, 128, 129, 133, 174
 - shear tensor of, 45
- void-, 109
- modes of perturbation
 - decaying-, 22, 25, 26, 28, 134
 - growing-, 22, 23, 28, 33
- modulus, distance-, 149, 169
- momentum, angular-, 58
- motion, equations of, 42, 46
- multiple structure, 6
- multipole moment of CMB power spectrum, 155, 200, 206–208, 212
 - alignment of, 156, 200
 - anomaly of, 208
- neck, 15, 16, 44, 62, 98, 103, *see also*
 - wormhole
- negative pressure, 7, 137
- Newtonian
 - definition of density, 100
 - energy equation, 11
 - limit, 41
 - universal profile, 105, 107
- noisy observational data, 182
- non-baryonic matter, 116
- non-spacelike singularity, 185, 186
- nonlinear
 - ‘regime’, 3, 15, 137
 - evolution, 209, 215
- nonsimultaneous Big Bang, 11
- north galactic pole, 115
- null
 - apparent horizon, 61, 62, 66
 - cone, past-, 91, 143, 182
 - direction, 83
 - future–infinity, 63, 69
 - geodesic, 56, 57, 59, 71, 78, 79, 83, 202
 - equations, 56, 58, 74, 79, 150, 207
 - in Szekeres model, 74, 75, 78, 79
 - junction, 81, 82, 196
 - radial component of, 196
 - radial-, 61, 69–71
 - infinity, 71
 - past-, 63
 - singularity, 65, 186
- numerical evolution, 101
- observer
 - central-, 55, 143, 147, 157–159
 - off-centre-, 55, 56, 58, 147, 156, 159, 160, 200–202, 206, 207
- octopole anisotropy of CMB radiation, 200, 207, 208, 212
- optical depth of Universe, 202
- orbit, 2-dimensional symmetry-, 43
- origin, regular-, 13, 50, 63–65, 67
- oscillations, acoustic-, of baryons (BAO), 149–153, 158, 161, 162, 173, 212
 - dilation scale of, 149
- overdense region, 46, 130, 131, 133, 147, 166–168, 197, 198, 212
- parabolic
 - evolution, 12, 22, 44, 52, 66
 - limit, 66, 67
 - model, 24, 25, 28, 30, 66
 - near-, expansion series, 24
 - region, 66
- paradigm of structure formation, 109
- parameter
 - deceleration-, 144, 147
 - Hubble-, 45, 112, 114, 115, 144, 149–151, 159, 161, 171, 193
 - transverse-, 158
 - of equation of state, 137, 142, 162

- past
- apparent horizon, 61–66, 69, 71, 72
 - event horizon, 62, 63
 - infinite-, 25, 30
 - light cone, 57, 202
 - null cone, 91, 143, 182
 - null infinity, 63
 - singularity, 97, 103
- peculiar velocity, 208
- Penrose
- diagram, *see* Carter–Penrose diagram
 - transform, 71
 - transformation, 71
- perfect
- fluid, spherically symmetric-, 41
 - gas, equation of state, 117
- perturbation, 2–5, 93, 101, 130, 209
- adiabatic-, 122, 124
 - density-, 5, 107, 109–112, 115, 118, 122, 171, 210
 - initial-, 101, 106
 - isocurvature-, 122, 124
 - isothermal-, 122, 124
 - linear-, 150, 154, 189, 210
 - modes of
 - decaying-, 22, 25, 26, 28, 134
 - growing-, 22, 23, 28, 33
 - radiation density-, 6
 - radiation-, 119, 122
 - second-order-, 2, 3
 - velocity-, 5, 107, 109–112, 115, 119, 122, 171, 210
- photon to baryon density ratio, 201
- planar geometry, 43
- Planck spectrum, 207
- plane of symmetry, 192
- point mass, 13
- pole
- galactic-
 - north-, 115
 - south-, 116
 - of stereographic projection, 46, 48
- power spectrum, *see also* multipole moment
- galaxy-, 158
 - of CMB radiation, 150, 154–156, 158, 159, 171, 197, 200, 214
 - multipole moment of, 155, 200, 206–208, 212
 - multipole moment of, anomaly of, 208
 - spectral distortion of, 173
- present structure, 92, 108
- pressure
- anisotropic-, 41
 - gradient, 114, 211
 - mean-, in averaged Friedmann model, 137
 - negative-, 7, 137
 - of matter, 117
 - of radiation, 125
 - radiation contribution to, 118
- principle
- Copernican-, 137, 189, 207, 208, 213
 - cosmological-, 137, 138, 146
- problem
- coincidence-, 137
 - dark energy-, 137, 209
 - direct-, 148
 - horizon-, 7, 184–188, 204, 209, 211, 212
 - inverse-, 148, 174, 176, 177, 179, 181, 183
- profile
- density-, 4, 22, 23, 26, 29–33, 37, 39, 94, 97, 107, 209
 - at recombination, 100
 - final-, 97, 100, 101
 - homogeneous-, 101, 106
 - initial-, 100, 101, 106
 - of M87, 94
 - shape of, 93
 - mass-, 99
 - Newtonian universal-, 105, 107
 - of radiation density, 6
 - velocity-, 19, 20, 22–24, 26, 27, 29–33, 37, 39, 93, 100, 101
 - homogeneous, 101, 107
- progenitors, evolution of, 138
- projection, stereographic-, 45, 46, 87, 192
- pole of, 46, 48
- propagation of light, 55–87, 164–166, 168, 189, 192, 193, 197, 198, 200
- effect, 189, 190, 197, 198, 212
 - in L–T models, 55–74
 - in Szekeres models, 74–87
- proper
- radius, 64
 - time, 63
 - derivative, 119
- pseudo-spherical geometry, 43
- quadrupole anisotropy of CMB radiation, 8, 56, 200–202, 204–208, 212
- quasi
- hyperbolic
 - region, boundary of, 43
 - Szekeres model, 44, 45
 - isotropy of CMB radiation, 15
 - plane Szekeres model, 44, 45
 - spherical
 - coordinates, 128
 - region, boundary of, 43
 - Szekeres model, 6, 8, 44, 45, 47–54, 74, 75, 83, 86, 126, 128, 129, 133, 174

- R–W model, *see* Robertson–Walker model
- radial
- component of null geodesic, 196
 - coordinate, 34, 37, 41, 44, 69, 110, 118, 126, 127, 144, 171, 175, 179, 187, 190, 191
 - direction, 75, 147
 - distance, 49, 160
 - inhomogeneity, 142
 - light ray, 61, 63, 65
 - null geodesic, 61, 69–71
 - ray, redshift along-, 55
 - separation, 49
- radiation
- contribution to pressure, 118
 - density
 - perturbations of, 6
 - profile, 6
 - distribution, 120, 122, 124, 125
 - inhomogeneous-, 121–123
 - dust-, mixture, 125
 - energy density, 118–120
 - equation of state of, 120, 125
 - gradient of, 124, 125
 - influence on structure formation, 125
 - perturbation, 119, 122
 - pressure of, 125
- radius
- areal-, 61, 84, 91, 110, 111, 116–119, 121, 143, 176, 182, 191
 - compensation-, 91, 106
 - equivalent background-, 92
 - of local void, 173
 - of Swiss-cheese holes, 167, 170
 - of visible Universe, 167
 - proper-, 64
 - scale-, 12
- rate of expansion, 146, 150–154, 161–163
- in void, 112, 114
 - longitudinal-, 162
 - transverse-, 162
- ray
- fastest, equation of, 84
 - light-, 65, 195, 199
 - radial-, 61, 63, 65
 - radial-, redshift along-, 55
- reciprocity theorem, 139, 143, 160
- recollapse, 18–21, 43, 67, 84, 86, 96, 106
- recombination, 91, 103, 158
- density fluctuations at, 93, 101, 103
 - density profile at, 100
 - time, 92, 207, 214
- redshift, 57–60, 75, 80, 141, 142, 207
- along radial ray, 55
 - at last scattering, 109
 - average-, 207
 - distance relation, 142
 - drift of, 173
 - equation of, 60
 - formula, 79, 80
 - infinite-, 69
 - limiting-, 176
 - luminosity distance-, relation, 137, 142, 148, 157, 164, 165, 168
 - magnitude-, relation, 144–146, 148, 163, 212
 - of CMB radiation, 117
 - space, 149
- Rees–Sciama effect, 92, 164, 197, 198, 212
- ‘regime’
- linear-, 2, 15, 210
 - nonlinear-, 3, 15, 137
- region
- elliptic-, 13, 44, 62–67, 102
 - hyperbolic-, 13, 62, 66, 67
 - apparent horizon in, 67
 - overdense-, 46, 130, 131, 133, 147, 166–168, 197, 198, 212
 - parabolic-, 66
 - quasi-hyperbolic, boundary of, 43
 - quasi-spherical, boundary of, 43
 - uncompensated-, 200
 - underdense-, 46, 113, 130, 131, 133, 134, 147, 155–159, 165–168, 197, 198, 207, 212
- regular
- centre, 13, 65, 67
 - extremum, 15, 48, 65
 - origin, 13, 50, 63–65, 67
- regularity conditions, 50, 143
- relation
- luminosity distance–redshift-, 137, 142, 148, 157, 164, 165, 168
 - redshift–magnitude-, 144–146, 148, 163, 212
- relative mass distribution, 117
- residual
- Hubble diagram, 173
 - magnitude, 149
- resolution, angular-, of temperature
- measurement, 5, 6, 92, 93, 101, 211
- Ricci scalar, 14, 47
- Riess Gold Data Set, 149, 160, 171, 173
- Robertson–Walker model, 7, 25, 26, 28, 189, 209, 213, 215, *see also* FLRW model
- linearisation stability of, 3
- rotationally, locally- -symmetric model, 148
- Sachs–Wolfe effect, 8
- scalar
- curvature, 188
 - curvature-, 193

- scalar (*cont.*)
 expansion-, 45, 134, 135
 Ricci-, 14, 47
- scale, 1, 7, 147, 211
 angular-, 5, 92, 95, 101, 197, 198, 207, 213
 cosmological-, 187, 213
 distance, 105
 factor
 evolution of, 214
 time-derivative of, 119
 Gpc-inhomogeneity, 172, 173
 large-
 homogeneity, 176
 inhomogeneity, 203, 204
 radius, 12
 small- -inhomogeneity, 176
 time, 12
 transformation of, 91
- scattering, Thomson-, 202
- Schwarzschild
 black hole, 209
 -Kruskal-Szekeres topology, 60
 metric, 61, 62, 163, 166, 196
 in Lemaitre-Novikov coordinates, 13
- second-order perturbation, 2, 3
- separation, radial-, 49
- Shapley concentration, 33
- shear, 165
 tensor of Szekeres model, 45
- shell
 crossing, 14, 15, 18, 19, 25, 47–51, 75, 85,
 113–115, 168, 184, 185, 187, 188, 202
 timelike-, 185–188
 focussing, 65
- sideways displacement, 49
- simultaneous
 Big Bang, 22, 23, 26, 31, 33, 34, 106, 161,
 171
 crunch time, 22, 26, 33
- singularity, 47, 65, 105
 central-, 65
 coordinate-, 44
 curvature-, 13
 final-, 43
 future-, 96, 97, 103
 initial-, 43, 47, 146
 mass in, 69, 99
 non-spacelike-, 185, 186
 null-, 65, 186
 past-, 97, 103
 shell-crossing-, 15
 spacelike-, 184, 185
 timelike-, 65, 186
 ‘weak’-, 14, 179
- size, angular-, 101, 198, 211
- sky, CMB-, 5, 6, 91–93, 101, 190, 211
- small-scale homogeneity, 176
- SN Ia, 138, 141–144, 146, 148, 150, 158, 159,
 172, 174, 175, 181
 anisotropy in data, 160
 as standard candles, 138
 constraints on models, 138, 148, 152, 153,
 159
 dimming of, 6, 137, 138, 146, 147, 174,
 212, 214
 apparent-, 174
 evolution, 138
 Hubble diagram of, 212
- sound horizon, 154, 158
- source
 dust-, 11, 125
 evolution, 138
- south galactic pole, 116
- space
 redshift-, 149
 telescope, Hubble-, 161
- spacelike
 apparent horizon, 62, 69
 singularity, 184, 185
- spacetime, *see also* model
 causal structure of, 147
 compactified-, 67, 71, 72
- spatial curvature, 2, 11, 47, 68,
 214
- spatially flat L-T model, 144–146, 174, 176,
 187
- spectrum
 black body-, 190
 galaxy power-, 158
 Planck-, 207
 power-, of CMB radiation, 150, 154–156,
 158, 159, 171, 197, 200, 214
 multipole moment anomaly, 208
 multipole moment of, 155, 200, 206–208,
 212
 spectral distortion of, 173
- spherical
 coordinates, 53
 geometry, 43, 44
 harmonics, 203, 207
 inhomogeneity, 164
 symmetry, 13, 15, 164, 169
- spherically symmetric
 bubble, 156
 density component, 52
 dust, 11
 model, 11, 41, 184, 185, 204
 perfect fluid, 41
- standard candle, 138, 139, 141
- state, equation of
 barotropic-, 142
 parameter of, 137, 142, 162

- perfect gas-, 117
- radiation-, 125
- Stefan–Boltzmann constant, 109
- Stephani model, 148
- stereographic
 - coordinates, 76
 - projection, 45, 46, 87, 192
 - pole of, 46, 48
- structure, 92
 - causal-, of spacetime, 147
 - compensated-, 197, 200
 - condensed-, 91, 167
 - cosmic-
 - evolution of, 91, 126, 210, 211
 - model of, 15, 134, 215
 - double-, 6, 128, 129, 132, 133, 174
 - density distribution in, 129
 - evolution, 174
 - evolution, 15, 116
 - formation, 91–138
 - background influence on, 114
 - influence of radiation on, 125
 - paradigm, 5, 109
 - generation of, 5, 107, 171, 210
 - large-scale-, of Universe, 134
 - local-, 200
 - multiple-, 6
 - present-, 92, 108
 - triple-
 - density distribution in, 135
 - evolution, 134, 136
- Sunyaev–Zel’dovich effect, 163, 173
- supercluster, 129, 163, 210
- supernova, *see also* SN Ia
 - data, 153, 158
 - constraints from, 152
 - fit to, 158, 159
- luminosity curve of, 165
- surface
 - last-scattering-, 150, 154, 155, 157, 184, 186, 189, 202, 203
 - trapped-, 83
- Swiss-cheese
 - holes, radius of, 167, 170
 - model, 163, 166–170
 - L–T-, 163–167, 174, 212
 - Szekeres-, 81, 164, 190, 193, 195–197, 199, 212
- symmetric
 - axially-
 - Szekeres model, 77, 78, 197
 - model, 202
 - locally rotationally- -model, 148
 - spherically-
 - bubble, 156
 - density component, 52
 - dust, 11
 - model, 11, 41, 184, 185, 204
 - perfect fluid, 41
- symmetry
 - 2-dimensional orbit of, 43
 - axial-, 58
 - axis, 77–79
 - centre, 14, 143
 - group, 3-dimensional-, 43
 - plane, 192
 - spherical-, 13, 15, 164, 169
- synchronous coordinates, 11
- Szekeres
 - coordinates, 46
 - model
 - apparent horizon in, 83–87
 - axially symmetric-, 79
 - matching to Friedmann model, 193
 - matching to Szekeres model, 196
 - null geodesic in, 74, 75, 78, 79
 - quasi-hyperbolic-, 44, 45
 - quasi-plane-, 44, 45
 - quasi-spherical-, 6, 8, 44, 45, 47–54, 74, 75, 83, 86, 126, 128, 129, 133, 174
 - shear tensor of, 45
 - Swiss-cheese model, 81, 164, 190, 193, 195–197, 199, 212
- Taylor expansion, 140–142
- temperature
 - at last scattering, 202
 - average-, of CMB radiation, 207
 - definition of, 201
 - fluctuations of CMB radiation, 193, 197–200, 203, 207
 - measurement, angular resolution of, 5
 - of CMB radiation, 7, 109, 190, 206
 - angular distribution of, 211
 - anisotropy of, 4, 5, 8, 197, 206, 213
 - apparent-, 202
 - at emission, 190
 - fluctuations of, 91, 92, 101, 116, 154, 167, 189, 190
- tensor, *see under specific names*, e.g. Weyl tensor
- theorem, *see under specific names*, e.g. reciprocity theorem
- thin shell approximation, 189
- Thomson scattering, 202
- time
 - ‘conformal’-, 156
 - decoupling-, 4, 5, 118, 156, 190
 - of last scattering, 191

- time (*cont.*)
 proper-, 63
 derivative, 119
 recombination-, 92, 207, 214
 scale-, 12
- timelike
 apparent horizon, 62
 shell crossing, 185–188
 singularity, 65, 186
- topology, Kruskal–Szekeres-, 60
- transform, Penrose-, 71
- transformation
 Haantjes-, 77
 of scale, 91
 Penrose-, 71
- transverse
 expansion rate, 162
 Hubble parameter, 158
- trapped surface, 83
- triple structure
 evolution, 134, 136
 present density distribution in, 135
- two-fluid distribution, 125
- type of evolution, 23, 29, 33, 34, 43, 44, 51
- uncompensated region, 200
- underdense region, 46, 113, 130, 131, 133,
 134, 147, 155–159, 165–168, 197, 198,
 207, 212
- units
 geometric-, 98, 100–101
 gravitational-, of distance, 105
- universal profile, Newtonian-, 105, 107
- Universe
 age of, 114, 134, 146, 150, 159
 at last scattering, 116
 approximate description of, 3
 convergence of, 2
 energy density of, 214
 large-scale structure of, 134
 optical depth of, 202
 visible-, radius of, 167
- universe, *see* model
- velocity
 amplitude, 107
 average-, 25
 distribution, 26, 37, 100, 106, 108
 initial-, 109–111
- expansion-, 21
- fluctuations, 16, 93, 109, 113, 116, 119, 123
 initial-, 92
 interplay with density, 15
- measure of, 19
- peculiar-, 208
- perturbation, 5, 107, 109–112, 115, 119,
 122, 171, 210
- profile, 19, 20, 22–24, 26, 27, 29–33, 37, 39,
 93, 100, 101
 homogeneous-, 101, 107
 to density evolution, 19, 37, 39
 to velocity evolution, 20
- Virgo cluster, 93
- virialisation, 211
- visible Universe, radius of, 167
- void, 16, 50, 108, 109, 116, 129, 135, 197
 cluster- -pair, 6, 128, 129
 density contrast in, 120–122, 129–133,
 152
 density in, 6, 117, 121, 123, 126
 evolution, 109, 113, 114, 117, 125, 126,
 130, 136
 expansion rate in, 112, 114
 formation, 109–116, 122–125
 local-, radius of, 173
 local Gpc-, 155, 163, 173
 mass distribution in, 117
 model, 109
 residual Hubble diagram for, 173
- volume
 deceleration, 147
 expansion, acceleration of, 147
 matching, of Friedmann model, 137
- ‘weak singularity’, 14, 179
- Weyl
 curvature, 46, 189, 195
 tensor
 electric part of, 46, 193
 magnetic part of, 46
- wormhole, 5, 15, 62, 63, 83, 94, 95, 97, 98,
 210
 in galaxy, 104, 105
 Kruskal–Szekeres-, 94, 97, 101
 lifetime, 97, 103
 mass, 103
- zero-point, magnitude-, 141