

Index

- 10–20 system, 26, 178, 180, 198, 199, 251, 258, 260
- AAR model. *See* adaptive autoregressive (AAR) model
- abduction, 125, 169
- absolute value function, 281
- abuse of BCIs, 273
- accuracy (of a classifier), 84, 137
- action potential. *See* spike
- activity (Hjorth parameter), 47
- AdaBoost, 79
- adaptation, 201
- adaptive autoregressive (AAR) model, 49, 185
- adaptive menu in a BCI, 203
- adduction, 125, 169
- akinesia, 216
- alertness monitoring, 253
- alpha frequency band, 185, 253, 255, 258, 260, 268
- alpha rhythm, 28, 266
- as a biometric signature, 260
- comparison with MRPs, 189
- Alzheimer's disease, 240, 263
- amnesia, 263
- AMPA, 12
- amplifier, 20
- amplitude spectrum, 45, 152, 179, 197
- amputees, 170
- amygdala, 15, 193
- amyotrophic lateral sclerosis (ALS), 187, 196, 241
- Andersen, Richard, 132
- Anderson, Charles, 199
- angular frequency, 41
- ANNs. *See* artificial neural networks (ANNs)
- anterior cingulate cortex (ACC), 204
- anti-Hebbian STDP, 12
- aperture velocity, 126
- Appendix, 281
- applications in law, 249
- applications of BCI, 239
- AR model. *See* autoregressive (AR) model
- area 17 (Brodmann system). *See* primary visual cortex (V1)
- art, 267
- controlled by a BCI, 267
- created by a BCI, 206
- artifact reduction techniques, 63
- band-stop filtering, 65
- ICA, 66
- linear modeling, 65
- notch filter, 65
- PCA, 66
- thresholding, 64
- artifacts, 18, 24, 26, 31, 61, 63
- artificial cerebrospinal fluid, 226
- artificial neural networks (ANNs).
See neural networks
- artificial nose, 239
- Artificial Silicon Retina (ASR), 214
- artificial texture, 226
- assistive robots, 245
- association areas of the cortex, 16
- astronauts, 262, 263
- asynchronous BCIs, 177
- asynchronous switch, 191
- attention monitoring, 260
- attention deficit disorder, 260
- auditory BCI, 198
- auditory comprehension task, 258
- auditory cortex, 217
- auditory evoked potential (AEP), 193
- auditory thalamus, 217
- authentication using BCIs, 260
- autonomic nervous system, 13
- autoregressive (AR) model, 49, 131,
 199, 227, 260
- Avatar (movie), 245
- avatar (robotic), 245
- axioms of probability, 289
- axon, 9
- Ayaz, Hasan, 206
- backpropagation, 76, 114, 189, 199
- algorithm, 91

308 Index

- bagging, 78
 - comparison with boosting, 79
- balance, 126
- bandpass filtering, 27, 200, 244, 260
- band-stop filtering, 65
- basal ganglia, 15, 205, 216
- basilar membrane, 210
- basis functions, 42, 46, 92
- Bayes' theorem (or Bayes' rule), 50, 83, 134
- Bayesian decoding, 119, 122, 129, 134
- Bayesian filtering, 49
 - equation for static state, 51
 - equation for time-varying state, 51
 - prediction-correction cycle, 51
- Bayesian network, 51
- BCI. *See* brain-computer interface (BCI)
- BCI applications, 239
- BCI illiteracy, 201, 206
- BCI luddite, 276
- BCI security, 274
- BCI speller, 194
- BCI viruses, 274
- BCI-PacMac, 266
- BCIs
 - abuse of technology, 273
 - applications in space, 263
 - ethics, 272
 - for cognitive restoration, 240
 - for controlling a robotic avatar, 245
 - for controlling exoskeletons, 261
 - for controlling wheelchairs, 241
 - for education and learning, 258
 - for entertainment, 265
 - for estimating cognitive load, 256
 - for image search, 248
 - for lie detection, 249
 - for memory detection, 249
 - for mnemonic and cognitive amplification, 262
 - for monitoring alertness, 253
 - for monitoring attention levels, 260
 - for motor restoration, 240
 - for physical amplification, 261
 - for rehabilitation, 240
 - for restoring communication, 241
 - for security, 260
 - for sensory restoration, 239
 - for walking, 126
 - for web browsing, 243
 - in art, 267
 - legal issues, 275
 - liability, 275
 - moral and social justice issues, 276
 - parental responsibility, 277
 - risks versus benefits, 272
 - security and privacy, 274
 - use in a U.S. court case, 252
- BCIs that stimulate, 210
- cochlear implant, 210
- DBS, 216
 - sensory augmentation, 217
 - visual prostheses, 213
- Bereitschaftspotential (BP), 189
- Berger, Theodore, 262
- Berlin BCI, 202
- Bernoulli distribution
 - definition, 291
- beta frequency band, 28, 178, 182, 183, 186, 266
- beta rhythm, 205
 - comparison with MRPs, 189
- bidirectional BCIs, 221
 - stimoceiver, 1
- binary classification, 72
- binary classifiers in multi-class classification, 80
- binary selection, 243
- binomial distribution
 - definition, 292
- biocompatibility, 22, 280
- biometric identification, 260
- bipedal locomotion, 126
- bipedal walk cycle, 127
- biphasic pulse, 231
- bipolar cells, 214
- bipolar electrodes, 27, 32, 55, 180, 185, 244, 260
- Birbaumer, Niels, 187, 198, 199, 204, 205
- Birch, Gary, 191
- bit rate, 86
- Black, Michael, 119
- Blakely, Timothy, 168
- Blankertz, Benjamin, 186
- blood-flow changes (in fMRI), 30
- blood oxygenation level dependent (BOLD)
 - response, 30, 204
- blood pressure, 251
- BOLD. *See* blood oxygenation level dependent (BOLD) response
- boosting, 79
- bootstrap sample, 78
- bootstrapping, 251
- boxcar signal, 43
- bradykinesia, 216
- brain
 - introduction to, 7
 - major regions, 14
 - organization and anatomy, 13
- Brain Electrical Oscillation Signature (BEOS)
 - Profiling, 253
- brain fingerprinting, 252, 274
- brain pacemaker, 216
- brain stem, 13
- brain tapping, 274
- brain waves, 28
- Brainball, 266
- brain-computer interface (BCI)
 - applications. *See* BCIs
 - basic components of, 2
 - early studies, 109
 - major types, 101, 109, 149, 177, 210, 221
 - motivation for building, 2

309 **Index**

- origins of, 1
- brain-controlled art, 267
- brain-controlled games, 266
- brain-controlled telepresence, 245
- brain-controlled theatrical performance, 267
- BrainGate, 138
- brainwashing, 274
- Braitenberg, Valentino, 234
- Brindley, G. S., 214
- Broca's area, 241
- Brodmann areas, 16
- Brodmann, Korbinian, 16
- bull BCI, 1
- butterfly coil (for TMS), 35
- Buttfield, Anna, 200, 202

- C3 electrode, 178, 183, 187, 193, 199
- C4 electrode, 183, 187, 193, 199
- CA1 (hippocampal area), 262
- CA3 (hippocampal area), 262
- calcium, 8
- calcium fluorescence, 26
- calculus, 281
- Calhoun, Gloria, 196
- CAR. *See* common average referencing (CAR)
- Carmena, Jose, 144, 145, 146
- CC. *See* correlation coefficient
- cell body, 9, 19
- center-out task, 144, 145, 150
- central nervous system, 13
- cerebellum, 11, 14, 205
- cerebral cortex, 12, 15, 29
 - contribution to EEG, 26
 - functional specialization of, 15, 16
 - hierarchical organization of, 15
 - sensory cortex in a rat, 24
 - somatosensory, 25
 - stained, 24
- cerebral hemisphere, 15
- cerebrospinal fluid, 26
- chain rule, 91
- chance level (of classification), 85
- Chapin, John, 113
- characteristic equation, 287
- Cheng, Ming, 196
- chloride ions, 8
- chronic pain, 216
- cingulate gyrus, 193
- class conditional distribution, 73
- classical conditioning, 102
- classification, 71
 - in ECoG BCIs, 159
 - in invasive BCIs, 133
- classification accuracy, 84
- click, 145
- clinical trials, 138
- closed-loop BCI
 - applications, 239
 - bidirectional, 223, 224, 226, 230
 - ECoG-based (human), 153, 155, 157
 - ECoG-based (monkey), 150
 - EEG-based, 178, 180, 183, 185, 187, 191, 200, 203
 - fMRI-based, 205
 - fNIR-based, 206
 - invasive (human), 141
 - invasive (monkey), 117, 129, 131, 135, 137, 144
 - invasive (rat), 113
 - MEG-based, 206
 - nerve-based, 171
 - TMR-based, 174
- CNS. *See* central nervous system
- coadaptive BCIs, 110, 201, 280
- coarse-grained control, 205
- cochlear nerve, 210
- cochlea, 210
- cochlear implant, 32, 210, 239, 272, 279
 - components of, 211
 - controversy in the deaf community, 213
 - ethical issues, 213
 - for congenitally deaf children, 213
 - moral issues, 276
- codebook vector, 82
- coefficient of determination, 152, 154
- coercion, 274
- cognitive amplification, 262
- cognitive BCI, 132
- cognitive BCIs
 - in humans, 143
- cognitive load
 - estimation, 256
 - reduction using hierarchical BCIs, 203
- cognitive tasks, 103, 242, 261, 265
- Cohen's kappa, 85
- common average referencing (CAR), 27, 56, 162
- common spatial patterns (CSP), 61, 185, 187, 247
 - example application to EEG data, 64
- commutativity, 286
- competency measurement (in education), 260
- complex Fourier coefficient, 43
- complex numbers, 43
- complexity (Hjorth parameter), 47
- concentration in learning, 260
- concentration insufficiency index (CII), 255
- conditional probability, 49
 - definition, 289
- conditioned response, 102, 109
- conditioning, 178
- confidence, 93
- confusion matrix, 84
- congenitally deaf children, 213
- contextual filter, 242
- Cooley-Tukey algorithm, 45
- correlation coefficient, 114, 116, 118, 121, 124, 127, 132, 145, 150, 152, 251, 256
- cortically coupled computer vision (CCCV), 248
- Coursera, 260
- Courtine, Grégoire, 128

310 Index

- covariance matrix, 58, 73, 94, 120, 121, 134, 168, 202, 294
 - definition, 291
- Coyle, Shirley, 206
- CP3 electrode, 180
- CP4 electrode, 180
- credit assignment problem, 91
- crime, 273
- crime scene, 251
- criminal justice, 249
- cross-validation, 92, 161, 199, 200
 - K-fold, 86
 - leave-one-out, 87
- CSP. *See* common spatial patterns (CSP)
- cuff electrodes, 171
- cursor control
 - using invasive BCIs, 110, 129, 131, 135, 137, 141, 145
 - using noninvasive BCIs, 178, 180, 186, 187, 243
 - using semi-invasive BCIs, 150, 151, 154, 157
- cursor velocity, 145
- cutaneous nerve, 173
- CyberGlove, 168
- cyborg, 276
- Cz electrode, 186, 187, 200, 251, 254, 260

- dataglove, 164
- DBS. *See* deep brain stimulation (DBS)
- DC component, 42
- Deadwyler, Sam, 262
- deafness
 - cause of, 211
- decision boundary, 73, 75, 81
- decision tree, 78
- decoding phonemes, 241
- decorrelation, 59
- deep brain stimulation (DBS), 32, 216, 240, 272, 279
- delayed-nonmatch-to-sample (DNMS) task, 262
- Delgado, José, 1
- delta waves (or rhythm), 28
- dendrites, 9
- depression, 216
- desynchronization, 178
- determinant of a matrix, 287
- developed versus under-developed countries, 276
- DFT. *See* discrete Fourier transform (DFT)
- Dhillon, Gurpreet Singh, 171
- diagonal matrix, 287
- diencephalon, 14
- Diester, Ilka, 33
- DiGiovanna, Jack, 202
- dimensionality reduction, 59
- Direct Cortical Electrical Stimulation (DCES), 32
- direction selectivity, 217
- directional tuning, 144, 163
- discrete Fourier transform (DFT), 43
- distinction sensitive LVQ (DSLQV), 82
- Dobelle, William, 214
- Doheny Eye Institute, 214

- Donchin, Emanuel, 194, 251
- Donoghue, John, 122, 126, 129, 138, 143
- dorsal premotor cortex (PMd), 115, 130, 135, 137, 221
- dorsal stream, 15
- dot product
 - definition, 283
- drawing task, 150
- drawing using a BCI, 206
- drowsiness, 253
- dry electrode, 259, 261, 267
 - definition, 267
- Duenyas, Yehuda, 267
- Dynamic Bayesian Network (DBN), 51, 192

- ear, 210
- ECG. *See* electrocardiography (ECG)
- ECoG. *See* electrocorticography (ECoG)
- ECoG BCIs, 149
 - amplification of activity, 159
 - for arm-movement control, 161
 - for cursor control. *See* cursor control using semi-invasive BCIs
 - in humans, 151
 - in monkeys, 150
 - long-term use, 168
- ECoG power, 158, 166
- education and learning, 258
- EdX, 260
- EEG. *See* electroencephalography
- EEG BCIs, 177
 - based on cognitive tasks, 199
 - based on evoked potentials (EPs), 193
 - based on movement-related potentials (MRPs), 189
 - based on oscillatory potentials, 178
 - based on slow cortical potentials (SCPs), 187
 - detecting error potentials, 200
 - for cursor control. *See* cursor control using non-invasive BCIs
- eigenvalue, 58, 113, 168
 - definition, 287
- eigenvector, 58, 168, 254
 - definition, 287
 - generalized, 63
- electrocardiographic (ECG) artifacts, 63
- electrocardiography (ECG), 61
- electrocorticography (ECoG), 22
 - advantages for BCI, 23
 - limitations of, 24
- electroencephalography (EEG), 26
 - comparison with ECoG, 24
 - comparison with fMRI, 30
 - comparison with fNIR, 31
 - comparison with MEG, 29
- electromagnetic induction, 212, 215
- electromyographic (EMG) artifacts, 64
- electromyography (EMG), 61, 128, 173, 192, 232, 261

311 Index

- electro-oculographic (EOG) artifacts, 64
- electro-oculography (EOG), 61, 190
- e-mail, 143
- EMG. *See* electromyography (EMG)
- Emotiv, 267
- encryption, 274
- engagement during learning, 259
- ensemble classification methods, 78
 - bagging, 78
 - boosting, 79
 - random forest, 78
- entertainment, 265
- EOG. *See* electro-oculography (EOG)
- EP. *See* evoked potential (EP)
- epidural ECoG, 149, 154
- epilepsy, 216
- epilepsy patients, 22
- epiretinal implant, 214
- epithelium (retinal), 214
- EPOC headset, 267, 268
- EPSP. *See* excitatory postsynaptic potential
- ERP. *See* event-related potential (ERP)
- error index, 255
- error potential (ErrP), 104, 200
- error rate (of a classifier), 85, 86
- ErrP. *See* error potential (ErrP)
- ethics of BCIs, 272
- ethics of cochlear implants, 213
- Euclidean distance, 81, 82
- event-related desynchronization (ERD), 168, 178, 184, 266
- event-related potential (ERP), 104
- evoked potential (EP), 104, 193
 - ErrP, 104
 - N100, 104
 - N400, 104
 - P300, 104
 - SSVEP, 104
- evolution, 276
- excitatory postsynaptic potential (EPSP), 10, 12
- excitatory synapse, 10
- exoskeleton, 124, 132, 144, 261, 265, 273
- extension, 125, 169
- extensor carpi radialis (ECR), 232
- extensor muscles, 230
- extracellular recording, 19
- extracellular stimulation, 32

- Fagg, Andrew, 124
- false negatives, 84, 261
- false positives, 84, 261
- Faraday cage, 63
- Farwell, Lawrence, 194, 251
- fast Fourier transform (FFT), 45, 197, 211, 260, 261
- FastICA, 61
- FC3 electrode, 180
- FC4 electrode, 180
- feature selection, 161
- ferrets, 217

- Fetz, Eberhard, 1, 102, 109, 144, 150, 159, 229, 230
- FFT. *See* fast Fourier transform (FFT)
- fine-grained versus coarse-grained control, 203
- finger movement, 166
- finger movement classification, 165
- firing rate, 8, 118, 134, 141, 223, 226
- Fisher's linear discriminant. *See* linear discriminant analysis (LDA)
- Fitzsimmons, Nathan, 126
- flexible recording array, 21
- flexion, 125, 169, 191
- flexor carpi radialis (FCR), 232
- flexor carpi ulnaris (FCU), 232
- flexor muscles, 230
- fluorescent calcium indicator dye, 26
- fMRI. *See* functional magnetic resonance imaging (fMRI)
- fMRI BCIs, 204
- fNIR. *See* functional near-infrared (fNIR) imaging
- fNIR BCIs, 206
- Foerster, Otfried, 214
- foil stimulus, 257
- foot orientation, 126
- force estimation, 124
- force perception, 171
- forest (of decision trees), 79
- Fourier amplitude, 42
- Fourier analysis, 40, 280
- Fourier coefficient, 42
- Fourier series, 42
- Fourier transform (FT), 43, 150
 - comparison with wavelet transform, 46
 - examples, 44
 - weaknesses, 46
- Fp1 electrode, 260
- fractal dimension, 48
- fractal signal, 48
- freely behaving primates, 230
- frequency, 41
- frequency band
 - as a feature in BCIs, 45, 102
 - as a feature in ECoG BCIs, 150, 151, 157
 - as a feature in EEG BCIs, 179, 187, 206, 260
 - as a feature in invasive BCIs, 126
- frontal cortex, 15
- frontal lobe, 193
- frontocentral cortex, 200
- fronto-parietal-temporal cortex, 154, 162
- full-body exoskeletons, 262
- function approximation, 71
- functional electrical stimulation (FES), 230
- functional magnetic resonance imaging (fMRI), 30
 - comparison with fNIR, 30, 31
 - comparison with PET, 32
- functional near-infrared (fNIR) imaging, 30, 31
 - comparison with EEG, 31
 - comparison with fMRI, 30, 31
- functional reorganization
 - caused by a recurrent BCI, 230

312 **Index**

- Furdea, Adrian, 199
 Fz electrode, 200, 251
- Galán, Ferran, 241
 Galvani, Luigi, 32
 gaming, 265
 gamma waves (or rhythm), 28
 Ganguly, Karunesh, 144
 Gao, Shangkai, 196
 Gaussian classifier, 242
 Gaussian distribution, 73, 94, 121, 137
 definition, 293
 Gaussian kernel, 78, 92, 94
 Gaussian noise, 52, 120
 Gaussian process, 93
 used in a BCI, 203
 generalization, 76, 84
 generalized eigenvalues, 63
 generalized eigenvectors, 63
 Georgopoulos, Apostolos, 102
 Gilja, Vikash, 279
 glass micropipette electrode, 19
 glial accumulation, 23
 globus pallidus, 216
 glucose, 31
 glutamatergic antagonist, 262
 Google Earth, 245
 government-subsidized BCIs, 276
 gradient descent, 91, 123, 202
 Gram matrix, 94
 graphical model, 51
 grasp aperture, 126
 grasping, 122, 126
 gravity
 effect on BCI performance, 265
 gray matter, 9
 Graz BCI, 184, 243
 green fluorescent protein (GFP), 25
 Grimes, David, 256
 grip force control, 171
 gripper, 117
 ground electrode, 21
 guilty knowledge, 251
 gyri (cortical), 15, 29
- Haar wavelets, 134
 Half Total Error Rate (HTER), 261
 hallucination, 217
 hand acceleration, 119
 hand area of S1, 221
 hand kinematics, 119
 hand movement, 155
 hand orthosis, 185
 hand position, 116, 119, 124, 126
 hand trajectories, 118
 hand velocity, 119, 124, 126
 hash, 39
 Hatsopoulos, Nicholas, 124, 131
 haves and have-nots, 276
- hearing
 mechanisms of, 210
 restoration of, 211
 heart rate, 251
 Hebb, Donald, 11
 Hebbian plasticity, 11, 230
 Hebbian STDP, 12
 hemodynamic response, 30, 206
 hemoglobin, 30
 hidden layer, 90, 116
 hidden state, 122
 hierarchical BCI, 203, 241, 248
 high gamma activity, 28
 high gamma frequency band, 157
 high-frequency band (HFB). *See* high gamma frequency band
 high-level control, 203, 205, 241
 highway driving task, 255
 Higuchi's method for estimating fractal dimension, 48
 Hill, Herman, 196
 Hill, Jeremy, 198
 hippocampus, 11, 12, 15, 193, 262
 optogenetic stimulation of, 33
 Hiraiwa, Alkira, 189
 Hjorth parameters, 46
 Hochberg, Leigh, 138, 144
 hold out method, 86
 Horch, Kenneth, 171
 Hotelling transform. *See* principal component analysis (PCA)
 human evolution and BCIs, 276
 human prefrontal cortex, 143
 human premotor cortex, 143
 humanoid robot, 245, 260
 Humayun, Mark, 214
 hybrid EEG/EMG system, 267
 hypergravity, 265
 hyperplane, 72, 77
 hyperplane equation, 288
 hypothalamus, 14, 216
- ICA. *See* Independent Component Analysis (ICA)
 ICMS. *See* intracortical microstimulation (ICMS)
 identification of a person using BCIs, 260
 identity matrix, 287
 IDFT. *See* inverse discrete Fourier transform (IDFT)
 image search, 248
 imagery-based BCIs
 comparison with evoked potential-based BCIs, 207
 imagined limb motions, 138
 imagined movement, 103, 141, 151
 in nerve-based BCIs, 173
 imagined speech, 153
 immunoreactive processes, 168
 implantable arrays, 21
 imposter (in authentication), 261
 impulse signal, 43

313 Index

- in vitro recording, 19
- in vivo recording, 19, 21
- incrimination, 273
- incus, 210
- independence (in probability theory), 289
- Independent Component Analysis (ICA), 61, 66, 198
 - comparison to PCA, 60, 61
 - example application to EEG, 62
 - use in artifact reduction, 67
- independent feature model (in classification), 83
- inferior colliculus, 14
- inferotemporal cortex, 15, 16
- inflammation, 21
- infomax algorithm for ICA, 61
- information gain, 258
- information theory, 86
- information transfer rate (ITR), 86
 - in a P300 speller, 196
 - in an auditory BCI, 199
 - in an invasive cognitive BCI, 137
 - in an oscillatory potential-based BCI, 185
 - in an SSVEP BCI, 198
 - in noninvasive BCIs, 207
- informed consent, 273
- infrared, 217
- infrared light, 30
- inhibitory postsynaptic potential (IPSP), 10
- inhibitory synapse, 10
- inion, 27
- Institutional Review Board (IRB), 275
- instrumental conditioning, 102
- insurance for BCI use, 275
- interactive BCI art, 267
- intermediate octavomotor nuclei (nOMI), 228
- interneuron, 10
- interrogation, 251
- intracellular recording, 19
- intracortical microstimulation (ICMS), 231
- intraocular retinal prosthesis (IRP), 214
- invasive BCIs, 101
 - based on operant conditioning, 109
 - in humans, 137
 - in monkeys, 109, 115
 - long-term use, 143
- inverse discrete Fourier transform (IDFT), 43
- inverse FFT, 65, 260
- Inverse Fourier Transform (IFT), 43
- inverse kinematics, 118
- inverse of a matrix, 287
- ionic channels, 7
- ions, 7
- IPSP. *See* inhibitory postsynaptic potential
- IT. *See* inferotemporal cortex
- ITR. *See* information transfer rate (ITR)

- Jackson, Andrew, 230
- Jackson, Melody, 206, 267
- Johnny Mnemonic (movie), 262

- joint angle, 122
- joint angle perception, 171
- joint probability
 - definition, 289
- joint torque, 124
- joystick, 222

- Kalman filter equations, 52
- Kalman filtering, 52, 119, 122, 126, 130, 143, 145, 163, 225
 - comparison with unscented Kalman filter (UKF), 133
- Kalman gain, 53
- kappa coefficient, 85
- Karhunen-Loève transform. *See* principal component analysis (PCA)
- kernel (in SVMs), 78
- kernel function, 94
- kernel trick, 78
- K-fold cross-validation, 86
- Khan Academy, 260
- kinematics, 118
 - of walking, 127, 128
- kinesthetic feedback, 131
- kinetics, 124
- k -nearest neighbors (k -NN), 81
- k -NN. *See* k -nearest neighbors (k -NN)
- Kübler, Andrea, 199, 205
- Kuiken, Todd, 173
- kurtotic distribution, 61

- L1 norm, 160
- L2 norm, 160
- Lagrange multiplier method, 58
- lamprey brain, 226
- Laplacian filtering, 55, 183, 255, 261
- laser illumination, 33
- laser range scanner, 242
- lateral geniculate nucleus, 15
- law and BCIs, 275
- law enforcement, 251
- LDA. *See* linear discriminant analysis (LDA)
- learning vector quantization (LVQ), 82, 192, 260
- least mean-square (LMS), 183
- least squares regression, 88
- leave-one-out cross-validation, 87
- legislation for BCIs, 275
- length of a vector, 283
- letter drawing task, 206
- Leuthardt, Eric, 151
- lever, 113
- Lewin, W. S., 214
- LGN. *See* lateral geniculate nucleus
- Li, Zheng, 129
- liability, 265
- liability and BCI use, 275
- lie detection, 249, 274
- likelihood, 50, 83, 121, 137, 261
- line noise, 42, 63

314 Index

- linear discriminant analysis (LDA), 72, 145, 159, 185, 187, 200, 244, 247, 248, 288
 - comparison with Perceptron, 75
 - comparison with QDA, 75
 - comparison with RDA, 74
- linear filter, 88, 116, 122, 124, 127, 129, 131, 139, 143, 144, 168, 223
- linear modeling for artifact reduction, 65
 - example application to EEG data, 66
- Linear Programming Machine (LPM), 159, 165
 - comparison with SVM, 165
- linear regression, 88, 116, 254, 280
- linear separability, 75
- linear sparse Fisher's discriminant (LSFD), 159
- linked mastoids, 195
- lipid bi-layer, 7
- Lissajous curve, 131
- LMP. *See* local motor potential (LMP)
- local field potential (LFP), 126
- local motor potential (LMP), 162, 168
- log likelihood ratio, 73, 261
- logistic function, 89
- long-term depression, 11, 12
- long-term potentiation, 11, 12
- long-term use of BCIs, 143
- Lou Gehrig's disease, 241
- lower limb control, 126
- lower limb prosthetics, 240
- low-frequency asynchronous switch design (LF-ASD), 191
- low-frequency band (LFB), 157
- low-level control, 203
- low-pass filtering, 65
- LTD. *See* long-term depression
- LTP. *See* long-term potentiation
- luddite, 276
- LVQ. *See* learning vector quantization (LVQ)

- M1. *See* primary motor cortex (M1)
- macular degeneration, 214
- magnetoencephalography (MEG), 28
 - comparison with EEG, 29
 - comparison with fMRI, 30
- magnitude of a vector, 283
- Mahalanobis distance, 75
 - definition, 294
- majority voting, 78, 80, 165, 244
- malleus, 210
- manipulandum, 119, 129, 230
- Mappus, Rudolph, 206, 267
- Marcel, Sébastien, 261
- margin, 77
- marketing, 273
- Markov assumption, 51
- Mason, Steven, 191
- mastoid, 27, 187, 193, 198
- mathematical background, 281
- matrix
 - addition, 285
 - definition, 284
 - diagonal, 287
 - identity, 287
 - inverse, 287
 - multiplication, 285
 - positive definite, 287
 - positive semidefinite, 287
 - scalar multiplication, 285
 - square, 285
 - symmetric, 287
- maximum a posteriori (MAP) classification, 83
- maximum likelihood (ML), 137
- maximum margin classifier, 76
- Maxwell's equations, 29
- McFarland, Dennis, 180
- McMillan, Grant, 196
- mean, 73, 94, 121, 134, 202
 - definition, 290
- mean squared error (MSE), 121
- measure (in probability theory), 289
- medial geniculate nucleus (MGN), 217
- median nerve, 170, 171, 173
- medical applications of BCI, 239
- medulla, 13
- MEG. *See* magnetoencephalography (MEG)
- MEG BCIs, 205
- Mellinger, Jürgen, 205
- membrane of a neuron, 7, 19
- membrane potential, 8, 10
- memory detection, 251
- memory enhancement, 262
- memory load, 258
- memory manipulation, 274
- meninges, 26
- meningitis, 211
- mental arithmetic, 199
- mental calculation task, 258
- mental rotation, 199, 266
- mental workload-detecting BCI, 258
- Mexican Hat wavelet, 46
- Meyer wavelet, 46
- Michigan array, 21
- microECoG, 24
- microelectrode, 19
 - for stimulation, 32
- microelectrode array, 122, 126, 215, 221, 262
- microphone, 212
- microwire array, 21
- midbrain, 13
- Middendorf, Matthew, 196
- Millán, José del, 200, 202, 261, 265
- Miller, Kai, 157
- mind control
 - Delgado's bull experiment, 1
 - in BCI ethics, 274
- mind reading, 274
- Mindflex, 267
- MindGame, 266
- Mindwalker project, 261

315 Index

- MindWave headset, 259, 267
- mitigating risks, 273
- mixing matrix, 60
- mixture-of-Gaussians, 93, 261
- mixture-of-Gaussians classifier, 200
- MK801 glutamatergic antagonist, 262
- mobile robot, 203, 226, 241, 245
- mobility (Hjorth parameter), 47
- monkey BCI, 115, 117, 119, 126, 129, 133, 144, 145, 146, 150, 229
- monoamine agonist, 128
- Moore-Penrose pseudoinverse, 89, 127
- moral issues, 276
- Moran, Daniel, 150
- Moritz, Chet, 110, 229
- Morlet wavelet, 46
- mother wavelet, 46
- motion capture, 122
- motor cortex, 102
 - primary. *See* primary motor cortex (M1)
- motor imagery, 103, 151, 184, 186, 206, 242, 244, 261, 266
 - comparison with actual movement, 157
- motor nerve fibers, 170
- motor plasticity, 109, 110, 144
 - induced by a recurrent BCI, 232
- movement artifacts in EEG, 26
- movement preparation, 192
- movement-related potential (MRP), 189
- MRP
 - see* movement-related potential (MRP)
- MST, 15
- MT, 15
- mu frequency band, 28, 40, 45, 178, 180, 182, 183, 185
 - comparison with LF-ASD, 192
- mu rhythm, 205
- Müller, Klaus-Robert, 186
- multi-class classification, 80, 165
- multielectrode array, 20, 119, 124, 212, 279
 - for simultaneous recording and stimulation, 35
 - in humans, 140
- multi-layer perceptron, 76
- multi-layered neural network, 90
- multivariate Gaussian distribution
 - definition, 293
- Musallam, Sam, 132, 148
- muscle artifacts in EEG, 26
- muscle fatigue, 230
- muscle stimulation, 229
- Mussa-Ivaldi, Sandro, 226
- Mutlu, Bilge, 260
- myelin, 9

- N1. *See* N100 potential
- N100 potential, 104
- N400 potential, 104
- naïve Bayes classifier, 83, 258
- nasion, 27

- National Institute on Deafness and Other Communication Disorders, 213
- navigating virtual worlds, 243
- n*-back task, 257
- nearest neighbor (NN) classification, 80
 - comparison with *k*-NN, 82
- nearest neighbor classifier, 192
- neocortex. *See* cerebral cortex
- nerve-based BCI, 170
- Nessi, 243
- nested menu system, 241
- neural networks, 75, 89, 116, 189, 199, 254, 280
 - recurrent, 114, 261
- neural plasticity
 - induced by a recurrent BCI, 230
- neural population function (NPF), 113, 114
- Neurochip, 35, 231
 - components and architecture, 36
- neuroethics, 272
- neuromarketing, 274
- neuron, 7
- neurorehabilitation, 233
- neuroscience
 - introduction to, 7
- neurosecurity, 275
- Neurosky, 259, 267
- neurotransmitter, 9
- Nicolelis, Miguel, 113, 115, 126, 129, 221, 224
- NMDAR, 12
- NN. *See* nearest neighbor (NN) classification
- noise in EEG, 26
- noninvasive BCIs, 101
 - based on EEG, 177
 - based on fMRI, 204
 - based on fNIR, 206
 - based on MEG, 205
- nonmedical applications of BCIs, 242
- nonparametric regression, 95
- nonstationary learning, 201
- normal distribution
 - definition, 293
- normal vector, 73
- normalized slope descriptors, 47
- normalized vector, 284
- notation, 281
- notch filter, 65

- O1 electrode, 198, 199
- O2 electrode, 198, 199, 260
- obsessive compulsive disorder (OCD), 216
- occipital cortex, 15, 198
- oddball paradigm, 194, 248, 255
 - based on auditory stimuli, 198
- O'Doherty, Joseph, 221, 224
- Ojakangas, Catherine, 143
- Ojemann, Jeffrey, 154, 168
- olfaction, 239
- online education, 260
- operant conditioning, 102, 109, 229

316 Index

- optic nerve, 214
- optical BCIs, 206
- optical recording, 24
- optical stimulation, 33
- Optobionics, 214
- optode, 31
- optogenetic stimulation, 33
- order of an autoregressive model, 49
- orientation selectivity, 217
- orthogonality, 284
- orthonormality, 58, 284
- outliers, 77, 81
- overfitting, 76
- oxonol dye, 24
- Oz electrode, 254

- P3. *See* P300 potential
- P3 electrode, 199
- P300 potential, 104, 193, 241, 245, 248, 251
- P4 electrode, 199
- paint program, 143
- parabolic flight, 265
- paralyzed subject, 2, 141, 229, 239, 241
- parental responsibility, 277
- parietal cortex, 15, 266
- parietal lobe, 193
- parietal reach region (PRR), 132
- Parkinson's disease, 32, 216, 240
- particle filtering, 54
 - comparison to Kalman filtering, 54
- patch clamp recording, 19
- Pavlovian conditioning, 102
- PCA. *See* principal component analysis (PCA)
- pectoral muscles, 173
- perceptron, 288
- perceptron, 75
- peripheral nerve block, 230
- peripheral nerves, 169
- peripheral nervous system, 13
- Perlmutter, Steve, 229
- PET. *See* positron emission tomography (PET)
- Pfurtscheller, Gert, 184
- phase spectrum, 45
- phosphenes, 214, 215
- photodiode array, 24, 214
- photoreceptor degenerative diseases, 213
- pinball, 266
- pinball task, 119
- platinum-iridium microelectrode, 19, 32, 171
- PMd. *See* dorsal premotor cortex (PMd)
- PNS. *See* peripheral nervous system
- point-and-click cursor control, 145
- Poisson distribution
 - definition, 292
- Poisson model, 137
- policy (in reinforcement learning), 202
- polygraph, 251
- Pong game, 143

- pons, 13
- population vector decoding, 103, 111, 117
 - comparison with operant conditioning, 111
- population vectors, 112
- positive definite matrix, 287
- positive semidefinite matrix, 287
- positron emission tomography (PET), 31
- posterior distribution, 95
- posterior octavomotor nuclei (nOMP), 228
- posterior parietal cortex (PP), 115, 130
- posterior probability, 50, 83, 119
- posterior rhombencephalic reticular nuclei (PRRN), 226
- post-lingually deaf, 213
- poststimulus-time histogram (PSTH), 135
- postsynaptic neuron, 9
- postsynaptic potential, 26
- potassium ions, 8
- power spectrum, 45, 166, 254, 257
 - ECoG, 151, 156, 160
- powered exoskeletons, 262
- PP. *See* posterior parietal cortex (PP)
- prefrontal cortex, 16, 143
- premotor cortex, 143
- presynaptic neuron, 9
- primary auditory cortex, 217
- primary motor cortex (M1), 102, 113, 115, 117, 119, 122, 124, 127, 128, 129, 130, 132, 150, 189, 221, 224, 231
 - in humans, 138
- primary somatosensory cortex (S1), 128, 130, 221, 224
- primary visual cortex (V1), 15
- principal component analysis (PCA), 56, 66, 113, 166, 254, 287
 - decorrelation, 59
 - dimensionality reduction, 59
 - example application to EEG data, 60
 - reconstruction of input, 59
- Principal Spectral Component (PSC), 168
- Principe, Jose, 202
- prior distribution, 93
- prior probability, 50
- probabilistic inference, 51
- probability density function, 291
- probability theory, 288
- probe stimulus, 251
- projection, 73
- pronation, 125
- proprioception, 171
- proprioceptive feedback, 131
- prosthetic arm, 117, 174, 240
- prosthetic device, 112
- prosthetic hand, 143, 171
- PRR. *See* parietal reach region (PRR)
- pseudoinverse, 89, 140
- pulse generator (for DBS), 216
- pulse train, 226
- pursuit tracking task, 119, 130

317 Index

- pyramidal neuron, 15, 29
 Pz electrode, 195, 251, 254
- QDA. *See* quadratic discriminant analysis (QDA)
 quadratic discriminant analysis (QDA), 74
 quality-of-life issues, 272
- radial basis function (RBF) network, 92
 relationship to Gaussian processes, 93
 used in a BCI, 203
 radial basis functions, 92
 radio frequency (RF) link, 212, 215
 radiotracer, 31
 random forests, 78
 random variable
 definition, 288
 Rao, Rajesh, 157, 159, 164, 192, 203, 245
 rapid serial visual presentation (RSVP), 248
 rat BCI, 113
 RBF. *See* radial basis function (RBF) network
 RDA. *See* regularized linear discriminant analysis (RDA)
 reach kinematics, 126
 reaching task, 122, 124, 126, 133, 137, 144, 150
 readiness potential (RP), 189
 receiver operating characteristic (ROC) curve,
 84, 192, 249
 receptive field, 222
 recording techniques
 extracellular, 19
 intracellular, 19
 invasive, 18
 optical, 24
 patch clamp, 19
 recurrent BCIs, 221
 red blood cells, 30
 reference electrode, 27
 reflex, 13
 regression, 71, 87, 116
 regularization, 73
 regularized linear discriminant analysis
 (RDA), 74, 159
 reinforcement, 110
 reinforcement learning (RL), 202
 reinnervated skin, 174
 remote interaction, 246
 restoring hearing, 210
 restoring sight, 213
 reticular formation, 14
 retina, 15, 217
 retinal implant, 214, 239
 retinitis pigmentosa, 214
 reward, 109, 202, 217, 225
 rewiring of cortex, 217
 rhesus monkey, 126, 221
 rich-versus-poor divide, 276
 rigidity, 216
 risks-versus-benefits analysis, 272
 robot navigation, 203
 robotic arm, 113, 115, 116, 124, 143, 279
 robotic avatar, 245
 robotic story-telling, 260
 ROC curve. *See* receiver operating characteristic
 (ROC) curve
 rotation by matrix multiplication, 286
 Rouse, Adam, 150
- S1. *See* primary somatosensory cortex (S1)
 Sajda, Paul, 248
 sample space, 288
 Sanchez, Justin, 202
 Santhanam, Gopal, 137
 satellite image, 248
 scalar
 definition, 282
 scalp maps, 60, 62, 64, 250
 scalp recording. *See* electroencephalography (EEG)
 scar tissue, 22, 23
 Schalk, Gerwin, 154, 161
 Schölkopf, Bernhard, 198
 Schwartz, Andrew, 117
 SCP. *See* slow cortical potential (SCP)
 security applications of BCIs, 260
 security surveillance task, 255
 seizure prediction and detection, 240
 self-paced BCIs, 177, 178, 242, 244
 self-similarity, 48
 semi-invasive BCIs, 101
 based on ECoG, 149
 based on nerve signals, 169
 comparison to invasive BCIs, 149
 sensorimotor cortex, 154, 185
 sensorimotor idle rhythm, 202
 sensory augmentation, 217
 sensory restoration, 210
 serratus muscles, 173
 Serruya, Mijail, 129
 shared control, 241
 Shenoy, Krishna, 33, 137, 279
 Shenoy, Pradeep, 159, 164, 192
 short-term depression, 13
 short-term facilitation, 13
 short-term Fourier transform (STFT), 46
 short-term plasticity, 11, 13
 short-time Fourier transform (STFT), 46
 shuffled decoder, 144, 146
 side effects of BCI use, 273
 sigmoid function, 76, 89, 116, 165
sign function, 73, 75
 sign language, 213
 Simeral, John, 144
 single cell operant conditioning, 111
 Skidmore, Trent, 196
 skin conductivity, 251
 skin grafting, 239
 slack variable, 77
 sleep spindling, 254
 slope-intercept equation for a line, 288

318 Index

- slow cortical potential (SCP), 187, 243
 SMA. *See* supplementary motor area (SMA)
 social justice and BCIs, 276
 sodium ions, 8, 20, 22
 soft-margin SVM, 77, 247
 soft-threshold nonlinearity, 76
 solar-powered implant, 214
 soma. *See* cell body
 somatic nervous system, 13
 somatosensation, 239
 somatosensory cortex, 25, 127, 221
 somatosensory evoked potential (SSEP), 193
 somatosensory stimulation, 239
 sound-pressure waves, 210
 sound processor, 211
 space applications, 262, 263
 sparse classifiers, 160
 spatial filtering techniques, 54
 spectral feature, 45, 163
 speech decoding, 241
 speed-accuracy tradeoff, 195
 speller, 189, 194, 241
 spike, 8, 9, 10, 11, 12, 13, 20
 spike sorting
 clustering based on shape, 40
 peak amplitude method, 39
 window discriminator method, 39
 spike train, 13, 113, 114, 120, 141, 225
 spike-timing dependent plasticity, 11
 spinal cord, 13
 spinal cord injury, 126, 129, 185, 262
 spinal cord stimulation, 229
 square matrix, 285
 SSVEP BCI, 196
 comparison with P300 BCI, 207
 stable neural representation, 144
 standard deviation
 definition, 290
 stapes, 210
 state (in the Kalman filter), 119, 131
 STD. *See* short-term depression
 STDP. *See* spike-timing dependent plasticity
 steady state visually evoked potential (SSVEP), 193,
 196, 203, 266
 step frequency, 127
 step length, 127
 STF. *See* short-term facilitation
 STFT. *See* short-time Fourier transform (STFT)
 stimoceiver, 1, 221
 stimulating BCIs, 210
 stimulation of cortical area S1, 223, 224
 stimulus evoked potential, 193
 stimulus-based BCIs, 177
 stroke, 126, 230
 styryl dye, 24
 subdural ECoG, 149, 151, 159, 168
 subretinal implant, 214
 subthalamic nucleus, 216
 sulci (cortical), 15, 29
 Suminski, Aaron, 131
 superconducting quantum interference device
 (SQUID), 29
 superior colliculus, 14
 supervised learning, 71, 202
 supination, 125
 supplementary motor area (SMA), 130, 189, 205
 support vector machine (SVM), 77, 159, 165,
 198, 200, 288
 support vectors, 76
 Sur, Mriganka, 217
 Surrogates (movie), 245
 surveillance task, 255
 SVM. *See* support vector machine (SVM)
 symmetric matrix, 287
 synapse, 9
 synaptic cleft, 9
 synaptic plasticity, 11
 model of, 12
 synaptic strength, 11, 12
 synaptic weights, 75
 synchronization of neurons, 28
 synchronous BCIs, 177
 Szafir, Dan, 260
 tactile exploration, 224
 tactile feedback, 225
 tactile stimulation, 223
 tampering BCIs, 274
 Tan, Desney, 256
 target detection task, 253
 Targeted Muscle Reinnervation (TMR), 173
 taste, 239
 tectum, 14
 tegmentum, 14
 telekinesis, 280
 telepathy, 280
 telephone
 operated by BCI, 196
 temporal cortex, 15
 temporal lobe, 193
 temporoparietal cortex, 193
 terrorism, 273
 test data, 86, 87
 tetraplegic subject, 145, 185
 Tetris, 266
 tetrode, 20
 thalamus, 14, 15, 216
 The Ascent (performance art), 267
 theta frequency band, 254, 258, 268
 theta waves (or rhythm), 28
 thought translation device (TTD), 187
 three-layer neural network, 90
 threshold, 75, 84, 89
 threshold model of spike generation, 11, 75
 thresholding method for artifact rejection, 64
 tinnitus, 213
 TMR. *See* Targeted Muscle Reinnervation (TMR)
 TMS. *See* Transcranial Magnetic Stimulation (TMS)

319 Index

- tongue movement, 155
- tonotopic organization (in the cochlea), 211
- torque, 124, 231
- torque control, 230
- torque estimation, 124
- touch sensation
 - in bidirectional BCIs, 223, 226
 - in nerve-based BCIs, 171, 174
- Tourette's syndrome, 216
- training data, 87
- Transcranial Magnetic Stimulation (TMS), 33
- transcranial ultrasound stimulation, 34
 - comparison with TMS, 34
- transpose, 285
- treadmill walking, 126
- tremor, 216
- triaging, 248
- true negatives, 84
- true positives, 84
- tungsten microelectrode, 19, 228
- two-photon calcium imaging, 24
- two-photon fluorescence microscopy, 24
- two-photon laser illumination, 33
- tympanic membrane, 210
- Type I errors, 84
- Type II errors, 84

- Udacity, 260
- ulnar nerve, 173
- ultrasound, 34, 217
- uncertainty, 96, 192
- uniform distribution
 - definition, 291
- uniform prior, 137
- unipolar electrodes, 27
- unit vector, 284
- units of measurement, 281
- unmixing matrix, 61
- unscented Kalman filter (UKF), 130
- unsupervised learning, 71, 202
- upper-limb amputation, 171
- Utah array, 21

- V1 cortical area. *See* primary visual cortex (V1)
- V2 cortical area, 15
- V4 cortical area, 15
- vagus nerve, 240
- validation dataset, 87
- van den Brand, Rubia, 128
- Vargas-Irwin, Carlos, 122
- variance, 73
 - definition, 290
- vector
 - addition, 283
 - definition, 282
 - geometric interpretation, 284
 - scalar multiplication, 283
- Velliste, Meel, 117
- velocity control, 117, 143
- ventral stream, 15
- ventrolateral thalamus (VL), 113
- vestibular stimulation, 226
- Vidal, Jacques, 1, 177
- video games, 265
- virtual environment, 244
- virtual navigation, 266
- virtual reality driving simulator, 255
- viruses, 274
- visual cortex, 15, 217
- visual cortical implants, 214
- visual cortical stimulation, 214
- visual hemifield, 217
- visual prosthesis, 213
- visual recognition, 248
- visualization, 199
- visually evoked potential (VEP), 1, 193
- voltage-sensitive dye, 24
- volume conductor model of EEG, 26
- von Neumann architecture, 7
- voxel, 205

- Wadsworth BCI, 178
- walking, 126
- war, 273
- Warwick, Kevin, 170
- wavelet analysis, 191
- wavelet transform (WT), 46
 - example, 47
- wavelets, 46, 134
 - mother wavelet, 46
- weak classifier, 79
- weak electrolyte, 19
- weakly electric fish, 13
- Web browsing, 243
- Weiner filter, 116, 131
- Weiskopf, Nikolaus, 204
- Wessberg, Johan, 115
- wheelchair control, 171, 200, 241
- white matter, 9
- window discriminator method for spike sorting, 39
- wireless BCIs
 - abuse of, 274
- wireless telemetry, 280
- Wolpaw, Jonathan, 178, 180
- working memory, 257
- wrist muscles, 229
- Wu, Wei, 119

- X-ray image, 152, 160, 255

- zero gravity, 265
- Zhuang, Jun, 126