

Index

adolescent onset 167
 see also onset of disease
adoption studies 200–1
 results 201
Age, Beginning and Course (ABC) Schizophrenia Study 128, 133, 324, 327
 comorbidity with alcohol and drug abuse 141–2
age effects 12
age-at-onset 167, 208
 gender differences 170–1
 methodological issues 167–8
 substance abuse and 332
 see also early-onset schizophrenia; onset of disease; very-late-onset schizophrenia
Akaike Information Content (AIC) 245, 248
alcohol abuse 317, 320–1
 as cause of schizophrenia 327
 comorbidity 141–2, 150
 see also substance abuse
Alzheimer’s disease 223, 226
amphetamine abuse 324–5, 328
 see also drug abuse
amyotrophic lateral sclerosis 282
anastrophae phase 128
antidepressant treatment, suicide prevention 306
apocalypse phase 128
apolipoprotein E (ApoE) 225–6
apopheny phase 128
appendicitis 282
assessment instruments
 Auditory-Vocal Association Test 115–16
 Bonn Scale for the Assessment of Basic Symptoms (BSABS) 127–8, 129
 Brief Limited Psychotic Symptoms (BLIPS) 129
 Brief Psychiatric Rating Scale (BPRS) 131
 Composite International Diagnostic Interview (CIDI) 373
 Comprehensive Assessment of At Risk Mental States (CAARMS) 128
 Diagnostic and Statistical Manual (DSM) 365, 367, 373, 377, 379, 387, 398–9
 Disability Assessment Schedule (DAS) 140
 Global Assessment of Functioning (GAF) 129
 International Classification of Disease (ICD) 365, 367, 379, 387, 398–9
 IRAOS 128
 Perceptual Aberration Scale (PAS) 369, 370
 Peters Delusions Inventory (PDI) 372, 373
 Present State Examination (PSE) 129, 372
 Psychosis Screening Questionnaire (PSQ) 371, 373
 Research Diagnosis Criteria (RCD) 365
 Schizotypal Personality Questionnaire (SPQ) 369, 370
association 441
association studies 224–7, 441
 family-based 225–6
 genome-wide 228–9
 methodological problems 226–7
asylums, growth of 34–5
Auditory–Vocal Association Test 115–16
autism, MMR vaccine and 9

behavioural predictors of schizophrenia 107, 116
bias 441
 publication bias 444
 recall bias 444
 selection bias 444
biometrical model fitting 202–5
 results 204–5
birth complications *see* obstetric complications
Bonn Scale for the Assessment of Basic Symptoms (BSABS) 127–8, 129
brain structural abnormalities
 as markers of aetiological factors 254
 detecting causes of 256–65
 early-onset schizophrenia 177–8
 very-late-onset schizophrenia 178
 see also cerebral structural abnormalities
Brief Limited Intermittent Psychotic Symptoms (BLIPS) 129
Brief Psychiatric Rating Scale (BPRS) 131
British National Psychiatric Morbidity Study 318

cancer 278–80
cannabis abuse 321–2
 as cause of schizophrenia 325–7, 328
 see also drug abuse; substance abuse
cardiovascular disease 278
Caribbean studies 22
case-control study 441

Cambridge University Press

052177540X - The Epidemiology of Schizophrenia

Edited by Robin M. Murray, Peter B. Jones, Ezra Susser, Jim Van Os and Mary Cannon

Index

[More information](#)

- categorical representations 377–9
 - validity of 379–80
 - latent classes 386–90
 - traditional categories 382–6
- category fallacy 59
- causality, new approaches to 89–90
 - longitudinal or life-course approach 89–90
 - multilevel approach 90
- cerebral structural abnormalities 153–5
 - interpretation of changes 154
 - static versus progressive change 154–5
 - see also* brain structural abnormalities
- cerebrospinal fluid to brain ratio 259
- childhood developmental deficits 100–19
 - general population birth cohort studies 111–15
 - genetic high-risk cohorts 101–11
 - studies with information from adolescence 108–11
 - studies with information from infancy 102–4
 - studies with information from middle childhood 104–8
 - see also specific studies*
- childhood infection 78
- childhood onset 167
 - see also* early-onset schizophrenia; onset of disease
- cigarette smoking 322–3
 - see also* substance abuse
- cities *see* urban effects
- clozapine, suicidality and 306
- cocaine abuse 324–5, 328
 - see also* drug abuse; substance abuse
- coeliac disease 282
- cognitive predictors of schizophrenia 107–8, 115
 - early-onset schizophrenia 178–9
 - very-late-onset schizophrenia 179–80
- cohort effects 12, 40–1
- cohort study 441–2
- collaborative ventures 90–1
- community cohesion, outcome and 29
- comorbidity
 - first-episode studies 150
 - service planning implications 416, 418, 419
 - substance abuse 141–2, 150, 317–18
 - international evidence 318–19
 - temporal and geographic variations 319–20
 - see also* alcohol abuse; drug abuse
 - suicide risk and 302–3
 - see also* physical illness in schizophrenia
- Composite International Diagnostic Interview (CIDI) 373
- Comprehensive Assessment of At Risk Mental States (CAARMS) 128
- confounding variables 89, 442
- contextual factors 10
- continuity hypothesis 366–77
 - demographic risk factor associations 375
 - familial clustering and longitudinal associations 374–5
 - perceptions of the psychosis continuum 367–9
 - causal risk factors and distribution 367–9
 - psychosis transitions 375–7
 - psychotic symptom distribution 369
 - psychotic symptom prevalence 369–73
 - delusions 371–3
 - hallucinations 370–1, 372–3
 - similarity in underlying dimensional representation 373–4
- Copenhagen High Risk Study 101, 108, 434
- Copenhagen Obstetric High Risk Project 104
- course of disease
 - early course
 - definition 131–2
 - phase models 128–9
 - prognostic significance of 139–41
 - systematic retrospective analysis 133
 - see also* prodrome
 - early-onset schizophrenia 180–1
 - first-episode studies 151–3
 - geographical variation 22–8
 - service planning implications 416, 421
 - time trends 41–3
 - very-late onset schizophrenia 181
 - see also* onset of disease; outcome
- criminal behaviour *see* violence
- Danish High-Risk Project
 - follow-up study 259–61
 - pilot study 257–9
- delusions 371–2
 - cooccurrence with hallucinations 372–3
- depression
 - prognostic significance 139, 140
 - suicide risk and 302
 - prevention 306
- Determinants of Outcome of Severe Mental Disorders (DOSMED) Study 19, 135–7
 - see also* Ten Country Study
- developing countries
 - course of disease 23–8
 - incidence 18–23
 - outcome 23–30
 - possible explanations for differences 29–30
- developmental deficits *see* childhood developmental deficits
- developmental epidemiology 71
- developmental insanity 71, 100
- developmental risk factors 175, 434–5
- diabetes mellitus 281
- diagnosis 364, 398–9
 - diagnostic criteria 37–40, 365
 - epidemiological perspective 365–6
 - see also* continuity hypothesis; dimensional hypothesis
- Diagnostic and Statistical Manual (DSM) criteria 365, 367, 373, 377, 379, 387, 398–9
- dimensional hypothesis 377–98
 - grouping individuals 378–9
 - grouping symptoms 377–8
 - validity of dimensional and categorical representations 379–98
 - discontinuity 380–2
 - latent classes 386–90

449 Index

- symptom dimensions 390–8
- traditional categories 382–6
- Disability Assessment Schedule (DAS) 140
- discontinuity 380–2
- dizygotic twins 197–200, 246–9, 392
- drug abuse 317, 321–3
 - as cause of schizophrenia 324–8
 - cannabis 321–2, 325–7
 - comorbidity 141–2, 150
 - migrants 61
 - nicotine 322–3, 327–8
 - opiates 322
 - stimulants 322, 324–5
 - urbanization and 54
 - see also* substance abuse
- Dunedin Multidisciplinary Health and Developmental Survey 116–17
- duration of untreated psychosis (DUP) 152
- early course of disease *see* course of disease
- early-onset schizophrenia 167
 - course of disease 180–1
 - outcome 180–1
 - phenomenology 171–2
 - prevalence rates 168–9
 - risk factors 173–80
 - developmental 175
 - genetic 173–4
 - neurocognitive impairment 178–9
 - pregnancy and birth complications 174–5
 - premorbid social adjustment and personality 175–6
 - sensory impairment 176
 - structural brain abnormalities 177–8
 - treatment issues 181–2
 - see also* onset of disease
- ecological fallacy 442
- ecological study 442
- economy, outcome and 29
- Edinburgh High Risk Study 101, 110
- effect 442
- endophenotypes 442
- environmental factors, migrants 61
 - see also* gene–environment interaction; urban effects
- Epidemiologic Catchment Area (ECA) study 318, 320, 356, 371
- epidemiology
 - age–period–cohort effects 11–15
 - discrimination between 12–15
 - effects at the individual level 8–9
 - effects at the societal level 9–11
 - life-course effects 15
 - molecular epidemiology 230
 - uses of epidemiological data 411–12
- epilepsy 281–2
- ethnic minorities 60
 - service planning 418
 - see also* migration
- familial clustering 374–5
- family relationships, outcome and 29
- family studies 195–7
 - results 196–7
- famine, prenatal 79
- Finnish Adoptive Family Study of Schizophrenia 109, 210, 238
- first-episode studies 148–58
 - advantages of 149
 - cerebral structural abnormalities 153–5
 - interpretation of changes 154
 - static versus progressive change 154–5
 - comorbidity 150
 - course of disease 151–3
 - gender effects 150–1
 - methodological issues 155–7
 - definition of the first episode 155–6
 - diagnostic dilemma 157
 - study population 156–7
 - outcome 151–3
 - risk factors 150
 - time trends in incidence 149–50
 - treatment response 152
- Fish High-Risk Study 101, 102–3
- gender differences
 - age-at-onset 170–1
 - first-episode studies 150–1
 - onset of disease 135–7
 - possible explanations for 137
 - substance abuse 332
- gene mapping strategies 222–7
 - association studies 224–7
 - family-based 225–6
 - methodological problems 226–7
 - gene–environment interaction consequences 249–50
 - linkage studies 223–4
- gene–environment interaction 87–9, 210–11, 235–51, 254–6, 442
 - additive interaction 239
 - consequences for gene mapping studies 249–50
 - consequences for risk studies 241–5
 - consequences for twin studies 245–9
 - correlation 236, 240–1
 - genotype–perinatal hypoxia interaction 264–5
 - multiplicative interaction 239–40
 - neuroimaging studies 254–66
 - detecting causes of brain structural changes 256–65
 - programming 87–9
 - synergism 236–9
- generational effects 12
- genetic basis 173–4, 193–4
 - adoption studies 200–1
 - family studies 195–7
 - future research directions 227–31
 - functional studies 229
 - genetic testing 230–1
 - genome-wide association studies 228–9
 - molecular epidemiology 230
 - nosology 229–30
 - refining phenotypes 227

450 Index

- genetic basis (*cont.*)
 - gene mapping strategies 222–7
 - association studies 224–7
 - linkage studies 223–4
 - genetic risk factors 431–2
 - high-risk studies 197
 - childhood developmental deficits 101–11
 - migrants 61
 - mode of inheritance 205, 221
 - nature of genetic effect 221–2
 - phenotypic abnormalities in relatives 209–10
 - relative contribution of genetic and environmental factors 201–5
 - biometrical model fitting 202–5
 - correlations in liability 202
 - liability-threshold model 201–2
 - schizophrenia spectrum 206–7, 221
 - service planning implications 414–15
 - specificity of genetic liability 205
 - splitting the schizophrenia syndrome 207–9
 - age at onset 208
 - schizophrenia subtypes 207
 - symptom dimensions 207–8
 - twin studies 197–200, 246–9, 392
 - discordant twin pairs 208–9
 - see also* gene–environment interaction
 - genetic testing 230–1
 - genome-wide association studies 228–9
 - geographical variation
 - course of disease 23–8
 - incidence 18–23
 - outcome 23–30
 - explanations for differences 29–30
 - Global Assessment of Functioning (GAF) 129
 - hallucinations 370–1
 - cooccurrence with delusions 372–3
 - hallucinogen abuse 324–5
 - see also* drug abuse
 - Helsinki Birth Cohort Studies 113–14, 261–5
 - brain changes 262
 - perinatal hypoxia 263–4
 - genotype interaction 264–5
 - heritability 443
 - human immunodeficiency virus (HIV) 282
 - hypoxia, perinatal 263–4
 - genotype interaction 264–5
 - immunization *see* vaccinations
 - incidence
 - geographical variation 18–23
 - season of birth influence 55–8, 75
 - time trends 34–41
 - cohort effects 40–1
 - first-episode studies 149–50
 - period effects 36–40
 - see also* prevalence
- individual patient data meta-analysis 443
- infections
 - neonatal and childhood infection 41, 78
 - prenatal exposure 41, 75–9, 433
 - influenza 8, 75–7, 433
 - mechanisms of association 78–9
 - rubella 77–8
 - season of birth effect and 56–7
 - urbanization and 53–4
- influenza
 - prenatal exposure as risk factor 8, 75–7, 433
 - season of birth effect and 56–7
- informal economies, outcome and 29
- inheritance, mode of 205, 221
 - see also* genetic basis
- intelligence quotient as predictor of schizophrenia 107–8, 115
 - early-onset schizophrenia 178–9
- International Classification of Diseases (ICD) 365, 367, 379, 387, 398–9
- International Pilot Study of Schizophrenia (IPSS) 23, 27–8
- International Study of Schizophrenia (ISOs) 28–9
- IRAOS interview 128
- Israeli Draft Board Conscript Cohort 114
- Israeli High Risk Study 101, 104–6
 - childhood predictors of later schizophrenia 105
 - protective factors 105–6
- Jerusalem Infant Development Study (JIDS) 101, 103
- language abnormalities, as predictor of schizophrenia 115–16
- late paraphrenia 167
- liability correlations 202
- liability-threshold model 201–2
- life-course effects 15, 89–90
- linkage 443
- linkage disequilibrium 222
- linkage studies 223–4
- longitudinal approach 89–90
- longitudinal associations 374–5
- MacArthur Violence Risk Assessment Study 355
- Maudsley Early Onset Schizophrenia Study 175, 177, 179
- Maudsley Family Study 209–10
- Medical Research Council National Survey of Health and Development 111–12
- meta-analysis 443
- misdiagnosis, in migrants 59
- migration 58–62
 - historical context 58–9
 - methodological problems 59–60
 - category fallacy 59
 - different illness 60
 - estimating the denominator 59
 - misdiagnosis 59
 - separating the effects of migration and ethnicity 60
 - possible causes of migration effect 61–2
 - drug abuse 61
 - genes or environment 61
 - neurodevelopmental impairment 61
 - social causation 61–2
 - urbanization 62

Cambridge University Press

052177540X - The Epidemiology of Schizophrenia

Edited by Robin M. Murray, Peter B. Jones, Ezra Susser, Jim Van Os and Mary Cannon

Index

[More information](#)

451

Index

- MMR vaccine, autism and 9
- molecular epidemiology 230
- monozygotic twins 197–200, 246–9, 392
- mortality 273, 275–7
 - cancer and 279
 - death from natural causes 275–6
 - service planning implications 416, 419
 - see also* suicide
- motor coordination, as predictor of
 - schizophrenia 115
- multiple sclerosis 281
- National Child Development Study 112–13
- National Collaborative Perinatal Project (NCP), Philadelphia 114–16
 - childhood developmental variables as predictors of schizophrenia 115–16
- National Comorbidity Study, USA 318, 367
- National Institute of Mental Health (NIMH)
 - childhood-onset schizophrenia project 177
 - Epidemiologic Catchment Area (ECA) study 318, 320, 356, 371
- NEMESIS study 373
- neonatal infection 78
- nested case-control study 443
- neurodevelopmental hypothesis 71, 74, 100
- neurodevelopmental impairment, migration effect and 61
- neuroleptics, suicide risk and 305–6
- New York High Risk Project (NYHRP) 101, 106–8
 - behavioural predictors 107
 - cognitive predictors 107–8
 - neuropsychological predictors 106–7
- New York Infant Development Study 102–3
- nicotine abuse 322–3
 - as cause of schizophrenia 327–8
 - see also* substance abuse
- nonaffective acute remitting psychosis (NARP) 22–3
- Northern Finland Birth Cohort (1966) 113
- nosology 229–30
- nutritional deficiency, prenatal 41, 433–4
- obstetric complications 116, 174–5, 255–6, 432–3
 - case-control studies 81
 - neuroimaging studies 259–61, 263–4
 - perinatal hypoxia 263–4
 - population-based studies 82–6
 - meta-analysis of findings 86
 - methodological issues 82–3
 - specificity 86
 - statistical power issues 83
 - timing of exposure 83–6
 - service planning implications 415
 - urbanization and 53
- odds ratio 443
- onset of disease
 - assessment of 132–3
 - definition 131–2
 - gender differences 135–7
 - possible explanations for 137
- service planning implications 416–17
- stages of 134–5
- symptoms of 137–8
- systematic retrospective analysis 133
- see also* age-at-onset; early-onset schizophrenia; very-late-onset schizophrenia
- opiate abuse 322
 - see also* drug abuse; substance abuse
- outcome
 - early-onset schizophrenia 180–1
 - first-episode studies 151–3
 - geographical variation 22–30
 - possible explanations for differences 29–30
 - community cohesion 29
 - family relationships 29
 - informal economies 29
 - segregation of the mentally ill 29
 - societal basis 30
 - service planning implications 416
 - substance abuse effects 333–6
 - risk of violence 335
 - use of services 333–5
 - time trends 41–3
 - very-late-onset schizophrenia 181
 - see also* course of disease; mortality; suicide
- pandysmaturation (PDM) 103
- Perceptual Aberration Scale (PAS) 369, 370
- perinatal hypoxia 263–4
 - genotype interaction 264–5
- perinatal risk factors *see* obstetric complications
- period effects 11–12, 36–40
- personality, premorbid 175–6
 - substance abuse and 332–3
 - see also* social disability
- Peters Delusions Inventory (PDI) 372, 373
- phenotype 443
 - genetic validity 227
- physical illness in schizophrenia 277–82
 - cancer 278–80
 - cardiovascular disease 278
 - diabetes mellitus 281
 - epilepsy 281–2
 - human immunodeficiency virus (HIV) 282
 - multiple sclerosis 281
 - rheumatoid arthritis 280–1
 - service planning implications 416, 419
 - suicide risk and 303
 - see also* comorbidity
- population attributable risk percent 443
- population stratification 443
- positional cloning 249
- predictors of schizophrenia 105, 106–8, 115–16
 - behavioural predictors 107, 116
 - cognitive predictors 107–8, 115
 - early-onset schizophrenia 178–9
 - very-late-onset schizophrenia 179–80
- language abnormalities 115–16
- motor variables 115
- neuropsychological predictors 106–7
- obstetric complications 116, 255–6
- see also* risk factors

452 Index

- pregnancy complications *see* prenatal risk factors
- premorbid personality 175–6
 - substance abuse and 332–3
 - see also* social disability
- prenatal risk factors 75–81, 174–5, 432–3
 - famine 79
 - infections 75–9, 433
 - influenza 8, 75–7, 433
 - mechanisms of association 78–9
 - rubella 77–8
 - nutritional deficiency 41, 433–4
 - place of birth 75
 - rhesus incompatibility 79–80
 - stress 80–1
 - time of birth 75
- Present State Examination (PSE) 129, 372
- prevalence
 - early-onset schizophrenia 168–9
 - schizophrenia prevalence among general population suicides 290–2
 - very-late-onset schizophrenia 170
 - see also* incidence
- prevention
 - future research 435–7
 - possible preventive strategies 430–5
 - indicated prevention 430–1
 - selective prevention 430
 - universal interventions 431–5
 - science of 427–30
 - barriers to primary prevention 429–30
 - risk factors and causes 428–9, 431–5
 - suicide 306, 307
- prisoners, service planning 418
- prodrome 124–31
 - assessment of prodromal signs and symptoms 125–8
 - historical context 124–5
 - prospective validation of prodromal symptoms 129–31
 - see also* course of disease
- proxy variables 89, 443
- psychological autopsy 289–90
- Psychosis Screening Questionnaire (PSQ) 371, 373
- psychosis transitions 375–7
- psychosocial stress, urbanization and 54
- publication bias 444
- quantitative trait locus (QTL) approaches 227
- recall bias 444
- relapse rates 152
 - service planning implications 421
 - see also* course of disease
- relative risk 444
- Research Diagnostic Criteria (RDC) 365
- residual confounding 444
- rhesus incompatibility 79–80
- rheumatoid arthritis 280–1
- risk factors 444
 - demographic risk factor associations 375
 - developmental 175, 434–5
 - first-episode studies 150
 - for suicide *see* suicide
 - genetic 173–4, 431–2
 - see also* genetic basis
 - prevention implications 428–9
 - see also* obstetric complications; predictors of schizophrenia; prenatal risk factors; season of birth effects; urban effects
- risk-modifying factors 428
- rubella, prenatal 77–8
- schizophrenia spectrum 206–7, 221
- schizotaxia hypothesis 103
- Schizotypal Personality Questionnaire (SPQ) 369, 370
- schizotypy 369, 374
- season of birth effects 55–8, 75, 432
 - differences between summer- and winter-born patients 57–8
 - possible causes of 56–7
 - urban effect and 57
- segregation analysis 444
- segregation of the mentally ill, outcome and 29
- selection bias 444
- sensory impairment, as risk factor 176
- service planning
 - conceptual model 412
 - evidence-based approach 412–21
 - at the level of catchment area 416–19
 - at the level of individual patients 414–16
 - at the national/regional level 420–1
 - uses of epidemiological data 411–12
- service use, substance abuse and 333–5
- single nucleotide polymorphism (SNP) 228
- skin complexion 10–11
- smoking 322–3
 - see also* substance abuse
- social disability 140–1
 - early-onset schizophrenia and 175–6
- social isolation 176–7
 - urbanization and 54–5
- societal racism 10
- sociodemographic risk factors for suicide 299
- socioenvironmental influences 5–15, 29–30
 - migrants 61–2
 - see also* urban effects
- speech abnormalities, as predictor of schizophrenia 115–16
- standardized mortality (morbidity) ratio 444
- stimulant abuse 322
 - as cause of schizophrenia 324–5
 - see also* drug abuse
- stress, prenatal 80–1
- structural brain abnormalities *see* brain structural abnormalities
- substance abuse 274, 317–18
 - as cause of schizophrenia 323–9
 - explanatory model 328–9
 - temporal relationship 324
 - characteristics of patients who abuse substances 332–3
 - age at onset 332

Cambridge University Press

052177540X - The Epidemiology of Schizophrenia

Edited by Robin M. Murray, Peter B. Jones, Ezra Susser, Jim Van Os and Mary Cannon

Index

[More information](#)**453 Index**

- premorbid personality 332–3
 - sex 332
- common factor underlying schizophrenia and substance abuse 331–2
- comorbidity 141–2, 150
 - international evidence 318–19
 - temporal and geographic variations 319–20
- effects on psychosis outcome 333–6
 - risk of violence 335
 - use of services 333–5
- future studies 336–7
- self-medication hypothesis 329–30
- service planning implications 418
- social milieu effects 330–1
- suicide risk and 302–3
 - see also* alcohol abuse; drug abuse
- subtypes of schizophrenia 207, 379
 - suicide risk and 302
- suicide 273–4, 277, 288–308
 - classification of 288–9
 - definition of 288
 - future research 306–7
 - limitations of current studies 306
 - prevention 306, 307
 - rates in follow-up studies of people with schizophrenia 292–8
 - research designs 289–90
- risk factors 277, 298–306
 - adverse life events 303–4
 - comorbidity 302–3
 - cultural factors 298–9
 - duration, course and phase of schizophrenia 299–302
 - family factors 304
 - previous suicidality 303
 - schizophrenia subtypes and symptoms 302
 - treatment-related factors 304–6, 307
- schizophrenia prevalence among general population suicides 290–2
- service planning implications 415
- sociodemographic factors 299
- sulcal cerebrospinal fluid volume 262–3, 264
- Swedish Conscript Cohort 114
- symptoms
 - dimensions of 207–8, 390–8
 - contrast in aetiology and familial morbid risk 392–3
 - contrast in course and outcome 393–6
 - contrast in neuropsychology 396–8
 - psychopathological contrast 390–1
 - distribution of 369
 - grouping 377–8
 - onset of disease 137–8
 - prevalence of 369–73
 - delusions 371–3
 - hallucinations 370–1, 372–3
 - prodromal
 - assessment of 125–8
 - validation of 129–31
 - service planning implications 415–16
 - suicide risk factors 302
- tardive dyskinesia 153–4
- Ten Country Study 19, 23–7
 - course and outcome 28
 - incidence 19–21
- time trends
 - course of disease 41–3
 - incidence 34–41
 - age–period–cohort effects 36–41
 - first-episode studies 149–50
 - outcome 41–3
- treatment
 - early-onset schizophrenia 181–2
 - first episode 152
 - impact of 10
 - service planning implications 417
 - suicide risk and 304–6, 307
 - prevention 306
 - very-late-onset schizophrenia 182–3
 - see also* prevention
- trema phase 128
- twin studies 197–200, 392
 - discordant twin pairs 208–9
 - equal environments assumption 197–9, 248–9
 - gene–environment interaction consequences 245–9
 - results 199–200
- unemployment rates, service planning and 420–1
- urban effects 49–55, 75, 432
 - historical context 49–50
- migrants 62
- possible explanations for increased risk 53–5
 - drug abuse 54
 - infectious disease 53–4
 - obstetric complications 53
 - psychosocial stress 54
 - social class 53
 - social isolation 54–5
- recent studies 50–2
- season of birth and 57
- service planning implications 419, 420
- timing of exposure 52–3
- vaccinations
 - MMR vaccine, autism and 9
 - prenatal infection exposure and 41
- ventricular cerebrospinal fluid to brain ratio 258, 259, 260
- very-late-onset schizophrenia 167
 - course of disease 181
 - outcome 181
 - phenomenology 172–3
 - prevalence rates 170
 - risk factors
 - genetic 174
 - neurocognitive impairment 179–80
 - premorbid personality 176
 - sensory impairment 176
 - social isolation 177
 - structural brain abnormalities 178
 - treatment issues 182–3
 - see also* onset of disease

454 **Index**

violence 343–57	
community prevalence studies 349–50	
future research 357	
methodological limitations of violence studies 350–4	
confounding 353–4	
definition and measurement of exposure 350	
definition and measurement of outcome 351–2	
selection bias 352–3	
predictors of violent behaviour 354–5	
risk of violence attributable to schizophrenia 355–7	
studies estimating the prevalence of schizophrenia in those who have committed violent acts 348–9	
studies estimating the prevalence of violent acts among schizophrenics 343–8	
cohort studies 345–8	
cross-sectional studies 344–5	
substance abuse and 335	