

Index to Volumes 1 and 2

- Absolute continuity:** II.9.
Absorbing state: III.12.
Accessible stopping time: VI.13-14.
Adapted process: II.45.
Additive functional: III.16; construction from λ -potential, III.16, I.17.
Affine group: V.35.
Algebra: II.1.
Almost surely: II.14, III.9.
Announceable time: VI.12.
Approximation to compensators: VI.31.
Arcsine law: II.34, III.24, V.53.
Arzelà–Ascoli theorem: II.85.
Atlas: V.34.
Atom: II.88.
Awaiting the almost inevitable: II.57.
Azéma’s martingale: II.37.
- Backward equation:** I.4.
Barlow’s example: V.41.
Basic integrands: IV.5.
Bessel process: IV.35, V.48; time reversal, III.49.
Bi-invariant metric: V.35.
Birth process: III.26, VI.14.
Blumenthal’s 0–1 Law: for Brownian motion, I.12; for FD processes, III.9.
Bochner’s theorem: I.24.
Bochner’s horizontal Laplacian: V.34.
Borel–Cantelli Lemmas: II.15.
Boundary points of one-dimensional diffusions: V.47, V.51.
Boundary theory: see Martin–Doob–Hunt theory.
Branch points: definition, III.37; illustrative example, III.37; probabilistic significance III.41.
Brownian motion: definition, I.1; on affine group, V.35; arcsine law, II.34, III.24, VI.53; Brownian bridge, I.25, II.91, IV.40; canonical, II.90; complex, see complex Brownian motion; and continuous martingales, I.2, IV.34; Dirichlet problem, I.22; elastic Brownian motion, III.24; of ellipses, V.36, V.37; energy of charge, I.22; excursion law, VI.50; exponential martingales, I.2, I.9; Feller Brownian motions, VI.57; on filtered probability space, I.2, II.72; first-passage distribution, I.9, I.14, III.10; Gaussian description, I.3; generator, I.4, III.6; Green function, I.22; iterated-logarithm laws, I.16; Kolmogorov’s

- backward and forward equations, I.4; Kolmogorov's test, I.13; Lévy's characterization, IV.33; on Lie groups, V.35; local time, I.5, I.14, III.16; on a manifold, V.30, V.31; martingales of, I.17; martingale characterisations, I.2; martingale representation, IV.36, IV.41; modulus of continuity, I.10; no-increase property, I.10; nowhere-differentiability, I.12; on the orthonormal frame bundle, V.30, V.33, V.34; path decomposition, VI.55; potential theory, I.22; quadratic variation, I.11, IV.2; Ray–Knight Theorems, VI.52; recurrence, I.3; reflecting Brownian motion, I.14, III.22, V.6; reflection principle, I.13; resolvent, III.3; rotational invariance, I.18; scaled Brownian excursion, IV.40; scaling, I.3; skew-product representation, V.31; on $SO(3)$, V.35; Skorokhod embedding, I.7, VI.51; slow points, I.10; strong Markov property, I.12; on a surface, V.4, V.31; time-reversed, II.38; transition density, I.4; unbounded variation, I.11, IV.2; wandering to infinity, I.18.
- Brownian sheet: I.25.
- Burkholder–Davis–Gundy inequalities: IV.42.
- Càdlàg maps: see *R*-paths.
- Cameron–Martin–Girsanov change of measure: IV.38–41, V.27.
- Canonical decomposition of a special semimartingale: VI.40.
- Canonical process: II.28, II.71, III.7.
- Capacity: I.22.
- Carathéodory's Extension Theorem: II.5.
- Carverhill's noisy North–South flow: V.14.
- Cauchy law: I.20.
- Cauchy process: I.28, VI.2, VI.28.
- Change of time scale: see time substitution.
- Chapman–Kolmogorov equations: I.4, III.1.
- Characteristic exponent: I.28.
- Characteristic operator: III.12.
- Charge: I.22, III.27; see also equilibrium charge.
- Chart: V.34.
- Choquet capacitability theory: III.76.
- Choquet representation of λ -excessive functions: III.44.
- Choquet representation of 1-excessive probabilities: III.38.
- Choquet's theorem on integral representations: III.27.
- Christoffel symbols: V.31, V.34.
- Cieselski–Taylor Theorem: III.20, III.49.
- Clark's Theorem on Brownian martingale representation: IV.41.
- Coffin state: III.3.
- Comparison theorem: V.43.
- Compensated Poisson process: II.64.
- Compensator: VI.29, VI.31; see also dual previsible projection.
- Completions: II.75.
- Complex Brownian motion: I.19; cone point, I.21; cut point, I.21; multiple points, I.21; Spitzer's theorem, I.20; windings of, I.20.
- Compound Poisson process: I.28.
- Condition N: III.54.
- Condition S: III.55.
- Conditional expectations and probabilities: II.41, II.44; regular, II.42, II.43.
- Conditional independence: II.60.
- Cone point: I.21.

- Conformal martingales:** IV.34.
Connection: V.32, V.34.
Continuous Lévy processes, characterization of: I.28, III.14.
Continuous local martingale: pure local martingales, IV.34; quadratic-variation process IV.30; as time change of Brownian motion, IV.34.
Continuous mapping principle: II.84.
Continuous semimartingale: canonical decomposition, IV.30, VI.24; Itô's formula, IV.32; local time, IV.43.
Contraction resolvent: III.4; strongly continuous (SCCR), III.4.
Contraction semigroup: III.4; strongly continuous (SCCSG), III.4.
Control problems: see stochastic control.
Controlled variance problem: V.6, V.42.
Convergence of random variables: II.19.
Coupling inequality: V.54.
Coupling of one-dimensional diffusions: V.54.
Covariance of a diffusion: V.1.
Covariant differentiation: V.32, V.34.
Cumulative risk: II.64, VI.22.
Curvature: V.38.
Cut point: I.21.
Cylinder: II.25.
- d*-system: II.1.
Daniell–Kolmogorov Theorem: II.30, II.31; limitations of, II.34.
Début: of open set for R-process, II.74; of compact set of R-process, II.75; of progressive set, VI.3.
Début Theorem II.76, III.9, VI.3.
De Finetti's Theorem: II.51.
Diffeomorphism: V.34.
Diffeomorphism Theorem: V.13.
Diffusion equation: I.4.
Diffusion: III.13, V.1, V.2; diffusion SDE, V.8; in one dimension, see one-dimensional diffusions; physical, I.23.
Directed set: II.80.
Dirichlet form: I.23; for Markov chains, III.59.
Dirichlet problem: I.22.
Distribution function: II.16.
Doléans' characterization of FV processes: VI.20, VI.25–27.
Doléans exponential: IV.19.
Doléans' proof of the Meyer Decomposition Theorem: VI.30.
Dominated-Convergence Theorem: II.8.
Donsker's Invariance Principle: I.8.
Doob decomposition of a submartingale: II.54.
Doob *h*-transform: III.29, III.45, IV.39.
Doss–Sussmann method: V.28.
Downcrossing Theorem (Lévy): I.14.
Drift of a diffusion: V.1.
Dual previsible projection: VI.1, VI.21, VI.23.
Dynkin's formula: III.10.
Dynkin's Local-Maximum Principle: III.13.

Dynkin's Isomorphism Theorem: I.27.

Dynkin's Maximum Principle: III.6.

Elastic boundary: III.24.

Elementary process: IV.6, IV.25.

Elworthy's example: V.13.

Empirical distribution: II.91.

Entrance laws: III.39.

Equilibrium charge and potential: I.22, III.48, VI.35.

Ergodic Theorem for one-dimensional diffusions: V.53.

Evanescence process: IV.13.

Excessive functions: III.27; representation, see Martin–Doob–Hunt theory; Riesz decomposition, III.27; uniformly λ -excessive, III.16.

Excessive measures: III.38.

Excursion intervals: VI.42.

Excursion law: VI.47, VI.50; for Brownian motion, VI.50, VI.55; for Markov chain, VI.43, VI.50.

Excursion theory: Ch. VI; censoring and reweighting of excursion laws, VI.58; characteristic measure, VI.47; excursion filtration, VI.59; for a finite Markov chain, VI.43; lifetime, VI.47; marked excursions, VI.49; for a Markov chain, III.57; Markovian character of excursion law, VI.48; path decomposition for Brownian excursions, VI.55; from a point which is not regular extremal, VI.50; Poisson point process, VI.43, VI.47; starred excursion, VI.49; by stochastic calculus, VI.59.

Excursion space: VI.43, VI.47.

Expectation: II.17.

Exponential map: V.34.

Exponential semimartingale: IV.19, IV.22, IV.37.

Extending the generator: III.4.

FD (Feller–Dynkin) diffusions: III.13, V.22; martingale representation, V.25.

FD processes: existence, III.7; strong Markov property, III.8, III.9.

FD semigroups: III.6.

FV: see finite-variation.

Fair stopping time: VI.12.

Fatou Lemma: II.8; for non-negative supermartingales, IV.14.

Feller Brownian motions: VI.57.

Feller property: III.6.

Feller–McKean chain: III.23, III.35.

Feynman–Kac formula: III.19; for Markov chains, IV.22.

Field: see algebra.

Fick's Law: I.23.

Filtering: VI.8; Bayesian approach, VI.10; change-detection filter, V.10, V.22; Kalman–Bucy filter, VI.9; robust filtering, VI.11.

Filtration: II.45, II.63; natural, II.45.

Finite-dimensional distributions: II.29, II.87.

Finite fuel control problem: V.7, V.15.

Finite-variation functions: II.13.

Finite-variation processes: IV.7; Doléans' characterization, VI.20.

First-approach times: II.74.

- First-entrance decomposition:** III.52.
First-entrance times: *see* *début*.
First-hitting times: II.74.
Forward equation: I.4, I.23.
Freedman's interpretation of q_{ij} : III.57.
Fubini's Theorem: II.12.
Fundamental Theorem of Algebra: I.20.
- Gamma process:** I.28.
Gaussian process: definition, I.3.
Gaussian random fields, isotropic: I.26.
Generator: *see* *infinitesimal generator*.
Geodesic: V.32, V.34.
Girsanov SDE: V.26.
Good λ inequality: IV.42.
Green function: I.22, III.27, III.30.
Gronwall's lemma: V.11.
- Harmonic function:** III.31.
Hausdorff moment problem: III.28.
Hazard function: II.64.
Heat equation: I.4.
Helms–Johnson example: II.79, III.31, IV.14, VI.33.
Hermite polynomials: I.2.
Hewitt–Savage 0–1 law: II.51.
Hille–Yosida Theorem: III.5.
Hölder inequality: II.10.
Honest transition function: III.3.
Horizontal lift: V.34.
Horizontal vector field: V.34.
Hörmander's Theorem: V.38.
Hunt's Theorem: VI.35.
Hyperbolic plane: V.34, V.35, V.36.
Hyperboloid sheet: V.36.
Hypothèses droites: VI.46.
- Identical hitting-distributions:** III.21.
Imbedding: V.34.
Independence: II.21, II.23.
Indistinguishable processes: II.36, IV.13.
Infinite divisibility: I.28.
Infinitesimal generator: III.2, III.4; *Brownian motion*, I.4, III.6; *one-dimensional diffusion* V.47, V.50.
Inner measure: II.6.
Inner regularity of measures: II.80.
Innovations process: VI.8.
Instantaneous state of a Markov chain: III.51.
Integral: II.7.
Integrable-variation processes: IV.7.

- Integral curve:** V.34.
Integration by parts: IV.2, VI.38; for continuous semimartingales, IV.32; for finite-variation processes, IV.18.
Integrators: IV.16.
Isometric imbedding: V.34.
Isotropic Gaussian random fields: I.26.
Itô's formula: IV.3, VI.39; for continuous semimartingales, IV.32; for convex functions IV.45, V.47; for FV processes, IV.18.
Itô integral: see stochastic integral.
- Jensen's inequality:** II.18, II.41, II.52.
Joint law: II.16.
- Kalman–Bucy filter:** VI.9.
Khasminskii's method for stability: V.37.
Khasminskii's test for explosion: V.52.
Killing: III.18
Kingman's Markov Characterization Theorem: III.58.
Knight's Theorem on continuous local martingales: IV.34.
Kolmogorov's backward equations: I.4.
Kolmogorov's forward equations: I.4.
Kolmogorov's lemma: I.25, II.85, IV.44.
Kolmogorov's test for Brownian motion: I.13.
Kolmogorov's 0–1 Law: II.50.
Krylov's example: V.29.
Kunita–Watanabe inequalities: IV.28.
- L-process, L-path:** IV, Introduction.
 λ -potential operator: see resolvent.
Laplace exponent: I.28, I.37.
Laplace–Beltrami operator: V.30, V.34.
Last-exit decomposition: III.56, VI.43, VI.48.
Last-exit distribution for Brownian motion: VI.35.
Law of the Iterated Logarithm: I.16.
Law of process: II.27.
Law of a random variable: II.16.
LCCB: locally compact Hausdorff space with countable base, II.6.
Lebesgue measure: II.5.
Lebesgue's thorn: III.9.
Left-invariant vector field: V.35.
Lévy Brownian motion: I.24.
Lévy's characterization of Brownian motion: I.2, IV.33.
Lévy–Doob 'Downward' Theorem: II.51.
Lévy kernels: III.57, IV.21.
Lévy–Hincin formula: I.28, VI.2.
Lévy measure: I.28, II.37, VI.2; Lévy system: VI.28.
Lévy process: I.28, I.29, I.30, II.37, VI.2.
Lévy's 'Upward' Theorem: II.50.
Lie algebra: V.35.
Lie bracket: V.34, 38.

- Lie group:** V.35.
Lifetime: III.7.
Likelihood ratio: II.79, IV.17; for Markov chains, IV.22.
Lipschitz square root: V.12.
Local martingale: IV.1, IV.14; on a manifold, V.30, V.33.
Local time: for Brownian motion, I.5, I.14; for continuous semimartingales, IV.43–4; growth set, VI.45; for Lévy processes, I.30; Markovian local time, IV.43; as an occupation density, IV.45; for one-dimensional diffusions, V.49; at regular extreme point of a Ray process, VI.45; from upcrossings of Brownian motion, I.14, II.79.
Localization: IV.9.
Locally bounded previsible process: IV.10.
Lusin space: II.31, II.82.
Lyapunov exponent: V.37.
- Malliavin–Bismut integration-by-parts:** V.38.
Malliavin calculus: V.38.
Manifold: V.34.
Marked excursions: VI.49.
Markov chains: III.2; birth process, IV.26; Dirichlet form, III.59; Feller–McKean chain, III.23, III.35; Lévy’s diagonal Q -matrix, III.35, IV.35; Martin boundary, III.48; martingale problem, IV.20–22; as Ray processes, III.50; stable and instantaneous states, III.51; see also Q -matrices, standard transition functions.
Markov p -function: III.58.
Markov inequality: II.18.
Markov processes: III.1; see also FD processes, Ray processes.
Martin compactification: III.28.
Martin kernel: III.27; for Brownian motion in the unit ball, III.30.
Martin–Doob–Hunt theory: for discrete-parameter chains, III.28, III.29, III.42; for Brownian motion, III.30, III.31.
Martingales: definitions, II.46, II.63; for Brownian motion, I.17; convergence theorems, II.49, II.50, II.51, II.69; in L^p , II.53; regularity of paths, II.65, II.66, II.67; for FD processes, III.10; for Brownian motion, I.17.
Martingale inequalities: Burkholder–Davis–Gundy inequality, IV.42; Doob’s L^p inequality, II.52, II.70; Doob’s submartingale inequality, II.52, II.54, II.70; Doob’s Upcrossing Lemma, II.48.
Martingale problem: V.19; existence of solutions, V.23; for Markov chains, IV.20; Markov property of solution, V.21; relationship to weak solutions of SDEs, V.19–20; Stroock–Varadhan Theorem, V.24; well-posed, V.19.
Martingale representation: for Brownian motion, IV.36, 41; for FD diffusion, V.25; for Markov chains, IV.21.
Maximum-Modulus Theorem: I.20.
Maximum Principle: III.13.
McGill’s Lemma: VI.59.
Mean curvature: V.4.
Measurable function: II.2.
Measurable space: II.1.
Measurable transition function: III.3.
Measure space: II.4.
Meyer decomposition: III.17, VI.29, VI.32, VI.46.
Meyer’s Previsibility Theorem: VI.15.

- Minkowski inequality:** II.10.
Moderate function: IV.42.
Modification: II.36.
Monotone-Class Theorems: II.3.
Monotone Convergence Theorem: II.8.
Multiple points of Brownian motion: I.21.
Multiplicative functional: see PCHMF.
- Nagasawa's formula:** III.42, III.46.
Natural scale: V.46.
Net: II.80.
Normal coordinates: V.34.
Normal transition function: III.3.
- Observation process:** VI.8
Occupation density formula: I.5, IV.45.
One-dimensional diffusions: I.5, V.44–54, absorbing, inaccessible, reflecting end-points, V.47, V.51; exit, entrance boundary points, V.51; infinitesimal generator, V.47, V.50; natural scale, V.46; regular diffusion, V.45; resolvent, V.50, VI.54; scale function, V.46; speed measure, V.47; time substitution, V.47.
One-parameter subgroup: V.35.
Optional processes, σ -algebra: VI.4.
Optional projection: VI.7.
Optional-Sampling Theorem: II.59, II.77.
Optional Section Theorem: VI.5.
Optional-Stopping Theorem: II.57.
Optional time: VI.4; see also stopping time.
Orthonormal frame bundle: V.30, V.33, V.34.
Ornstein–Uhlenbeck process: I.23, V. 5; spectral measure, I.24.
Outer measure: I.6, II.35.
- π -system:** II.1.
Parallel-displacement: V.32, 34.
Parallel transport: V.32.
Path decomposition: III.49, VI.55.
Path regularization: II.67, III.7.
Path-space: II.28, V.8.
Pathwise-exact SDE: see SDE.
Pathwise uniqueness: V.9, V.17; Nakao theorem, V.41; Yamada–Watanabe Theorem, V.40.
PCHAF (perfect, continuous, homogeneous, additive functional): III.16.
PCHMF (perfect, continuous, homogeneous, multiplicative functional): III.18.
PFA theorem: VI.12, VI.16.
Picard's Theorem: I.20.
Polish space: II.82.
Poisson measures: II.37.
Potential (supermartingale): II.59.
Potential theory: I.22; see also Dirichlet problem, Martin–Doob–Hunt theory.
Poisson kernel for the half plane: I.19.
Poisson kernel for the unit ball: III.30.

- Poisson measure, process:** II.37, VI.2.
Polish space: II.82; characterization of, II.82.
Probability triple: II.14.
Pre-Brownian motion: II.32, II.68.
Pre-Poisson set function: II.33.
Pre- T σ -algebra: II.58, II.73, VI.17.
Previsible: II.47; path functionals, V.8; processes, σ -algebra, IV.6; Section Theorem, VI.19; stopping time, VI.12.
Previsible projection: VI.19.
Product σ -algebras: II.11; product measures, II.12, II.22.
Progressive process, σ -algebra: II.73, VI.3.
Prohorov's Theorem: II.83.
Pseudo-Riemannian metric: V.36.
Pure local martingale: IV.34, IV.35, V.28.
Purely discontinuous martingales: IV.24.
- Q -matrices:** III.1; DK conditions, III.53; local-character condition, III.54; probabilistic significance, III.57, IV.21; of symmetric chains, III.59; of totally instantaneous chains, III.55.
Quadratic-covariation process: IV.26.
Quadratic variation: I.11.
Quadratic-variation process: IV.26, VI.36; for continuous local martingales, IV.30; previsible angle-bracket process, VI.34.
Quantum fluctuations: V.5.
Quasi-left-continuity: for FD processes, III.11; of filtrations, VI.18; for Ray processes III.41, III.50.
Quasimartingales: VI.41.
Quaternions: V.35.
- R -filtered space:** II.67.
 R -path, R -process: II.62, II.63, Introduction to Chapter IV.
 R -regularisation: II.67.
 R -supermartingale convergence theorem: II.69.
Radon–Nikodým Theorem: II.9.
Random field: I.24.
Random walk, Martin boundary of: III.28.
Ray–Knight compactification: III.35.
Ray–Knight Theorem on local times: VI.52.
Ray processes: III.36; application to chains, III.50.
Ray resolvent: III.34.
Ray's Theorem: III.36, III.38.
Reducing sequence: IV.11.
Reduction: IV.11, IV.29.
Reflecting Brownian motion: see Brownian motion.
Reflection principle: I.13.
Regular conditional probabilities: existence theorem, II.89; counterexample, II.43.
Regular class (D) submartingale: VI.31.
Regular diffusion: V.45.
Regular increasing process: VI.21.
Regular point: I.22.

- Regular function:** III.27.
Regularizable path: II.62.
Resolvent: III.2, III.3; of Brownian motion, III.3.
Resolvent equation: III.2, III.3.
Reuter's Theorem on drifting Brownian motion: IV.39.
Reversed Martingale Convergence Theorem: II.51.
Riemannian connection: V.32, V.34.
Riemannian manifold: V.31.
Riemann mapping theorem: I.19.
Riemannian metric: V.34.
Riemannian structure induced by non-singular diffusion: V.34.
Riesz decomposition of excessive functions: III.27.
Riesz decomposition of a UI supermartingale: II.59.
Riesz representation Theorem: II.80, III.6.
Rolling without slipping: V.33.
- σ -additivity: II.4.
 σ -algebra: II.1; countably-generated, II.88.
 σ -field: see σ -algebra.
- SDE:** of diffusion type, V.8; exact, V.9, V.17; Itô's Theorem on existence and uniqueness of solutions, V.11; links with martingale problem, V.19-20; with (locally) Lipschitz coefficients, V.11-13; Markov property of solutions, V.13; pathwise uniqueness, V.9, V.17; strong solution, V.10; Tanaka's SDE, V.16; time-reversal, V.13; Tsirel'son's SDE, V.18; uniqueness in law, V.16; weak solution, V.16.
- Scale function:** V.28, V.46.
Scheffé's Lemma: II.8.
Section Theorem: II.76; Optional Section Theorem, VI.5; Previsible Section Theorem, VI.19.
Semimartingale: IV.15; continuous, see continuous semimartingale; as integrator, IV.16; local time, IV.43; in a manifold, IV.15.
Signal process: VI.8.
Skew product of Brownian motion: IV.35.
Skorokhod embedding: I.7, VI.51.
Skorokhod's equation: V.6.
Special semimartingale: VI.40.
Spectral measure of stationary Gaussian process: I.24.
Spitzer-Rogozin identity for Lévy processes: I.29.
Splitting time: III.49.
Stable process: I.28.
Stable subspace: IV.24.
Standard process: III.49.
'Standard' transition matrix function: III.2.
Stochastic control, optimality principle: V.15.
Stochastic development: V.33.
Stochastic differential equation: see SDE.
Stochastic differentials: IV.32, V.1.
Stochastic flows: V.13.
Stochastic integral: IV.27, VI.36-38; Riemann-sum approximation, IV.47.
Stochastic partial differential equations: VI.11.
Stochastic process: II.27.

- Stone–Weierstrass Theorem:** II.80.
Stopping time: II.56, II.73.
Strassen’s Law: I.16; invariance principle, I.16.
Stratonovich calculus: IV.46; switch to Itô, V.30.
Strong Law of Large Numbers: II.51.
Strong Markov property: for Brownian motion, I.12; for FD processes, III.8, III.9; for Ray processes, III.40; under time reversal, III.47.
Strong reduction: VI.37.
Structural constants for Lie groups: V.35.
Structural equations: V.34.
Subadditive Ergodic Theorem: I.22.
Submanifold: V.34; regular submanifold, V.31.
Sub-Markov semigroup: III.3.
Submartingale: II.46, II.63.
Subordinator: I.28, II.37, VI.43.
Summation convention: V.1.
Superharmonic function: III.31.
Supermartingale: convergence theorem, II.49; definition, II.46, II.63; sup of a sequence of, II.78.
Supermedian function: III.34.
Symmetrisable Q -matrix, transition matrix function: III.59.
- Taboo probabilities:** III.52.
Tanaka’s formula: IV.43.
Tanaka’s SDE: V.16.
Tangent bundle: V.34.
Tangent vector: V.30, V.34.
Tchebychev inequality: II.18.
Terminal time: III.18.
Tightness: II.83, II.85.
Time change: see time substitution.
Time reversal: III.42, III.47, III.49.
Time-reversed Brownian motion: II.38.
Time substitution: III.21, IV.30, V.26.
Torsion: V.34.
Totally inaccessible stopping time: V.21, VI.13–14.
Tower property of conditional expectation: II.41.
Transition function: III.1; measurable, III.3.
Trotter’s Theorem: I.5.
Tsirel’son’s SDE: V.18.
- Uniform asymptotic negligibility:** I.28.
UI: see uniform integrability.
Uniform integrability: II.20, II.29, II.21 II.44.
Uniqueness in law: V.16.
Universal completion: III.9.
Upcrossings: II.62.
Upcrossing Lemma: II.48.
Usual augmentation: II.67, II.75.
Usual conditions: II.67, IV, Introduction.

Cambridge University Press

978-0-521-77593-9 - Diffusions, Markov Processes, and Martingales, Volume 2: Ito
Calculus - 2nd Edition

L. C. G. Rogers and David Williams

Index

[More information](#)

480

INDEX TO VOLUMES 1 AND 2

Volkonskii's formula: III.21.

Volkonskii–Šur–Meyer Theorem: III.16, III.17.

Volume element: V.34.

Von Mises distribution: IV.39.

Weak convergence: II.83; Prohorov's Theorem, II.83; in W , II.85; Skorokhod's interpretation, II.84, II.86.

Weak* topology: II.80.

Weyl's Lemma: V.38.

Whittle's flypaper example: V.7, V.15.

Wiener–Hopf factorisation of Lévy processes: I.29 .

Wiener measure: I.6.

Wiener process: see Brownian motion.

Wiener's Theorem: I.6; proofs, I.6, II.71.

Yor's addition formula: IV.19.

Yor's Theorem on semimartingale local time: IV.44.

Zvonkin's observation: V.18, V.28.